



Full wwPDB EM Validation Report ⓘ

Nov 28, 2022 – 07:55 AM EST

PDB ID : 7MTA
EMDB ID : EMD-23979
Title : Rhodopsin kinase (GRK1)-S5E/S488E/T489E in complex with rhodopsin and Fab1
Authors : Chen, Q.; Chen, C.-L.; Tesmer, J.J.G.
Deposited on : 2021-05-13
Resolution : 4.10 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 4.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1-G	543	
1	2-G	543	
1	3-G	543	
1	4-G	543	
1	5-G	543	
1	6-G	543	
2	1-H	234	
2	2-H	234	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	3-H	234	91% 5%
2	4-H	234	92% 5%
2	5-H	234	91% 5%
2	6-H	234	92% 5%
3	1-L	217	33% 92% 6% ..
3	2-L	217	92% 6% ..
3	3-L	217	92% 6% ..
3	4-L	217	91% 7% ..
3	5-L	217	93% 6% ..
3	6-L	217	92% 6% .
4	1-R	348	57% 89% 7%
4	2-R	348	91% 7%
4	3-R	348	90% 7%
4	4-R	348	89% 7%
4	5-R	348	88% 5% 7%
4	6-R	348	89% 7%

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 52194 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Rhodopsin kinase GRK1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	1-G	346	2746	1756	470	507	13	0	0
1	2-G	346	2746	1756	470	507	13	0	0
1	3-G	346	2746	1756	470	507	13	0	0
1	4-G	346	2746	1756	470	507	13	0	0
1	5-G	346	2746	1756	470	507	13	0	0
1	6-G	346	2746	1756	470	507	13	0	0

There are 11 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
G	5	GLU	SER	engineered mutation	UNP P28327
G	488	GLU	SER	engineered mutation	UNP P28327
G	489	GLU	THR	engineered mutation	UNP P28327
G	536	VAL	-	expression tag	UNP P28327
G	537	ASP	-	expression tag	UNP P28327
G	538	HIS	-	expression tag	UNP P28327
G	539	HIS	-	expression tag	UNP P28327
G	540	HIS	-	expression tag	UNP P28327
G	541	HIS	-	expression tag	UNP P28327
G	542	HIS	-	expression tag	UNP P28327
G	543	HIS	-	expression tag	UNP P28327

- Molecule 2 is a protein called Fab1 Heavy chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	1-H	223	1676	1064	276	331	5	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
2	2-H	223	Total	C	N	O	S	0	0
			1676	1064	276	331	5		
2	3-H	223	Total	C	N	O	S	0	0
			1676	1064	276	331	5		
2	4-H	223	Total	C	N	O	S	0	0
			1676	1064	276	331	5		
2	5-H	223	Total	C	N	O	S	0	0
			1676	1064	276	331	5		
2	6-H	223	Total	C	N	O	S	0	0
			1676	1064	276	331	5		


- Molecule 3 is a protein called Fab1 Light chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	1-L	215	Total	C	N	O	S	0	0
			1660	1043	276	336	5		
3	2-L	215	Total	C	N	O	S	0	0
			1660	1043	276	336	5		
3	3-L	215	Total	C	N	O	S	0	0
			1660	1043	276	336	5		
3	4-L	215	Total	C	N	O	S	0	0
			1660	1043	276	336	5		
3	5-L	215	Total	C	N	O	S	0	0
			1660	1043	276	336	5		
3	6-L	215	Total	C	N	O	S	0	0
			1660	1043	276	336	5		

- Molecule 4 is a protein called Rhodopsin.


Mol	Chain	Residues	Atoms					AltConf	Trace
4	1-R	324	Total	C	N	O	S	0	0
			2575	1715	396	438	26		
4	2-R	324	Total	C	N	O	S	0	0
			2575	1715	396	438	26		
4	3-R	324	Total	C	N	O	S	0	0
			2575	1715	396	438	26		
4	4-R	324	Total	C	N	O	S	0	0
			2575	1715	396	438	26		
4	5-R	324	Total	C	N	O	S	0	0
			2575	1715	396	438	26		
4	6-R	324	Total	C	N	O	S	0	0
			2575	1715	396	438	26		

- Molecule 5 is SANGIVAMYCIN (three-letter code: SGV) (formula: $C_{12}H_{15}N_5O_5$).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
5	1-G	1	Total	C	N	O	0
			22	12	5	5	
5	2-G	1	Total	C	N	O	0
			22	12	5	5	
5	3-G	1	Total	C	N	O	0
			22	12	5	5	
5	4-G	1	Total	C	N	O	0
			22	12	5	5	
5	5-G	1	Total	C	N	O	0
			22	12	5	5	
5	6-G	1	Total	C	N	O	0
			22	12	5	5	



- Molecule 6 is RETINAL (three-letter code: RET) (formula: $C_{20}H_{28}O$).





Mol	Chain	Residues	Atoms	AltConf
6	1-R	1	Total C 20 20	0
6	2-R	1	Total C 20 20	0
6	3-R	1	Total C 20 20	0
6	4-R	1	Total C 20 20	0
6	5-R	1	Total C 20 20	0
6	6-R	1	Total C 20 20	0




• Molecule 1: Rhodopsin kinase GRK1




• Molecule 1: Rhodopsin kinase GRK1







• Molecule 1: Rhodopsin kinase GRK1







• Molecule 1: Rhodopsin kinase GRK1



• Molecule 2: Fab1 Heavy chain



• Molecule 2: Fab1 Heavy chain




• Molecule 2: Fab1 Heavy chain




• Molecule 2: Fab1 Heavy chain







- Molecule 2: Fab1 Heavy chain



- Molecule 2: Fab1 Heavy chain



- Molecule 3: Fab1 Light chain



- Molecule 3: Fab1 Light chain




- Molecule 3: Fab1 Light chain




- Molecule 3: Fab1 Light chain






- Molecule 3: Fab1 Light chain

Chain 5-L: 93% 6% ..




- Molecule 3: Fab1 Light chain

Chain 6-L: 92% 6% .




- Molecule 4: Rhodopsin

Chain 1-R: 89% 7% . 57%




- Molecule 4: Rhodopsin

Chain 2-R: 91% 7% .



- Molecule 4: Rhodopsin


Chain 3-R: 90% 7% .




• Molecule 4: Rhodopsin



• Molecule 4: Rhodopsin



• Molecule 4: Rhodopsin



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	310363	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	54	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	2.583	Depositor
Minimum map value	-2.566	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.029	Depositor
Recommended contour level	0.49	Depositor
Map size (\AA)	432.00003, 432.00003, 432.00003	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.08, 1.08, 1.08	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: SGV, RET

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	1-G	0.92	0/2803	1.02	8/3771 (0.2%)
1	2-G	0.92	0/2803	1.00	3/3771 (0.1%)
1	3-G	0.92	0/2803	1.02	4/3771 (0.1%)
1	4-G	0.92	0/2803	1.01	6/3771 (0.2%)
1	5-G	0.92	0/2803	1.00	3/3771 (0.1%)
1	6-G	0.92	0/2803	1.01	6/3771 (0.2%)
2	1-H	0.90	0/1722	1.04	2/2354 (0.1%)
2	2-H	0.90	0/1722	1.04	1/2354 (0.0%)
2	3-H	0.90	0/1722	1.04	2/2354 (0.1%)
2	4-H	0.90	0/1722	1.05	1/2354 (0.0%)
2	5-H	0.90	0/1722	1.03	2/2354 (0.1%)
2	6-H	0.90	0/1722	1.05	3/2354 (0.1%)
3	1-L	0.91	0/1697	1.05	3/2304 (0.1%)
3	2-L	0.91	0/1697	1.08	5/2304 (0.2%)
3	3-L	0.91	0/1697	1.06	2/2304 (0.1%)
3	4-L	0.91	0/1697	1.09	3/2304 (0.1%)
3	5-L	0.91	0/1697	1.07	5/2304 (0.2%)
3	6-L	0.91	0/1697	1.07	2/2304 (0.1%)
4	1-R	0.88	0/2657	0.92	4/3621 (0.1%)
4	2-R	0.88	0/2657	0.91	4/3621 (0.1%)
4	3-R	0.88	0/2657	0.91	2/3621 (0.1%)
4	4-R	0.88	0/2657	0.91	4/3621 (0.1%)
4	5-R	0.87	0/2657	0.91	4/3621 (0.1%)
4	6-R	0.88	0/2657	0.92	4/3621 (0.1%)
All	All	0.90	0/53274	1.00	83/72300 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	1-G	0	1
1	2-G	0	1
1	3-G	0	1
1	4-G	0	1
1	5-G	0	1
1	6-G	0	1
2	1-H	0	1
2	2-H	0	1
2	3-H	0	1
2	4-H	0	1
2	5-H	0	2
2	6-H	0	1
3	1-L	0	1
3	2-L	0	3
3	3-L	0	1
3	4-L	0	2
3	5-L	0	1
3	6-L	0	1
4	4-R	0	1
4	6-R	0	1
All	All	0	24

There are no bond length outliers.

All (83) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	4-G	312	TYR	CB-CG-CD2	-7.51	116.49	121.00
1	2-G	312	TYR	CB-CG-CD2	-7.49	116.50	121.00
1	1-G	202	PHE	CB-CG-CD1	7.39	125.98	120.80
1	5-G	312	TYR	CB-CG-CD2	-7.38	116.57	121.00
1	2-G	312	TYR	CB-CG-CD1	7.34	125.41	121.00
1	4-G	312	TYR	CB-CG-CD1	7.24	125.34	121.00
1	5-G	312	TYR	CB-CG-CD1	7.04	125.22	121.00
1	4-G	202	PHE	CB-CG-CD1	6.90	125.63	120.80
1	1-G	202	PHE	CB-CG-CD2	-6.85	116.00	120.80
1	6-G	202	PHE	CB-CG-CD1	6.84	125.59	120.80
4	6-R	74	TYR	CB-CG-CD1	6.84	125.11	121.00
4	6-R	74	TYR	CB-CG-CD2	-6.69	116.99	121.00
4	5-R	74	TYR	CB-CG-CD2	-6.59	117.04	121.00
3	5-L	121	PHE	CB-CG-CD2	6.58	125.41	120.80
3	2-L	121	PHE	CB-CG-CD2	6.56	125.39	120.80
4	4-R	74	TYR	CB-CG-CD2	-6.56	117.06	121.00
4	3-R	74	TYR	CB-CG-CD1	6.56	124.93	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	3-R	74	TYR	CB-CG-CD2	-6.54	117.07	121.00
1	6-G	202	PHE	CB-CG-CD2	-6.48	116.27	120.80
4	5-R	74	TYR	CB-CG-CD1	6.47	124.88	121.00
1	4-G	202	PHE	CB-CG-CD2	-6.45	116.29	120.80
3	3-L	121	PHE	CB-CG-CD2	6.36	125.25	120.80
3	6-L	121	PHE	CB-CG-CD2	6.34	125.24	120.80
4	1-R	74	TYR	CB-CG-CD1	6.26	124.75	121.00
4	1-R	74	TYR	CB-CG-CD2	-6.21	117.27	121.00
4	4-R	74	TYR	CB-CG-CD1	6.20	124.72	121.00
4	2-R	74	TYR	CB-CG-CD2	-6.07	117.36	121.00
4	2-R	220	PHE	CB-CG-CD2	6.04	125.03	120.80
3	4-L	99	PHE	CB-CG-CD1	-6.01	116.59	120.80
4	6-R	220	PHE	CB-CG-CD1	-5.95	116.64	120.80
1	6-G	312	TYR	CB-CG-CD1	5.89	124.53	121.00
1	3-G	312	TYR	CB-CG-CD2	-5.88	117.47	121.00
3	2-L	121	PHE	CB-CG-CD1	-5.85	116.70	120.80
4	5-R	220	PHE	CB-CG-CD2	5.83	124.88	120.80
1	1-G	312	TYR	CB-CG-CD2	-5.80	117.52	121.00
3	5-L	121	PHE	CB-CG-CD1	-5.78	116.75	120.80
3	4-L	99	PHE	CB-CG-CD2	5.78	124.84	120.80
4	2-R	74	TYR	CB-CG-CD1	5.77	124.46	121.00
4	4-R	220	PHE	CB-CG-CD2	5.71	124.80	120.80
1	6-G	312	TYR	CB-CG-CD2	-5.66	117.60	121.00
1	4-G	267	MET	N-CA-C	-5.65	95.75	111.00
2	5-H	71	PHE	CB-CG-CD2	5.64	124.75	120.80
3	5-L	99	PHE	CB-CG-CD1	5.64	124.75	120.80
4	4-R	220	PHE	CB-CG-CD1	-5.62	116.86	120.80
3	6-L	121	PHE	CB-CG-CD1	-5.61	116.88	120.80
3	1-L	99	PHE	CB-CG-CD1	-5.60	116.88	120.80
4	2-R	220	PHE	CB-CG-CD1	-5.60	116.88	120.80
4	6-R	220	PHE	CB-CG-CD2	5.60	124.72	120.80
1	1-G	312	TYR	CB-CG-CD1	5.58	124.35	121.00
3	4-L	121	PHE	CB-CG-CD2	5.58	124.70	120.80
3	5-L	99	PHE	CB-CG-CD2	-5.56	116.91	120.80
1	3-G	267	MET	N-CA-C	-5.53	96.07	111.00
3	3-L	121	PHE	CB-CG-CD1	-5.52	116.93	120.80
2	6-H	71	PHE	CB-CG-CD2	5.49	124.64	120.80
4	5-R	220	PHE	CB-CG-CD1	-5.48	116.97	120.80
1	6-G	349	TYR	CB-CG-CD1	-5.44	117.73	121.00
2	1-H	127	ALA	N-CA-CB	5.41	117.67	110.10
2	2-H	127	ALA	N-CA-CB	5.37	117.61	110.10
2	4-H	71	PHE	CB-CG-CD2	5.36	124.55	120.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	3-H	71	PHE	CB-CG-CD2	5.34	124.54	120.80
2	5-H	127	ALA	N-CA-CB	5.28	117.50	110.10
1	3-G	312	TYR	CB-CG-CD1	5.27	124.16	121.00
3	1-L	121	PHE	CB-CG-CD2	5.26	124.48	120.80
1	5-G	267	MET	N-CA-C	-5.25	96.82	111.00
2	1-H	71	PHE	CB-CG-CD2	5.25	124.47	120.80
3	1-L	99	PHE	CB-CG-CD2	5.24	124.46	120.80
4	1-R	143	MET	N-CA-C	-5.21	96.95	111.00
1	1-G	294	TYR	CB-CG-CD2	-5.18	117.89	121.00
2	6-H	127	ALA	N-CA-CB	5.17	117.33	110.10
1	4-G	478	ALA	N-CA-CB	5.16	117.32	110.10
3	2-L	93	TYR	N-CA-CB	5.14	119.85	110.60
1	6-G	349	TYR	CB-CG-CD2	5.12	124.07	121.00
3	2-L	99	PHE	CB-CG-CD2	5.11	124.38	120.80
1	3-G	313	ARG	NE-CZ-NH1	5.09	122.85	120.30
1	2-G	478	ALA	N-CA-CB	5.09	117.23	110.10
3	5-L	93	TYR	N-CA-CB	5.09	119.76	110.60
3	2-L	93	TYR	CB-CG-CD2	-5.08	117.95	121.00
2	6-H	71	PHE	CB-CG-CD1	-5.08	117.25	120.80
1	1-G	313	ARG	NE-CZ-NH1	5.04	122.82	120.30
4	1-R	220	PHE	CB-CG-CD2	-5.04	117.28	120.80
1	1-G	294	TYR	CB-CG-CD1	5.02	124.01	121.00
1	1-G	267	MET	N-CA-C	-5.01	97.48	111.00
2	3-H	71	PHE	CB-CG-CD1	-5.01	117.30	120.80

There are no chirality outliers.

All (24) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	1-G	182	MET	Peptide
2	1-H	102	TYR	Sidechain
3	1-L	95	TRP	Peptide
1	2-G	182	MET	Peptide
2	2-H	102	TYR	Sidechain
3	2-L	195	TYR	Sidechain
3	2-L	92	TYR	Sidechain
3	2-L	95	TRP	Peptide
1	3-G	182	MET	Peptide
2	3-H	102	TYR	Sidechain
3	3-L	95	TRP	Peptide
1	4-G	182	MET	Peptide
2	4-H	102	TYR	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
3	4-L	92	TYR	Sidechain
3	4-L	95	TRP	Peptide
4	4-R	10	TYR	Sidechain
1	5-G	182	MET	Peptide
2	5-H	102	TYR	Sidechain
2	5-H	58	TYR	Sidechain
3	5-L	95	TRP	Peptide
1	6-G	182	MET	Peptide
2	6-H	102	TYR	Sidechain
3	6-L	95	TRP	Peptide
4	6-R	10	TYR	Sidechain

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1-G	2746	0	2727	3	0
1	2-G	2746	0	2727	2	0
1	3-G	2746	0	2727	1	0
1	4-G	2746	0	2727	1	0
1	5-G	2746	0	2727	2	0
1	6-G	2746	0	2727	1	0
2	1-H	1676	0	1613	1	0
2	2-H	1676	0	1613	1	0
2	3-H	1676	0	1613	1	0
2	4-H	1676	0	1613	0	0
2	5-H	1676	0	1613	0	0
2	6-H	1676	0	1613	0	0
3	1-L	1660	0	1611	1	0
3	2-L	1660	0	1611	0	0
3	3-L	1660	0	1611	1	0
3	4-L	1660	0	1611	1	0
3	5-L	1660	0	1611	0	0
3	6-L	1660	0	1611	0	0
4	1-R	2575	0	2550	3	0
4	2-R	2575	0	2550	1	0
4	3-R	2575	0	2550	3	0
4	4-R	2575	0	2550	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	5-R	2575	0	2550	4	0
4	6-R	2575	0	2550	1	0
5	1-G	22	0	15	0	0
5	2-G	22	0	15	0	0
5	3-G	22	0	15	0	0
5	4-G	22	0	15	0	0
5	5-G	22	0	15	0	0
5	6-G	22	0	15	0	0
6	1-R	20	0	27	2	0
6	2-R	20	0	27	2	0
6	3-R	20	0	27	2	0
6	4-R	20	0	27	1	0
6	5-R	20	0	27	2	0
6	6-R	20	0	27	2	0
All	All	52194	0	51258	35	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 0.

All (35) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:R:401:RET:H181	6:R:401:RET:H8	1.78	0.64
6:R:401:RET:H181	6:R:401:RET:C8	2.33	0.57
6:R:401:RET:H181	6:R:401:RET:C8	2.35	0.56
6:R:401:RET:H181	6:R:401:RET:C8	2.35	0.56
6:R:401:RET:H181	6:R:401:RET:C8	2.36	0.55
6:R:401:RET:H181	6:R:401:RET:H8	1.89	0.55
6:R:401:RET:H181	6:R:401:RET:H8	1.89	0.54
6:R:401:RET:H181	6:R:401:RET:C8	2.36	0.54
4:R:66:LYS:H	4:R:66:LYS:HD2	1.74	0.52
6:R:401:RET:H181	6:R:401:RET:C8	2.39	0.52
1:G:489:GLU:H	4:R:69:ARG:HH11	1.59	0.50
4:R:195:HIS:H	4:R:200:ASN:HD22	1.59	0.50
6:R:401:RET:H181	6:R:401:RET:H8	1.94	0.49
6:R:401:RET:H181	6:R:401:RET:H8	1.95	0.49
4:R:66:LYS:HD3	4:R:66:LYS:H	1.78	0.48
4:R:33:GLU:H	4:R:36:GLN:HE21	1.60	0.48
1:G:474:ARG:HE	4:R:237:GLN:HE22	1.59	0.48
1:G:187:PHE:HB2	4:R:147:ARG:HE	1.79	0.47
3:L:3:ILE:H	3:L:3:ILE:HD13	1.80	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:R:66:LYS:H	4:R:66:LYS:CD	2.29	0.46
4:R:66:LYS:H	4:R:66:LYS:HD2	1.82	0.45
1:G:191:ARG:HE	1:G:480:ASN:HA	1.83	0.44
2:H:39:TRP:CE2	2:H:84:LEU:HB2	2.54	0.42
1:G:243:HIS:CE1	1:G:249:SER:HA	2.55	0.42
4:R:87:VAL:HA	4:R:91:PHE:CD2	2.55	0.41
1:G:269:GLY:O	1:G:275:HIS:CE1	2.73	0.41
1:G:191:ARG:HE	1:G:480:ASN:HD22	1.68	0.41
1:G:243:HIS:CE1	1:G:250:LEU:H	2.39	0.41
2:H:179:PHE:CE2	3:L:179:SER:HB2	2.56	0.41
4:R:66:LYS:HD3	4:R:66:LYS:H	1.86	0.41
4:R:87:VAL:HA	4:R:91:PHE:CD2	2.55	0.41
4:R:87:VAL:HA	4:R:91:PHE:CD2	2.56	0.41
2:H:179:PHE:CE2	3:L:179:SER:HB2	2.57	0.40
1:G:287:GLN:H	1:G:290:ARG:HH21	1.68	0.40
1:G:360:LEU:HD23	1:G:366:TYR:CE2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	1-G	342/543 (63%)	315 (92%)	17 (5%)	10 (3%)	4	32
1	2-G	342/543 (63%)	314 (92%)	19 (6%)	9 (3%)	5	34
1	3-G	342/543 (63%)	315 (92%)	19 (6%)	8 (2%)	6	36
1	4-G	342/543 (63%)	321 (94%)	16 (5%)	5 (2%)	10	44
1	5-G	342/543 (63%)	320 (94%)	16 (5%)	6 (2%)	8	40
1	6-G	342/543 (63%)	316 (92%)	21 (6%)	5 (2%)	10	44
2	1-H	221/234 (94%)	201 (91%)	17 (8%)	3 (1%)	11	45

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	2-H	221/234 (94%)	203 (92%)	14 (6%)	4 (2%)	8	40
2	3-H	221/234 (94%)	208 (94%)	10 (4%)	3 (1%)	11	45
2	4-H	221/234 (94%)	200 (90%)	16 (7%)	5 (2%)	6	36
2	5-H	221/234 (94%)	202 (91%)	13 (6%)	6 (3%)	5	33
2	6-H	221/234 (94%)	208 (94%)	9 (4%)	4 (2%)	8	40
3	1-L	213/217 (98%)	191 (90%)	14 (7%)	8 (4%)	3	26
3	2-L	213/217 (98%)	191 (90%)	14 (7%)	8 (4%)	3	26
3	3-L	213/217 (98%)	188 (88%)	15 (7%)	10 (5%)	2	23
3	4-L	213/217 (98%)	194 (91%)	10 (5%)	9 (4%)	3	24
3	5-L	213/217 (98%)	192 (90%)	12 (6%)	9 (4%)	3	24
3	6-L	213/217 (98%)	190 (89%)	16 (8%)	7 (3%)	4	29
4	1-R	322/348 (92%)	290 (90%)	25 (8%)	7 (2%)	6	37
4	2-R	322/348 (92%)	296 (92%)	21 (6%)	5 (2%)	9	43
4	3-R	322/348 (92%)	298 (92%)	19 (6%)	5 (2%)	9	43
4	4-R	322/348 (92%)	294 (91%)	19 (6%)	9 (3%)	5	32
4	5-R	322/348 (92%)	296 (92%)	21 (6%)	5 (2%)	9	43
4	6-R	322/348 (92%)	301 (94%)	15 (5%)	6 (2%)	8	39
All	All	6588/8052 (82%)	6044 (92%)	388 (6%)	156 (2%)	9	35

All (156) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	1-G	280	ASP
1	1-G	315	LEU
1	1-G	483	ASP
2	1-H	111	TYR
2	1-H	127	ALA
3	1-L	53	SER
3	1-L	82	GLU
4	1-R	2	ASN
1	2-G	280	ASP
1	2-G	478	ALA
1	2-G	482	GLN
2	2-H	111	TYR
3	2-L	33	ALA
3	2-L	53	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	2-L	82	GLU
3	2-L	93	TYR
3	2-L	173	ASP
1	3-G	440	ASP
2	3-H	111	TYR
3	3-L	53	SER
3	3-L	82	GLU
3	3-L	93	TYR
3	3-L	173	ASP
4	3-R	310	ASN
1	4-G	280	ASP
1	4-G	315	LEU
1	4-G	478	ALA
2	4-H	111	TYR
3	4-L	53	SER
3	4-L	93	TYR
3	4-L	214	ARG
4	4-R	310	ASN
1	5-G	315	LEU
3	5-L	53	SER
3	5-L	93	TYR
3	5-L	173	ASP
1	6-G	315	LEU
2	6-H	111	TYR
3	6-L	33	ALA
3	6-L	93	TYR
4	6-R	16	LYS
3	1-L	173	ASP
1	2-G	185	ASP
1	2-G	315	LEU
2	2-H	127	ALA
4	2-R	310	ASN
1	3-G	280	ASP
1	3-G	431	ASP
1	3-G	469	PHE
1	3-G	478	ALA
2	3-H	108	ALA
3	3-L	33	ALA
1	4-G	486	ALA
2	4-H	106	TRP
3	4-L	33	ALA
3	4-L	52	ALA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	5-G	280	ASP
1	5-G	346	THR
2	5-H	109	ASN
2	5-H	111	TYR
2	5-H	127	ALA
1	6-G	280	ASP
2	6-H	127	ALA
3	6-L	53	SER
3	6-L	173	ASP
1	1-G	441	GLY
2	1-H	105	TRP
3	1-L	33	ALA
3	1-L	214	ARG
4	1-R	16	LYS
4	1-R	29	TYR
1	2-G	184	GLU
1	2-G	469	PHE
3	2-L	51	SER
3	2-L	52	ALA
4	2-R	29	TYR
4	2-R	184	GLN
3	3-L	52	ALA
4	3-R	16	LYS
1	4-G	186	TRP
2	4-H	109	ASN
3	4-L	51	SER
3	4-L	173	ASP
4	4-R	2	ASN
4	4-R	16	LYS
4	4-R	20	VAL
4	4-R	184	GLN
3	5-L	33	ALA
3	5-L	51	SER
3	5-L	52	ALA
4	5-R	16	LYS
4	5-R	29	TYR
4	5-R	184	GLN
2	6-H	109	ASN
3	6-L	214	ARG
4	6-R	29	TYR
4	6-R	184	GLN
4	6-R	239	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	1-G	186	TRP
1	1-G	257	LYS
1	1-G	266	ILE
1	1-G	267	MET
1	1-G	440	ASP
1	1-G	482	GLN
3	1-L	51	SER
3	1-L	52	ALA
4	1-R	141	LYS
4	1-R	184	GLN
4	1-R	240	SER
4	2-R	16	LYS
1	3-G	313	ARG
2	3-H	109	ASN
3	3-L	51	SER
3	3-L	214	ARG
4	3-R	184	GLN
2	4-H	88	SER
2	4-H	105	TRP
3	4-L	161	ASN
4	4-R	29	TYR
4	4-R	145	ASN
4	4-R	285	PRO
1	5-G	440	ASP
2	5-H	105	TRP
1	6-G	186	TRP
3	6-L	161	ASN
3	6-L	168	GLU
3	2-L	161	ASN
1	3-G	480	ASN
3	3-L	161	ASN
3	5-L	67	ARG
3	5-L	161	ASN
3	5-L	214	ARG
4	5-R	145	ASN
4	5-R	310	ASN
1	6-G	469	PHE
4	6-R	237	GLN
3	1-L	161	ASN
4	1-R	23	PRO
1	2-G	431	ASP
2	2-H	5	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	3-G	332	ASP
1	5-G	394	GLU
1	5-G	431	ASP
2	5-H	88	SER
3	3-L	206	SER
4	4-R	23	PRO
4	3-R	23	PRO
4	3-R	194	PRO
3	4-L	102	GLY
1	6-G	266	ILE
1	2-G	468	PRO
4	6-R	23	PRO
4	2-R	23	PRO
2	5-H	162	PRO
2	2-H	162	PRO
2	6-H	162	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	1-G	286/449 (64%)	281 (98%)	5 (2%)	60	78
1	2-G	286/449 (64%)	282 (99%)	4 (1%)	67	80
1	3-G	286/449 (64%)	279 (98%)	7 (2%)	49	69
1	4-G	286/449 (64%)	281 (98%)	5 (2%)	60	78
1	5-G	286/449 (64%)	279 (98%)	7 (2%)	49	69
1	6-G	286/449 (64%)	279 (98%)	7 (2%)	49	69
2	1-H	184/195 (94%)	183 (100%)	1 (0%)	88	93
2	2-H	184/195 (94%)	181 (98%)	3 (2%)	62	78
2	3-H	184/195 (94%)	180 (98%)	4 (2%)	52	71
2	4-H	184/195 (94%)	183 (100%)	1 (0%)	88	93
2	5-H	184/195 (94%)	183 (100%)	1 (0%)	88	93

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	6-H	184/195 (94%)	182 (99%)	2 (1%)	73	84
3	1-L	190/192 (99%)	184 (97%)	6 (3%)	39	62
3	2-L	190/192 (99%)	187 (98%)	3 (2%)	62	78
3	3-L	190/192 (99%)	185 (97%)	5 (3%)	46	67
3	4-L	190/192 (99%)	185 (97%)	5 (3%)	46	67
3	5-L	190/192 (99%)	187 (98%)	3 (2%)	62	78
3	6-L	190/192 (99%)	183 (96%)	7 (4%)	34	59
4	1-R	276/296 (93%)	275 (100%)	1 (0%)	91	94
4	2-R	276/296 (93%)	276 (100%)	0	100	100
4	3-R	276/296 (93%)	275 (100%)	1 (0%)	91	94
4	4-R	276/296 (93%)	274 (99%)	2 (1%)	84	90
4	5-R	276/296 (93%)	273 (99%)	3 (1%)	73	84
4	6-R	276/296 (93%)	272 (99%)	4 (1%)	67	80
All	All	5616/6792 (83%)	5529 (98%)	87 (2%)	66	79

All (87) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	1-G	191	ARG
1	1-G	202	PHE
1	1-G	230	GLN
1	1-G	313	ARG
1	1-G	430	LYS
2	1-H	118	GLN
3	1-L	25	ARG
3	1-L	91	GLN
3	1-L	94	GLU
3	1-L	103	GLN
3	1-L	121	PHE
3	1-L	161	ASN
4	1-R	192	TYR
1	2-G	191	ARG
1	2-G	206	MET
1	2-G	264	MET
1	2-G	312	TYR
2	2-H	42	GLN
2	2-H	102	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	2-H	105	TRP
3	2-L	25	ARG
3	2-L	121	PHE
3	2-L	202	GLN
1	3-G	184	GLU
1	3-G	202	PHE
1	3-G	264	MET
1	3-G	266	ILE
1	3-G	313	ARG
1	3-G	347	LYS
1	3-G	390	ARG
2	3-H	38	HIS
2	3-H	151	LEU
2	3-H	223	LYS
2	3-H	225	GLU
3	3-L	25	ARG
3	3-L	46	LYS
3	3-L	91	GLN
3	3-L	121	PHE
3	3-L	161	ASN
4	3-R	192	TYR
1	4-G	202	PHE
1	4-G	264	MET
1	4-G	312	TYR
1	4-G	313	ARG
1	4-G	390	ARG
2	4-H	105	TRP
3	4-L	3	ILE
3	4-L	39	GLN
3	4-L	90	GLN
3	4-L	121	PHE
3	4-L	202	GLN
4	4-R	16	LYS
4	4-R	192	TYR
1	5-G	221	LYS
1	5-G	264	MET
1	5-G	312	TYR
1	5-G	347	LYS
1	5-G	390	ARG
1	5-G	430	LYS
1	5-G	431	ASP
2	5-H	225	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	5-L	25	ARG
3	5-L	121	PHE
3	5-L	202	GLN
4	5-R	4	THR
4	5-R	192	TYR
4	5-R	201	GLU
1	6-G	202	PHE
1	6-G	245	ARG
1	6-G	312	TYR
1	6-G	313	ARG
1	6-G	349	TYR
1	6-G	390	ARG
1	6-G	458	ARG
2	6-H	48	LEU
2	6-H	225	GLU
3	6-L	12	LEU
3	6-L	25	ARG
3	6-L	90	GLN
3	6-L	91	GLN
3	6-L	98	LEU
3	6-L	121	PHE
3	6-L	175	THR
4	6-R	73	ASN
4	6-R	192	TYR
4	6-R	237	GLN
4	6-R	289	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (35) such sidechains are listed below:

Mol	Chain	Res	Type
1	1-G	243	HIS
1	1-G	275	HIS
1	1-G	480	ASN
3	1-L	192	HIS
4	1-R	100	HIS
4	1-R	184	GLN
1	2-G	243	HIS
1	2-G	304	HIS
2	2-H	80	ASN
2	2-H	177	HIS
4	2-R	28	GLN
4	2-R	55	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	2-R	100	HIS
1	3-G	275	HIS
3	3-L	192	HIS
4	3-R	28	GLN
4	3-R	65	HIS
4	3-R	100	HIS
4	3-R	111	ASN
4	3-R	184	GLN
1	4-G	480	ASN
3	4-L	140	ASN
3	4-L	141	ASN
4	4-R	2	ASN
4	4-R	100	HIS
4	4-R	184	GLN
4	4-R	279	GLN
1	5-G	243	HIS
1	5-G	275	HIS
3	5-L	192	HIS
4	5-R	36	GLN
4	5-R	237	GLN
1	6-G	275	HIS
3	6-L	202	GLN
4	6-R	100	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

12 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	RET	1-R	401	-	20,20,21	2.43	3 (15%)	27,27,28	0.87	0
5	SGV	1-G	601	-	22,24,24	1.35	4 (18%)	23,36,36	0.92	1 (4%)
5	SGV	2-G	601	-	22,24,24	1.33	4 (18%)	23,36,36	1.01	2 (8%)
5	SGV	6-G	601	-	22,24,24	1.36	4 (18%)	23,36,36	0.89	1 (4%)
6	RET	3-R	401	-	20,20,21	2.44	3 (15%)	27,27,28	0.85	0
6	RET	4-R	401	-	20,20,21	2.41	4 (20%)	27,27,28	0.88	0
6	RET	6-R	401	-	20,20,21	2.43	3 (15%)	27,27,28	0.92	0
6	RET	2-R	401	-	20,20,21	2.42	4 (20%)	27,27,28	0.97	1 (3%)
5	SGV	5-G	601	-	22,24,24	1.34	5 (22%)	23,36,36	1.04	3 (13%)
5	SGV	3-G	601	-	22,24,24	1.32	4 (18%)	23,36,36	0.98	0
6	RET	5-R	401	-	20,20,21	2.42	3 (15%)	27,27,28	0.91	0
5	SGV	4-G	601	-	22,24,24	1.34	4 (18%)	23,36,36	0.93	1 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	RET	1-R	401	-	-	0/13/30/31	0/1/1/1
5	SGV	1-G	601	-	-	0/3/26/26	0/3/3/3
5	SGV	2-G	601	-	-	0/3/26/26	0/3/3/3
5	SGV	6-G	601	-	-	0/3/26/26	0/3/3/3
6	RET	3-R	401	-	-	0/13/30/31	0/1/1/1
6	RET	4-R	401	-	-	0/13/30/31	0/1/1/1
6	RET	6-R	401	-	-	0/13/30/31	0/1/1/1
6	RET	2-R	401	-	-	0/13/30/31	0/1/1/1
5	SGV	5-G	601	-	-	0/3/26/26	0/3/3/3
5	SGV	3-G	601	-	-	0/3/26/26	0/3/3/3
6	RET	5-R	401	-	-	0/13/30/31	0/1/1/1
5	SGV	4-G	601	-	-	0/3/26/26	0/3/3/3

All (45) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	1-R	401	RET	C14-C13	9.25	1.40	1.33
6	3-R	401	RET	C14-C13	9.24	1.40	1.33
6	6-R	401	RET	C14-C13	9.21	1.40	1.33
6	5-R	401	RET	C14-C13	9.16	1.40	1.33
6	2-R	401	RET	C14-C13	9.10	1.40	1.33
6	4-R	401	RET	C14-C13	9.07	1.40	1.33
6	1-R	401	RET	C15-C14	-3.26	1.37	1.49
6	4-R	401	RET	C15-C14	-3.25	1.37	1.49
6	2-R	401	RET	C15-C14	-3.25	1.37	1.49
6	6-R	401	RET	C15-C14	-3.24	1.37	1.49
6	5-R	401	RET	C15-C14	-3.24	1.37	1.49
6	3-R	401	RET	C15-C14	-3.24	1.37	1.49
5	6-G	601	SGV	C7-C10	-3.16	1.45	1.50
5	1-G	601	SGV	C7-C10	-3.16	1.45	1.50
5	4-G	601	SGV	C7-C10	-2.93	1.45	1.50
5	5-G	601	SGV	C7-C10	-2.83	1.45	1.50
5	3-G	601	SGV	C7-C10	-2.80	1.45	1.50
5	2-G	601	SGV	C7-C10	-2.78	1.45	1.50
5	6-G	601	SGV	C10-N11	2.58	1.37	1.33
5	5-G	601	SGV	C10-N11	2.58	1.37	1.33
5	4-G	601	SGV	C10-N11	2.58	1.37	1.33
5	5-G	601	SGV	C2-N3	2.57	1.36	1.32
5	6-G	601	SGV	C2-N3	2.57	1.36	1.32
6	1-R	401	RET	C12-C13	-2.57	1.40	1.45
5	2-G	601	SGV	C10-N11	2.57	1.37	1.33
5	1-G	601	SGV	C10-N11	2.56	1.37	1.33
5	1-G	601	SGV	C2-N3	2.55	1.36	1.32
6	5-R	401	RET	C12-C13	-2.55	1.40	1.45
6	2-R	401	RET	C12-C13	-2.54	1.40	1.45
6	3-R	401	RET	C12-C13	-2.54	1.40	1.45
5	4-G	601	SGV	C2-N3	2.53	1.36	1.32
6	6-R	401	RET	C12-C13	-2.52	1.40	1.45
6	4-R	401	RET	C12-C13	-2.52	1.40	1.45
5	2-G	601	SGV	C2-N3	2.52	1.36	1.32
5	3-G	601	SGV	C10-N11	2.51	1.37	1.33
5	3-G	601	SGV	C2-N3	2.50	1.36	1.32
5	6-G	601	SGV	O4'-C1'	2.38	1.44	1.41
5	1-G	601	SGV	O4'-C1'	2.26	1.44	1.41
6	2-R	401	RET	C1-C6	2.15	1.56	1.53
5	3-G	601	SGV	C2'-C1'	-2.12	1.50	1.53
6	4-R	401	RET	C1-C6	2.12	1.56	1.53
5	4-G	601	SGV	C2'-C1'	-2.05	1.50	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	2-G	601	SGV	C2'-C1'	-2.03	1.50	1.53
5	5-G	601	SGV	C2'-C1'	-2.02	1.50	1.53
5	5-G	601	SGV	O4'-C1'	2.02	1.43	1.41

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	5-G	601	SGV	C5'-C4'-C3'	-2.20	109.78	115.09
5	1-G	601	SGV	C7-C10-N11	-2.19	114.94	118.28
5	5-G	601	SGV	C7-C10-N11	-2.19	114.95	118.28
5	6-G	601	SGV	C7-C10-N11	-2.14	115.01	118.28
5	2-G	601	SGV	O12-C10-C7	2.09	122.68	120.22
5	4-G	601	SGV	C7-C10-N11	-2.08	115.11	118.28
5	5-G	601	SGV	O12-C10-C7	2.05	122.64	120.22
5	2-G	601	SGV	C7-C10-N11	-2.05	115.16	118.28
6	2-R	401	RET	C2-C1-C6	2.04	113.62	110.48

There are no chirality outliers.

There are no torsion outliers.


There are no ring outliers.

6 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	1-R	401	RET	2	0
6	3-R	401	RET	2	0
6	4-R	401	RET	1	0
6	6-R	401	RET	2	0
6	2-R	401	RET	2	0
6	5-R	401	RET	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient

equivalents in the CSD to analyse the geometry.



5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-23979. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 199



Y Index: 197



Z Index: 152

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.49. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 62 nm³; this corresponds to an approximate mass of 56 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [\(i\)](#)




*Reported resolution corresponds to spatial frequency of 0.244\AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.244 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	4.10	-	-
Author-provided FSC curve	4.14	5.32	4.16
Unmasked-calculated*	-	-	-

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-23979 and PDB model 7MTA. Per-residue inclusion information can be found in section [3](#) on page [8](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.49 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)


This section was not generated.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.49).






9.4 Atom inclusion [i](#)



At the recommended contour level, 61% of all backbone atoms, 49% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary [i](#)

The table lists the average atom inclusion at the recommended contour level (0.49) and Q-score for the entire model and for each chain.

Chain	Atom inclusion
All	 0.4943
G	 0.5330
H	 0.6000
L	 0.5435
R	 0.3538

