



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 28, 2023 – 10:37 PM EDT

PDB ID : 3N20  
Title : X-ray Crystal Structure of Toluene/o-Xylene Monooxygenase Hydroxylase T201V Mutant  
Authors : McCormick, M.S.; Sazinsky, M.H.; Lippard, S.J.  
Deposited on : 2010-05-17  
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtrriage (Phenix) : 1.13  
EDS : 2.35  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*




The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	6207 (1.90-1.90)
Clashscore	141614	6847 (1.90-1.90)
Ramachandran outliers	138981	6760 (1.90-1.90)
Sidechain outliers	138945	6760 (1.90-1.90)
RSRZ outliers	127900	6082 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	498	 3% 81% 17% ..
2	B	330	 3% 82% 14% ..
3	C	86	 % 73% 22% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	GOL	B	331	-	-	X	-
5	P6G	A	501	-	-	X	-
5	P6G	A	503	-	-	X	X
5	P6G	A	504	-	-	-	X

## 2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 7995 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Toluene o-xylene monooxygenase component.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	491	4016	2565	673	752	26	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	201	VAL	THR	engineered mutation	UNP Q6IV66

- Molecule 2 is a protein called Toluene o-xylene monooxygenase component.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	322	2641	1674	467	490	10	0	0	0

- Molecule 3 is a protein called Toluene o-xylene monooxygenase component.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	83	676	425	120	126	5	0	0	0

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 6 3 3	0	0
4	A	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0

- Molecule 5 is HEXAETHYLENE GLYCOL (three-letter code: P6G) (formula:  $C_{12}H_{26}O_7$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			19	12	7		
5	A	1	Total	C	O	0	0
			19	12	7		
5	A	1	Total	C	O	0	0
			19	12	7		
5	A	1	Total	C	O	0	0
			19	12	7		

- Molecule 6 is FE (III) ION (three-letter code: FE) (formula: Fe).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	2	Total	Fe	0	0
			2	2		

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	298	Total	O	0	0
			298	298		
7	B	215	Total	O	0	0
			215	215		
7	C	47	Total	O	0	0
			47	47		



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	182.89Å 182.89Å 68.58Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	50.00 – 1.90 45.72 – 1.90	Depositor EDS
% Data completeness (in resolution range)	95.5 (50.00-1.90) 95.2 (45.72-1.90)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.10	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.74 (at 1.91Å)	Xtrriage
Refinement program	CNS	Depositor
R, $R_{free}$	0.206 , 0.218 0.192 , 0.202	Depositor DCC
$R_{free}$ test set	4943 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	24.6	Xtrriage
Anisotropy	1.072	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 47.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.51$ , $\langle L^2 \rangle = 0.35$	Xtrriage
Estimated twinning fraction	0.023 for -h,-k,l	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	7995	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	37.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.28% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FE, P6G, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.34	0/4140	0.60	1/5627 (0.0%)
2	B	0.35	0/2713	0.58	0/3688
3	C	0.33	0/690	0.66	0/934
All	All	0.34	0/7543	0.60	1/10249 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	A	393	LEU	CA-CB-CG	5.58	128.13	115.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4016	0	3768	92	0
2	B	2641	0	2537	43	0
3	C	676	0	667	24	0
4	A	12	0	16	2	0
4	B	12	0	16	7	0
5	A	76	0	103	38	0
6	A	2	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	A	298	0	0	4	0
7	B	215	0	0	7	0
7	C	47	0	0	3	0
All	All	7995	0	7107	146	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (146) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:427:HIS:HE1	3:C:76:THR:HG23	1.28	0.96
1:A:427:HIS:CE1	3:C:76:THR:HG23	2.07	0.89
2:B:243:GLN:HG3	7:B:457:HOH:O	1.74	0.87
1:A:427:HIS:HE1	3:C:76:THR:CG2	1.90	0.83
1:A:196:PHE:HE2	5:A:501:P6G:H151	1.45	0.81
1:A:100:ILE:HG21	5:A:501:P6G:H121	1.63	0.79
1:A:416:ASP:OD2	1:A:427:HIS:HD2	1.66	0.79
1:A:65:LYS:HA	5:A:503:P6G:H171	1.66	0.77
1:A:139:GLN:HE22	2:B:83:TYR:H	1.31	0.76
1:A:19:THR:O	2:B:203:ARG:NH2	2.20	0.74
1:A:113:ARG:HH11	2:B:144:GLN:HE21	1.36	0.73
1:A:273:THR:HG23	5:A:501:P6G:H22	1.71	0.73
1:A:398:ASN:HD22	1:A:427:HIS:H	1.36	0.73
1:A:208:LEU:HD13	5:A:501:P6G:H32	1.70	0.73
3:C:11:GLU:HG2	3:C:12:ARG:HG3	1.72	0.72
1:A:446:ASN:HD22	4:A:499:GOL:H2	1.54	0.71
2:B:43:GLU:H	2:B:43:GLU:CD	1.93	0.70
1:A:167:TRP:CE2	5:A:502:P6G:H182	2.27	0.70
1:A:204:GLN:HE22	5:A:501:P6G:H91	1.56	0.69
1:A:229:THR:CG2	5:A:503:P6G:H81	2.22	0.69
2:B:168:HIS:HD2	2:B:257:GLN:HE21	1.41	0.68
3:C:26:THR:HG23	3:C:29:GLN:H	1.60	0.66
1:A:68:GLY:HA3	5:A:503:P6G:H151	1.79	0.65
5:A:504:P6G:H182	7:A:745:HOH:O	1.96	0.65
1:A:196:PHE:CE2	5:A:501:P6G:H151	2.31	0.65
1:A:314:PRO:HD2	1:A:317:TRP:CE3	2.33	0.64
1:A:65:LYS:HA	5:A:503:P6G:C17	2.26	0.64
1:A:65:LYS:HG2	5:A:503:P6G:H182	1.80	0.63
1:A:225:SER:O	5:A:503:P6G:H82	1.99	0.62
2:B:305:SER:HB3	2:B:314:ILE:HD11	1.79	0.62

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:204:GLN:NE2	5:A:501:P6G:H91	2.14	0.62
3:C:84:MET:O	3:C:85:ASP:HB2	2.00	0.62
2:B:204:GLU:OE1	2:B:298:LYS:NZ	2.33	0.62
1:A:317:TRP:O	1:A:321:MET:HG2	2.00	0.61
1:A:276:ILE:HD13	5:A:501:P6G:H51	1.82	0.61
1:A:24:THR:OG1	1:A:27:GLU:HG3	2.00	0.60
1:A:2:SER:N	2:B:105:ASN:HD22	2.00	0.60
2:B:262:GLU:HG2	7:B:484:HOH:O	2.01	0.60
1:A:100:ILE:CG2	5:A:501:P6G:H121	2.31	0.60
1:A:127:ALA:HB2	1:A:237:GLN:HE22	1.65	0.60
2:B:67:LEU:O	4:B:331:GOL:O3	2.20	0.59
1:A:7:GLU:HG3	7:A:523:HOH:O	2.03	0.59
1:A:338:TRP:CD1	1:A:390:PRO:HG3	2.38	0.59
1:A:463:ASP:HB3	5:A:504:P6G:H112	1.83	0.59
2:B:73:ASN:H	4:B:332:GOL:H32	1.68	0.59
2:B:94:GLU:O	2:B:98:GLN:HG2	2.03	0.59
1:A:93:MET:SD	4:A:500:GOL:H12	2.43	0.58
1:A:452:ASP:O	1:A:456:LYS:HG3	2.03	0.58
2:B:168:HIS:CD2	2:B:257:GLN:HE21	2.22	0.57
2:B:72:TRP:HE1	4:B:331:GOL:H2	1.69	0.57
1:A:416:ASP:H	3:C:56:HIS:CE1	2.23	0.57
2:B:33:THR:HB	2:B:34:ASN:HD22	1.70	0.56
1:A:289:SER:OG	1:A:292:GLU:HG3	2.06	0.56
2:B:22:ARG:HD3	7:B:465:HOH:O	2.04	0.55
1:A:137:HIS:CD2	1:A:227:ILE:HD12	2.42	0.55
1:A:140:ILE:HG21	1:A:227:ILE:HD11	1.87	0.55
1:A:416:ASP:OD2	1:A:427:HIS:CD2	2.55	0.55
1:A:229:THR:HG21	5:A:503:P6G:H81	1.88	0.54
3:C:56:HIS:HD2	3:C:80:ASP:OD1	1.91	0.54
1:A:47:TYR:CE1	1:A:240:PRO:HB2	2.43	0.53
1:A:65:LYS:CG	5:A:503:P6G:H182	2.38	0.53
1:A:272:LEU:O	1:A:276:ILE:HD12	2.07	0.53
1:A:398:ASN:ND2	1:A:427:HIS:H	2.04	0.53
1:A:65:LYS:O	5:A:503:P6G:H171	2.08	0.53
1:A:226:SER:OG	5:A:503:P6G:H181	2.08	0.53
1:A:462:ALA:H	5:A:504:P6G:H172	1.74	0.53
2:B:184:GLY:HA3	2:B:188:ARG:HD2	1.89	0.53
2:B:276:LEU:HD22	2:B:282:ARG:HB2	1.91	0.53
1:A:491:TYR:O	1:A:492:GLN:HB2	2.09	0.52
1:A:394:PRO:HD2	5:A:502:P6G:H151	1.90	0.52
1:A:460:GLN:HA	1:A:461:PRO:C	2.29	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:73:ASN:HD22	4:B:332:GOL:H31	1.75	0.52
2:B:143:HIS:CD2	2:B:143:HIS:C	2.83	0.52
2:B:162:HIS:HE1	2:B:227:LYS:HZ2	1.58	0.52
1:A:425:LEU:HD23	3:C:76:THR:HG22	1.92	0.52
2:B:188:ARG:HH11	2:B:188:ARG:HG3	1.75	0.52
1:A:113:ARG:HD3	2:B:144:GLN:NE2	2.24	0.51
2:B:71:ASP:HA	4:B:332:GOL:O3	2.11	0.51
1:A:95:LEU:HD11	1:A:272:LEU:HD22	1.92	0.50
2:B:17:HIS:HD2	7:B:443:HOH:O	1.94	0.50
1:A:65:LYS:CA	5:A:503:P6G:H171	2.41	0.49
1:A:166:GLU:HA	1:A:471:MET:HB3	1.94	0.49
1:A:167:TRP:CD2	5:A:502:P6G:H182	2.47	0.49
1:A:229:THR:HG23	5:A:503:P6G:H81	1.94	0.49
1:A:463:ASP:CB	5:A:504:P6G:H112	2.43	0.48
2:B:80:GLN:NE2	7:B:382:HOH:O	2.46	0.48
3:C:76:THR:HG23	3:C:76:THR:O	2.13	0.48
2:B:326:GLN:HB3	7:B:420:HOH:O	2.13	0.48
2:B:34:ASN:HD22	2:B:34:ASN:N	2.12	0.48
2:B:322:ARG:O	2:B:326:GLN:HG3	2.14	0.48
1:A:68:GLY:CA	5:A:503:P6G:H151	2.43	0.48
1:A:182:THR:HA	2:B:54:MET:HG2	1.95	0.47
1:A:394:PRO:CG	5:A:502:P6G:H171	2.44	0.47
3:C:3:THR:N	7:C:210:HOH:O	2.47	0.47
3:C:42:ARG:NH2	7:C:105:HOH:O	2.42	0.47
1:A:100:ILE:HG21	5:A:501:P6G:C12	2.41	0.47
1:A:196:PHE:HE2	5:A:501:P6G:C15	2.20	0.47
1:A:344:TRP:O	1:A:346:PRO:HD3	2.14	0.47
1:A:79:ASP:HB3	7:A:734:HOH:O	2.14	0.46
2:B:36:HIS:HE1	2:B:152:THR:OG1	1.99	0.46
1:A:61:ILE:O	1:A:65:LYS:HG3	2.15	0.46
2:B:59:LYS:HA	2:B:63:PHE:HD2	1.80	0.46
2:B:63:PHE:HA	4:B:331:GOL:H12	1.98	0.46
3:C:26:THR:CG2	3:C:29:GLN:H	2.27	0.46
1:A:251:LYS:NZ	1:A:310:GLY:O	2.48	0.46
1:A:391:GLU:OE2	3:C:41:ARG:NH2	2.48	0.45
2:B:45:PRO:HG2	2:B:55:GLN:OE1	2.15	0.45
3:C:12:ARG:HD2	7:C:387:HOH:O	2.15	0.45
1:A:418:GLN:HE22	3:C:78:THR:H	1.63	0.45
1:A:391:GLU:HA	1:A:464:LEU:HD11	1.98	0.45
3:C:84:MET:O	3:C:85:ASP:CB	2.65	0.45
7:A:525:HOH:O	2:B:82:VAL:HG13	2.16	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:463:ASP:HA	5:A:504:P6G:H92	1.99	0.45
1:A:276:ILE:CD1	5:A:501:P6G:H51	2.47	0.44
1:A:103:GLU:OE1	1:A:103:GLU:HA	2.18	0.44
1:A:68:GLY:HA3	5:A:503:P6G:C15	2.48	0.44
1:A:113:ARG:HH11	2:B:144:GLN:NE2	2.09	0.44
2:B:17:HIS:HE1	2:B:33:THR:OG1	2.00	0.44
2:B:162:HIS:HE1	2:B:227:LYS:NZ	2.14	0.44
1:A:162:ILE:O	1:A:162:ILE:HG22	2.18	0.43
1:A:464:LEU:HD22	5:A:502:P6G:H92	1.99	0.43
3:C:26:THR:HG22	3:C:29:GLN:CG	2.48	0.43
1:A:223:LEU:O	1:A:227:ILE:HG12	2.19	0.43
1:A:175:PHE:CE1	1:A:179:MET:HG3	2.54	0.43
1:A:204:GLN:HG3	1:A:269:PHE:CZ	2.54	0.43
2:B:72:TRP:NE1	4:B:331:GOL:H2	2.33	0.43
1:A:110:ALA:HB1	1:A:180:MET:HB2	2.01	0.42
2:B:298:LYS:HE2	2:B:298:LYS:HB3	1.63	0.42
3:C:6:ILE:HG13	3:C:19:VAL:O	2.18	0.42
1:A:133:ASP:OD2	1:A:233:ARG:HD2	2.19	0.42
1:A:337:TYR:O	1:A:390:PRO:HD3	2.19	0.42
1:A:110:ALA:CB	1:A:180:MET:HB2	2.50	0.41
3:C:75:PRO:O	3:C:76:THR:CB	2.69	0.41
3:C:26:THR:HG22	3:C:29:GLN:HG3	2.03	0.41
5:A:504:P6G:H31	3:C:37:HIS:NE2	2.36	0.41
3:C:11:GLU:O	3:C:12:ARG:HB2	2.21	0.41
1:A:95:LEU:HD23	1:A:276:ILE:HD11	2.03	0.41
1:A:127:ALA:CB	1:A:237:GLN:HE22	2.33	0.41
3:C:74:ARG:O	3:C:77:GLU:HB2	2.21	0.41
1:A:49:GLU:HG2	1:A:49:GLU:O	2.20	0.41
1:A:176:PHE:CE1	5:A:501:P6G:H152	2.55	0.41
1:A:263:TRP:CE2	1:A:432:ALA:HB3	2.56	0.41
2:B:249:LEU:C	2:B:249:LEU:HD23	2.42	0.40
1:A:253:GLU:OE1	1:A:253:GLU:N	2.53	0.40
1:A:339:ARG:CG	1:A:340:PRO:HD3	2.51	0.40
2:B:24:ARG:NH1	7:B:462:HOH:O	2.54	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	489/498 (98%)	469 (96%)	19 (4%)	1 (0%)	47	38
2	B	320/330 (97%)	314 (98%)	6 (2%)	0	100	100
3	C	81/86 (94%)	76 (94%)	5 (6%)	0	100	100
All	All	890/914 (97%)	859 (96%)	30 (3%)	1 (0%)	51	42

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	408	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	416/422 (99%)	405 (97%)	11 (3%)	46	39
2	B	274/282 (97%)	264 (96%)	10 (4%)	35	26
3	C	77/79 (98%)	75 (97%)	2 (3%)	46	39
All	All	767/783 (98%)	744 (97%)	23 (3%)	41	33

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	LYS
1	A	206	LEU

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	269	PHE
1	A	280	TYR
1	A	283	LEU
1	A	304	ARG
1	A	309	LEU
1	A	390	PRO
1	A	393	LEU
1	A	408	PRO
1	A	477	VAL
2	B	12	LEU
2	B	23	ARG
2	B	34	ASN
2	B	43	GLU
2	B	89	LEU
2	B	111	GLN
2	B	140	VAL
2	B	143	HIS
2	B	166	LEU
2	B	248	THR
3	C	50	ILE
3	C	76	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	123	ASN
1	A	139	GLN
1	A	237	GLN
1	A	248	ASN
1	A	305	GLN
1	A	322	GLN
1	A	379	ASN
1	A	398	ASN
1	A	410	ASN
1	A	418	GLN
1	A	427	HIS
2	B	17	HIS
2	B	34	ASN
2	B	36	HIS
2	B	73	ASN
2	B	87	ASN
2	B	144	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	153	ASN
2	B	162	HIS
2	B	168	HIS
2	B	326	GLN
3	C	56	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 2 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	GOL	B	332	-	5,5,5	0.47	0	5,5,5	0.57	0
4	GOL	A	499	-	5,5,5	0.37	0	5,5,5	0.23	0
5	P6G	A	501	6	18,18,18	0.46	0	17,17,17	0.91	0
5	P6G	A	503	-	18,18,18	0.81	0	17,17,17	1.75	5 (29%)
4	GOL	A	500	-	5,5,5	0.14	0	5,5,5	0.35	0
5	P6G	A	504	-	18,18,18	0.65	0	17,17,17	0.97	1 (5%)
4	GOL	B	331	-	5,5,5	0.48	0	5,5,5	0.85	0
5	P6G	A	502	-	18,18,18	0.51	0	17,17,17	0.87	0



In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	B	332	-	-	0/4/4/4	-
4	GOL	A	499	-	-	0/4/4/4	-
5	P6G	A	501	6	-	4/16/16/16	-
5	P6G	A	503	-	-	3/16/16/16	-
4	GOL	A	500	-	-	0/4/4/4	-
5	P6G	A	504	-	-	6/16/16/16	-
4	GOL	B	331	-	-	0/4/4/4	-
5	P6G	A	502	-	-	5/16/16/16	-

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	503	P6G	C11-O10-C9	-3.65	97.49	113.29
5	A	503	P6G	O16-C15-C14	-3.16	96.14	110.39
5	A	503	P6G	O13-C14-C15	-2.93	97.18	110.39
5	A	503	P6G	C5-O4-C3	-2.52	102.38	113.29
5	A	504	P6G	O7-C8-C9	-2.15	100.72	110.39
5	A	503	P6G	O13-C12-C11	-2.03	101.25	110.39

There are no chirality outliers.

All (18) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	501	P6G	O7-C8-C9-O10
5	A	504	P6G	O13-C14-C15-O16
5	A	501	P6G	O13-C14-C15-O16
5	A	503	P6G	O7-C8-C9-O10
5	A	503	P6G	O10-C11-C12-O13
5	A	504	P6G	O1-C2-C3-O4
5	A	502	P6G	O10-C11-C12-O13
5	A	504	P6G	O16-C17-C18-O19
5	A	501	P6G	O4-C5-C6-O7
5	A	502	P6G	O1-C2-C3-O4
5	A	504	P6G	O4-C5-C6-O7
5	A	504	P6G	O10-C11-C12-O13
5	A	504	P6G	O7-C8-C9-O10

*Continued on next page...*

Continued from previous page...


Mol	Chain	Res	Type	Atoms
5	A	502	P6G	O13-C14-C15-O16
5	A	501	P6G	O10-C11-C12-O13
5	A	503	P6G	O13-C14-C15-O16
5	A	502	P6G	O7-C8-C9-O10
5	A	502	P6G	O4-C5-C6-O7


There are no ring outliers.

8 monomers are involved in 47 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	332	GOL	3	0
4	A	499	GOL	1	0
5	A	501	P6G	13	0
5	A	503	P6G	14	0
4	A	500	GOL	1	0
5	A	504	P6G	6	0
4	B	331	GOL	4	0
5	A	502	P6G	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	491/498 (98%)	0.09	14 (2%) 51 54	27, 34, 48, 64	0
2	B	322/330 (97%)	-0.09	9 (2%) 53 56	27, 33, 49, 79	0
3	C	83/86 (96%)	-0.13	1 (1%) 79 81	31, 39, 48, 60	0
All	All	896/914 (98%)	0.00	24 (2%) 54 57	27, 34, 49, 79	0

All (24) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	22	ARG	6.0
2	B	20	GLY	4.6
2	B	23	ARG	4.2
2	B	24	ARG	3.9
2	B	21	ASN	3.9
1	A	249	GLY	3.7
1	A	304	ARG	3.5
1	A	78	ARG	3.3
1	A	287	ASN	2.9
1	A	169	ALA	2.5
2	B	8	ALA	2.5
1	A	80	GLY	2.5
1	A	176	PHE	2.4
1	A	492	GLN	2.3
1	A	172	ALA	2.3
1	A	51	TYR	2.3
1	A	171	ALA	2.3
1	A	100	ILE	2.2
1	A	268	LEU	2.1
3	C	47	PRO	2.1
1	A	307	LEU	2.1
2	B	13	LYS	2.1
2	B	10	LYS	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	B	9	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
5	P6G	A	504	19/19	0.29	0.45	58,76,82,82	0
5	P6G	A	503	19/19	0.34	0.61	65,81,89,89	0
5	P6G	A	501	19/19	0.67	0.34	49,69,74,74	0
5	P6G	A	502	19/19	0.77	0.26	45,49,67,68	0
4	GOL	B	332	6/6	0.82	0.18	39,44,46,52	0
4	GOL	B	331	6/6	0.83	0.17	42,43,44,45	0
4	GOL	A	499	6/6	0.85	0.16	59,59,61,62	0
4	GOL	A	500	6/6	0.90	0.18	46,47,49,50	0
6	FE	A	506	1/1	0.99	0.10	30,30,30,30	0
6	FE	A	505	1/1	1.00	0.15	33,33,33,33	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around P6G A 504:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around P6G A 503:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around P6G A 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around P6G A 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.