



# Full wwPDB X-ray Structure Validation Report ⓘ

Nov 6, 2023 – 01:42 AM EST

PDB ID : 3N25  
Title : The structure of muscle pyruvate kinase in complex with proline, pyruvate, and Mn<sup>2+</sup>  
Authors : Fenton, A.W.; Johnson, T.A.; Holyoak, T.  
Deposited on : 2010-05-17  
Resolution : 2.41 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.41 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4647 (2.44-2.40)
Clashscore	141614	5161 (2.44-2.40)
Ramachandran outliers	138981	5073 (2.44-2.40)
Sidechain outliers	138945	5074 (2.44-2.40)
RSRZ outliers	127900	4543 (2.44-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	531	
1	B	531	
1	C	531	
1	D	531	
1	E	531	

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	531	 85% 12% •
1	G	531	 86% 10% •
1	H	531	 83% 15% •

## 2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 33971 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pyruvate kinase isozymes M1/M2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	519	4061	2559	719	753	30	0	14	0
1	B	508	3981	2508	709	736	28	0	11	0
1	C	512	4033	2543	712	749	29	0	14	0
1	D	521	4050	2547	718	756	29	0	9	0
1	E	521	4049	2545	718	756	30	0	8	0
1	F	515	4015	2525	711	750	29	0	8	0
1	G	510	3961	2495	700	738	28	0	6	0
1	H	519	4080	2570	722	759	29	0	14	0

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	29	LYS	MET	SEE REMARK 999	UNP P11974
A	400	ALA	SER	SEE REMARK 999	UNP P11974
A	403	GLN	HIS	SEE REMARK 999	UNP P11974
B	29	LYS	MET	SEE REMARK 999	UNP P11974
B	400	ALA	SER	SEE REMARK 999	UNP P11974
B	403	GLN	HIS	SEE REMARK 999	UNP P11974
C	29	LYS	MET	SEE REMARK 999	UNP P11974
C	400	ALA	SER	SEE REMARK 999	UNP P11974
C	403	GLN	HIS	SEE REMARK 999	UNP P11974
D	29	LYS	MET	SEE REMARK 999	UNP P11974
D	400	ALA	SER	SEE REMARK 999	UNP P11974
D	403	GLN	HIS	SEE REMARK 999	UNP P11974
E	29	LYS	MET	SEE REMARK 999	UNP P11974

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	400	ALA	SER	SEE REMARK 999	UNP P11974
E	403	GLN	HIS	SEE REMARK 999	UNP P11974
F	29	LYS	MET	SEE REMARK 999	UNP P11974
F	400	ALA	SER	SEE REMARK 999	UNP P11974
F	403	GLN	HIS	SEE REMARK 999	UNP P11974
G	29	LYS	MET	SEE REMARK 999	UNP P11974
G	400	ALA	SER	SEE REMARK 999	UNP P11974
G	403	GLN	HIS	SEE REMARK 999	UNP P11974
H	29	LYS	MET	SEE REMARK 999	UNP P11974
H	400	ALA	SER	SEE REMARK 999	UNP P11974
H	403	GLN	HIS	SEE REMARK 999	UNP P11974

- Molecule 2 is PROLINE (three-letter code: PRO) (formula:  $C_5H_9NO_2$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			8	5	1	2		
2	B	1	Total	C	N	O	0	0
			8	5	1	2		
2	C	1	Total	C	N	O	0	0
			8	5	1	2		
2	D	1	Total	C	N	O	0	0
			8	5	1	2		
2	E	1	Total	C	N	O	0	0
			8	5	1	2		
2	F	1	Total	C	N	O	0	0
			8	5	1	2		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	G	1	Total	C	N	O	0	0
			8	5	1	2		
2	H	1	Total	C	N	O	0	0
			8	5	1	2		

- Molecule 3 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mn	0	0
			1	1		
3	B	1	Total	Mn	0	0
			1	1		
3	C	1	Total	Mn	0	0
			1	1		
3	D	1	Total	Mn	0	0
			1	1		
3	E	1	Total	Mn	0	0
			1	1		
3	F	1	Total	Mn	0	0
			1	1		
3	G	1	Total	Mn	0	0
			1	1		
3	H	1	Total	Mn	0	0
			1	1		

- Molecule 4 is PYRUVIC ACID (three-letter code: PYR) (formula: C<sub>3</sub>H<sub>4</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	D	1	Total C O 6 3 3	0	0
4	E	1	Total C O 6 3 3	0	0
4	F	1	Total C O 6 3 3	0	0
4	G	1	Total C O 6 3 3	0	0
4	H	1	Total C O 6 3 3	0	0

- Molecule 5 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total K 1 1	0	0
5	B	1	Total K 1 1	0	0
5	C	1	Total K 1 1	0	0
5	D	1	Total K 1 1	0	0
5	E	1	Total K 1 1	0	0
5	F	1	Total K 1 1	0	0
5	G	1	Total K 1 1	0	0
5	H	1	Total K 1 1	0	0

- Molecule 6 is SODIUM ION (three-letter code: NA) (formula: Na).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	2	Total Na 2 2	0	0
6	B	1	Total Na 1 1	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	C	1	Total	Na	0	0
			1	1		
6	D	2	Total	Na	0	0
			2	2		
6	E	2	Total	Na	0	0
			2	2		
6	F	1	Total	Na	0	0
			1	1		
6	G	1	Total	Na	0	0
			1	1		
6	H	2	Total	Na	0	0
			2	2		

- Molecule 7 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			6	3	3		
7	A	1	Total	C	O	0	0
			6	3	3		
7	A	1	Total	C	O	0	0
			6	3	3		
7	B	1	Total	C	O	0	0
			6	3	3		
7	B	1	Total	C	O	0	0
			6	3	3		


Continued on next page...



*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total 6	C 3	O 3	0	0
7	C	1	Total 6	C 3	O 3	0	0
7	C	1	Total 6	C 3	O 3	0	0
7	D	1	Total 6	C 3	O 3	0	0
7	D	1	Total 6	C 3	O 3	0	0
7	D	1	Total 6	C 3	O 3	0	0
7	E	1	Total 6	C 3	O 3	0	0
7	E	1	Total 6	C 3	O 3	0	0
7	F	1	Total 6	C 3	O 3	0	0
7	F	1	Total 6	C 3	O 3	0	0
7	F	1	Total 6	C 3	O 3	0	0
7	G	1	Total 6	C 3	O 3	0	0
7	G	1	Total 6	C 3	O 3	0	0
7	H	1	Total 6	C 3	O 3	0	0

- Molecule 8 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	1	Total C O 4 2 2	0	0
8	A	1	Total C O 4 2 2	0	0
8	A	1	Total C O 4 2 2	0	0
8	B	1	Total C O 4 2 2	0	0
8	B	1	Total C O 4 2 2	0	0
8	C	1	Total C O 4 2 2	0	0
8	D	1	Total C O 4 2 2	0	0
8	D	1	Total C O 4 2 2	0	0
8	D	1	Total C O 4 2 2	0	0
8	E	1	Total C O 4 2 2	0	0
8	E	1	Total C O 4 2 2	0	0
8	E	1	Total C O 4 2 2	0	0
8	E	1	Total C O 4 2 2	0	0
8	F	1	Total C O 4 2 2	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	H	1	Total	C	O	0	0
			4	2	2		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	193	Total	O	0	0
			193	193		
9	B	147	Total	O	0	0
			147	147		
9	C	199	Total	O	0	0
			199	199		
9	D	192	Total	O	0	0
			192	192		
9	E	190	Total	O	0	0
			190	190		
9	F	186	Total	O	0	0
			186	186		
9	G	126	Total	O	0	0
			126	126		
9	H	194	Total	O	0	0
			194	194		


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Pyruvate kinase isozymes M1/M2



- Molecule 1: Pyruvate kinase isozymes M1/M2




- Molecule 1: Pyruvate kinase isozymes M1/M2






- Molecule 1: Pyruvate kinase isozymes M1/M2

Chain D: 88% 10%




- Molecule 1: Pyruvate kinase isozymes M1/M2

Chain E: 88% 10%




- Molecule 1: Pyruvate kinase isozymes M1/M2

Chain F: 85% 12%



- Molecule 1: Pyruvate kinase isozymes M1/M2

Chain G: 86% 10%





- Molecule 1: Pyruvate kinase isozymes M1/M2

Chain H: 83% 15%



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	82.37Å 108.75Å 144.26Å 95.18° 93.38° 112.23°	Depositor
Resolution (Å)	36.59 – 2.41 36.59 – 2.41	Depositor EDS
% Data completeness (in resolution range)	83.0 (36.59-2.41) 82.9 (36.59-2.41)	Depositor EDS
$R_{merge}$	0.12	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.01 (at 2.42Å)	Xtrriage
Refinement program	REFMAC	Depositor
R, $R_{free}$	0.204 , 0.268 0.213 , 0.278	Depositor DCC
$R_{free}$ test set	7394 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	28.4	Xtrriage
Anisotropy	0.479	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , -3.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	33971	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	5.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 11.98% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NA, GOL, K, EDO, PYR, MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.44	0/4165	0.56	0/5614
1	B	0.42	0/4071	0.56	0/5484
1	C	0.45	0/4125	0.58	0/5561
1	D	0.44	0/4132	0.57	0/5572
1	E	0.45	0/4127	0.58	0/5563
1	F	0.45	0/4090	0.57	0/5511
1	G	0.41	0/4037	0.55	0/5440
1	H	0.44	0/4172	0.56	0/5618
All	All	0.44	0/32919	0.57	0/44363

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4061	0	4191	63	0
1	B	3981	0	4092	67	0
1	C	4033	0	4127	40	0
1	D	4050	0	4138	33	0
1	E	4049	0	4138	34	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	4015	0	4104	47	0
1	G	3961	0	4047	39	0
1	H	4080	0	4185	66	0
2	A	8	0	7	0	0
2	B	8	0	7	1	0
2	C	8	0	7	3	0
2	D	8	0	7	2	0
2	E	8	0	7	1	0
2	F	8	0	7	0	0
2	G	8	0	7	1	0
2	H	8	0	7	2	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
3	F	1	0	0	0	0
3	G	1	0	0	0	0
3	H	1	0	0	0	0
4	A	6	0	0	0	0
4	B	6	0	0	0	0
4	C	6	0	0	0	0
4	D	6	0	0	0	0
4	E	6	0	0	0	0
4	F	6	0	0	1	0
4	G	6	0	0	1	0
4	H	6	0	0	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
5	D	1	0	0	0	0
5	E	1	0	0	0	0
5	F	1	0	0	0	0
5	G	1	0	0	0	0
5	H	1	0	0	0	0
6	A	2	0	0	0	0
6	B	1	0	0	0	0
6	C	1	0	0	0	0
6	D	2	0	0	0	0
6	E	2	0	0	0	0
6	F	1	0	0	0	0
6	G	1	0	0	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	H	2	0	0	0	0
7	A	18	0	24	2	0
7	B	18	0	24	2	0
7	C	12	0	16	0	0
7	D	18	0	24	2	0
7	E	12	0	16	0	0
7	F	18	0	24	3	0
7	G	12	0	16	1	0
7	H	6	0	8	2	0
8	A	12	0	18	0	0
8	B	8	0	12	1	0
8	C	4	0	6	0	0
8	D	12	0	18	2	0
8	E	16	0	24	0	0
8	F	4	0	6	0	0
8	H	4	0	6	0	0
9	A	193	0	0	3	0
9	B	147	0	0	4	0
9	C	199	0	0	6	0
9	D	192	0	0	1	0
9	E	190	0	0	5	0
9	F	186	0	0	9	0
9	G	126	0	0	5	0
9	H	194	0	0	7	0
All	All	33971	0	33320	340	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (340) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:524[B]:MET:HE2	1:B:524[B]:MET:CE	1.89	1.02
1:A:524[B]:MET:HE2	1:B:524[B]:MET:HE2	1.36	1.01
1:F:274:GLU:HG3	1:F:277:ARG:NH2	1.88	0.88
1:A:524[B]:MET:HE2	1:B:524[B]:MET:HB3	1.56	0.86
1:A:524[B]:MET:CE	1:B:524[B]:MET:CE	2.54	0.86
1:F:101:PRO:HG2	9:F:1664:HOH:O	1.78	0.81
1:G:524[A]:MET:HE1	1:H:524[A]:MET:SD	2.23	0.79
1:G:524[A]:MET:CE	1:H:524[A]:MET:SD	2.71	0.79
1:B:526[B]:VAL:HG13	1:B:526[B]:VAL:O	1.82	0.76

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:403:GLN:HB3	9:C:1259:HOH:O	1.85	0.75
1:B:463:HIS:HD1	2:B:1600:PRO:N	1.85	0.74
1:B:526[B]:VAL:O	1:B:526[B]:VAL:CG1	2.36	0.73
1:H:73:MET:CE	1:H:109:VAL:HG13	2.18	0.73
1:G:246:LYS:HB3	9:G:1641:HOH:O	1.89	0.73
1:A:524[B]:MET:CE	1:B:524[B]:MET:SD	2.77	0.72
1:H:432[A]:GLU:OE2	9:H:1382:HOH:O	2.08	0.72
1:G:278:ARG:HD3	9:G:1641:HOH:O	1.88	0.72
1:A:399[A]:ARG:NE	1:B:391[A]:ARG:NH1	2.39	0.70
1:A:524[B]:MET:HE2	1:B:524[B]:MET:SD	2.30	0.70
1:G:524[A]:MET:HE2	1:H:524[A]:MET:HB3	1.75	0.69
1:A:42:ARG:HE	1:A:378:HIS:HD2	1.40	0.69
1:E:526:VAL:HG23	1:F:411:MET:SD	2.33	0.69
1:A:514:TRP:CE3	1:B:525:ARG:HD3	2.27	0.69
1:D:463:HIS:HD1	2:D:1600:PRO:N	1.91	0.69
1:F:274:GLU:HG3	1:F:277:ARG:HH22	1.55	0.69
7:F:6010:GOL:H32	1:H:341:ARG:HH12	1.56	0.69
1:H:273:HIS:CE1	1:H:277[A]:ARG:HE	2.11	0.69
1:A:369:TYR:HB3	1:A:372[B]:GLU:HG2	1.76	0.67
1:H:493:MET:HG2	1:H:530:PRO:HD2	1.76	0.67
1:G:524[A]:MET:HE2	1:H:524[A]:MET:SD	2.35	0.66
1:A:55:ARG:HD3	9:A:1222:HOH:O	1.95	0.66
1:C:220:VAL:HG11	1:C:256:ILE:CD1	2.27	0.65
1:F:233:GLU:OE2	9:F:798:HOH:O	2.13	0.65
1:C:496:GLY:HA3	1:C:502:PHE:CZ	2.33	0.64
1:F:220:VAL:HG11	1:F:256:ILE:HD11	1.79	0.64
1:A:524[B]:MET:CE	1:B:524[B]:MET:HB3	2.27	0.64
1:B:328:GLN:OE1	1:D:341:ARG:HG2	1.98	0.64
1:D:274[A]:GLU:OE1	1:D:277:ARG:NH2	2.31	0.63
1:F:25:PHE:CE1	1:H:25[A]:PHE:CE2	2.85	0.63
1:G:145:ASN:O	1:G:148:MET:HB2	1.98	0.63
1:D:391:ARG:O	1:D:395:GLU:HG3	1.98	0.63
1:A:524[B]:MET:HE2	1:B:524[B]:MET:CB	2.28	0.63
1:E:524[B]:MET:HB3	1:F:524[B]:MET:HE2	1.81	0.63
1:E:391:ARG:HD3	9:E:1287:HOH:O	1.99	0.62
1:H:463:HIS:HD1	2:H:1600:PRO:N	1.97	0.62
1:F:25:PHE:CE1	1:H:25[A]:PHE:CD2	2.87	0.62
1:E:390:HIS:HD2	9:E:1283:HOH:O	1.83	0.62
1:A:524[B]:MET:CE	1:B:524[B]:MET:HE2	2.19	0.61
1:C:220:VAL:HG11	1:C:256:ILE:HD11	1.82	0.61
1:C:392:LYS:O	1:C:396:GLU:HG3	2.01	0.61

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:220:VAL:HG11	1:F:256:ILE:CD1	2.30	0.61
1:H:100:ASP:OD2	1:H:103:LEU:HD12	2.00	0.61
1:D:465:TYR:HB2	1:D:468:ILE:HD12	1.83	0.61
1:A:524[B]:MET:HE1	1:B:524[B]:MET:SD	2.40	0.60
1:A:341:ARG:HG2	1:C:328[A]:GLN:OE1	2.00	0.60
1:B:432[B]:GLU:OE2	1:B:455:ASN:HB2	2.02	0.60
1:C:439[B]:GLN:NE2	9:C:1386:HOH:O	2.09	0.60
1:D:22:ALA:HB1	1:D:27[B]:GLU:HB3	1.84	0.60
1:H:244:ILE:HD12	1:H:249:ASP:HB3	1.84	0.60
1:C:526[B]:VAL:HG23	1:D:411:MET:SD	2.42	0.59
1:F:496:GLY:HA3	1:F:502:PHE:CZ	2.37	0.59
1:A:338[B]:ARG:HD3	1:C:178:GLY:O	2.01	0.59
1:E:274:GLU:HG3	1:E:277[B]:ARG:HH22	1.67	0.59
1:G:122:LEU:HB2	1:G:149:GLU:HA	1.85	0.58
1:E:51:GLY:O	1:E:55:ARG:HB2	2.04	0.58
1:H:73:MET:HE3	1:H:109:VAL:HG13	1.84	0.58
1:E:274:GLU:HG3	1:E:277[B]:ARG:NH2	2.18	0.58
1:F:225:ILE:HG22	1:F:229:LYS:HE3	1.86	0.57
1:B:295:ASP:OD1	7:B:6302:GOL:H12	2.05	0.57
1:G:102:ILE:HG12	9:G:1009:HOH:O	2.05	0.57
1:G:287:ASP:O	1:G:322:PRO:HD2	2.04	0.57
1:E:463:HIS:HD1	2:E:1600:PRO:N	2.03	0.57
1:F:25:PHE:CD1	1:H:25[A]:PHE:CE2	2.92	0.57
1:G:271:GLU:HB3	1:G:292:ALA:HB3	1.87	0.57
1:G:514:TRP:CE3	1:H:525:ARG:HD3	2.40	0.56
1:H:51:GLY:O	1:H:55:ARG:HG3	2.05	0.56
1:E:70:VAL:HG22	1:E:108:ALA:HB3	1.87	0.56
1:B:320:GLY:HA2	9:B:1611:HOH:O	2.04	0.56
1:D:156:LEU:HD13	1:D:202:LEU:HD21	1.86	0.56
9:B:929:HOH:O	1:D:23:ASP:HB2	2.05	0.56
1:A:465:TYR:HB2	1:A:468:ILE:HD12	1.88	0.56
1:C:463:HIS:HD1	2:C:1600:PRO:N	2.03	0.56
1:D:132:GLU:HG2	1:D:134:LYS:HG2	1.87	0.56
1:G:215:VAL:HG21	7:G:6207:GOL:O2	2.06	0.56
1:F:162:ASN:OD1	1:F:165:LYS:HG3	2.06	0.56
1:F:336:LYS:HE2	9:F:617:HOH:O	2.05	0.56
1:D:243:PHE:HZ	7:D:6304:GOL:H31	1.69	0.55
1:F:530:PRO:HG3	9:F:1671:HOH:O	2.05	0.55
1:A:241:ALA:HB1	1:A:244:ILE:HD11	1.88	0.55
1:A:475:ASP:OD2	1:A:487:LEU:HD21	2.07	0.55
1:B:271:GLU:HB3	1:B:292:ALA:HB3	1.89	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:122:LEU:HD12	1:E:149:GLU:HG2	1.89	0.55
1:F:403:GLN:CD	1:F:403:GLN:H	2.10	0.55
1:B:42:ARG:HE	1:B:378:HIS:HD2	1.55	0.55
1:A:252[B]:GLU:OE1	1:A:252[B]:GLU:HA	2.06	0.54
1:E:339:PRO:HG3	1:E:376:MET:HG2	1.88	0.54
1:G:524[A]:MET:HE2	1:H:524[A]:MET:CB	2.37	0.54
1:H:162:ASN:OD1	1:H:165:LYS:HD3	2.08	0.54
1:A:496:GLY:HA3	1:A:502:PHE:CZ	2.43	0.54
1:D:54:SER:HB2	1:D:63[A]:MET:SD	2.47	0.54
1:D:243:PHE:CZ	7:D:6304:GOL:H31	2.42	0.54
1:B:399[B]:ARG:CZ	9:B:929:HOH:O	2.54	0.54
1:F:102:ILE:HD13	9:F:1664:HOH:O	2.07	0.54
1:H:186:GLN:HB3	1:H:193:VAL:HG13	1.89	0.54
1:D:223:LYS:HE2	9:D:1611:HOH:O	2.07	0.54
1:A:524[B]:MET:HB3	1:B:524[B]:MET:HE2	1.88	0.54
1:F:102:ILE:CD1	9:F:1664:HOH:O	2.55	0.54
1:F:403:GLN:HB3	9:F:1667:HOH:O	2.08	0.54
1:G:143:LEU:HD21	1:G:163:ILE:HG22	1.90	0.54
1:D:186:GLN:HB2	1:D:193:VAL:HB	1.89	0.53
1:C:166:VAL:HG12	1:C:213:ALA:HB1	1.89	0.53
1:G:43:ASN:O	2:G:1600:PRO:HG3	2.08	0.53
1:E:13[B]:GLN:CD	1:E:13[B]:GLN:H	2.10	0.53
1:G:330:LEU:HD12	1:G:360:LEU:HD21	1.90	0.53
1:E:465:TYR:HB2	1:E:468:ILE:HD12	1.92	0.52
7:F:6010:GOL:H31	1:H:338:ARG:HB2	1.92	0.52
1:H:73:MET:HE1	1:H:109:VAL:HG13	1.92	0.52
1:D:74:ASN:HD22	8:D:6017:EDO:H21	1.75	0.51
1:H:390:HIS:CE1	1:H:446:ARG:HB3	2.45	0.51
1:A:310:LYS:HB3	1:C:29:LYS:CG	2.40	0.51
1:C:60:LEU:HD13	1:C:90:VAL:HA	1.92	0.51
1:H:215:VAL:HG12	9:H:964:HOH:O	2.09	0.51
1:B:252:GLU:O	1:B:256:ILE:HG12	2.11	0.51
1:H:25[A]:PHE:CE2	1:H:392:LYS:HG3	2.45	0.51
1:G:509:ILE:CD1	1:G:526:VAL:HG12	2.40	0.51
1:H:403:GLN:HB3	9:H:1659:HOH:O	2.11	0.51
1:H:118:ILE:HG23	1:H:160:TYR:HB2	1.93	0.51
1:A:436:SER:O	1:A:440:VAL:HG23	2.11	0.51
1:A:33:ASP:HB3	1:A:36:SER:HB2	1.92	0.51
1:H:55:ARG:NH2	1:H:85:GLU:HB3	2.25	0.51
1:H:186:GLN:HB3	1:H:193:VAL:CG1	2.41	0.50
1:A:399[A]:ARG:CZ	1:B:391[A]:ARG:HH12	2.24	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:42:ARG:HE	1:A:378:HIS:CD2	2.26	0.50
1:D:43:ASN:O	2:D:1600:PRO:HG3	2.11	0.50
1:F:25:PHE:CZ	1:H:25[A]:PHE:CD2	2.99	0.50
1:D:131:VAL:HG11	1:D:152:ASP:HA	1.92	0.50
1:C:28:HIS:HD2	9:C:1651:HOH:O	1.94	0.50
1:F:330:LEU:HD12	1:F:360:LEU:HD21	1.94	0.50
1:F:148:MET:HG3	1:F:149:GLU:HG3	1.94	0.50
1:H:141:ILE:HB	1:H:192:LEU:HB2	1.94	0.50
1:H:430:LEU:HD22	1:H:512:THR:HG22	1.94	0.50
1:F:292:ALA:HB1	4:F:1500:PYR:C	2.41	0.50
1:G:292:ALA:HB1	4:G:1500:PYR:C	2.41	0.50
1:H:47:ILE:HB	1:H:359:MET:HG3	1.92	0.50
1:A:271:GLU:HB3	1:A:292:ALA:HB3	1.92	0.49
1:A:369:TYR:HB3	1:A:372[B]:GLU:CG	2.41	0.49
1:C:430:LEU:HD22	1:C:512:THR:HG22	1.94	0.49
1:C:59:THR:O	1:C:63[B]:MET:HG3	2.12	0.49
1:B:249:ASP:O	1:B:253:VAL:HG23	2.13	0.49
1:A:429:VAL:O	1:A:451:ALA:HA	2.12	0.49
1:H:156:LEU:HD13	1:H:202:LEU:HD21	1.93	0.49
1:H:159:ASP:OD1	9:H:1652:HOH:O	2.20	0.49
1:B:49:THR:OG1	1:B:72:ARG:HD3	2.12	0.48
1:F:287:ASP:O	1:F:322:PRO:HD2	2.13	0.48
1:E:54:SER:HA	1:E:59:THR:HG21	1.95	0.48
1:H:47:ILE:HD12	1:H:324:ILE:HD13	1.95	0.48
1:A:23:ASP:OD1	1:B:399[A]:ARG:NH2	2.45	0.48
1:B:455:ASN:HB3	1:B:458:THR:HB	1.95	0.48
1:A:456:HIS:HB3	1:A:460:ARG:HH12	1.77	0.48
1:D:417:GLU:OE1	1:D:417:GLU:HA	2.14	0.48
1:B:465:TYR:HB2	1:B:468:ILE:HD12	1.95	0.48
1:C:412:ALA:O	1:C:416:VAL:HG23	2.13	0.48
1:C:528:PRO:HG2	9:C:1628:HOH:O	2.13	0.48
1:E:518:SER:HA	9:E:647:HOH:O	2.14	0.48
1:G:140:LYS:HE3	1:G:191:PHE:HB2	1.95	0.48
1:C:271:GLU:HB3	1:C:292:ALA:HB3	1.94	0.48
1:G:524[A]:MET:CE	1:H:524[A]:MET:CE	2.91	0.48
1:F:367:GLY:HA3	9:F:1636:HOH:O	2.14	0.47
1:D:370:PRO:O	1:D:374:VAL:HG23	2.15	0.47
1:E:525:ARG:HD3	1:F:514:TRP:CE3	2.48	0.47
1:E:187:LYS:NZ	9:E:974:HOH:O	2.40	0.47
1:C:22:ALA:HB1	1:C:27[B]:GLU:HB3	1.96	0.47
1:E:49:THR:HA	1:E:72:ARG:HB3	1.97	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:143[A]:LEU:HD11	1:A:163:ILE:HG22	1.97	0.47
1:G:327:THR:HG22	1:G:328[B]:GLN:HG3	1.97	0.47
1:A:524[B]:MET:SD	1:B:524[B]:MET:HE1	2.55	0.47
1:C:59:THR:O	1:C:63[A]:MET:HG2	2.14	0.47
1:C:382:ARG:HB2	9:C:599:HOH:O	2.15	0.47
1:C:439[A]:GLN:OE1	1:C:442:ARG:HD3	2.15	0.47
1:A:430:LEU:HD22	1:A:512:THR:HG22	1.97	0.47
1:F:330:LEU:HD11	1:F:377:GLN:HG3	1.97	0.46
1:A:265:LYS:CE	9:A:1210:HOH:O	2.63	0.46
1:B:73:MET:CE	1:B:109:VAL:HG13	2.45	0.46
1:F:186:GLN:HG2	1:F:187:LYS:H	1.80	0.46
1:B:519:GLY:O	1:B:520:PHE:HB3	2.16	0.46
1:H:252:GLU:O	1:H:256:ILE:HG12	2.15	0.46
1:B:376:MET:HG3	1:B:380:ILE:HD11	1.97	0.46
1:F:436:SER:O	1:F:440:VAL:HG23	2.15	0.46
1:E:111:LEU:C	1:E:111:LEU:HD23	2.36	0.46
1:A:117:GLU:HG2	7:A:6301:GOL:H32	1.97	0.46
1:A:524[B]:MET:CE	1:B:524[B]:MET:CB	2.90	0.46
1:E:25:PHE:CD2	1:E:389:PHE:HD1	2.33	0.46
1:H:412:ALA:O	1:H:416:VAL:HG23	2.16	0.46
1:A:322:PRO:HB3	1:A:464:LEU:O	2.16	0.45
1:G:265:LYS:HA	1:G:287:ASP:OD1	2.15	0.45
1:G:524[A]:MET:HE2	1:H:524[A]:MET:CE	2.46	0.45
1:H:230:PHE:CZ	1:H:234:GLN:HG3	2.51	0.45
1:F:47:ILE:HG12	1:F:70:VAL:HB	1.98	0.45
1:B:469:PHE:HE2	1:B:499:ARG:CZ	2.30	0.45
1:G:252:GLU:O	1:G:256:ILE:HG12	2.16	0.45
1:B:29[A]:LYS:HA	1:B:29[A]:LYS:HD3	1.59	0.45
1:B:267:ILE:HD12	1:B:288:GLY:HA3	1.97	0.45
1:E:392:LYS:O	1:E:396:GLU:HG3	2.16	0.45
1:H:133:LEU:HD11	1:H:202:LEU:HD22	1.98	0.45
1:C:369:TYR:HB3	1:C:372:GLU:HB2	1.99	0.45
1:F:144:ASP:HB3	1:F:147:TYR:HD2	1.82	0.45
1:B:241:ALA:O	1:B:244:ILE:HG12	2.16	0.45
1:G:116:PRO:HD2	1:G:243:PHE:HB2	1.98	0.45
1:H:455:ASN:HB3	1:H:458:THR:HB	1.98	0.45
1:A:287:ASP:O	1:A:322:PRO:HD2	2.17	0.45
1:D:491:LEU:O	1:D:495:VAL:HG23	2.17	0.45
1:B:267:ILE:HG21	1:B:324:ILE:HD12	1.99	0.45
1:C:322:PRO:HB3	1:C:464:LEU:O	2.16	0.45
1:H:49:THR:OG1	1:H:72:ARG:HD3	2.16	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:273:HIS:CE1	1:A:277:ARG:NH2	2.85	0.44
1:A:421:LYS:NZ	1:B:401:SER:O	2.50	0.44
1:H:329:MET:HE2	1:H:347:VAL:HG22	1.99	0.44
1:B:65:LYS:HA	1:B:105:ARG:HH12	1.82	0.44
1:B:245[B]:ARG:NH2	7:B:6202:GOL:O1	2.45	0.44
1:C:122:LEU:HD22	1:C:149:GLU:HG2	1.99	0.44
1:D:369:TYR:HB3	1:D:372:GLU:HB2	1.99	0.44
1:G:429:VAL:O	1:G:451:ALA:HA	2.17	0.44
1:A:310:LYS:HB3	1:C:29:LYS:HG2	1.99	0.44
1:C:415:SER:HA	1:C:524[A]:MET:SD	2.58	0.44
1:F:75:PHE:CE1	1:F:111:LEU:HG	2.52	0.44
1:F:112:ASP:HA	1:F:240:PHE:HB2	1.99	0.44
1:F:186:GLN:HB3	1:F:193:VAL:CG1	2.48	0.44
1:G:43:ASN:H	1:G:385:GLU:CD	2.20	0.44
1:G:526:VAL:HG23	1:G:526:VAL:O	2.17	0.44
1:H:295:ASP:OD2	7:H:6308:GOL:H31	2.18	0.44
1:A:265:LYS:HD2	1:A:287:ASP:CG	2.37	0.44
1:E:322:PRO:HB3	1:E:464:LEU:O	2.18	0.44
1:F:139:LEU:HD21	1:F:156:LEU:HD22	2.00	0.44
1:H:55:ARG:HD2	1:H:82:TYR:OH	2.17	0.44
1:B:173:VAL:HG13	1:B:182:LEU:HB2	2.00	0.44
1:A:333:MET:HA	1:A:336:LYS:O	2.18	0.43
1:B:102:ILE:O	1:B:499:ARG:NH2	2.51	0.43
1:D:322:PRO:HB3	1:D:464:LEU:O	2.17	0.43
1:G:54:SER:HA	1:G:59:THR:HG21	1.99	0.43
1:A:99:SER:O	1:A:101:PRO:HD3	2.18	0.43
1:A:399[A]:ARG:CZ	1:B:391[A]:ARG:NH1	2.82	0.43
1:B:84:ALA:HB2	1:B:230:PHE:HZ	1.83	0.43
1:H:515:ARG:HB3	1:H:516:PRO:HD2	1.98	0.43
1:A:327:THR:HG22	1:A:328:GLN:HG3	2.00	0.43
1:A:339:PRO:HG3	1:A:376:MET:HG2	1.99	0.43
1:A:510:VAL:HG12	1:A:512:THR:HG23	2.00	0.43
1:B:376:MET:HG3	1:B:380:ILE:CD1	2.48	0.43
1:D:162[A]:ASN:OD1	1:D:165:LYS:HD2	2.18	0.43
1:G:509:ILE:HD12	1:G:526:VAL:HG12	2.00	0.43
1:A:167:VAL:HG11	1:A:184:VAL:HG21	2.00	0.43
1:C:47:ILE:HG12	1:C:70:VAL:HB	2.00	0.43
1:C:55[B]:ARG:CZ	1:C:82[B]:TYR:CE1	3.01	0.43
1:E:160:TYR:OH	1:E:216:ASP:OD1	2.28	0.43
1:G:122:LEU:HD13	1:G:149:GLU:HG2	2.00	0.43
1:D:122:LEU:HB2	1:D:149:GLU:HA	1.99	0.43

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:117:GLU:HG2	7:H:6308:GOL:H11	1.99	0.43
1:C:137:ALA:O	1:C:196:VAL:HG23	2.18	0.43
1:G:72:ARG:NH2	9:G:651:HOH:O	2.52	0.43
1:H:496:GLY:HA3	1:H:502:PHE:CZ	2.53	0.43
1:A:106:PRO:HG2	1:A:470:PRO:HG2	1.99	0.43
1:A:249:ASP:O	1:A:253:VAL:HG23	2.18	0.43
1:H:493:MET:CG	1:H:530:PRO:HD2	2.44	0.43
1:C:409:GLU:HG2	1:C:439[A]:GLN:OE1	2.19	0.43
1:F:24:THR:HB	1:H:396:GLU:CD	2.39	0.43
1:F:243:PHE:HZ	7:F:6306:GOL:H32	1.83	0.43
1:G:28:HIS:HE1	9:G:1620:HOH:O	2.02	0.43
1:F:265:LYS:HA	1:F:265:LYS:HD3	1.81	0.43
1:H:277[B]:ARG:HH21	1:H:278:ARG:HH11	1.67	0.43
1:H:390:HIS:HD2	9:H:758:HOH:O	2.02	0.43
1:B:141:ILE:HB	1:B:192:LEU:HB2	2.01	0.42
1:C:327:THR:HG22	1:C:328[A]:GLN:HG3	2.01	0.42
1:E:63[B]:MET:HG3	1:E:371:LEU:HD23	2.01	0.42
1:B:330:LEU:HD23	1:B:343:GLU:HB3	2.01	0.42
1:E:173:VAL:HB	1:E:182:LEU:HB2	2.00	0.42
1:H:43:ASN:O	2:H:1600:PRO:HG3	2.19	0.42
1:F:271:GLU:HB3	1:F:292:ALA:HB3	2.00	0.42
1:H:277[B]:ARG:HH21	1:H:278:ARG:HD2	1.84	0.42
1:H:450[B]:ILE:HD13	1:H:469:PHE:HB3	2.01	0.42
1:A:526[A]:VAL:HG23	1:B:411:MET:SD	2.59	0.42
1:F:328:GLN:OE1	1:H:341:ARG:HG2	2.19	0.42
1:G:64:ILE:HG12	1:G:107:VAL:HG21	2.00	0.42
1:C:220:VAL:HG12	1:C:225:ILE:HG13	2.01	0.42
1:H:66:SER:HB3	1:H:375:ARG:HG3	2.01	0.42
1:A:525:ARG:HD3	1:B:514:TRP:CE3	2.55	0.42
1:C:69:ASN:OD1	2:C:1600:PRO:HA	2.20	0.42
1:B:496:GLY:HA3	1:B:502:PHE:CZ	2.55	0.42
1:C:235:ASP:OD1	9:C:1653:HOH:O	2.22	0.42
1:C:470:PRO:HD2	2:C:1600:PRO:OXT	2.20	0.42
1:D:241:ALA:O	1:D:269:LYS:HB2	2.20	0.42
1:D:313:ILE:HA	1:D:323:VAL:HG11	2.02	0.42
1:F:315:ARG:HG2	1:F:318:ARG:HH21	1.84	0.42
1:G:141:ILE:HG12	1:G:156:LEU:HD23	2.02	0.42
1:H:22:ALA:HB1	1:H:27[A]:GLU:HB3	2.01	0.42
1:H:84:ALA:HB2	1:H:230:PHE:HZ	1.85	0.42
1:H:116:PRO:HG3	9:H:994:HOH:O	2.18	0.42
1:A:524[B]:MET:SD	1:B:524[B]:MET:CE	3.08	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:37:ALA:HA	1:B:38:PRO:HD2	1.90	0.41
1:B:295:ASP:OD2	8:B:6048:EDO:H12	2.20	0.41
1:E:271:GLU:HB3	1:E:292:ALA:HB3	2.02	0.41
1:D:433:SER:OG	1:D:435:ARG:HG2	2.20	0.41
1:C:47:ILE:CD1	1:C:324:ILE:HD13	2.51	0.41
1:B:408:MET:HG3	1:B:439[B]:GLN:HG3	2.02	0.41
1:E:403:GLN:NE2	9:E:1048:HOH:O	2.53	0.41
1:A:47:ILE:HG23	1:A:70:VAL:HB	2.01	0.41
1:B:18:HIS:CE1	1:B:31:ARG:HD3	2.55	0.41
1:D:13:GLN:O	1:D:36:SER:OG	2.27	0.41
1:B:114:LYS:HD3	1:B:223:LYS:HD2	2.03	0.41
1:F:392:LYS:HE2	1:F:395:GLU:OE2	2.20	0.41
1:B:395:GLU:O	1:B:399[A]:ARG:HG3	2.20	0.41
1:C:242:SER:HA	1:C:269:LYS:HD3	2.02	0.41
1:E:47:ILE:HG12	1:E:70:VAL:HB	2.02	0.41
1:E:246:LYS:O	1:E:249:ASP:HB2	2.21	0.41
1:E:273:HIS:CE1	1:G:35:ASP:OD2	2.73	0.41
1:G:471:VAL:HG11	1:G:495:VAL:HG21	2.01	0.41
1:A:295:ASP:OD1	7:A:6301:GOL:H12	2.21	0.41
1:H:299:GLU:OE2	9:H:806:HOH:O	2.22	0.41
9:A:1155:HOH:O	1:B:403:GLN:HG3	2.21	0.41
1:E:403:GLN:H	1:E:403:GLN:CD	2.24	0.41
1:E:514:TRP:CE3	1:F:525:ARG:HD3	2.56	0.41
1:F:123:ILE:O	1:F:124:LYS:C	2.58	0.41
1:F:316:CYS:SG	1:F:323:VAL:HB	2.61	0.41
1:H:330:LEU:HD11	1:H:377:GLN:HG3	2.03	0.41
1:B:293:ARG:NH2	1:B:329:MET:HG2	2.36	0.41
1:B:399[B]:ARG:NH1	9:B:929:HOH:O	2.54	0.41
1:D:42:ARG:HB2	1:D:378:HIS:CE1	2.56	0.41
1:D:72:ARG:HH12	8:D:6017:EDO:H22	1.85	0.40
1:G:525:ARG:HD3	1:H:514:TRP:CE3	2.56	0.40
1:A:330:LEU:HD23	1:A:343:GLU:HB3	2.04	0.40
1:B:60:LEU:HD13	1:B:90:VAL:HA	2.02	0.40
1:B:182:LEU:HD22	1:B:196:VAL:HG22	2.03	0.40
1:B:391[A]:ARG:NH2	1:B:392:LYS:NZ	2.69	0.40
1:C:27[A]:GLU:OE1	1:C:27[A]:GLU:HA	2.22	0.40
1:F:439:GLN:NE2	9:F:721:HOH:O	2.50	0.40
1:A:174:TYR:O	1:A:208:VAL:HA	2.21	0.40
1:B:396:GLU:CD	1:D:24:THR:HB	2.41	0.40
1:E:496:GLY:HA3	1:E:502:PHE:CZ	2.57	0.40
1:A:245[B]:ARG:HD3	1:A:274:GLU:OE1	2.21	0.40

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:122:LEU:HD12	1:D:204:SER:HB3	2.02	0.40
1:E:287:ASP:O	1:E:322:PRO:HD2	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	531/531 (100%)	518 (98%)	13 (2%)	0	100	100
1	B	513/531 (97%)	497 (97%)	14 (3%)	2 (0%)	34	47
1	C	520/531 (98%)	502 (96%)	17 (3%)	1 (0%)	47	61
1	D	528/531 (99%)	516 (98%)	11 (2%)	1 (0%)	47	61
1	E	527/531 (99%)	510 (97%)	15 (3%)	2 (0%)	34	47
1	F	517/531 (97%)	497 (96%)	20 (4%)	0	100	100
1	G	510/531 (96%)	494 (97%)	14 (3%)	2 (0%)	34	47
1	H	529/531 (100%)	510 (96%)	19 (4%)	0	100	100
All	All	4175/4248 (98%)	4044 (97%)	123 (3%)	8 (0%)	47	61

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	177	ASP
1	D	327	THR
1	B	327	THR
1	C	327	THR
1	G	327	THR
1	B	176	ASP
1	E	176	ASP
1	G	169	VAL

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	439/434 (101%)	434 (99%)	5 (1%)	73	86
1	B	429/434 (99%)	422 (98%)	7 (2%)	62	78
1	C	435/434 (100%)	433 (100%)	2 (0%)	88	95
1	D	435/434 (100%)	430 (99%)	5 (1%)	73	86
1	E	434/434 (100%)	431 (99%)	3 (1%)	84	92
1	F	432/434 (100%)	425 (98%)	7 (2%)	62	78
1	G	426/434 (98%)	420 (99%)	6 (1%)	67	81
1	H	439/434 (101%)	431 (98%)	8 (2%)	59	75
All	All	3469/3472 (100%)	3426 (99%)	43 (1%)	71	84

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	99	SER
1	A	126	SER
1	A	171	SER
1	A	389	PHE
1	A	515	ARG
1	B	81	GLU
1	B	138	THR
1	B	158	LEU
1	B	202	LEU
1	B	335	LYS
1	B	389	PHE
1	B	403	GLN
1	C	155	ILE
1	C	389	PHE
1	D	25	PHE
1	D	122	LEU
1	D	165	LYS
1	D	345	SER
1	D	389	PHE

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	E	162	ASN
1	E	345	SER
1	E	389	PHE
1	F	122	LEU
1	F	132	GLU
1	F	167	VAL
1	F	246	LYS
1	F	317	ASN
1	F	358	ILE
1	F	389	PHE
1	G	138	THR
1	G	139	LEU
1	G	205	LYS
1	G	257	LEU
1	G	389	PHE
1	G	503	LYS
1	H	145	ASN
1	H	168	ASP
1	H	193	VAL
1	H	259[A]	GLU
1	H	259[B]	GLU
1	H	389	PHE
1	H	432[A]	GLU
1	H	432[B]	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	378	HIS
1	A	390	HIS
1	A	456	HIS
1	B	273	HIS
1	B	378	HIS
1	E	390	HIS
1	F	390	HIS
1	G	198	ASN
1	G	209	ASN
1	G	494	ASN
1	H	145	ASN
1	H	209	ASN
1	H	390	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 78 ligands modelled in this entry, 28 are monoatomic - leaving 50 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
8	EDO	E	6015	-	3,3,3	0.53	0	2,2,2	0.31	0
8	EDO	A	6043	-	3,3,3	0.51	0	2,2,2	0.29	0
7	GOL	E	6205	-	5,5,5	0.37	0	5,5,5	0.35	0
7	GOL	B	6007	-	5,5,5	0.29	0	5,5,5	0.37	0
4	PYR	C	1500	3	5,5,5	2.83	3 (60%)	3,6,6	1.84	1 (33%)
4	PYR	H	1500	3	5,5,5	2.90	3 (60%)	3,6,6	1.45	0
7	GOL	H	6308	-	5,5,5	0.33	0	5,5,5	0.48	0
7	GOL	D	6304	-	5,5,5	0.33	0	5,5,5	0.51	0
4	PYR	G	1500	3	5,5,5	2.80	3 (60%)	3,6,6	1.94	2 (66%)
8	EDO	E	6049	-	3,3,3	0.56	0	2,2,2	0.25	0
7	GOL	C	6055	-	5,5,5	0.36	0	5,5,5	0.18	0
2	PRO	C	1600	-	8,8,8	0.85	0	10,10,10	1.60	2 (20%)
2	PRO	H	1600	-	8,8,8	0.96	1 (12%)	10,10,10	1.46	2 (20%)
7	GOL	F	6010	-	5,5,5	0.34	0	5,5,5	0.35	0
7	GOL	F	6206	-	5,5,5	0.44	0	5,5,5	0.44	0
2	PRO	B	1600	-	8,8,8	0.94	1 (12%)	10,10,10	1.34	2 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	PRO	F	1600	-	8,8,8	0.94	1 (12%)	10,10,10	1.22	1 (10%)
8	EDO	A	6051	-	3,3,3	0.42	0	2,2,2	0.48	0
7	GOL	A	6301	-	5,5,5	0.37	0	5,5,5	0.30	0
8	EDO	E	6046	-	3,3,3	0.48	0	2,2,2	0.38	0
4	PYR	E	1500	3	5,5,5	2.88	3 (60%)	3,6,6	1.59	1 (33%)
8	EDO	H	6037	-	3,3,3	0.58	0	2,2,2	0.22	0
7	GOL	D	6204	-	5,5,5	0.34	0	5,5,5	0.37	0
2	PRO	A	1200	-	8,8,8	0.80	0	10,10,10	1.71	2 (20%)
7	GOL	G	6207	-	5,5,5	0.35	0	5,5,5	0.34	0
7	GOL	B	6202	-	5,5,5	0.31	0	5,5,5	0.39	0
8	EDO	D	6033	-	3,3,3	0.50	0	2,2,2	0.22	0
7	GOL	B	6302	-	5,5,5	0.37	0	5,5,5	0.50	0
8	EDO	A	6050	-	3,3,3	0.47	0	2,2,2	0.43	0
4	PYR	B	1500	3	5,5,5	2.88	3 (60%)	3,6,6	1.49	0
7	GOL	A	6201	-	5,5,5	0.31	0	5,5,5	0.51	0
8	EDO	D	6011	-	3,3,3	0.47	0	2,2,2	0.45	0
8	EDO	B	6013	-	3,3,3	0.45	0	2,2,2	0.38	0
2	PRO	D	1600	-	8,8,8	0.80	0	10,10,10	1.63	2 (20%)
4	PYR	D	1500	3	5,5,5	2.77	3 (60%)	3,6,6	1.92	2 (66%)
4	PYR	F	1500	3	5,5,5	3.04	3 (60%)	3,6,6	1.58	1 (33%)
7	GOL	E	6305	-	5,5,5	0.28	0	5,5,5	0.67	0
8	EDO	C	6014	-	3,3,3	0.46	0	2,2,2	0.37	0
8	EDO	E	6039	-	3,3,3	0.53	0	2,2,2	0.21	0
7	GOL	C	6303	-	5,5,5	0.39	0	5,5,5	0.30	0
7	GOL	A	6002	-	5,5,5	0.34	0	5,5,5	0.56	0
4	PYR	A	1000	3	5,5,5	3.00	3 (60%)	3,6,6	1.82	2 (66%)
8	EDO	D	6017	-	3,3,3	0.51	0	2,2,2	0.28	0
2	PRO	G	1600	-	8,8,8	0.85	0	10,10,10	1.39	2 (20%)
7	GOL	D	6056	-	5,5,5	0.42	0	5,5,5	0.28	0
7	GOL	F	6306	-	5,5,5	0.33	0	5,5,5	0.46	0
8	EDO	B	6048	-	3,3,3	0.47	0	2,2,2	0.28	0
7	GOL	G	6307	-	5,5,5	0.35	0	5,5,5	0.23	0
2	PRO	E	1600	-	8,8,8	0.84	0	10,10,10	1.38	2 (20%)
8	EDO	F	6012	-	3,3,3	0.48	0	2,2,2	0.42	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	EDO	E	6015	-	-	1/1/1/1	-
8	EDO	A	6043	-	-	1/1/1/1	-
7	GOL	E	6205	-	-	2/4/4/4	-
7	GOL	B	6007	-	-	2/4/4/4	-
4	PYR	C	1500	3	-	0/4/4/4	-
4	PYR	H	1500	3	-	0/4/4/4	-
7	GOL	H	6308	-	-	0/4/4/4	-
7	GOL	D	6304	-	-	4/4/4/4	-
4	PYR	G	1500	3	-	0/4/4/4	-
8	EDO	E	6049	-	-	1/1/1/1	-
7	GOL	C	6055	-	-	0/4/4/4	-
2	PRO	C	1600	-	-	0/4/11/11	0/1/1/1
2	PRO	H	1600	-	-	0/4/11/11	0/1/1/1
7	GOL	F	6010	-	-	2/4/4/4	-
7	GOL	F	6206	-	-	2/4/4/4	-
2	PRO	B	1600	-	-	1/4/11/11	0/1/1/1
2	PRO	F	1600	-	-	0/4/11/11	0/1/1/1
8	EDO	A	6051	-	-	1/1/1/1	-
7	GOL	A	6301	-	-	0/4/4/4	-
8	EDO	E	6046	-	-	0/1/1/1	-
4	PYR	E	1500	3	-	0/4/4/4	-
8	EDO	H	6037	-	-	1/1/1/1	-
7	GOL	D	6204	-	-	2/4/4/4	-
2	PRO	A	1200	-	-	1/4/11/11	0/1/1/1
7	GOL	G	6207	-	-	0/4/4/4	-
7	GOL	B	6202	-	-	2/4/4/4	-
8	EDO	D	6033	-	-	1/1/1/1	-
7	GOL	B	6302	-	-	0/4/4/4	-
8	EDO	A	6050	-	-	0/1/1/1	-
4	PYR	B	1500	3	-	0/4/4/4	-
7	GOL	A	6201	-	-	2/4/4/4	-
8	EDO	D	6011	-	-	1/1/1/1	-
8	EDO	B	6013	-	-	0/1/1/1	-
2	PRO	D	1600	-	-	0/4/11/11	0/1/1/1
4	PYR	D	1500	3	-	0/4/4/4	-
4	PYR	F	1500	3	-	0/4/4/4	-
7	GOL	E	6305	-	-	4/4/4/4	-
8	EDO	C	6014	-	-	1/1/1/1	-
8	EDO	E	6039	-	-	1/1/1/1	-
7	GOL	C	6303	-	-	1/4/4/4	-
7	GOL	A	6002	-	-	2/4/4/4	-

*Continued on next page...*



Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	PYR	A	1000	3	-	0/4/4/4	-
8	EDO	D	6017	-	-	0/1/1/1	-
2	PRO	G	1600	-	-	0/4/11/11	0/1/1/1
7	GOL	D	6056	-	-	0/4/4/4	-
7	GOL	F	6306	-	-	2/4/4/4	-
8	EDO	B	6048	-	-	1/1/1/1	-
7	GOL	G	6307	-	-	2/4/4/4	-
2	PRO	E	1600	-	-	3/4/11/11	0/1/1/1
8	EDO	F	6012	-	-	1/1/1/1	-

All (27) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	F	1500	PYR	CA-C	-4.84	1.37	1.54
4	A	1000	PYR	O3-CA	4.15	1.32	1.23
4	B	1500	PYR	CA-C	-4.08	1.39	1.54
4	C	1500	PYR	CA-C	-4.05	1.39	1.54
4	E	1500	PYR	CA-C	-4.03	1.39	1.54
4	D	1500	PYR	CA-C	-4.01	1.39	1.54
4	H	1500	PYR	CA-C	-3.94	1.40	1.54
4	A	1000	PYR	CA-C	-3.83	1.40	1.54
4	G	1500	PYR	CA-C	-3.81	1.40	1.54
4	F	1500	PYR	O3-CA	3.79	1.31	1.23
4	E	1500	PYR	O3-CA	3.66	1.31	1.23
4	H	1500	PYR	O3-CA	3.64	1.31	1.23
4	B	1500	PYR	O3-CA	3.62	1.31	1.23
4	G	1500	PYR	O3-CA	3.62	1.31	1.23
4	H	1500	PYR	O-C	3.59	1.32	1.22
4	A	1000	PYR	O-C	3.58	1.32	1.22
4	D	1500	PYR	O-C	3.44	1.31	1.22
4	G	1500	PYR	O-C	3.41	1.31	1.22
4	E	1500	PYR	O-C	3.41	1.31	1.22
4	C	1500	PYR	O3-CA	3.41	1.30	1.23
4	B	1500	PYR	O-C	3.40	1.31	1.22
4	C	1500	PYR	O-C	3.39	1.31	1.22
4	D	1500	PYR	O3-CA	3.21	1.30	1.23
4	F	1500	PYR	O-C	2.90	1.30	1.22
2	H	1600	PRO	OXT-C	-2.29	1.23	1.30
2	F	1600	PRO	OXT-C	-2.22	1.23	1.30
2	B	1600	PRO	OXT-C	-2.13	1.23	1.30

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1200	PRO	OXT-C-CA	3.09	123.67	113.40
2	C	1600	PRO	OXT-C-CA	3.07	123.59	113.40
2	A	1200	PRO	OXT-C-O	-3.01	117.25	124.09
2	H	1600	PRO	OXT-C-O	-2.96	117.36	124.09
2	D	1600	PRO	OXT-C-CA	2.95	123.22	113.40
2	D	1600	PRO	OXT-C-O	-2.89	117.52	124.09
4	C	1500	PYR	OXT-C-CA	2.67	121.26	113.97
4	G	1500	PYR	OXT-C-O	-2.63	117.59	123.61
2	E	1600	PRO	OXT-C-O	-2.51	118.39	124.09
4	D	1500	PYR	OXT-C-O	-2.50	117.89	123.61
2	C	1600	PRO	OXT-C-O	-2.48	118.45	124.09
2	E	1600	PRO	OXT-C-CA	2.34	121.19	113.40
2	G	1600	PRO	OXT-C-CA	2.32	121.12	113.40
2	G	1600	PRO	OXT-C-O	-2.29	118.89	124.09
2	F	1600	PRO	OXT-C-O	-2.26	118.97	124.09
2	H	1600	PRO	OXT-C-CA	2.25	120.89	113.40
2	B	1600	PRO	OXT-C-O	-2.21	119.07	124.09
4	A	1000	PYR	OXT-C-CA	2.18	119.93	113.97
2	B	1600	PRO	OXT-C-CA	2.16	120.57	113.40
4	A	1000	PYR	OXT-C-O	-2.14	118.71	123.61
4	F	1500	PYR	OXT-C-CA	2.09	119.70	113.97
4	E	1500	PYR	OXT-C-CA	2.07	119.64	113.97
4	D	1500	PYR	OXT-C-CA	2.04	119.54	113.97
4	G	1500	PYR	OXT-C-CA	2.03	119.53	113.97

There are no chirality outliers.

All (45) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	B	6202	GOL	O1-C1-C2-C3
7	D	6204	GOL	C1-C2-C3-O3
7	D	6304	GOL	O1-C1-C2-C3
7	D	6304	GOL	C1-C2-C3-O3
7	E	6305	GOL	C1-C2-C3-O3
7	F	6010	GOL	O1-C1-C2-O2
7	F	6010	GOL	O1-C1-C2-C3
7	F	6206	GOL	O1-C1-C2-C3
7	G	6307	GOL	O1-C1-C2-C3
7	D	6304	GOL	O1-C1-C2-O2
7	A	6002	GOL	C1-C2-C3-O3
7	B	6007	GOL	O1-C1-C2-C3
7	E	6305	GOL	O1-C1-C2-C3
7	A	6002	GOL	O2-C2-C3-O3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
7	B	6202	GOL	O1-C1-C2-O2
7	D	6304	GOL	O2-C2-C3-O3
7	G	6307	GOL	O1-C1-C2-O2
8	A	6043	EDO	O1-C1-C2-O2
8	D	6011	EDO	O1-C1-C2-O2
8	F	6012	EDO	O1-C1-C2-O2
7	D	6204	GOL	O2-C2-C3-O3
7	E	6305	GOL	O1-C1-C2-O2
7	E	6305	GOL	O2-C2-C3-O3
7	A	6201	GOL	O2-C2-C3-O3
7	B	6007	GOL	O1-C1-C2-O2
7	F	6206	GOL	O1-C1-C2-O2
7	F	6306	GOL	O2-C2-C3-O3
8	B	6048	EDO	O1-C1-C2-O2
8	C	6014	EDO	O1-C1-C2-O2
2	E	1600	PRO	O-C-CA-N
2	E	1600	PRO	OXT-C-CA-N
7	E	6205	GOL	O2-C2-C3-O3
2	B	1600	PRO	O-C-CA-CB
2	E	1600	PRO	O-C-CA-CB
8	E	6039	EDO	O1-C1-C2-O2
8	E	6049	EDO	O1-C1-C2-O2
8	H	6037	EDO	O1-C1-C2-O2
7	F	6306	GOL	C1-C2-C3-O3
8	A	6051	EDO	O1-C1-C2-O2
8	D	6033	EDO	O1-C1-C2-O2
8	E	6015	EDO	O1-C1-C2-O2
7	A	6201	GOL	C1-C2-C3-O3
7	C	6303	GOL	C1-C2-C3-O3
7	E	6205	GOL	C1-C2-C3-O3
2	A	1200	PRO	O-C-CA-CB

There are no ring outliers.

18 monomers are involved in 27 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	H	6308	GOL	2	0
7	D	6304	GOL	2	0
4	G	1500	PYR	1	0
2	C	1600	PRO	3	0
2	H	1600	PRO	2	0
7	F	6010	GOL	2	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1600	PRO	1	0
7	A	6301	GOL	2	0
7	G	6207	GOL	1	0
7	B	6202	GOL	1	0
7	B	6302	GOL	1	0
2	D	1600	PRO	2	0
4	F	1500	PYR	1	0
8	D	6017	EDO	2	0
2	G	1600	PRO	1	0
7	F	6306	GOL	1	0
8	B	6048	EDO	1	0
2	E	1600	PRO	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	519/531 (97%)	-0.73	2 (0%) 92   91	2, 5, 11, 18	1 (0%)
1	B	508/531 (95%)	-0.49	0 100   100	2, 5, 10, 16	0
1	C	512/531 (96%)	-0.77	0 100   100	2, 4, 9, 18	0
1	D	521/531 (98%)	-0.74	1 (0%) 95   95	2, 5, 11, 16	0
1	E	521/531 (98%)	-0.77	0 100   100	2, 4, 11, 18	0
1	F	515/531 (96%)	-0.71	2 (0%) 92   91	2, 3, 8, 19	0
1	G	510/531 (96%)	-0.51	2 (0%) 92   91	2, 3, 9, 13	0
1	H	519/531 (97%)	-0.70	2 (0%) 92   91	2, 4, 9, 14	0
All	All	4125/4248 (97%)	-0.68	9 (0%) 95   95	2, 4, 10, 19	1 (0%)

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	155	ILE	3.4
1	H	128	THR	2.7
1	A	128	THR	2.7
1	G	201	PHE	2.3
1	D	127	GLY	2.2
1	G	169	VAL	2.2
1	A	190	ASP	2.1
1	H	127	GLY	2.1
1	F	201	PHE	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
7	GOL	A	6301	6/6	0.79	0.19	46,47,48,49	0
8	EDO	D	6017	4/4	0.82	0.40	48,49,50,50	0
8	EDO	A	6051	4/4	0.85	0.16	49,50,50,51	0
7	GOL	C	6055	6/6	0.87	0.21	53,54,54,54	0
8	EDO	A	6043	4/4	0.88	0.19	64,65,66,66	0
8	EDO	H	6037	4/4	0.88	0.12	40,41,41,41	0
7	GOL	B	6302	6/6	0.89	0.17	34,36,37,37	0
8	EDO	E	6049	4/4	0.89	0.16	38,40,41,42	0
7	GOL	F	6010	6/6	0.89	0.14	53,53,53,53	0
7	GOL	G	6307	6/6	0.90	0.17	44,45,45,46	0
7	GOL	B	6202	6/6	0.90	0.16	62,63,63,64	0
7	GOL	F	6306	6/6	0.90	0.16	38,39,40,40	0
7	GOL	B	6007	6/6	0.91	0.18	48,48,49,49	0
6	NA	G	2000	1/1	0.91	0.08	41,41,41,41	0
7	GOL	G	6207	6/6	0.92	0.12	39,40,40,40	0
8	EDO	B	6013	4/4	0.92	0.18	54,54,55,55	0
8	EDO	C	6014	4/4	0.92	0.11	37,37,38,38	0
8	EDO	D	6011	4/4	0.93	0.13	46,46,46,46	0
7	GOL	E	6205	6/6	0.93	0.09	28,29,31,31	0
8	EDO	E	6046	4/4	0.93	0.20	27,30,31,33	0
6	NA	A	1300	1/1	0.93	0.08	40,40,40,40	0
8	EDO	F	6012	4/4	0.93	0.11	33,33,33,34	0
7	GOL	C	6303	6/6	0.93	0.15	28,30,31,31	0
7	GOL	D	6056	6/6	0.94	0.11	35,37,38,39	0
7	GOL	D	6204	6/6	0.94	0.13	36,36,36,37	0
7	GOL	H	6308	6/6	0.94	0.14	22,22,24,26	0
6	NA	D	2000	1/1	0.94	0.06	35,35,35,35	0
8	EDO	A	6050	4/4	0.94	0.12	43,44,44,44	0
2	PRO	A	1200	8/8	0.94	0.11	21,21,22,23	0
7	GOL	A	6201	6/6	0.94	0.12	29,30,30,32	0
8	EDO	D	6033	4/4	0.95	0.11	33,34,35,36	0
6	NA	B	2000	1/1	0.95	0.10	48,48,48,48	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
6	NA	H	2000	1/1	0.95	0.08	40,40,40,40	0
2	PRO	D	1600	8/8	0.95	0.11	23,23,24,24	0
6	NA	F	2000	1/1	0.95	0.12	27,27,27,27	0
2	PRO	E	1600	8/8	0.96	0.10	24,24,24,24	0
7	GOL	F	6206	6/6	0.96	0.15	34,36,36,36	0
8	EDO	E	6015	4/4	0.96	0.11	35,36,36,36	0
2	PRO	G	1600	8/8	0.96	0.09	38,38,38,38	0
5	K	B	1700	1/1	0.96	0.05	38,38,38,38	0
6	NA	H	2100	1/1	0.96	0.08	32,32,32,32	0
7	GOL	A	6002	6/6	0.96	0.13	28,30,31,32	0
8	EDO	B	6048	4/4	0.97	0.10	28,28,28,28	0
4	PYR	A	1000	6/6	0.97	0.11	22,24,25,27	0
4	PYR	B	1500	6/6	0.97	0.10	32,33,33,34	0
4	PYR	D	1500	6/6	0.97	0.11	13,15,17,20	0
2	PRO	C	1600	8/8	0.97	0.12	20,20,21,21	0
2	PRO	F	1600	8/8	0.97	0.11	17,18,18,19	0
2	PRO	B	1600	8/8	0.97	0.10	26,26,26,27	0
2	PRO	H	1600	8/8	0.97	0.10	17,18,18,18	0
7	GOL	E	6305	6/6	0.97	0.09	21,21,21,22	0
6	NA	E	2000	1/1	0.97	0.10	31,31,31,31	0
4	PYR	H	1500	6/6	0.98	0.09	17,18,18,19	0
6	NA	C	2000	1/1	0.98	0.07	22,22,22,22	0
4	PYR	F	1500	6/6	0.98	0.08	6,7,7,9	0
6	NA	D	2100	1/1	0.98	0.08	21,21,21,21	0
7	GOL	D	6304	6/6	0.98	0.11	29,30,31,33	0
8	EDO	E	6039	4/4	0.98	0.07	33,34,34,34	0
5	K	H	1700	1/1	0.98	0.10	26,26,26,26	0
6	NA	E	2100	1/1	0.98	0.10	13,13,13,13	0
4	PYR	G	1500	6/6	0.98	0.08	21,22,24,25	0
6	NA	A	2100	1/1	0.98	0.13	29,29,29,29	0
5	K	G	1700	1/1	0.99	0.07	42,42,42,42	0
4	PYR	C	1500	6/6	0.99	0.09	11,12,12,13	0
3	MN	E	640	1/1	0.99	0.10	21,21,21,21	0
4	PYR	E	1500	6/6	0.99	0.08	10,12,14,14	0
3	MN	G	640	1/1	0.99	0.04	26,26,26,26	0
3	MN	H	640	1/1	0.99	0.08	16,16,16,16	0
3	MN	B	640	1/1	0.99	0.05	33,33,33,33	0
5	K	A	1100	1/1	0.99	0.09	23,23,23,23	0
3	MN	C	640	1/1	0.99	0.07	15,15,15,15	0
5	K	D	1700	1/1	0.99	0.05	22,22,22,22	0
5	K	E	1700	1/1	0.99	0.10	25,25,25,25	0
5	K	F	1700	1/1	0.99	0.07	17,17,17,17	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
5	K	C	1700	1/1	1.00	0.08	20,20,20,20	0
3	MN	D	640	1/1	1.00	0.09	20,20,20,20	0
3	MN	A	640	1/1	1.00	0.07	17,17,17,17	0
3	MN	F	640	1/1	1.00	0.05	18,18,18,18	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.