



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 12, 2023 – 04:56 PM EDT

PDB ID : 4N4O
Title : Nitrosomonas europa HAO soaked in NH₂OH
Authors : Maalcke, W.J.; Dietl, A.; Marritt, S.J.; Butt, J.N.; Jetten, M.S.M.; Keltjens, J.T.; Barends, T.R.M.B.; Kartal, B.
Deposited on : 2013-10-08
Resolution : 2.47 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.35.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.47 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5857 (2.50-2.46)
Clashscore	141614	6594 (2.50-2.46)
Ramachandran outliers	138981	6469 (2.50-2.46)
Sidechain outliers	138945	6471 (2.50-2.46)
RSRZ outliers	127900	5738 (2.50-2.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	546	<div style="display: flex; align-items: center;"> <div style="width: 4%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 82%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 9%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 8%; height: 10px; background-color: grey;"></div> </div>
1	C	546	<div style="display: flex; align-items: center;"> <div style="width: 5%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 82%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 9%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 8%; height: 10px; background-color: grey;"></div> </div>
1	E	546	<div style="display: flex; align-items: center;"> <div style="width: 4%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 82%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 10%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 8%; height: 10px; background-color: grey;"></div> </div>
2	B	57	<div style="display: flex; align-items: center;"> <div style="width: 37%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 86%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 7%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 7%; height: 10px; background-color: grey;"></div> </div>
2	D	57	<div style="display: flex; align-items: center;"> <div style="width: 23%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 95%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 0%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 0%; height: 10px; background-color: grey;"></div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	57	 <p>A horizontal bar chart representing the quality of chain. The bar is divided into three segments: a red segment on the left labeled '44%', a green segment in the middle labeled '86%', and a yellow segment on the right labeled '9%'. There are two small black dots at the far right end of the bar.</p>

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 15367 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Hydroxylamine oxidoreductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	504	Total 4018	C 2499	N 713	O 774	S 32	0	0	0
1	C	502	Total 4005	C 2491	N 710	O 772	S 32	0	0	0
1	E	503	Total 4018	C 2499	N 713	O 774	S 32	0	1	0

- Molecule 2 is a protein called hydroxylamine oxidoreductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	53	Total 404	C 253	N 71	O 77	S 3	0	0	0
2	D	57	Total 429	C 266	N 76	O 84	S 3	0	0	0
2	F	55	Total 419	C 261	N 74	O 81	S 3	0	0	0

- Molecule 3 is HEME C (three-letter code: HEC) (formula: $C_{34}H_{34}FeN_4O_4$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
3	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	C	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	C	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	C	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	C	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	C	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	C	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
3	C	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	C	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	E	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	E	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	E	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	E	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	E	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	E	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	E	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 4 is POTASSIUM ION (three-letter code: K) (formula: K).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	K	0	0
			1	1		

- Molecule 5 is HYDROXYAMINE (three-letter code: HOA) (formula: H₃NO).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	N	O	0	0
			2	1	1		
5	C	1	Total	N	O	0	0
			2	1	1		
5	E	1	Total	N	O	0	0
			2	1	1		

- Molecule 6 is DODECAETHYLENE GLYCOL (three-letter code: 12P) (formula: $\text{C}_{24}\text{H}_{50}\text{O}_{13}$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			12	8	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	C	1	Total	C O	0	0
			25	16 9		

- Molecule 7 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	E	1	Total	O P	0	0
			5	4 1		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	295	Total	O	0	0
			295	295		
8	B	37	Total	O	0	0
			37	37		
8	C	284	Total	O	0	0
			284	284		
8	D	41	Total	O	0	0
			41	41		
8	E	301	Total	O	0	0
			301	301		
8	F	35	Total	O	0	0
			35	35		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Hydroxylamine oxidoreductase




- Molecule 1: Hydroxylamine oxidoreductase





- Molecule 1: Hydroxylamine oxidoreductase








● Molecule 2: hydroxylamine oxidoreductase



● Molecule 2: hydroxylamine oxidoreductase



● Molecule 2: hydroxylamine oxidoreductase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	140.09Å 141.96Å 106.48Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.95 – 2.47 46.96 – 2.47	Depositor EDS
% Data completeness (in resolution range)	98.2 (49.95-2.47) 98.2 (46.96-2.47)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.95 (at 2.48Å)	Xtrriage
Refinement program	REFMAC 5.5.010	Depositor
R, R_{free}	0.224 , 0.273 0.221 , 0.269	Depositor DCC
R_{free} test set	7133 reflections (9.49%)	wwPDB-VP
Wilson B-factor (Å ²)	32.9	Xtrriage
Anisotropy	0.026	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 54.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.012 for k,h,-l	Xtrriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	15367	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.86% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: K, HEC, PO4, HOA, 12P

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.30	0/4121	0.46	0/5583
1	C	0.30	0/4108	0.46	0/5567
1	E	0.30	0/4121	0.47	0/5583
2	B	0.31	0/407	0.48	0/546
2	D	0.31	0/432	0.51	0/579
2	F	0.31	0/422	0.49	0/566
All	All	0.30	0/13611	0.47	0/18424

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4018	0	3821	33	0
1	C	4005	0	3806	33	0
1	E	4018	0	3823	41	0
2	B	404	0	428	1	0
2	D	429	0	449	1	0
2	F	419	0	441	1	0
3	A	344	0	240	18	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	344	0	240	18	0
3	E	344	0	241	18	0
4	A	1	0	0	0	0
5	A	2	0	0	0	0
5	C	2	0	0	0	0
5	E	2	0	0	0	0
6	A	12	0	15	1	0
6	C	25	0	33	0	0
7	E	5	0	0	0	0
8	A	295	0	0	0	0
8	B	37	0	0	0	0
8	C	284	0	0	0	0
8	D	41	0	0	0	0
8	E	301	0	0	0	0
8	F	35	0	0	0	0
All	All	15367	0	13537	123	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (123) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:253:CYS:HA	3:E:601:HEC:HMC3	1.64	0.78
1:E:37:LEU:HD21	1:E:53:LEU:HD13	1.68	0.76
1:A:346:THR:HG22	1:A:348:ASN:H	1.50	0.75
3:E:603:HEC:HBB2	3:E:605:HEC:HAC	1.69	0.72
1:A:253:CYS:HA	3:C:601:HEC:HMC3	1.71	0.72
1:E:179[B]:LYS:H	1:E:179[B]:LYS:HD3	1.54	0.72
3:C:604:HEC:HBC2	3:C:604:HEC:HMC1	1.75	0.69
3:A:608:HEC:HMC3	1:E:253:CYS:HA	1.75	0.69
1:C:167:VAL:HG22	3:C:603:HEC:HBC2	1.76	0.66
1:E:106:CYS:SG	3:E:604:HEC:HBC3	2.38	0.64
1:E:240:VAL:HG13	1:E:449:THR:HG23	1.80	0.63
1:C:149:GLU:O	1:C:153:ARG:HG3	2.00	0.62
1:C:98:ALA:HB2	3:C:604:HEC:HMC2	1.81	0.61
1:C:153:ARG:HD3	1:C:160:GLU:HA	1.82	0.61
3:E:605:HEC:HBC3	3:E:605:HEC:HMC1	1.84	0.60
1:C:120:ARG:HH21	1:E:330:ASN:HB3	1.66	0.59
1:A:320:LEU:HD22	3:A:601:HEC:HBD2	1.85	0.58
1:C:339:MET:SD	3:C:602:HEC:HMD2	2.44	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:93:SER:HB3	1:C:94:PRO:HD3	1.86	0.57
3:C:601:HEC:HBB3	3:C:601:HEC:HMB1	1.85	0.57
6:A:611:12P:H82	3:C:601:HEC:HMA2	1.86	0.57
1:E:172:CYS:SG	3:E:605:HEC:CAC	2.94	0.56
3:E:604:HEC:HMC1	3:E:604:HEC:HBC2	1.87	0.55
1:C:120:ARG:NH2	1:E:330:ASN:HB3	2.22	0.54
3:A:604:HEC:HBA1	3:A:604:HEC:HHA	1.90	0.54
1:A:84:PRO:HB3	1:A:190:MET:HB2	1.89	0.53
1:A:381:VAL:HG11	1:A:390:GLU:HG3	1.90	0.53
1:E:149:GLU:O	1:E:153:ARG:HG3	2.09	0.53
1:A:167:VAL:HG22	3:A:602:HEC:HBC2	1.91	0.51
1:C:84:PRO:HB3	1:C:190:MET:HB2	1.91	0.51
1:C:123:HIS:HB3	1:C:167:VAL:HB	1.92	0.51
1:C:254:THR:O	1:C:258:THR:HG23	2.09	0.51
1:C:106:CYS:SG	3:C:604:HEC:HBC3	2.51	0.51
3:E:601:HEC:HBB3	3:E:601:HEC:HMB1	1.91	0.51
1:E:167:VAL:HG22	3:E:603:HEC:HBC2	1.93	0.51
1:C:359:PRO:HG2	1:C:474:LEU:HD22	1.92	0.50
1:A:114:TRP:HA	1:A:114:TRP:CE3	2.44	0.50
1:E:179[B]:LYS:H	1:E:179[B]:LYS:CD	2.23	0.50
3:A:603:HEC:HMC1	3:A:603:HEC:HBC3	1.93	0.50
1:A:114:TRP:HA	1:A:114:TRP:HE3	1.77	0.50
1:A:359:PRO:HG2	1:A:474:LEU:HD22	1.92	0.50
1:C:385:THR:HA	1:C:388:HIS:O	2.11	0.50
1:A:332:PRO:HB2	3:A:605:HEC:HMC1	1.94	0.49
1:A:492:THR:HG23	1:E:290:VAL:HG13	1.94	0.49
1:E:123:HIS:HB3	1:E:167:VAL:HB	1.93	0.49
1:A:303:HIS:CD2	3:A:607:HEC:ND	2.80	0.49
1:A:120:ARG:HH21	1:C:330:ASN:HB3	1.77	0.49
1:A:339:MET:SD	3:A:601:HEC:HMD2	2.51	0.49
1:E:257:HIS:CE1	3:E:607:HEC:HMD1	2.48	0.49
1:E:411:TYR:CE1	1:E:470:ALA:HB2	2.48	0.49
3:C:603:HEC:CHC	3:C:605:HEC:HBC1	2.43	0.48
1:A:148:VAL:HG13	1:A:199:CYS:HB3	1.95	0.48
1:C:248:GLU:HG2	1:E:402:LYS:HB2	1.96	0.48
1:E:114:TRP:HA	1:E:114:TRP:CE3	2.48	0.48
1:A:117:ALA:HB1	1:A:271:GLU:HG3	1.96	0.47
1:E:450:GLN:HB3	1:E:459:PRO:HG3	1.96	0.47
3:A:608:HEC:HMB1	3:A:608:HEC:HBB3	1.95	0.47
1:C:76:ILE:HD11	1:E:399:LEU:HD12	1.96	0.47
1:A:257:HIS:CE1	3:A:606:HEC:HMD1	2.50	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:259:ASN:HD21	3:A:606:HEC:C4C	2.28	0.47
1:E:359:PRO:HG2	1:E:474:LEU:HD22	1.96	0.47
1:E:254:THR:O	1:E:258:THR:HG23	2.15	0.47
1:A:62:HIS:HB3	1:A:211:ARG:HH12	1.80	0.46
1:E:90:PRO:HG3	1:E:188:ILE:O	2.15	0.46
1:E:98:ALA:HB2	3:E:604:HEC:HMC2	1.96	0.46
1:E:40:ASP:HB3	1:E:43:LYS:HB2	1.96	0.46
3:A:608:HEC:O2D	3:E:606:HEC:HMA2	2.16	0.46
1:C:218:ASN:ND2	2:D:30:LEU:HD13	2.31	0.46
1:C:332:PRO:HB2	3:C:606:HEC:HMC1	1.97	0.46
1:E:269:ARG:HA	1:E:270:HIS:HA	1.78	0.46
1:A:415:ASN:HA	1:A:466:VAL:HG21	1.98	0.46
1:E:114:TRP:HA	1:E:114:TRP:HE3	1.81	0.46
1:A:254:THR:O	1:A:258:THR:HG23	2.16	0.45
1:E:299:THR:O	1:E:305:LYS:HG2	2.17	0.45
3:A:603:HEC:CAA	3:A:604:HEC:HMA3	2.47	0.45
1:E:272:PHE:O	3:E:603:HEC:HBA1	2.17	0.45
1:C:303:HIS:CD2	3:C:608:HEC:ND	2.86	0.44
1:E:179[B]:LYS:HD3	1:E:179[B]:LYS:N	2.22	0.44
1:E:207:ARG:NH1	1:E:208:GLU:OE2	2.49	0.44
1:A:477:MET:HG3	1:A:489:TRP:HB2	2.00	0.44
1:C:114:TRP:HA	1:C:114:TRP:CE3	2.52	0.44
3:E:604:HEC:CAA	3:E:605:HEC:HMA3	2.47	0.44
3:A:603:HEC:HAA1	3:A:604:HEC:HMA3	2.00	0.44
1:A:53:LEU:HD21	1:A:205:ALA:HB2	2.00	0.44
3:A:608:HEC:HAC	1:E:286:CYS:O	2.17	0.44
1:C:415:ASN:HA	1:C:466:VAL:HG21	2.00	0.44
1:A:123:HIS:HB3	1:A:167:VAL:HB	2.00	0.44
1:E:84:PRO:HB3	1:E:190:MET:HB2	1.99	0.43
1:A:385:THR:HA	1:A:388:HIS:O	2.18	0.43
1:E:153:ARG:HD3	1:E:160:GLU:HA	2.00	0.43
1:C:396:TYR:OH	1:C:484:VAL:HA	2.19	0.43
3:C:606:HEC:HMB1	3:C:606:HEC:HBB3	2.00	0.43
3:A:605:HEC:HMA2	3:C:601:HEC:O2D	2.19	0.43
1:C:269:ARG:HA	1:C:270:HIS:HA	1.78	0.43
1:C:483:HIS:HD2	3:C:606:HEC:C1C	2.32	0.43
1:A:333:THR:C	3:A:605:HEC:HMC3	2.40	0.42
3:C:606:HEC:HMA3	3:C:607:HEC:HBA2	2.01	0.42
1:C:450:GLN:HB3	1:C:459:PRO:HG3	2.00	0.42
1:E:98:ALA:HB1	1:E:102:ASP:HB2	2.01	0.42
3:E:606:HEC:HBC1	3:E:608:HEC:HHC	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:450:GLN:HB3	1:A:459:PRO:HG3	2.02	0.42
1:E:483:HIS:HD2	3:E:606:HEC:C1C	2.33	0.42
2:F:45:LYS:O	2:F:46:ASP:HB2	2.19	0.42
1:A:216:TRP:HA	1:A:217:PRO:HD3	1.92	0.42
1:C:266:CYS:SG	3:C:607:HEC:HHC	2.60	0.42
3:C:602:HEC:HBC1	3:C:607:HEC:C4B	2.50	0.41
1:E:339:MET:SD	3:E:602:HEC:HMD2	2.60	0.41
1:A:290:VAL:HG12	1:C:491:TYR:HB3	2.01	0.41
2:B:31:ALA:HA	2:B:32:PRO:HD3	1.89	0.41
1:E:227:SER:O	3:E:607:HEC:HBD1	2.20	0.41
1:E:29:VAL:HA	1:E:30:PRO:HD3	1.93	0.41
1:C:411:TYR:CE1	1:C:470:ALA:HB2	2.56	0.41
1:A:358:TYR:HA	1:A:359:PRO:HD3	1.93	0.41
3:A:605:HEC:HBA1	3:A:606:HEC:HMA3	2.02	0.41
1:C:148:VAL:HG13	1:C:199:CYS:HB3	2.02	0.41
1:C:257:HIS:CE1	3:C:607:HEC:HMD1	2.56	0.41
1:E:415:ASN:HA	1:E:466:VAL:HG21	2.02	0.41
1:C:307:ALA:HA	1:C:314:TRP:CH2	2.56	0.41
1:A:149:GLU:O	1:A:153:ARG:HG3	2.21	0.40
1:E:332:PRO:HD3	3:E:608:HEC:C4C	2.52	0.40
1:E:385:THR:HA	1:E:388:HIS:O	2.22	0.40
1:A:411:TYR:CE1	1:A:470:ALA:HB2	2.55	0.40
1:A:477:MET:HB2	1:A:494:GLY:HA2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	502/546 (92%)	484 (96%)	18 (4%)	0	100 100
1	C	500/546 (92%)	482 (96%)	18 (4%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	E	502/546 (92%)	484 (96%)	17 (3%)	1 (0%)	47	66
2	B	51/57 (90%)	50 (98%)	1 (2%)	0	100	100
2	D	55/57 (96%)	53 (96%)	2 (4%)	0	100	100
2	F	53/57 (93%)	49 (92%)	3 (6%)	1 (2%)	8	12
All	All	1663/1809 (92%)	1602 (96%)	59 (4%)	2 (0%)	51	71

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	F	46	ASP
1	E	292	HIS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	430/459 (94%)	419 (97%)	11 (3%)	46	70
1	C	429/459 (94%)	419 (98%)	10 (2%)	50	74
1	E	430/459 (94%)	422 (98%)	8 (2%)	57	78
2	B	46/49 (94%)	44 (96%)	2 (4%)	29	50
2	D	49/49 (100%)	46 (94%)	3 (6%)	18	34
2	F	48/49 (98%)	44 (92%)	4 (8%)	11	20
All	All	1432/1524 (94%)	1394 (97%)	38 (3%)	44	69

All (38) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	53	LEU
1	A	95	LYS
1	A	114	TRP
1	A	201	LEU
1	A	207	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	267	HIS
1	A	320	LEU
1	A	382	LEU
1	A	464	LEU
1	A	467	LEU
1	A	474	LEU
2	B	39	LEU
2	B	42	LEU
1	C	53	LEU
1	C	95	LYS
1	C	114	TRP
1	C	201	LEU
1	C	207	ARG
1	C	290	VAL
1	C	320	LEU
1	C	382	LEU
1	C	464	LEU
1	C	474	LEU
2	D	30	LEU
2	D	39	LEU
2	D	77	GLN
1	E	53	LEU
1	E	114	TRP
1	E	201	LEU
1	E	207	ARG
1	E	240	VAL
1	E	267	HIS
1	E	467	LEU
1	E	474	LEU
2	F	30	LEU
2	F	39	LEU
2	F	66	ARG
2	F	78	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	E	523	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 31 ligands modelled in this entry, 1 is monoatomic - leaving 30 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	HEC	A	602	1	32,50,50	2.37	5 (15%)	24,82,82	1.40	2 (8%)
3	HEC	C	605	1	32,50,50	2.40	6 (18%)	24,82,82	1.24	1 (4%)
3	HEC	C	607	1	32,50,50	2.34	6 (18%)	24,82,82	1.51	3 (12%)
3	HEC	A	605	1	32,50,50	2.38	6 (18%)	24,82,82	1.43	2 (8%)
3	HEC	C	608	1	32,50,50	2.36	6 (18%)	24,82,82	1.41	3 (12%)
3	HEC	C	602	1	32,50,50	2.38	5 (15%)	24,82,82	1.42	1 (4%)
6	12P	A	611	-	11,11,36	0.52	0	10,10,35	0.17	0
3	HEC	A	608	5,1	32,50,50	2.54	13 (40%)	24,82,82	4.22	7 (29%)
3	HEC	E	606	1	32,50,50	2.35	6 (18%)	24,82,82	1.41	3 (12%)
3	HEC	C	603	1	32,50,50	2.36	6 (18%)	24,82,82	1.33	1 (4%)
3	HEC	E	601	5,1	32,50,50	2.58	13 (40%)	24,82,82	3.08	8 (33%)
6	12P	C	610	-	24,24,36	0.51	0	23,23,35	0.22	0
3	HEC	A	601	1	32,50,50	2.36	5 (15%)	24,82,82	1.46	3 (12%)
3	HEC	C	601	5,1	32,50,50	2.57	13 (40%)	24,82,82	2.83	8 (33%)
3	HEC	E	603	1	32,50,50	2.36	5 (15%)	24,82,82	1.42	3 (12%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	HEC	A	607	1	32,50,50	2.33	5 (15%)	24,82,82	1.53	4 (16%)
3	HEC	A	603	1	32,50,50	2.34	6 (18%)	24,82,82	1.30	2 (8%)
5	HOA	E	610	3	0,1,1	-	-	-	-	-
3	HEC	E	604	1	32,50,50	2.35	5 (15%)	24,82,82	1.30	1 (4%)
3	HEC	E	605	1	32,50,50	2.36	6 (18%)	24,82,82	1.29	3 (12%)
5	HOA	A	610	3	0,1,1	-	-	-	-	-
3	HEC	A	604	1	32,50,50	2.44	6 (18%)	24,82,82	1.22	2 (8%)
7	PO4	E	609	-	4,4,4	0.94	0	6,6,6	0.43	0
3	HEC	E	602	1	32,50,50	2.37	5 (15%)	24,82,82	1.40	2 (8%)
3	HEC	C	604	1	32,50,50	2.33	6 (18%)	24,82,82	1.33	2 (8%)
3	HEC	A	606	1	32,50,50	2.37	5 (15%)	24,82,82	1.45	2 (8%)
3	HEC	E	607	1	32,50,50	2.34	5 (15%)	24,82,82	1.49	4 (16%)
5	HOA	C	609	3	0,1,1	-	-	-	-	-
3	HEC	C	606	1	32,50,50	2.36	5 (15%)	24,82,82	1.44	4 (16%)
3	HEC	E	608	1	32,50,50	2.35	6 (18%)	24,82,82	1.42	3 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HEC	A	602	1	-	4/10/54/54	-
3	HEC	C	605	1	-	2/10/54/54	-
3	HEC	C	607	1	-	2/10/54/54	-
3	HEC	A	605	1	-	4/10/54/54	-
3	HEC	C	608	1	-	3/10/54/54	-
3	HEC	C	602	1	-	2/10/54/54	-
6	12P	A	611	-	-	7/9/9/34	-
3	HEC	A	608	5,1	-	2/10/54/54	-
3	HEC	E	606	1	-	4/10/54/54	-
3	HEC	C	603	1	-	4/10/54/54	-
3	HEC	E	601	5,1	-	3/10/54/54	-
6	12P	C	610	-	-	16/22/22/34	-
3	HEC	A	601	1	-	2/10/54/54	-
3	HEC	C	601	5,1	-	3/10/54/54	-
3	HEC	E	603	1	-	4/10/54/54	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HEC	A	607	1	-	2/10/54/54	-
3	HEC	A	603	1	-	4/10/54/54	-
3	HEC	E	604	1	-	1/10/54/54	-
3	HEC	E	605	1	-	0/10/54/54	-
3	HEC	A	604	1	-	2/10/54/54	-
3	HEC	E	602	1	-	3/10/54/54	-
3	HEC	C	604	1	-	0/10/54/54	-
3	HEC	A	606	1	-	3/10/54/54	-
3	HEC	E	607	1	-	2/10/54/54	-
3	HEC	C	606	1	-	5/10/54/54	-
3	HEC	E	608	1	-	2/10/54/54	-

All (155) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	604	HEC	C2B-C3B	-6.41	1.34	1.40
3	C	601	HEC	C4B-C3B	6.38	1.54	1.43
3	A	604	HEC	C3C-C2C	-6.37	1.34	1.40
3	A	608	HEC	C4B-C3B	6.34	1.54	1.43
3	A	606	HEC	C3C-C2C	-6.31	1.34	1.40
3	C	605	HEC	C2B-C3B	-6.23	1.34	1.40
3	E	601	HEC	C4B-C3B	6.23	1.54	1.43
3	E	602	HEC	C3C-C2C	-6.23	1.34	1.40
3	C	602	HEC	C3C-C2C	-6.22	1.34	1.40
3	A	605	HEC	C2B-C3B	-6.21	1.34	1.40
3	E	605	HEC	C2B-C3B	-6.17	1.34	1.40
3	E	607	HEC	C3C-C2C	-6.17	1.34	1.40
3	E	603	HEC	C3C-C2C	-6.14	1.34	1.40
3	A	601	HEC	C3C-C2C	-6.13	1.34	1.40
3	A	602	HEC	C2B-C3B	-6.11	1.34	1.40
3	E	604	HEC	C2B-C3B	-6.11	1.34	1.40
3	A	605	HEC	C3C-C2C	-6.10	1.34	1.40
3	C	608	HEC	C3C-C2C	-6.08	1.34	1.40
3	C	602	HEC	C2B-C3B	-6.08	1.34	1.40
3	C	603	HEC	C2B-C3B	-6.08	1.34	1.40
3	C	605	HEC	C3C-C2C	-6.04	1.34	1.40
3	C	606	HEC	C2B-C3B	-6.03	1.34	1.40
3	C	606	HEC	C3C-C2C	-6.03	1.34	1.40
3	A	603	HEC	C2B-C3B	-6.02	1.34	1.40
3	E	602	HEC	C2B-C3B	-6.02	1.34	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	607	HEC	C3C-C2C	-6.00	1.34	1.40
3	E	606	HEC	C2B-C3B	-5.99	1.34	1.40
3	C	604	HEC	C2B-C3B	-5.97	1.34	1.40
3	A	602	HEC	C3C-C2C	-5.95	1.34	1.40
3	A	601	HEC	C2B-C3B	-5.93	1.34	1.40
3	E	603	HEC	C2B-C3B	-5.93	1.34	1.40
3	E	608	HEC	C2B-C3B	-5.91	1.34	1.40
3	E	606	HEC	C3C-C2C	-5.87	1.34	1.40
3	A	606	HEC	C2B-C3B	-5.87	1.34	1.40
3	C	603	HEC	C3C-C2C	-5.86	1.34	1.40
3	A	607	HEC	C2B-C3B	-5.86	1.34	1.40
3	E	608	HEC	C3C-C2C	-5.86	1.34	1.40
3	E	604	HEC	C3C-C2C	-5.83	1.34	1.40
3	E	605	HEC	C3C-C2C	-5.80	1.34	1.40
3	E	607	HEC	C2B-C3B	-5.80	1.34	1.40
3	C	607	HEC	C2B-C3B	-5.79	1.34	1.40
3	A	603	HEC	C3C-C2C	-5.76	1.34	1.40
3	E	606	HEC	C3D-C2D	5.68	1.54	1.37
3	C	608	HEC	C2B-C3B	-5.68	1.34	1.40
3	A	607	HEC	C3C-C2C	-5.67	1.34	1.40
3	A	605	HEC	C3D-C2D	5.63	1.54	1.37
3	E	608	HEC	C3D-C2D	5.57	1.54	1.37
3	C	608	HEC	C3D-C2D	5.57	1.54	1.37
3	A	607	HEC	C3D-C2D	5.56	1.54	1.37
3	C	606	HEC	C3D-C2D	5.55	1.54	1.37
3	C	604	HEC	C3D-C2D	5.54	1.54	1.37
3	C	604	HEC	C3C-C2C	-5.51	1.35	1.40
3	E	604	HEC	C3D-C2D	5.51	1.54	1.37
3	A	602	HEC	C3D-C2D	5.51	1.54	1.37
3	C	603	HEC	C3D-C2D	5.50	1.54	1.37
3	E	603	HEC	C3D-C2D	5.50	1.54	1.37
3	C	605	HEC	C3D-C2D	5.47	1.53	1.37
3	A	604	HEC	C3D-C2D	5.47	1.53	1.37
3	E	605	HEC	C3D-C2D	5.47	1.53	1.37
3	C	602	HEC	C3D-C2D	5.47	1.53	1.37
3	A	606	HEC	C3D-C2D	5.46	1.53	1.37
3	E	602	HEC	C3D-C2D	5.45	1.53	1.37
3	C	607	HEC	C3D-C2D	5.45	1.53	1.37
3	A	603	HEC	C3D-C2D	5.44	1.53	1.37
3	A	601	HEC	C3D-C2D	5.43	1.53	1.37
3	E	607	HEC	C3D-C2D	5.38	1.53	1.37
3	E	601	HEC	C3C-C4C	5.27	1.52	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	E	601	HEC	C2A-C1A	5.21	1.54	1.42
3	C	601	HEC	C2A-C1A	5.17	1.54	1.42
3	A	608	HEC	C2A-C1A	5.09	1.54	1.42
3	C	601	HEC	C3C-C4C	5.08	1.52	1.43
3	A	608	HEC	C3C-C4C	4.94	1.52	1.43
3	C	601	HEC	C3C-C2C	-4.66	1.35	1.40
3	E	601	HEC	C3C-C2C	-4.51	1.36	1.40
3	A	608	HEC	C3C-C2C	-4.48	1.36	1.40
3	C	606	HEC	CBC-CAC	-4.14	1.33	1.49
3	C	608	HEC	CBC-CAC	-4.14	1.34	1.49
3	E	606	HEC	CBC-CAC	-4.13	1.34	1.49
3	C	605	HEC	CBC-CAC	-4.13	1.34	1.49
3	A	601	HEC	CBB-CAB	-4.12	1.34	1.49
3	C	602	HEC	CBC-CAC	-4.12	1.34	1.49
3	A	602	HEC	CBC-CAC	-4.12	1.34	1.49
3	C	607	HEC	CBC-CAC	-4.11	1.34	1.49
3	C	608	HEC	CBB-CAB	-4.11	1.34	1.49
3	E	605	HEC	CBC-CAC	-4.11	1.34	1.49
3	C	603	HEC	CBB-CAB	-4.10	1.34	1.49
3	C	602	HEC	CBB-CAB	-4.10	1.34	1.49
3	E	602	HEC	CBC-CAC	-4.10	1.34	1.49
3	A	602	HEC	CBB-CAB	-4.10	1.34	1.49
3	A	607	HEC	CBC-CAC	-4.09	1.34	1.49
3	E	604	HEC	CBB-CAB	-4.09	1.34	1.49
3	A	603	HEC	CBB-CAB	-4.09	1.34	1.49
3	A	605	HEC	CBC-CAC	-4.09	1.34	1.49
3	C	603	HEC	CBC-CAC	-4.09	1.34	1.49
3	A	606	HEC	CBC-CAC	-4.08	1.34	1.49
3	E	602	HEC	CBB-CAB	-4.08	1.34	1.49
3	A	605	HEC	CBB-CAB	-4.08	1.34	1.49
3	E	607	HEC	CBB-CAB	-4.07	1.34	1.49
3	A	604	HEC	CBC-CAC	-4.07	1.34	1.49
3	A	601	HEC	CBC-CAC	-4.07	1.34	1.49
3	A	603	HEC	CBC-CAC	-4.07	1.34	1.49
3	C	604	HEC	CBB-CAB	-4.07	1.34	1.49
3	A	606	HEC	CBB-CAB	-4.07	1.34	1.49
3	E	608	HEC	CBB-CAB	-4.06	1.34	1.49
3	E	603	HEC	CBC-CAC	-4.06	1.34	1.49
3	A	607	HEC	CBB-CAB	-4.06	1.34	1.49
3	E	603	HEC	CBB-CAB	-4.06	1.34	1.49
3	C	605	HEC	CBB-CAB	-4.06	1.34	1.49
3	E	607	HEC	CBC-CAC	-4.06	1.34	1.49

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	E	606	HEC	CBB-CAB	-4.05	1.34	1.49
3	C	607	HEC	CBB-CAB	-4.05	1.34	1.49
3	E	608	HEC	CBC-CAC	-4.04	1.34	1.49
3	A	604	HEC	CBB-CAB	-4.04	1.34	1.49
3	C	606	HEC	CBB-CAB	-4.01	1.34	1.49
3	E	604	HEC	CBC-CAC	-4.01	1.34	1.49
3	E	605	HEC	CBB-CAB	-4.01	1.34	1.49
3	C	604	HEC	CBC-CAC	-4.01	1.34	1.49
3	E	601	HEC	C4D-ND	3.28	1.42	1.36
3	E	601	HEC	C2B-C3B	-3.26	1.37	1.40
3	A	608	HEC	C4D-ND	3.22	1.42	1.36
3	C	601	HEC	C2B-C3B	-3.10	1.37	1.40
3	C	601	HEC	C4D-ND	3.05	1.42	1.36
3	E	601	HEC	C1D-ND	3.02	1.42	1.36
3	C	601	HEC	C1D-ND	2.98	1.42	1.36
3	C	601	HEC	CBD-CGD	2.96	1.57	1.50
3	E	601	HEC	O1A-CGA	2.95	1.31	1.22
3	A	608	HEC	C1C-CHC	2.94	1.49	1.41
3	A	608	HEC	C1D-ND	2.91	1.42	1.36
3	A	608	HEC	O1A-CGA	2.91	1.31	1.22
3	A	608	HEC	CBD-CGD	2.91	1.57	1.50
3	C	601	HEC	O1A-CGA	2.89	1.31	1.22
3	E	601	HEC	C1C-CHC	2.89	1.49	1.41
3	A	608	HEC	C2B-C3B	-2.88	1.37	1.40
3	C	601	HEC	C1C-CHC	2.83	1.48	1.41
3	E	601	HEC	CBD-CGD	2.79	1.57	1.50
3	A	608	HEC	C3A-C4A	2.57	1.48	1.42
3	E	601	HEC	CAD-C3D	-2.47	1.48	1.52
3	E	601	HEC	C3A-C4A	2.47	1.48	1.42
3	C	601	HEC	C3A-C4A	2.43	1.48	1.42
3	A	608	HEC	CAD-C3D	-2.42	1.48	1.52
3	C	601	HEC	O2A-CGA	-2.37	1.22	1.30
3	C	601	HEC	CAD-C3D	-2.37	1.48	1.52
3	A	608	HEC	O2A-CGA	-2.34	1.22	1.30
3	E	601	HEC	O2A-CGA	-2.32	1.22	1.30
3	E	606	HEC	CAD-C3D	2.14	1.55	1.52
3	C	608	HEC	CAD-C3D	2.12	1.55	1.52
3	A	605	HEC	CAD-C3D	2.11	1.55	1.52
3	E	608	HEC	CAD-C3D	2.08	1.55	1.52
3	A	603	HEC	CAD-C3D	2.08	1.55	1.52
3	C	605	HEC	CAA-C2A	2.05	1.55	1.52
3	C	603	HEC	CAD-C3D	2.04	1.55	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	607	HEC	CAD-C3D	2.03	1.55	1.52
3	C	604	HEC	CAD-C3D	2.03	1.55	1.52
3	A	604	HEC	CAA-C2A	2.03	1.55	1.52
3	E	605	HEC	CAA-C2A	2.02	1.55	1.52

All (74) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	608	HEC	O2A-CGA-O1A	-15.11	85.63	123.30
3	E	601	HEC	O2A-CGA-O1A	-10.52	97.09	123.30
3	A	608	HEC	O2A-CGA-CBA	9.77	145.42	114.03
3	C	601	HEC	O2A-CGA-O1A	-9.09	100.65	123.30
3	E	601	HEC	O2A-CGA-CBA	6.23	134.03	114.03
3	C	601	HEC	O2A-CGA-CBA	5.95	133.15	114.03
3	A	608	HEC	C3C-C4C-NC	-4.58	102.29	110.94
3	A	608	HEC	C3B-C4B-NB	-4.18	103.06	110.94
3	E	601	HEC	C3B-C4B-NB	-3.92	103.54	110.94
3	A	601	HEC	CBD-CAD-C3D	-3.92	105.93	112.62
3	C	601	HEC	C3B-C4B-NB	-3.86	103.65	110.94
3	A	607	HEC	CBD-CAD-C3D	-3.52	106.61	112.62
3	C	602	HEC	CBD-CAD-C3D	-3.46	106.72	112.62
3	A	608	HEC	CMC-C2C-C1C	-3.46	123.15	128.46
3	E	602	HEC	CBD-CAD-C3D	-3.43	106.77	112.62
3	C	601	HEC	C3C-C4C-NC	-3.27	104.77	110.94
3	A	608	HEC	CMB-C2B-C1B	-3.22	123.52	128.46
3	C	601	HEC	CMB-C2B-C1B	-3.18	123.58	128.46
3	E	601	HEC	C3C-C4C-NC	-3.17	104.97	110.94
3	E	601	HEC	CMC-C2C-C1C	-3.16	123.61	128.46
3	A	606	HEC	CBD-CAD-C3D	-3.11	107.31	112.62
3	A	608	HEC	CAA-CBA-CGA	3.04	122.28	113.76
3	E	608	HEC	CBD-CAD-C3D	-2.98	107.54	112.62
3	C	607	HEC	CBA-CAA-C2A	-2.95	107.64	112.60
3	C	606	HEC	CBD-CAD-C3D	-2.79	107.85	112.62
3	C	608	HEC	CBD-CAD-C3D	-2.79	107.86	112.62
3	E	607	HEC	CBA-CAA-C2A	-2.68	108.08	112.60
3	C	601	HEC	CMC-C2C-C1C	-2.62	124.44	128.46
3	E	601	HEC	CMB-C2B-C1B	-2.58	124.49	128.46
3	A	605	HEC	CBD-CAD-C3D	-2.55	108.27	112.62
3	E	605	HEC	C1D-C2D-C3D	-2.52	105.25	107.00
3	A	603	HEC	CMC-C2C-C1C	-2.51	124.61	128.46
3	A	605	HEC	CBA-CAA-C2A	-2.50	108.40	112.60
3	C	607	HEC	CBD-CAD-C3D	-2.46	108.43	112.62

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	604	HEC	C1D-C2D-C3D	-2.41	105.32	107.00
3	C	607	HEC	CMB-C2B-C1B	-2.41	124.77	128.46
3	E	603	HEC	CBD-CAD-C3D	-2.40	108.53	112.62
3	A	607	HEC	CMC-C2C-C1C	-2.40	124.78	128.46
3	A	607	HEC	C1D-C2D-C3D	-2.39	105.33	107.00
3	E	601	HEC	CAA-CBA-CGA	2.38	120.42	113.76
3	E	608	HEC	CMC-C2C-C1C	-2.37	124.82	128.46
3	A	601	HEC	C1D-C2D-C3D	-2.30	105.40	107.00
3	E	607	HEC	CBD-CAD-C3D	-2.28	108.73	112.62
3	E	602	HEC	C1D-C2D-C3D	-2.26	105.42	107.00
3	C	606	HEC	CMB-C2B-C1B	-2.24	125.02	128.46
3	C	605	HEC	C1D-C2D-C3D	-2.23	105.44	107.00
3	E	604	HEC	C1D-C2D-C3D	-2.23	105.45	107.00
3	E	606	HEC	CMB-C2B-C1B	-2.21	125.06	128.46
3	E	606	HEC	CBA-CAA-C2A	-2.21	108.87	112.60
3	A	604	HEC	CBD-CAD-C3D	-2.21	108.85	112.62
3	C	606	HEC	CMC-C2C-C1C	-2.20	125.08	128.46
3	A	602	HEC	CBA-CAA-C2A	-2.19	108.91	112.60
3	E	605	HEC	CMB-C2B-C1B	-2.17	125.13	128.46
3	C	606	HEC	C1D-C2D-C3D	-2.16	105.49	107.00
3	A	606	HEC	CMB-C2B-C1B	-2.16	125.14	128.46
3	A	602	HEC	CBD-CAD-C3D	-2.16	108.93	112.62
3	E	607	HEC	CMB-C2B-C1B	-2.16	125.14	128.46
3	E	601	HEC	CMC-C2C-C3C	2.11	128.31	125.82
3	C	601	HEC	CMC-C2C-C3C	2.11	128.30	125.82
3	E	608	HEC	CMB-C2B-C1B	-2.10	125.23	128.46
3	E	605	HEC	CMC-C2C-C1C	-2.09	125.25	128.46
3	C	604	HEC	CMC-C2C-C1C	-2.07	125.29	128.46
3	C	608	HEC	CMB-C2B-C1B	-2.05	125.31	128.46
3	C	603	HEC	CMC-C2C-C1C	-2.04	125.33	128.46
3	A	607	HEC	CMB-C2B-C1B	-2.03	125.34	128.46
3	C	604	HEC	CBD-CAD-C3D	-2.03	109.15	112.62
3	A	601	HEC	CMB-C2B-C1B	-2.03	125.35	128.46
3	C	608	HEC	CMC-C2C-C1C	-2.02	125.36	128.46
3	A	603	HEC	C1D-C2D-C3D	-2.02	105.59	107.00
3	E	603	HEC	CMB-C2B-C1B	-2.01	125.37	128.46
3	E	607	HEC	CMC-C2C-C1C	-2.01	125.37	128.46
3	E	606	HEC	CMC-C2C-C1C	-2.01	125.38	128.46
3	E	603	HEC	C1D-C2D-C3D	-2.01	105.60	107.00
3	C	601	HEC	CAA-CBA-CGA	2.00	119.36	113.76

There are no chirality outliers.

All (86) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	604	HEC	C1A-C2A-CAA-CBA
3	A	604	HEC	C3A-C2A-CAA-CBA
6	C	610	12P	O31-C32-C33-O34
6	C	610	12P	O19-C20-C21-O22
6	C	610	12P	O25-C26-C27-O28
6	C	610	12P	O16-C17-C18-O19
3	E	601	HEC	C2A-CAA-CBA-CGA
6	C	610	12P	O22-C23-C24-O25
6	C	610	12P	O13-C14-C15-O16
6	C	610	12P	O34-C35-C36-O37
6	A	611	12P	O1-C2-C3-O4
6	A	611	12P	O7-C8-C9-O10
3	C	606	HEC	C2A-CAA-CBA-CGA
6	A	611	12P	C12-C11-O10-C9
6	C	610	12P	C36-C35-O34-C33
6	C	610	12P	C32-C33-O34-C35
6	C	610	12P	O28-C29-C30-O31
6	C	610	12P	C21-C20-O19-C18
6	C	610	12P	C17-C18-O19-C20
6	A	611	12P	C9-C8-O7-C6
6	C	610	12P	C26-C27-O28-C29
6	C	610	12P	C18-C17-O16-C15
3	E	602	HEC	C2A-CAA-CBA-CGA
3	C	605	HEC	C1A-C2A-CAA-CBA
3	C	605	HEC	C3A-C2A-CAA-CBA
6	C	610	12P	C33-C32-O31-C30
6	C	610	12P	C27-C26-O25-C24
3	A	605	HEC	CAD-CBD-CGD-O2D
6	A	611	12P	C6-C5-O4-C3
3	A	606	HEC	CAD-CBD-CGD-O2D
3	A	602	HEC	CAD-CBD-CGD-O1D
3	E	607	HEC	CAD-CBD-CGD-O2D
3	A	602	HEC	CAA-CBA-CGA-O2A
3	C	603	HEC	CAA-CBA-CGA-O2A
3	C	607	HEC	CAD-CBD-CGD-O1D
3	C	603	HEC	CAD-CBD-CGD-O1D
3	A	602	HEC	CAA-CBA-CGA-O1A
3	E	603	HEC	CAA-CBA-CGA-O2A
3	E	606	HEC	CAA-CBA-CGA-O1A
3	A	602	HEC	CAD-CBD-CGD-O2D
3	C	603	HEC	CAA-CBA-CGA-O1A
3	C	607	HEC	CAD-CBD-CGD-O2D

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	605	HEC	CAA-CBA-CGA-O1A
3	C	602	HEC	CAA-CBA-CGA-O2A
3	C	606	HEC	CAA-CBA-CGA-O1A
3	A	606	HEC	CAD-CBD-CGD-O1D
6	A	611	12P	C2-C3-O4-C5
3	A	601	HEC	CAA-CBA-CGA-O1A
3	E	606	HEC	CAA-CBA-CGA-O2A
3	A	605	HEC	CAD-CBD-CGD-O1D
3	C	602	HEC	CAA-CBA-CGA-O1A
3	C	603	HEC	CAD-CBD-CGD-O2D
3	E	606	HEC	CAD-CBD-CGD-O2D
3	E	607	HEC	CAD-CBD-CGD-O1D
3	A	605	HEC	CAA-CBA-CGA-O2A
3	E	603	HEC	CAA-CBA-CGA-O1A
3	E	603	HEC	CAD-CBD-CGD-O2D
3	C	606	HEC	CAA-CBA-CGA-O2A
3	E	606	HEC	CAD-CBD-CGD-O1D
3	E	601	HEC	CAD-CBD-CGD-O2D
3	E	603	HEC	CAD-CBD-CGD-O1D
3	E	608	HEC	CAD-CBD-CGD-O2D
3	E	602	HEC	CAA-CBA-CGA-O1A
3	C	601	HEC	CAD-CBD-CGD-O2D
3	C	606	HEC	CAD-CBD-CGD-O2D
3	C	601	HEC	C2A-CAA-CBA-CGA
3	A	603	HEC	CAD-CBD-CGD-O1D
3	A	607	HEC	CAD-CBD-CGD-O2D
3	A	608	HEC	CAD-CBD-CGD-O2D
3	C	606	HEC	CAD-CBD-CGD-O1D
3	E	601	HEC	CAD-CBD-CGD-O1D
3	C	608	HEC	CAD-CBD-CGD-O2D
3	A	601	HEC	CAA-CBA-CGA-O2A
3	A	607	HEC	CAD-CBD-CGD-O1D
3	C	601	HEC	CAD-CBD-CGD-O1D
3	C	608	HEC	CAD-CBD-CGD-O1D
3	A	603	HEC	CAD-CBD-CGD-O2D
3	A	608	HEC	CAD-CBD-CGD-O1D
3	E	608	HEC	CAD-CBD-CGD-O1D
3	E	602	HEC	CAA-CBA-CGA-O2A
3	A	606	HEC	CAA-CBA-CGA-O2A
3	A	603	HEC	CAA-CBA-CGA-O2A
3	E	604	HEC	CAD-CBD-CGD-O2D
6	A	611	12P	C5-C6-O7-C8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	603	HEC	CAA-CBA-CGA-O1A
3	C	608	HEC	CAA-CBA-CGA-O2A


There are no ring outliers.


25 monomers are involved in 52 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	602	HEC	1	0
3	C	605	HEC	1	0
3	C	607	HEC	4	0
3	A	605	HEC	4	0
3	C	608	HEC	1	0
3	C	602	HEC	2	0
6	A	611	12P	1	0
3	A	608	HEC	4	0
3	E	606	HEC	3	0
3	C	603	HEC	2	0
3	E	601	HEC	2	0
3	A	601	HEC	2	0
3	C	601	HEC	4	0
3	E	603	HEC	3	0
3	A	607	HEC	1	0
3	A	603	HEC	3	0
3	E	604	HEC	4	0
3	E	605	HEC	4	0
3	A	604	HEC	3	0
3	E	602	HEC	1	0
3	C	604	HEC	3	0
3	A	606	HEC	3	0
3	E	607	HEC	2	0
3	C	606	HEC	4	0
3	E	608	HEC	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and


any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




































































5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	504/546 (92%)	0.41	23 (4%) 32 34	18, 31, 50, 60	0
1	C	502/546 (91%)	0.42	27 (5%) 25 26	18, 32, 48, 51	0
1	E	503/546 (92%)	0.25	21 (4%) 36 38	18, 29, 45, 56	0
2	B	53/57 (92%)	1.71	21 (39%) 0 0	32, 43, 62, 64	0
2	D	57/57 (100%)	1.07	13 (22%) 0 0	25, 33, 58, 59	0
2	F	55/57 (96%)	1.84	25 (45%) 0 0	40, 46, 68, 68	0
All	All	1674/1809 (92%)	0.47	130 (7%) 13 12	18, 32, 50, 68	0

All (130) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	28	SER	7.7
1	C	93	SER	7.3
2	D	84	GLY	6.6
2	B	29	SER	6.1
2	D	83	SER	6.1
2	D	29	SER	5.5
2	B	81	GLU	5.5
2	F	83	SER	5.4
2	B	77	GLN	5.3
2	B	30	LEU	5.0
2	D	82	GLN	4.9
1	A	527	GLY	4.8
2	D	81	GLU	4.7
2	B	79	ALA	4.5
2	F	81	GLU	4.5
2	B	75	LEU	4.4
1	A	525	LEU	4.4
1	C	179	LYS	4.4
2	F	80	ARG	4.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	76	VAL	4.2
1	E	135	ASP	4.2
2	B	80	ARG	4.1
1	A	163	THR	4.0
2	F	46	ASP	4.0
2	B	41	TYR	4.0
2	F	30	LEU	4.0
1	A	521	ARG	3.9
1	C	523	ASN	3.9
2	F	79	ALA	3.9
1	C	524	LYS	3.8
2	D	30	LEU	3.7
2	B	76	VAL	3.7
1	C	135	ASP	3.6
2	B	46	ASP	3.5
2	F	29	SER	3.5
2	F	78	LYS	3.5
1	A	528	LYS	3.5
1	C	522	VAL	3.5
2	B	50	THR	3.4
2	F	82	GLN	3.4
1	C	181	LYS	3.3
2	F	77	GLN	3.2
2	F	48	LYS	3.2
1	C	131	ASN	3.2
1	C	517	ALA	3.2
1	A	38	LYS	3.2
1	E	179[A]	LYS	3.2
2	F	75	LEU	3.2
1	C	521	ARG	3.1
2	B	31	ALA	3.1
1	E	518	LEU	3.1
2	D	79	ALA	3.1
1	C	95	LYS	3.1
2	D	78	LYS	3.1
1	C	515	LEU	3.1
1	E	160	GLU	3.0
2	B	74	ALA	3.0
2	F	45	LYS	3.0
2	F	41	TYR	2.9
1	E	525	LEU	2.9
1	C	520	ALA	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	77	GLN	2.9
1	C	43	LYS	2.8
1	A	524	LYS	2.8
2	B	70	GLY	2.8
1	A	52	ALA	2.8
1	E	492	THR	2.7
2	B	49	PRO	2.7
1	A	35	ASP	2.6
1	C	132	LEU	2.6
2	B	78	LYS	2.6
1	A	31	ASP	2.6
1	E	520	ALA	2.6
1	E	523	ASN	2.6
1	A	36	ALA	2.5
1	E	101	LYS	2.5
1	C	134	SER	2.5
1	A	43	LYS	2.5
2	F	52	VAL	2.5
1	C	133	LYS	2.5
2	B	68	LYS	2.5
1	E	527	GLY	2.5
2	F	69	CYS	2.5
1	E	158	LEU	2.5
1	E	161	LYS	2.5
2	F	72	ILE	2.5
1	C	424	ASP	2.5
1	E	515	LEU	2.4
1	A	223	ALA	2.4
1	E	519	GLN	2.4
1	C	420	LYS	2.4
2	D	46	ASP	2.4
1	A	42	GLY	2.3
1	C	290	VAL	2.3
2	F	62	GLY	2.3
1	E	524	LYS	2.3
1	A	520	ALA	2.3
1	A	290	VAL	2.3
1	A	523	ASN	2.3
1	A	132	LEU	2.3
1	E	97	VAL	2.3
2	B	72	ILE	2.3
1	C	156	GLY	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	32	PRO	2.2
2	F	70	GLY	2.2
1	C	35	ASP	2.2
1	A	487	GLY	2.2
2	F	53	VAL	2.2
2	F	31	ALA	2.2
1	A	160	GLU	2.2
1	E	516	SER	2.2
1	C	39	LEU	2.2
2	B	45	LYS	2.2
2	B	61	ASN	2.2
2	F	61	ASN	2.2
2	F	76	VAL	2.2
1	C	525	LEU	2.2
1	C	519	GLN	2.1
2	F	47	LYS	2.1
1	A	519	GLN	2.1
2	B	32	PRO	2.1
1	E	133	LYS	2.1
1	E	522	VAL	2.1
1	E	181	LYS	2.1
1	A	423	GLU	2.1
1	C	186	LYS	2.1
1	A	372	TRP	2.0
1	E	131	ASN	2.0
1	C	180	ASP	2.0
2	F	51	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,




median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	12P	C	610	25/37	0.69	0.29	57,58,59,59	0
6	12P	A	611	12/37	0.70	0.30	50,51,51,51	0
4	K	A	609	1/1	0.83	0.23	31,31,31,31	0
3	HEC	C	604	43/43	0.88	0.24	39,42,43,43	0
3	HEC	E	604	43/43	0.91	0.18	38,40,41,42	0
3	HEC	A	602	43/43	0.93	0.19	34,36,37,37	0
5	HOA	E	610	2/2	0.93	0.26	23,23,23,24	0
3	HEC	A	608	43/43	0.94	0.15	22,24,27,28	0
3	HEC	E	601	43/43	0.94	0.15	23,25,27,28	0
3	HEC	C	601	43/43	0.94	0.15	20,21,23,23	0
3	HEC	E	605	43/43	0.94	0.16	29,30,32,34	0
3	HEC	A	603	43/43	0.95	0.15	27,30,31,32	0
3	HEC	C	603	43/43	0.95	0.15	31,32,33,33	0
3	HEC	A	605	43/43	0.95	0.17	22,23,24,25	0
3	HEC	C	605	43/43	0.95	0.17	34,36,37,37	0
3	HEC	A	601	43/43	0.95	0.14	27,28,29,29	0
3	HEC	E	603	43/43	0.95	0.16	31,32,33,35	0
7	PO4	E	609	5/5	0.95	0.15	51,51,52,52	0
3	HEC	C	606	43/43	0.96	0.16	19,20,21,22	0
3	HEC	E	606	43/43	0.96	0.15	19,20,21,22	0
3	HEC	C	607	43/43	0.96	0.16	18,19,21,22	0
5	HOA	A	610	2/2	0.96	0.17	21,21,21,22	0
3	HEC	C	608	43/43	0.96	0.15	19,21,23,23	0
3	HEC	A	606	43/43	0.96	0.17	21,23,25,26	0
3	HEC	A	607	43/43	0.96	0.15	26,27,27,28	0
3	HEC	C	602	43/43	0.96	0.14	25,26,28,29	0
3	HEC	E	607	43/43	0.97	0.15	19,19,20,21	0
3	HEC	E	608	43/43	0.97	0.14	24,24,27,28	0
3	HEC	A	604	43/43	0.97	0.15	25,27,30,31	0
3	HEC	E	602	43/43	0.97	0.14	26,26,27,27	0
5	HOA	C	609	2/2	0.98	0.10	26,26,26,26	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 12P C 610:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around 12P A 611:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)















Electron density around HEC A 608:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC E 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC C 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC E 605:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEC A 603:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 605:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around HEC A 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC E 603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC C 606:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC E 606:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC C 607:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEC C 608:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around HEC A 607:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC C 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC E 607:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC E 608:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEC A 604:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.