

Full wwPDB X-ray Structure Validation Report (i)

Oct 2, 2023 – 01:55 AM EDT

PDB ID	:	6NAW
Title	:	Crystal structure of Neisseria meningitidis ClpP E58A activated mutant
Authors	:	Mabanglo, M.F.; Houry, W.A.
Deposited on		
Resolution	:	2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

:	FAILED
:	1.13
:	FAILED
:	20191225.v01 (using entries in the PDB archive December 25th 2019)
:	Engh & Huber (2001)
:	Parkinson et al. (1996)
:	2.35.1
	:::::::::::::::::::::::::::::::::::::::

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\hbox{-}RAY\,DIFFRACTION$

The reported resolution of this entry is 2.40 Å.

There are no overall percentile quality scores available for this entry.

MolProbity and EDS failed to run properly - the sequence quality summary graphics cannot be shown.



6NAW

2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 20353 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	А	177	Total	С	Ν	0	S	0	0	0
	A	111	1384	876	236	264	8	0	0	0
1	В	178	Total	С	Ν	0	S	0	0	0
	D	170	1392	882	237	265	8	0	0	0
1	С	175	Total	С	Ν	0	S	0	0	0
	U	175	1363	859	234	262	8	0	0	0
1	D	179	Total	С	Ν	0	S	0	0	0
	D	119	1396	884	238	266	8	0	0	0
1	Е	177	Total	С	Ν	0	S	0	0	0
	Ľ	111	1380	875	233	264	8	0	0	0
1	F	179	Total	С	Ν	0	S	0	0	0
	Г	179	1396	884	238	266	8	0	0	U
1	G	183	Total	С	Ν	0	S	0	0	0
	G	105	1420	898	242	272	8	0	0	0
1	Н	180	Total	С	Ν	0	S	0	0	0
	11	180	1399	884	239	268	8	0		
1	Ι	178	Total	С	Ν	0	S	0	0	0
	1	170	1388	878	237	265	8	0	0	0
1	J	180	Total	С	Ν	0	S	0	0	0
	J	180	1399	884	239	268	8	0	0	0
1	K	183	Total	С	Ν	0	S	0	0	0
	IX	100	1416	894	242	272	8	0	0	0
1	L	175	Total	С	Ν	0	S	0	0	0
1		175	1363	859	234	262	8	0	0	0
1	М	178	Total	С	Ν	0	S	0	0	0
	111	110	1391	881	237	265	8	U	U	U
1	N	176	Total	С	Ν	0	S	0	0	0
	IN IN	170	1371	865	235	263	8		U	U

• Molecule 1 is a protein called ATP-dependent Clp protease proteolytic subunit.

There are 196 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	-12	HIS	-	expression tag	UNP I4E574



Comment

Reference

 Continued from previous page...

 Chain
 Residue
 Modelled
 Actual

Cham	itesitute	mouched	ricedaa	eemment	recretence
А	-11	HIS	-	expression tag	UNP I4E574
А	-10	HIS	-	expression tag	UNP I4E574
А	-9	HIS	-	expression tag	UNP I4E574
А	-8	HIS	-	expression tag	UNP I4E574
А	-7	HIS	-	expression tag	UNP I4E574
А	-6	GLU	-	expression tag	UNP I4E574
А	-5	ASN	-	expression tag	UNP I4E574
А	-4	LEU	-	expression tag	UNP I4E574
А	-3	TYR	-	expression tag	UNP I4E574
А	-2	PHE	-	expression tag	UNP I4E574
А	-1	GLN	-	expression tag	UNP I4E574
А	0	GLY	-	expression tag	UNP I4E574
А	58	ALA	GLU	engineered mutation	UNP I4E574
В	-12	HIS	-	expression tag	UNP I4E574
В	-11	HIS	-	expression tag	UNP I4E574
В	-10	HIS	-	expression tag	UNP I4E574
В	-9	HIS	-	expression tag	UNP I4E574
В	-8	HIS	-	expression tag	UNP I4E574
В	-7	HIS	-	expression tag	UNP I4E574
В	-6	GLU	-	expression tag	UNP I4E574
В	-5	ASN	-	expression tag	UNP I4E574
В	-4	LEU	-	expression tag	UNP I4E574
В	-3	TYR	-	expression tag	UNP I4E574
В	-2	PHE	-	expression tag	UNP I4E574
В	-1	GLN	-	expression tag	UNP I4E574
В	0	GLY	-	expression tag	UNP I4E574
В	58	ALA	GLU	engineered mutation	UNP I4E574
С	-12	HIS	-	expression tag	UNP I4E574
С	-11	HIS	-	expression tag	UNP I4E574
С	-10	HIS	-	expression tag	UNP I4E574
С	-9	HIS	-	expression tag	UNP I4E574
С	-8	HIS	-	expression tag	UNP I4E574
С	-7	HIS	-	expression tag	UNP I4E574
С	-6	GLU	-	expression tag	UNP I4E574
С	-5	ASN	-	expression tag	UNP I4E574
С	-4	LEU	-	expression tag	UNP I4E574
С	-3	TYR	-	expression tag	UNP I4E574
С	-2	PHE	-	expression tag	UNP I4E574
С	-1	GLN	-	expression tag	UNP I4E574
С	0	GLY	-	expression tag	UNP I4E574
С	58	ALA	GLU	engineered mutation	UNP I4E574
D	-12	HIS	-	expression tag	UNP I4E574
L				Continued	on next page



Comment

Reference

Continued from previous page...ChainResidueModelledActual

0110111					
D	-11	HIS	-	expression tag	UNP I4E574
D	-10	HIS	-	expression tag	UNP I4E574
D	-9	HIS	-	expression tag	UNP I4E574
D	-8	HIS	-	expression tag	UNP I4E574
D	-7	HIS	-	expression tag	UNP I4E574
D	-6	GLU	-	expression tag	UNP I4E574
D	-5	ASN	-	expression tag	UNP I4E574
D	-4	LEU	-	expression tag	UNP I4E574
D	-3	TYR	-	expression tag	UNP I4E574
D	-2	PHE	-	expression tag	UNP I4E574
D	-1	GLN	-	expression tag	UNP I4E574
D	0	GLY	-	expression tag	UNP I4E574
D	58	ALA	GLU	engineered mutation	UNP I4E574
Е	-12	HIS	-	expression tag	UNP I4E574
Е	-11	HIS	-	expression tag	UNP I4E574
Е	-10	HIS	-	expression tag	UNP I4E574
Е	-9	HIS	-	expression tag	UNP I4E574
Е	-8	HIS	-	expression tag	UNP I4E574
Е	-7	HIS	-	expression tag	UNP I4E574
Е	-6	GLU	-	expression tag	UNP I4E574
Е	-5	ASN	-	expression tag	UNP I4E574
E	-4	LEU	-	expression tag	UNP I4E574
Ε	-3	TYR	-	expression tag	UNP I4E574
Е	-2	PHE	-	expression tag	UNP I4E574
E	-1	GLN	-	expression tag	UNP I4E574
E	0	GLY	-	expression tag	UNP I4E574
Ε	58	ALA	GLU	engineered mutation	UNP I4E574
F	-12	HIS	-	expression tag	UNP I4E574
F	-11	HIS	-	expression tag	UNP I4E574
F	-10	HIS	-	expression tag	UNP I4E574
F	-9	HIS	-	expression tag	UNP I4E574
F	-8	HIS	-	expression tag	UNP I4E574
F	-7	HIS	-	expression tag	UNP I4E574
F	-6	GLU	-	expression tag	UNP I4E574
F	-5	ASN	-	expression tag	UNP I4E574
F	-4	LEU	-	expression tag	UNP I4E574
F	-3	TYR	-	expression tag	UNP I4E574
F	-2	PHE	-	expression tag	UNP I4E574
F	-1	GLN	-	expression tag	UNP I4E574
F	0	GLY	-	expression tag	UNP I4E574
F	58	ALA	GLU	engineered mutation	UNP I4E574
G	-12	HIS	-	expression tag	UNP I4E574
				Constinued.	on nort nago



Chain

G

G

G

G

G

G

G

G

G

G

G

G

G

Η

Η

Η

Η

Η

Η

Η

Η

Η

Η

Η

Η

Η

Η

Ι

Ι

Ι

Ι

Ι

Ι

Ι

Ι

Ι

Ι

Ι

Ι

Ι

Ι

J

Comment

expression tag

engineered mutation

expression tag

engineered mutation

expression tag

Reference

UNP I4E574

UNP I4E574

UNP I4E574

UNP I4E574

UNP I4E574

UNP I4E574

UNP I4E574

UNP I4E574

UNP I4E574

UNP I4E574

UNP I4E574

UNP I4E574

UNP I4E574

UNP I4E574

UNP I4E574

UNP I4E574

UNP I4E574

UNP I4E574

UNP I4E574

UNP I4E574

UNP I4E574

UNP I4E574

UNP I4E574

		1 0	
HIS	-	expression tag	UNP I4E574
HIS	-	expression tag	UNP I4E574
GLU	-	expression tag	UNP I4E574
ASN	-	expression tag	UNP I4E574
LEU	-	expression tag	UNP I4E574
TYR	-	expression tag	UNP I4E574
PHE	-	expression tag	UNP I4E574
GLN	-	expression tag	UNP I4E574
GLY	-	expression tag	UNP I4E574
ALA	GLU	engineered mutation	UNP I4E574
HIS	-	expression tag	UNP I4E574
HIS	-	expression tag	UNP I4E574
HIS	-	expression tag	UNP I4E574
HIS	-	expression tag	UNP I4E574
HIS	-	expression tag	UNP I4E574
HIS	-	expression tag	UNP I4E574
GLU	-	expression tag	UNP I4E574
ASN	-	expression tag	UNP I4E574
LEU	-	expression tag	UNP I4E574

Continued from previous page...

Residue

-11

-10

-9

-8

-7

-6

-5

-4

-3

-2

-1

0

58

-12

-11

-10

-9

-8

-7

-6

-5

-4

-3

-2

-1

0

58

-12

-11

-10

-9

-8

-7

-6

-5

-4

-3

-2

-1

0

58

-12

Modelled

HIS

HIS

HIS

TYR

PHE

GLN

GLY

ALA

HIS

HIS

HIS

HIS

HIS

HIS

GLU

ASN

LEU

TYR

PHE

GLN

GLY

ALA

HIS

-

_

_

_

GLU

_

-

_

_

-

_

-

_

-

_

_

-

GLU

_

Actual

-

_



Chain

J

J

J

J

J

J

J

J

J

J

J

J

J

Κ

Κ

Κ

Κ

Κ

Κ

Κ

Κ

Κ

Κ

Κ

Κ

Κ

Κ

L

L

L

L

L

L

L

L

L

L

L

L

 \mathbf{L}

L

М

Comment

expression tag

engineered mutation

expression tag

engineered mutation

expression tag

Reference

UNP I4E574

UNP I4E574

UNP I4E574

UNP I4E574

UNP I4E574

<u>UNP</u> I4E574

UNP I4E574

UNP I4E574

UNP I4E574

UNP I4E574

UNP I4E574

UNP I4E574

UNP I4E574

UNP I4E574

UNP I4E574

UNP I4E574

UNP I4E574

UNP I4E574

UNP I4E574

UNP I4E574

UNP I4E574

UNP I4E574

UNP I4E574

UNP I4E574

UNP I4E574

		- 0	
HIS	-	expression tag	UNP I4E574
HIS	-	expression tag	UNP I4E574
GLU	-	expression tag	UNP I4E574
ASN	-	expression tag	UNP I4E574
LEU	-	expression tag	UNP I4E574
TYR	-	expression tag	UNP I4E574
PHE	-	expression tag	UNP I4E574
GLN	-	expression tag	UNP I4E574
GLY	-	expression tag	UNP I4E574
ALA	GLU	engineered mutation	UNP I4E574
HIS	-	expression tag	UNP I4E574

Continued from previous page...

Residue

-11

-10

-9

-8

-7

-6

-5

-4

-3

-2

-1

0

58

-12

-11

-10

-9

-8

-7

-6

-5

-4

-3

-2

-1

0

58

-12

-11

-10

-9

-8

-7

-6

-5

-4

-3

-2

-1

0

58

-12

Modelled

HIS

HIS

HIS

HIS

HIS

HIS

HIS

HIS

GLU

ASN

LEU

TYR

PHE

GLN

GLY

ALA

HIS

HIS

HIS

HIS

HIS

HIS

GLU

ASN

LEU

TYR

PHE

GLN

GLY

ALA

HIS

Actual

-

_

-

_

_

_

-

_

_

-

-

_

_

_

GLU

_

-

_

_

-

_

-

_

_

_

_

-

GLU

-



Chain	Residue	Modelled	Actual	Comment	Reference
М	-11	HIS	-	expression tag	UNP I4E574
М	-10	HIS	-	expression tag	UNP I4E574
М	-9	HIS	-	expression tag	UNP I4E574
М	-8	HIS	-	expression tag	UNP I4E574
М	-7	HIS	-	expression tag	UNP I4E574
М	-6	GLU	-	expression tag	UNP I4E574
М	-5	ASN	-	expression tag	UNP I4E574
М	-4	LEU	-	expression tag	UNP I4E574
М	-3	TYR	-	expression tag	UNP I4E574
М	-2	PHE	-	expression tag	UNP I4E574
М	-1	GLN	-	expression tag	UNP I4E574
М	0	GLY	-	expression tag	UNP I4E574
М	58	ALA	GLU	engineered mutation	UNP I4E574
N	-12	HIS	-	expression tag	UNP I4E574
N	-11	HIS	-	expression tag	UNP I4E574
N	-10	HIS	-	expression tag	UNP I4E574
N	-9	HIS	-	expression tag	UNP I4E574
N	-8	HIS	-	expression tag	UNP I4E574
N	-7	HIS	-	expression tag	UNP I4E574
N	-6	GLU	-	expression tag	UNP I4E574
N	-5	ASN	-	expression tag	UNP I4E574
N	-4	LEU	-	expression tag	UNP I4E574
N	-3	TYR	-	expression tag	UNP I4E574
N	-2	PHE	-	expression tag	UNP I4E574
N	-1	GLN	-	expression tag	UNP I4E574
N	0	GLY	-	expression tag	UNP I4E574
N	58	ALA	GLU	engineered mutation	UNP I4E574

Continued from previous page...

• Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	64	$\begin{array}{cc} \text{Total} & \text{O} \\ 64 & 64 \end{array}$	0	0
2	В	74	Total O 74 74	0	0
2	С	65	Total O 65 65	0	0
2	D	56	Total O 56 56	0	0
2	Е	53	Total O 53 53	0	0
2	F	75	Total O 75 75	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	G	61	Total O 61 61	0	0
2	Н	64	$\begin{array}{cc} \text{Total} & \text{O} \\ 64 & 64 \end{array}$	0	0
2	Ι	58	$\begin{array}{cc} \text{Total} & \text{O} \\ 58 & 58 \end{array}$	0	0
2	J	58	$\begin{array}{cc} \text{Total} & \text{O} \\ 58 & 58 \end{array}$	0	0
2	К	75	Total O 75 75	0	0
2	L	65	$\begin{array}{cc} \text{Total} & \text{O} \\ 65 & 65 \end{array}$	0	0
2	М	55	$\begin{array}{cc} \text{Total} & \text{O} \\ 55 & 55 \end{array}$	0	0
2	Ν	72	Total O 72 72	0	0

MolProbity and EDS failed to run properly - this section is therefore empty.



3 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	98.12Å 119.36Å 127.64Å	Depositor
a, b, c, α , β , γ	90.00° 89.99° 90.00°	
Resolution (Å)	42.76 - 2.40	Depositor
% Data completeness	99.8 (42.76-2.40)	Depositor
(in resolution range)		
R_{merge}	0.17	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.79 (at 2.39 \text{\AA})$	Xtriage
Refinement program	PHENIX (1.13_2998)	Depositor
R, R_{free}	0.193 , 0.252	Depositor
Wilson B-factor $(Å^2)$	29.9	Xtriage
Anisotropy	0.580	Xtriage
L-test for twinning ²	$< L >=0.51, < L^2>=0.35$	Xtriage
Estimated twinning fraction	0.469 for h,-k,-l	Xtriage
Total number of atoms	20353	wwPDB-VP
Average B, all atoms $(Å^2)$	36.0	wwPDB-VP

EDS failed to run properly - this section is therefore incomplete.

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.54% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

4 Model quality (i)

4.1 Standard geometry (i)

MolProbity failed to run properly - this section is therefore empty.

4.2 Too-close contacts (i)

MolProbity failed to run properly - this section is therefore empty.

4.3 Torsion angles (i)

4.3.1 Protein backbone (i)

MolProbity failed to run properly - this section is therefore empty.

4.3.2 Protein sidechains (i)

MolProbity failed to run properly - this section is therefore empty.

4.3.3 RNA (i)

MolProbity failed to run properly - this section is therefore empty.

4.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

4.5 Carbohydrates (i)

There are no monosaccharides in this entry.

4.6 Ligand geometry (i)

There are no ligands in this entry.

4.7 Other polymers (i)

There are no such residues in this entry.



4.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



5 Fit of model and data (i)

5.1 Protein, DNA and RNA chains (i)

EDS failed to run properly - this section is therefore empty.

5.2 Non-standard residues in protein, DNA, RNA chains (i)

EDS failed to run properly - this section is therefore empty.

5.3 Carbohydrates (i)

EDS failed to run properly - this section is therefore empty.

5.4 Ligands (i)

EDS failed to run properly - this section is therefore empty.

5.5 Other polymers (i)

EDS failed to run properly - this section is therefore empty.

