



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 8, 2023 – 02:05 AM EDT

PDB ID : 1NCE
Title : Crystal structure of a ternary complex of E. coli thymidylate synthase D169C with dUMP and the antifolate CB3717
Authors : Birdsall, D.L.; Finer-Moore, J.; Stroud, R.M.
Deposited on : 2002-12-05
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	264	
1	B	264	

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 4588 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Thymidylate synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	264	Total 2150	C 1374	N 371	O 392	S 13	0	0	0
1	B	264	Total 2150	C 1374	N 371	O 392	S 13	0	0	0

There are 4 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1	CXM	MET	modified residue	UNP P0A884
A	169	CYS	ASP	engineered mutation	UNP P0A884
B	1	CXM	MET	modified residue	UNP P0A884
B	169	CYS	ASP	engineered mutation	UNP P0A884

- Molecule 2 is 2'-DEOXYURIDINE 5'-MONOPHOSPHATE (three-letter code: UMP) (formula: C₉H₁₃N₂O₈P).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
2	A	1	Total	C	N	O	P	0	0
			20	9	2	8	1		
2	B	1	Total	C	N	O	P	0	0
			20	9	2	8	1		

- Molecule 3 is 10-PROPARGYL-5,8-DIDEAZAFOLIC ACID (three-letter code: CB3) (formula: C₂₄H₂₃N₅O₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O		
			35	24	5	6	0	0
3	B	1	Total	C	N	O		
			35	24	5	6	0	0

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	117	Total	O		
			117	117	0	0
4	B	61	Total	O		
			61	61	0	0

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: Thymidylate synthase



- Molecule 1: Thymidylate synthase



4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 63	Depositor
Cell constants a, b, c, α , β , γ	127.10Å 127.10Å 68.10Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	36.69 – 2.40	Depositor
% Data completeness (in resolution range)	100.0 (36.69-2.40)	Depositor
R_{merge}	0.17	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS	Depositor
R, R_{free}	0.187 , 0.246	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	4588	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CB3, UMP, CXM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.36	0/2199	0.67	0/2986
1	B	0.35	0/2199	0.64	0/2986
All	All	0.35	0/4398	0.66	0/5972

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2150	0	2080	36	0
1	B	2150	0	2081	64	0
2	A	20	0	10	5	0
2	B	20	0	11	2	0
3	A	35	0	21	0	0
3	B	35	0	21	1	0
4	A	117	0	0	3	0
4	B	61	0	0	2	0
All	All	4588	0	4224	99	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (99) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:2:LYS:HD3	1:B:2:LYS:H	1.36	0.88
1:B:41:GLY:HA2	1:B:229:LYS:HE2	1.54	0.87
1:A:52:LEU:HD13	1:A:249:ILE:HG13	1.56	0.87
1:A:170:VAL:HB	1:A:208:LEU:HD13	1.56	0.85
1:A:52:LEU:CD1	1:A:249:ILE:HG13	2.12	0.79
1:B:82:GLU:OE2	1:B:264:ILE:HG12	1.84	0.76
1:B:69:ILE:HD12	1:B:72:LEU:HD12	1.67	0.76
1:B:52:LEU:HD23	1:B:55:ILE:HD12	1.68	0.75
1:A:53:ARG:NH2	1:A:53:ARG:HB2	2.05	0.70
1:B:229:LYS:HA	1:B:229:LYS:NZ	2.08	0.69
1:B:69:ILE:HD13	1:B:80:TRP:HB2	1.74	0.68
1:B:212:HIS:HE1	1:B:261:PRO:O	1.78	0.67
1:B:78:THR:O	1:B:80:TRP:N	2.29	0.65
1:B:1:CXM:ON1	1:B:45:VAL:HG13	1.97	0.64
1:B:222:ARG:HG2	1:B:255:HIS:CD2	2.32	0.64
1:A:53:ARG:HB2	1:A:53:ARG:HH21	1.64	0.62
1:A:2:LYS:O	1:A:6:GLU:HG3	1.99	0.62
1:B:80:TRP:HB3	1:B:90:LEU:HD21	1.81	0.61
1:B:229:LYS:HA	1:B:229:LYS:HZ3	1.66	0.60
1:A:259:LYS:HD3	1:A:260:ALA:N	2.16	0.59
1:B:64:GLN:NE2	4:B:801:HOH:O	2.36	0.58
1:B:67:THR:HG21	1:B:96:LYS:HB2	1.87	0.57
1:B:78:THR:HA	1:B:81:ASP:OD2	2.05	0.57
1:A:170:VAL:HB	1:A:208:LEU:CD1	2.32	0.56
1:B:69:ILE:CD1	1:B:80:TRP:HB2	2.35	0.56
1:B:229:LYS:NZ	1:B:230:LEU:H	2.04	0.56
1:B:134:ASN:HD22	1:B:134:ASN:C	2.07	0.56
1:A:225:ARG:HB3	1:A:226:PRO:HD2	1.88	0.55
1:A:166:ARG:HH12	2:A:565:UMP:P	2.30	0.55
1:B:73:HIS:NE2	1:B:81:ASP:OD1	2.40	0.55
1:B:7:LEU:HD21	1:B:206:THR:HG21	1.89	0.54
1:A:163:LEU:HD22	1:A:164:TYR:N	2.22	0.54
1:B:67:THR:O	1:B:90:LEU:HD12	2.08	0.54
1:B:245:GLU:H	1:B:245:GLU:CD	2.11	0.54
1:B:7:LEU:O	1:B:11:VAL:HG23	2.07	0.54
1:B:234:ARG:O	1:B:236:PRO:HD3	2.08	0.54
1:A:166:ARG:NH1	2:A:565:UMP:OP2	2.41	0.53
1:B:143:LEU:HD12	1:B:143:LEU:O	2.07	0.53
1:A:259:LYS:HD2	4:A:808:HOH:O	2.10	0.52
1:B:177:ASN:HD21	2:B:567:UMP:HN3	1.56	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:84:ALA:HB1	1:B:88:GLY:HA2	1.90	0.52
1:A:147:HIS:H	1:A:147:HIS:CD2	2.27	0.52
1:B:1:CXM:HE3	1:B:43:PRO:HA	1.92	0.52
1:A:28:SER:HB3	1:A:207:HIS:HB3	1.92	0.52
1:B:41:GLY:HA2	1:B:229:LYS:CE	2.34	0.52
1:B:147:HIS:HB2	1:B:163:LEU:HD11	1.93	0.51
1:B:44:LEU:HD11	1:B:50:CYS:HB2	1.94	0.50
1:B:146:CYS:SG	2:B:567:UMP:C6	3.05	0.50
1:B:77:VAL:HG12	1:B:79:ILE:HG12	1.95	0.49
1:A:53:ARG:HH21	1:A:53:ARG:CB	2.26	0.49
1:A:86:GLU:H	1:A:86:GLU:CD	2.16	0.49
1:B:243:ARG:HG2	1:B:246:ASP:OD2	2.12	0.48
1:A:177:ASN:HD21	2:A:565:UMP:HN3	1.60	0.48
1:B:58:GLU:O	1:B:61:TRP:HB3	2.14	0.48
1:B:147:HIS:HD2	1:B:181:TYR:OH	1.97	0.48
1:B:10:LYS:NZ	1:B:32:HIS:HD2	2.12	0.48
1:B:2:LYS:O	1:B:6:GLU:HG3	2.14	0.47
1:B:55:ILE:HG12	1:B:176:PHE:CE1	2.51	0.46
1:B:37:ASN:OD1	1:B:39:GLN:HB2	2.16	0.45
1:A:158:LYS:HA	1:A:195:GLU:O	2.16	0.45
1:B:79:ILE:HG13	1:B:80:TRP:H	1.81	0.45
1:A:61:TRP:CD1	1:A:66:ASP:HB3	2.51	0.45
1:A:107:ARG:CD	4:A:742:HOH:O	2.65	0.45
1:A:174:LEU:HB3	1:A:175:PRO:HD3	1.99	0.45
1:B:262:VAL:HG13	1:B:262:VAL:O	2.17	0.45
1:B:181:TYR:O	1:B:185:VAL:HG23	2.17	0.44
1:A:146:CYS:HB2	2:A:565:UMP:C4	2.51	0.44
1:A:52:LEU:HD11	1:A:249:ILE:HG13	1.96	0.44
1:B:79:ILE:HG13	1:B:80:TRP:N	2.33	0.44
1:B:249:ILE:O	1:B:249:ILE:HG23	2.17	0.44
1:B:233:LYS:O	1:B:234:ARG:HB2	2.18	0.44
1:B:186:HIS:CE1	1:B:196:VAL:HG11	2.53	0.43
1:B:21:ARG:H	1:B:21:ARG:HG3	1.55	0.43
1:A:73:HIS:HE1	1:A:81:ASP:OD1	2.01	0.43
1:A:181:TYR:O	1:A:185:VAL:HG23	2.18	0.43
1:B:212:HIS:CE1	1:B:261:PRO:O	2.66	0.43
1:B:260:ALA:HA	1:B:261:PRO:HD3	1.87	0.43
1:B:223:GLU:HA	1:B:224:PRO:HD3	1.93	0.43
1:A:18:LYS:HE2	1:A:18:LYS:HB3	1.86	0.42
1:B:229:LYS:NZ	1:B:229:LYS:CA	2.80	0.42
1:B:69:ILE:HG22	1:B:88:GLY:HA3	2.00	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:93:VAL:O	1:B:94:TYR:C	2.57	0.42
1:B:143:LEU:HD13	4:B:638:HOH:O	2.19	0.42
1:A:99:ARG:HG3	1:A:99:ARG:HH21	1.84	0.42
1:B:129:ILE:HG22	1:B:130:VAL:N	2.34	0.42
1:B:69:ILE:HD13	1:B:80:TRP:CB	2.48	0.42
1:A:202:THR:HG21	1:B:202:THR:HG21	2.02	0.41
1:B:1:CXM:HE1	1:B:44:LEU:C	2.41	0.41
1:A:263:ALA:HB2	4:A:741:HOH:O	2.19	0.41
1:A:227:LEU:HD12	1:A:227:LEU:HA	1.83	0.41
1:B:54:SER:HB2	3:B:568:CB3:OE1	2.20	0.41
1:B:69:ILE:O	1:B:69:ILE:HG13	2.20	0.41
1:B:129:ILE:HG21	1:B:149:PHE:CZ	2.56	0.41
1:A:31:GLY:HA2	1:A:203:GLY:O	2.21	0.40
1:A:28:SER:CB	1:A:207:HIS:HB3	2.51	0.40
1:A:69:ILE:HD12	1:A:73:HIS:CE1	2.55	0.40
1:A:260:ALA:HA	1:A:261:PRO:HD3	1.79	0.40
1:A:190:GLN:NE2	1:A:242:TYR:OH	2.54	0.40
2:A:565:UMP:OP3	1:B:127:ARG:NH1	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	262/264 (99%)	253 (97%)	7 (3%)	2 (1%)	19	29
1	B	262/264 (99%)	241 (92%)	20 (8%)	1 (0%)	34	48
All	All	524/528 (99%)	494 (94%)	27 (5%)	3 (1%)	25	36

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	79	ILE
1	A	94	TYR
1	A	79	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	232/232 (100%)	219 (94%)	13 (6%)	21	34
1	B	232/232 (100%)	219 (94%)	13 (6%)	21	34
All	All	464/464 (100%)	438 (94%)	26 (6%)	21	34

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	LEU
1	A	21	ARG
1	A	73	HIS
1	A	76	ASN
1	A	119	LEU
1	A	147	HIS
1	A	163	LEU
1	A	166	ARG
1	A	176	PHE
1	A	183	LEU
1	A	208	LEU
1	A	213	MET
1	A	227	LEU
1	B	2	LYS
1	B	5	LEU
1	B	7	LEU
1	B	21	ARG
1	B	26	THR
1	B	60	LEU
1	B	64	GLN
1	B	96	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	119	LEU
1	B	134	ASN
1	B	143	LEU
1	B	183	LEU
1	B	229	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	32	HIS
1	A	57	HIS
1	A	73	HIS
1	A	76	ASN
1	A	87	ASN
1	A	177	ASN
1	A	190	GLN
1	A	207	HIS
1	A	219	GLN
1	B	32	HIS
1	B	33	GLN
1	B	117	ASN
1	B	118	GLN
1	B	134	ASN
1	B	147	HIS
1	B	162	GLN
1	B	177	ASN
1	B	190	GLN
1	B	212	HIS
1	B	219	GLN
1	B	255	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	CXM	B	1	1	8,10,11	0.85	0	7,11,13	3.91	1 (14%)
1	CXM	A	1	1	8,10,11	0.96	1 (12%)	7,11,13	3.27	1 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CXM	B	1	1	-	3/9/10/12	-
1	CXM	A	1	1	-	1/9/10/12	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	1	CXM	ON1-CN	2.34	1.26	1.21

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	1	CXM	ON1-CN-N	-10.12	108.25	124.85
1	A	1	CXM	ON1-CN-N	-8.43	111.03	124.85

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	B	1	CXM	N-CA-CB-CG
1	B	1	CXM	ON1-CN-N-CA
1	B	1	CXM	C-CA-CB-CG
1	A	1	CXM	ON1-CN-N-CA

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	B	1	CXM	3	0

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	UMP	B	567	-	21,21,21	1.58	3 (14%)	31,31,31	1.99	9 (29%)
3	CB3	A	566	-	36,37,37	2.34	16 (44%)	46,51,51	2.61	12 (26%)
3	CB3	B	568	-	36,37,37	2.32	15 (41%)	46,51,51	2.38	13 (28%)
2	UMP	A	565	1	21,21,21	2.73	5 (23%)	31,31,31	2.39	12 (38%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	UMP	B	567	-	-	1/10/22/22	0/2/2/2
3	CB3	A	566	-	-	10/27/28/28	0/3/3/3
3	CB3	B	568	-	-	7/27/28/28	0/3/3/3
2	UMP	A	565	1	-	2/10/22/22	0/2/2/2

All (39) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	565	UMP	C6-C5	8.29	1.54	1.35
3	A	566	CB3	O4-C4	5.59	1.38	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	565	UMP	C6-N1	5.46	1.51	1.38
3	B	568	CB3	O4-C4	5.39	1.38	1.24
2	B	567	UMP	O4'-C1'	4.62	1.52	1.42
2	A	565	UMP	C5-C4	4.25	1.53	1.43
3	B	568	CB3	C8-C7	4.23	1.45	1.36
2	A	565	UMP	O4'-C1'	4.19	1.51	1.42
3	A	566	CB3	C5-C6	3.93	1.46	1.37
3	A	566	CB3	C8-C7	3.83	1.44	1.36
3	B	568	CB3	C5-C6	3.79	1.46	1.37
3	B	568	CB3	C15-C14	3.67	1.46	1.39
3	A	566	CB3	C4-N3	3.65	1.39	1.33
3	A	566	CB3	C15-C14	3.57	1.46	1.39
3	A	566	CB3	C13-C14	3.47	1.46	1.39
3	B	568	CB3	C9-N10	3.47	1.51	1.46
3	A	566	CB3	C9-N10	3.36	1.51	1.46
3	A	566	CB3	C13-C12	3.29	1.44	1.38
3	B	568	CB3	C11-C	-3.25	1.43	1.50
3	B	568	CB3	C4-N3	3.21	1.38	1.33
3	B	568	CB3	C13-C14	3.17	1.45	1.39
3	B	568	CB3	C13-C12	3.06	1.44	1.38
3	A	566	CB3	C12-C11	3.05	1.44	1.39
3	B	568	CB3	C12-C11	3.05	1.44	1.39
3	B	568	CB3	C4A-C8A	2.99	1.47	1.41
3	B	568	CB3	C16-C15	2.95	1.44	1.38
3	A	566	CB3	C4A-C8A	2.94	1.47	1.41
3	A	566	CB3	C7-C6	2.92	1.45	1.38
3	B	568	CB3	C7-C6	2.92	1.45	1.38
3	A	566	CB3	C16-C11	2.80	1.44	1.39
3	A	566	CB3	C11-C	-2.71	1.44	1.50
2	A	565	UMP	O4'-C4'	2.69	1.51	1.45
3	B	568	CB3	C16-C11	2.64	1.43	1.39
3	A	566	CB3	C16-C15	2.62	1.43	1.38
2	B	567	UMP	O4'-C4'	2.59	1.50	1.45
3	A	566	CB3	CP1-N10	2.52	1.48	1.46
2	B	567	UMP	C6-C5	2.36	1.40	1.35
3	A	566	CB3	C2-N3	2.24	1.39	1.35
3	B	568	CB3	CP1-N10	2.06	1.48	1.46

All (46) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	566	CB3	CP1-N10-C9	-7.12	110.33	117.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	566	CB3	N1-C2-N3	-7.05	117.81	127.22
3	A	566	CB3	C4A-C8A-N1	-7.03	119.78	123.60
2	B	567	UMP	O4'-C1'-N1	6.90	120.19	107.86
3	B	568	CB3	N1-C2-N3	-6.70	118.28	127.22
3	B	568	CB3	C4A-C8A-N1	-6.12	120.28	123.60
3	A	566	CB3	C4A-C4-N3	-6.11	120.14	124.40
3	B	568	CB3	C6-C9-N10	5.56	123.11	114.18
3	A	566	CB3	C6-C9-N10	4.90	122.06	114.18
2	A	565	UMP	C6-C5-C4	-4.63	113.19	119.52
2	A	565	UMP	O4'-C1'-N1	4.63	116.14	107.86
3	A	566	CB3	C2-N3-C4	4.46	123.02	115.93
2	A	565	UMP	C5-C6-N1	-4.43	114.38	121.81
3	B	568	CB3	C4A-C4-N3	-4.40	121.34	124.40
3	B	568	CB3	C2-N3-C4	4.39	122.91	115.93
2	A	565	UMP	C5-C4-N3	4.29	121.26	114.84
3	B	568	CB3	CP1-N10-C9	-4.18	113.12	117.10
3	B	568	CB3	C8A-C4A-C4	-4.03	115.08	118.59
2	A	565	UMP	O4'-C4'-C3'	-3.96	96.42	105.67
2	B	567	UMP	P-O5'-C5'	3.72	128.53	118.30
2	A	565	UMP	O4'-C1'-C2'	-3.56	99.52	106.25
3	B	568	CB3	NA2-C2-N1	3.40	123.33	117.79
2	B	567	UMP	O4'-C4'-C3'	-3.38	97.79	105.67
3	B	568	CB3	CP1-N10-C14	3.21	125.11	119.01
2	A	565	UMP	OP2-P-O5'	-3.06	98.58	106.73
2	A	565	UMP	O5'-P-OP1	3.04	115.01	106.47
3	B	568	CB3	C9-C6-C7	-3.00	115.12	120.77
2	A	565	UMP	C1'-N1-C6	-2.89	115.84	121.55
3	A	566	CB3	C9-N10-C14	2.84	125.66	120.78
3	A	566	CB3	NA2-C2-N3	2.81	121.62	117.25
2	A	565	UMP	O4-C4-C5	-2.66	120.47	125.16
3	A	566	CB3	CB-CA-N	-2.66	105.50	110.88
2	A	565	UMP	C4'-O4'-C1'	2.64	115.82	109.45
3	A	566	CB3	CP1-N10-C14	2.63	124.00	119.01
2	B	567	UMP	C6-N1-C2	2.59	124.30	120.99
2	B	567	UMP	O4'-C1'-C2'	-2.56	101.42	106.25
3	A	566	CB3	C8A-C4A-C4	-2.46	116.44	118.59
2	B	567	UMP	OP2-P-O5'	2.46	113.27	106.73
3	A	566	CB3	C2-N1-C8A	2.41	122.28	116.33
3	B	568	CB3	CP1-CP2-CP3	-2.36	173.71	177.67
2	A	565	UMP	C6-N1-C2	2.35	124.00	120.99
2	B	567	UMP	C1'-N1-C6	-2.33	116.94	121.55
2	B	567	UMP	O4-C4-N3	2.20	122.53	119.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	567	UMP	O4-C4-C5	-2.13	121.42	125.16
3	B	568	CB3	C2-N1-C8A	2.13	121.59	116.33
3	B	568	CB3	C8-C8A-N1	2.02	121.78	118.69

There are no chirality outliers.

All (20) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	566	CB3	C11-C-N-CA
3	B	568	CB3	C11-C-N-CA
3	B	568	CB3	O-C-N-CA
3	A	566	CB3	O-C-N-CA
3	B	568	CB3	C13-C14-N10-C9
3	B	568	CB3	C13-C14-N10-CP1
3	B	568	CB3	C15-C14-N10-C9
3	B	568	CB3	C15-C14-N10-CP1
3	A	566	CB3	CT-CA-N-C
3	A	566	CB3	C13-C14-N10-C9
3	A	566	CB3	C13-C14-N10-CP1
3	A	566	CB3	N-CA-CT-O1
3	A	566	CB3	N-CA-CT-O2
3	A	566	CB3	CB-CA-N-C
3	A	566	CB3	OE1-CD-CG-CB
3	A	566	CB3	OE2-CD-CG-CB
2	A	565	UMP	C3'-C4'-C5'-O5'
2	B	567	UMP	O4'-C4'-C5'-O5'
2	A	565	UMP	O4'-C4'-C5'-O5'
3	B	568	CB3	OE2-CD-CG-CB


There are no ring outliers.


3 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	567	UMP	2	0
3	B	568	CB3	1	0
2	A	565	UMP	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.

Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.