

Full wwPDB X-ray Structure Validation Report (i)

Aug 30, 2023 - 04:46 AM EDT

PDB ID : 3NCQ

Title : GlnK2 from Archaeoglobus fulgidus, ATP complex Authors : Helfmann, S.; Lue, W.; Litz, C.; Andrade, S.L.A.

Deposited on : 2010-06-05

Resolution : 1.24 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity : 4.02b-467

Mogul : 1.8.5 (274361), CSD as541be (2020)

Xtriage (Phenix) : 1.13

EDS : 2.35

buster-report : 1.1.7 (2018)

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

Refmac : 5.8.0158

CCP4 : 7.0.044 (Gargrove)

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.35

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 1.24 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive $(\# \mathrm{Entries})$	$\begin{array}{c} {\rm Similar\ resolution} \\ (\#{\rm Entries},{\rm resolution\ range}({\rm \AA})) \end{array}$
R_{free}	130704	2024 (1.28-1.20)
Clashscore	141614	1007 (1.26-1.22)
Ramachandran outliers	138981	2053 (1.28-1.20)
Sidechain outliers	138945	2051 (1.28-1.20)
RSRZ outliers	127900	1987 (1.28-1.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	A	119	70%	19%	• • 6%
1	В	119	69%	20%	• • 6%
1	С	119	71%	17%	9% •

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:



Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	ACT	A	121	-	X	X	-
4	ACT	С	120	-	-	X	-



2 Entry composition (i)

There are 7 unique types of molecules in this entry. The entry contains 3259 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Nitrogen regulatory protein P-II (GlnB-2).

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
1	Λ	112	Total	С	N	О	S	29	2	0
1	A	112	880	557	151	167	5	29	3	U
1	D	112	Total	С	N	О	S	14	4	0
1	Б	112	888	563	152	168	5	14		
1	C	115	Total	С	N	О	S	0	E .	0
1		110	934	589	167	173	5	0	5	U


There are 21 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	113	GLU	-	expression tag	UNP O28527
A	114	HIS	-	expression tag	UNP O28527
A	115	HIS	-	expression tag	UNP O28527
A	116	HIS	-	expression tag	UNP O28527
A	117	HIS	-	expression tag	UNP O28527
A	118	HIS	-	expression tag	UNP O28527
A	119	HIS	-	expression tag	UNP O28527
В	113	GLU	-	expression tag	UNP O28527
В	114	HIS	-	expression tag	UNP O28527
В	115	HIS	-	expression tag	UNP O28527
В	116	HIS	-	expression tag	UNP O28527
В	117	HIS	-	expression tag	UNP O28527
В	118	HIS	-	expression tag	UNP O28527
В	119	HIS	-	expression tag	UNP O28527
С	113	GLU	-	expression tag	UNP O28527
С	114	HIS	-	expression tag	UNP O28527
С	115	HIS	-	expression tag	UNP O28527
С	116	HIS	-	expression tag	UNP O28527
С	117	HIS	-	expression tag	UNP O28527
С	118	HIS	-	expression tag	UNP O28527
С	119	HIS	-	expression tag	UNP O28527

• Molecule 2 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula:



 $C_{10}H_{16}N_5O_{13}P_3$).




Mol	Chain	Residues		Ato	oms			ZeroOcc	AltConf
2	Λ	1	Total	С	N	О	Р	0	0
2	Λ	1	31	10	5	13	3	U	
2	D	1	Total C N O P	0	0				
2	Б	1	31	10	5	13	3	U	0
9	C	1	Total	С	N	О	Р	0	0
		1	31	10	5	13	3	U	0

• Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Cl 1 1	0	0

 \bullet Molecule 4 is ACETATE ION (three-letter code: ACT) (formula: $\mathrm{C_2H_3O_2}).$






Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 4 2 2	0	0
4	В	1	Total C O 4 2 2	0	0
4	С	1	Total C O 4 2 2	0	0

 \bullet Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total Mg 1 1	0	0
5	В	1	Total Mg 1 1	0	0
5	С	1	Total Mg 1 1	0	0

 \bullet Molecule 6 is PHOSPHATE ION (three-letter code: PO4) (formula: $\mathrm{O_4P}).$





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	С	1	Total O P 5 4 1	0	0
6	С	1	Total O P 5 4 1	0	0

• Molecule 7 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	144	Total O 144 144	0	0
7	В	152	Total O 152 152	0	0
7	С	142	Total O 142 142	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Nitrogen regulatory protein P-II (GlnB-2)





4 Data and refinement statistics (i)

Property	Value	Source	
Space group	I 4 2 2	Depositor	
Cell constants	121.66Å 121.66Å 124.58Å	Donositon	
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor	
Resolution (Å)	39.30 - 1.24	Depositor	
Resolution (A)	39.30 - 1.24	EDS	
% Data completeness	99.4 (39.30-1.24)	Depositor	
(in resolution range)	99.4 (39.30-1.24)	EDS	
R_{merge}	0.11	Depositor	
R_{sym}	0.11	Depositor	
$< I/\sigma(I) > 1$	$1.53 \; (at \; 1.24 \text{Å})$	Xtriage	
Refinement program	REFMAC 5.5.0109	Depositor	
R, R_{free}	0.168 , 0.208	Depositor	
it, it free	0.168 , 0.208	DCC	
R_{free} test set	6547 reflections (5.03%)	wwPDB-VP	
Wilson B-factor (Å ²)	12.2	Xtriage	
Anisotropy	0.067	Xtriage	
Bulk solvent $k_{sol}(e/Å^3)$, $B_{sol}(Å^2)$	0.38, 58.5	EDS	
L-test for twinning ²	$< L > = 0.42, < L^2> = 0.24$	Xtriage	
Estimated twinning fraction	0.019 for -l,-k,-h	Xtriage	
Estimated twinning fraction	0.025 for -h,l,k	Attrage	
F_o, F_c correlation	0.98	EDS	
Total number of atoms	3259	wwPDB-VP	
Average B, all atoms (Å ²)	26.0	wwPDB-VP	

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 4.26% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of <|L|>, $<L^2>$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, MG, ATP, ACT, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Chain		Bond lengths		Bond angles	
IVIOI	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5
1	A	1.32	8/895 (0.9%)	1.24	6/1199~(0.5%)
1	В	1.28	4/903~(0.4%)	1.26	6/1210~(0.5%)
1	С	1.22	3/951 (0.3%)	1.21	8/1272 (0.6%)
All	All	1.27	15/2749~(0.5%)	1.24	20/3681 (0.5%)

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\textup{\AA})$	$\operatorname{Ideal}({ t \AA})$
1	A	11	GLU	CG-CD	8.58	1.64	1.51
1	A	47	ARG	CA-CB	-7.67	1.37	1.53
1	A	45	GLN	CG-CD	-7.59	1.33	1.51
1	A	98	ASP	CB-CG	7.42	1.67	1.51
1	A	90	LYS	CE-NZ	-7.19	1.31	1.49
1	В	109	ASP	CA-CB	-7.08	1.38	1.53
1	С	22	GLU	CG-CD	7.07	1.62	1.51
1	С	2	LYS	CE-NZ	-6.83	1.31	1.49
1	В	30	VAL	CB-CG1	-6.01	1.40	1.52
1	A	22	GLU	CG-CD	-5.89	1.43	1.51
1	A	13	PHE	CE1-CZ	5.68	1.48	1.37
1	С	3	LYS	CD-CE	-5.58	1.37	1.51
1	В	98	ASP	CB-CG	5.55	1.63	1.51
1	A	11	GLU	CD-OE2	5.17	1.31	1.25
1	В	98	ASP	CG-OD1	5.15	1.37	1.25

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	${f Z}$	$\mathbf{Observed}(^{o})$	$\operatorname{Ideal}(^{o})$
1	В	98	ASP	CB-CG-OD1	13.33	130.29	118.30
1	A	23	ARG	NE-CZ-NH2	10.77	125.69	120.30
1	В	98	ASP	CB-CG-OD2	-9.60	109.66	118.30



Continued from previous page...

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$\mathbf{Observed}(^{o})$	$\operatorname{Ideal}({}^o)$
1	A	98	ASP	CB-CG-OD2	9.34	126.71	118.30
1	A	23	ARG	NE-CZ-NH1	-8.27	116.17	120.30
1	В	109	ASP	N-CA-CB	8.15	125.27	110.60
1	С	68	ASP	CB-CG-OD2	7.49	125.04	118.30
1	С	107[A]	ARG	NE-CZ-NH2	-7.23	116.69	120.30
1	С	107[B]	ARG	NE-CZ-NH2	-7.23	116.69	120.30
1	В	68	ASP	CB-CG-OD2	-6.47	112.48	118.30
1	С	101	ARG	NE-CZ-NH1	6.09	123.35	120.30
1	A	60	LYS	CD-CE-NZ	-5.96	97.99	111.70
1	В	60	LYS	CD-CE-NZ	-5.66	98.69	111.70
1	A	51	MET	CA-CB-CG	5.53	122.70	113.30
1	С	107[A]	ARG	NE-CZ-NH1	5.42	123.01	120.30
1	С	107[B]	ARG	NE-CZ-NH1	5.42	123.01	120.30
1	A	45	GLN	CB-CG-CD	5.38	125.60	111.60
1	В	42	MET	CA-CB-CG	-5.31	104.27	113.30
1	С	1[A]	MET	CA-CB-CG	-5.20	104.46	113.30
1	С	1[B]	MET	CA-CB-CG	-5.20	104.46	113.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	880	0	920	25	0
1	В	888	0	932	34	0
1	С	934	0	974	58	1
2	A	31	0	12	4	0
2	В	31	0	12	1	0
2	С	31	0	12	0	0
3	A	1	0	0	0	0
4	A	4	0	3	3	0
4	В	4	0	3	0	0
4	С	4	0	3	14	0
5	A	1	0	0	0	0
5	В	1	0	0	0	0



Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	С	1	0	0	0	0
6	С	10	0	0	0	0
7	A	144	0	0	15	1
7	В	152	0	0	15	1
7	С	142	0	0	13	0
All	All	3259	0	2871	117	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.

All (117) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic	Clash
		distance (Å)	overlap (Å)
1:C:79:ASN:HB3	7:C:442:HOH:O	1.54	1.05
1:A:34:LYS:HE3	7:A:390:HOH:O	1.57	1.02
1:B:69:ALA:HA	1:B:72[B]:GLU:OE1	1.57	1.02
1:C:24:GLY:O	1:C:115:HIS:HE1	1.43	1.01
1:A:48:GLY:HA3	1:A:49:ARG:O	1.62	0.99
7:A:420:HOH:O	1:B:101:ARG:HG3	1.67	0.93
1:C:60[B]:LYS:NZ	4:C:120:ACT:CH3	2.32	0.93
1:B:51:MET:HE3	7:B:383:HOH:O	1.70	0.90
1:C:68:ASP:OD1	1:C:114:HIS:CE1	2.24	0.89
1:C:46:PHE:C	1:C:46:PHE:CD2	2.48	0.85
1:A:103:ARG:NE	7:A:443:HOH:O	2.09	0.84
1:C:47:ARG:HH21	1:C:47:ARG:HG2	1.40	0.84
1:B:50:THR:HB	7:B:412:HOH:O	1.79	0.83
1:C:101:ARG:HH22	1:C:103[A]:ARG:HH21	1.24	0.82
1:B:49:ARG:NH2	1:B:51:MET:SD	2.52	0.82
1:C:60[B]:LYS:NZ	4:C:120:ACT:H2	1.97	0.80
1:C:60[B]:LYS:HZ1	4:C:120:ACT:CH3	1.96	0.78
1:C:68:ASP:OD1	1:C:114:HIS:HE1	1.67	0.78
1:C:5[B]:GLU:OE2	4:C:120:ACT:H3	1.85	0.77
1:C:60[B]:LYS:CE	4:C:120:ACT:H2	2.15	0.76
1:A:101:ARG:HG3	7:C:254:HOH:O	1.85	0.76
1:C:60[B]:LYS:HZ2	4:C:120:ACT:H1	1.50	0.76
2:A:201:ATP:O3G	7:A:323:HOH:O	2.05	0.75
1:C:46:PHE:CG	1:C:47:ARG:HB2	2.22	0.74
1:C:60[B]:LYS:NZ	4:C:120:ACT:H1	2.00	0.74
1:C:24:GLY:O	1:C:115:HIS:CE1	2.35	0.73
2:A:201:ATP:O2G	7:A:420:HOH:O	2.05	0.73
1:A:109:ASP:OD2	4:A:121:ACT:O	2.08	0.71



 $Continued\ from\ previous\ page...$

Continuea from previ		Interatomic	Clash
Atom-1	Atom-2	${\rm distance}(\mathring{\rm A})$	overlap (Å)
1:C:60[B]:LYS:HZ1	4:C:120:ACT:H2	1.52	0.71
1:B:98:ASP:OD2	7:B:401:HOH:O	2.09	0.70
1:C:22:GLU:HG2	7:C:426:HOH:O	1.91	0.70
1:C:100:VAL:HG22	1:C:107[B]:ARG:HG2	1.74	0.70
1:A:103:ARG:CZ	7:A:443:HOH:O	2.39	0.69
1:C:46:PHE:CB	1:C:47:ARG:HB2	2.22	0.69
1:B:51:MET:CE	7:B:383:HOH:O	2.32	0.68
1:C:115:HIS:O	7:C:451:HOH:O	2.11	0.68
1:C:5[B]:GLU:OE2	4:C:120:ACT:CH3	2.42	0.67
1:C:43:GLN:NE2	7:C:434:HOH:O	2.25	0.67
1:B:72[A]:GLU:OE1	7:B:280:HOH:O	2.12	0.67
1:A:66:LYS:NZ	1:A:109:ASP:OD1	2.25	0.67
1:B:46:PHE:O	1:B:48:GLY:HA3	1.95	0.67
1:B:4[B]:ILE:HD12	1:B:93:ILE:HD12	1.78	0.66
1:B:43:GLN:HG2	7:B:410:HOH:O	1.96	0.66
1:C:15:GLU:HG3	7:C:424:HOH:O	1.96	0.65
1:C:46:PHE:C	1:C:46:PHE:HD2	1.98	0.65
1:B:1[B]:MET:HG2	7:B:183:HOH:O	1.95	0.64
1:A:23:ARG:NH1	7:A:396:HOH:O	2.30	0.64
1:B:38:GLN:HG2	7:C:427:HOH:O	1.96	0.64
1:C:60[B]:LYS:CE	4:C:120:ACT:CH3	2.77	0.63
1:C:101:ARG:NH2	1:C:103[A]:ARG:HH21	1.97	0.61
1:C:47:ARG:HG2	1:C:47:ARG:NH2	2.15	0.61
1:B:108:GLY:O	1:B:111:SER:OG	2.09	0.60
1:C:115:HIS:CD2	7:C:326:HOH:O	2.55	0.59
1:A:45:GLN:HG2	1:A:50:THR:HG22	1.84	0.59
1:A:23:ARG:CZ	7:A:396:HOH:O	2.51	0.58
1:C:5[A]:GLU:OE1	1:C:60[A]:LYS:HE2	2.04	0.57
1:A:34:LYS:CE	7:A:390:HOH:O	2.29	0.56
1:B:4[B]:ILE:CD1	1:B:93:ILE:HD12	2.37	0.55
1:B:112:LEU:HA	7:B:463:HOH:O	2.06	0.55
1:C:101:ARG:HH22	1:C:103[A]:ARG:NH2	1.98	0.55
1:A:15:GLU:HG3	7:A:386:HOH:O	2.07	0.54
1:A:46:PHE:O	1:A:48:GLY:N	2.38	0.54
1:C:46:PHE:HD2	1:C:46:PHE:O	1.90	0.54
1:B:46:PHE:HE2	1:B:49:ARG:CZ	2.22	0.53
1:C:18:ALA:O	1:C:22:GLU:HG3	2.09	0.53
1:A:109:ASP:OD1	4:A:121:ACT:O	2.28	0.52
1:B:46:PHE:CE2	1:B:49:ARG:CZ	2.93	0.52
1:C:105:GLY:O	1:C:107[B]:ARG:NH1	2.42	0.52
1:C:46:PHE:CD2	1:C:47:ARG:N	2.78	0.52



 $Continued\ from\ previous\ page...$

Continuea from previ		Interatomic	Clash
Atom-1	Atom-2	${\rm distance}(\mathring{\rm A})$	$\text{overlap } (\mathring{\mathrm{A}})$
1:C:46:PHE:CG	1:C:47:ARG:CB	2.93	0.52
1:B:112:LEU:C	7:B:463:HOH:O	2.47	0.52
1:A:103:ARG:CD	7:A:443:HOH:O	2.55	0.51
1:A:109:ASP:CG	4:A:121:ACT:O	2.49	0.51
1:C:101:ARG:HD2	7:C:450:HOH:O	2.09	0.51
1:B:4[B]:ILE:HD12	1:B:93:ILE:CD1	2.40	0.51
1:C:46:PHE:O	1:C:49:ARG:O	2.29	0.51
1:C:46:PHE:HB2	1:C:47:ARG:HB2	1.93	0.50
1:B:44:ILE:CD1	7:B:351:HOH:O	2.59	0.50
1:A:12:LYS:NZ	1:A:15:GLU:OE1	2.39	0.50
1:B:72[B]:GLU:H	1:B:72[B]:GLU:CD	2.16	0.50
2:B:202:ATP:O2G	1:C:101:ARG:NH2	2.45	0.49
1:C:46:PHE:CD1	1:C:47:ARG:HB2	2.48	0.49
1:C:113:GLU:HG2	7:C:427:HOH:O	2.13	0.48
1:A:89:GLY:HA2	2:A:201:ATP:H5'1	1.96	0.48
1:B:46:PHE:CZ	1:B:49:ARG:NH1	2.83	0.47
1:B:46:PHE:HD1	7:B:413:HOH:O	1.98	0.47
1:C:47:ARG:HH21	1:C:47:ARG:CG	2.16	0.47
1:A:34:LYS:NZ	7:A:390:HOH:O	2.44	0.47
1:C:3:LYS:HE2	1:C:5[B]:GLU:OE2	2.15	0.47
1:C:60[B]:LYS:HE3	4:C:120:ACT:CH3	2.44	0.47
1:C:47:ARG:NH2	1:C:47:ARG:CG	2.76	0.47
1:C:60[A]:LYS:HZ3	4:C:120:ACT:CH3	2.28	0.46
1:B:46:PHE:HZ	1:B:49:ARG:NH1	2.13	0.45
1:A:62:GLU:N	7:A:422:HOH:O	2.49	0.45
1:A:5[B]:GLU:OE2	4:C:120:ACT:OXT	2.35	0.44
1:B:42:MET:HB2	7:B:285:HOH:O	2.17	0.44
1:B:66:LYS:HE3	7:B:454:HOH:O	2.17	0.44
1:B:112:LEU:CA	7:B:463:HOH:O	2.65	0.44
1:A:3:LYS:CE	1:A:5[B]:GLU:OE2	2.66	0.44
1:B:45:GLN:HG2	7:B:412:HOH:O	2.18	0.43
1:C:7:ILE:O	1:C:89:GLY:HA3	2.18	0.43
1:A:1:MET:HE2	7:A:210:HOH:O	2.17	0.43
1:A:62:GLU:OE1	1:C:60[A]:LYS:NZ	2.38	0.43
1:B:68:ASP:O	1:B:72[B]:GLU:OE1	2.37	0.43
1:C:22:GLU:HG3	7:C:133:HOH:O	2.17	0.43
1:C:1[A]:MET:HG2	1:C:112:LEU:HD12	2.01	0.43
1:C:3:LYS:NZ	4:C:120:ACT:H3	2.34	0.43
1:B:7:ILE:O	1:B:89:GLY:HA3	2.20	0.42
1:B:71:GLU:OE2	1:C:107[A]:ARG:NH2	2.53	0.41
1:C:45:GLN:H	1:C:45:GLN:CD	2.23	0.41



I 'ontanued	trom	mmonia	maaa
Continued	110111	mea_{mons}	DU_0U_0
00,000,000	.,	p. 0000 ao	p = 9

Atom-1	Atom-2	$\begin{array}{c} \text{Interatomic} \\ \text{distance (Å)} \end{array}$	Clash overlap (Å)
1:B:45:GLN:HB3	1:B:50:THR:HA	2.02	0.41
1:C:23:ARG:NH2	7:C:298:HOH:O	2.54	0.41
1:A:38:GLN:HG2	2:A:201:ATP:O1B	2.20	0.41
7:A:443:HOH:O	1:C:86:PRO:HG3	2.20	0.41
1:B:50:THR:HG23	1:B:50:THR:O	2.21	0.41
1:C:112:LEU:O	7:C:449:HOH:O	2.22	0.41
1:C:46:PHE:CD1	1:C:47:ARG:CB	3.04	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	$egin{aligned} & ext{Interatomic} \ & ext{distance} \ & ext{(Å)} \end{aligned}$	Clash overlap (Å)
7:B:221:HOH:O	7:B:348:HOH:O[16_555]	2.04	0.16
1:C:51:MET:CE	7:A:387:HOH:O[16_555]	2.11	0.09

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	113/119 (95%)	109 (96%)	1 (1%)	3 (3%)	5 0
1	В	113/119 (95%)	110 (97%)	2 (2%)	1 (1%)	17 2
1	С	117/119 (98%)	114 (97%)	2 (2%)	1 (1%)	17 2
All	All	343/357 (96%)	333 (97%)	5 (2%)	5 (2%)	10 1

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	49	ARG
1	В	49	ARG
1	A	47	ARG
1	A	46	PHE



Continued from previous page...

Mol	Chain	Res	Type
1	C	45	GLN

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percenti	les
1	A	96/100 (96%)	89 (93%)	7 (7%)	14 0	
1	В	97/100 (97%)	92 (95%)	5 (5%)	23 2	
1	С	101/100 (101%)	96 (95%)	5 (5%)	24 2	
All	All	294/300 (98%)	277 (94%)	17 (6%)	20 1	

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	42[A]	MET
1	A	42[B]	MET
1	A	43	GLN
1	A	46	PHE
1	A	47	ARG
1	A	49	ARG
1	A	51	MET
1	В	39	GLN
1	В	44	ILE
1	В	45	GLN
1	В	47	ARG
1	В	49	ARG
1	С	39	GLN
1	С	43	GLN
1	С	46	PHE
1	С	47	ARG
1	С	113	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:



Mol	Chain	Res	Type
1	В	39	GLN
1	С	38	GLN
1	С	114	HIS
1	С	115	HIS

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 12 ligands modelled in this entry, 4 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Во	ond leng	ths	В	ond ang	gles
MIOI	Type	Chain	nes	Lilik	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	ATP	С	200	5	26,33,33	1.04	0	31,52,52	1.40	5 (16%)
6	PO4	С	121	-	4,4,4	1.62	1 (25%)	6,6,6	1.04	0
2	ATP	A	201	5	26,33,33	1.36	4 (15%)	31,52,52	1.58	5 (16%)
2	ATP	В	202	5	26,33,33	1.19	3 (11%)	31,52,52	1.41	3 (9%)
4	ACT	A	121	-	3,3,3	1.43	1 (33%)	3,3,3	3.26	2 (66%)
4	ACT	С	120	-	3,3,3	1.42	1 (33%)	3,3,3	1.27	0
4	ACT	В	120	-	3,3,3	1.50	1 (33%)	3,3,3	1.20	0
6	PO4	С	122	-	4,4,4	1.61	1 (25%)	6,6,6	0.49	0



In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ATP	A	201	5	-	3/18/38/38	0/3/3/3
2	ATP	С	200	5	-	3/18/38/38	0/3/3/3
2	ATP	В	202	5	-	3/18/38/38	0/3/3/3

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$\operatorname{Observed}(\mathring{\mathrm{A}})$	Ideal(Å)
2	A	201	ATP	O4'-C1'	3.37	1.45	1.41
2	В	202	ATP	O4'-C1'	2.95	1.45	1.41
2	A	201	ATP	C2-N3	2.75	1.36	1.32
6	С	122	PO4	P-O2	-2.63	1.46	1.54
2	В	202	ATP	O2'-C2'	2.58	1.49	1.43
4	В	120	ACT	OXT-C	-2.55	1.18	1.30
2	A	201	ATP	PG-O3G	-2.51	1.45	1.54
6	С	121	PO4	P-O1	-2.39	1.45	1.50
4	A	121	ACT	OXT-C	-2.39	1.19	1.30
4	С	120	ACT	OXT-C	-2.13	1.20	1.30
2	В	202	ATP	C2-N3	2.11	1.35	1.32
2	A	201	ATP	O3'-C3'	2.08	1.47	1.43

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^o)$	$\operatorname{Ideal}({}^{o})$
2	A	201	ATP	N3-C2-N1	-4.59	121.51	128.68
4	A	121	ACT	OXT-C-O	-4.55	105.27	122.05
2	В	202	ATP	C4-C5-N7	-3.32	105.94	109.40
4	A	121	ACT	OXT-C-CH3	3.21	128.46	115.18
2	В	202	ATP	N3-C2-N1	-3.10	123.83	128.68
2	С	200	ATP	O3G-PG-O2G	3.09	119.44	107.64
2	A	201	ATP	C2-N1-C6	2.94	123.78	118.75
2	С	200	ATP	O3G-PG-O1G	2.74	121.40	110.68
2	С	200	ATP	N3-C2-N1	-2.68	124.50	128.68
2	A	201	ATP	N6-C6-N1	2.61	123.99	118.57
2	A	201	ATP	O3G-PG-O2G	2.47	117.09	107.64
2	A	201	ATP	C4-C5-N7	-2.21	107.09	109.40
2	С	200	ATP	O2B-PB-O1B	2.19	123.06	112.24
2	В	202	ATP	C2-N1-C6	2.07	122.30	118.75
2	С	200	ATP	C2-N1-C6	2.04	122.25	118.75



There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	201	ATP	C5'-O5'-PA-O2A
2	В	202	ATP	C5'-O5'-PA-O2A
2	С	200	ATP	C5'-O5'-PA-O2A
2	A	201	ATP	C5'-O5'-PA-O3A
2	С	200	ATP	C5'-O5'-PA-O3A
2	A	201	ATP	C5'-O5'-PA-O1A
2	С	200	ATP	C5'-O5'-PA-O1A
2	В	202	ATP	C5'-O5'-PA-O3A
2	В	202	ATP	C5'-O5'-PA-O1A


There are no ring outliers.

4 monomers are involved in 22 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	201	ATP	4	0
2	В	202	ATP	1	0
4	A	121	ACT	3	0
4	С	120	ACT	14	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	$\#\mathrm{RSRZ}{>}2$	$\mathbf{OWAB}(\mathbf{\mathring{A}}^2)$	Q < 0.9
1	A	112/119 (94%)	0.14	11 (9%) 7 6	11, 17, 52, 66	6 (5%)
1	В	112/119 (94%)	0.24	9 (8%) 12 10	11, 17, 50, 65	3 (2%)
1	С	115/119 (96%)	0.22	12 (10%) 6 5	11, 19, 51, 68	2 (1%)
All	All	339/357 (94%)	0.20	32 (9%) 8 6	11, 18, 52, 68	11 (3%)

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ	
1	В	46	PHE	16.8	
1	A	46	PHE	16.0	
1	С	46	PHE	13.0	
1	В	47	ARG	9.2	
1	A	48	GLY	8.3	
1	A	47	ARG	8.2	
1	В	49	ARG	8.1	
1	A	49	ARG	7.8	
1	A	45	GLN	7.2	
1	С	50	THR	7.2	
1	В	48	GLY	6.7	
1	С	44	ILE	6.6	
1	С	45	GLN	6.3	
1	С	47	ARG	6.0	
1	A	50	THR	6.0	
1	A	44	ILE	5.8	
1	В	45	GLN	5.6	
1	С	48	GLY	5.0	
1	В	50	THR	4.2	
1	С	49	ARG	3.9	
1	В	110	ASP	3.6	
1	A	110	ASP	3.5	
1	В	44	ILE	3.4	



Continued from previous page...

Mol	Chain	Res	Type	RSRZ	
1	С	115	HIS	3.3	
1	В	43	GLN	3.2	
1	С	109	ASP	3.2	
1	С	51	MET	3.1	
1	A	43	GLN	2.8	
1	С	43	GLN	2.5	
1	A	42[A]	MET	2.4	
1	С	114	HIS	2.3	
1	A	40	GLY	2.0	

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\operatorname{B-factors}(\mathring{\mathrm{A}}^2)$	Q < 0.9
5	MG	A	122	1/1	0.91	0.20	48,48,48,48	1
5	MG	В	121	1/1	0.93	0.33	38,38,38,38	1
5	MG	С	123	1/1	0.93	0.13	41,41,41,41	1
4	ACT	A	121	4/4	0.95	0.12	29,35,37,37	0
4	ACT	В	120	4/4	0.96	0.07	23,27,30,35	0
2	ATP	С	200	31/31	0.98	0.04	10,15,37,45	0
2	ATP	A	201	31/31	0.98	0.05	10,14,36,39	0
2	ATP	В	202	31/31	0.98	0.05	10,13,30,37	0
6	PO4	С	122	5/5	0.98	0.13	21,28,38,38	0
6	PO4	С	121	5/5	0.99	0.06	30,32,42,44	0
4	ACT	С	120	4/4	0.99	0.06	12,27,29,30	0
3	CL	A	120	1/1	1.00	0.07	14,14,14,14	0

The following is a graphical depiction of the model fit to experimental electron density of all




instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around ATP A 201:

 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around ATP B 202:

 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)









6.5 Other polymers (i)

There are no such residues in this entry.

