

Full wwPDB NMR Structure Validation Report (i)

Jun 24, 2024 – 11:52 AM EDT

PDB ID : 7NIP BMRB ID : 50117

Title: titin N2A unique sequence (UN2A) core

Authors: Zhou, T.; Kovermann, M.; Fleming, J.R.; Mayans, O.

Deposited on : 2021-02-13

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
https://www.wwpdb.org/validation/2017/NMRValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity: 4.02b-467

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

wwPDB-RCI : v 1n 11 5 13 A (Berjanski et al., 2005)

PANAV : Wang et al. (2010)

wwPDB-ShiftChecker : v1.2

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.37.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $SOLUTION\ NMR$

The overall completeness of chemical shifts assignment is 1%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	NMR archive
Metric	$(\# \mathrm{Entries})$	$(\# ext{Entries})$
Clashscore	158937	12864
Ramachandran outliers	154571	11451
Sidechain outliers	154315	11428

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Mol	Chain	Length	Quality of chain	
1	A	41	93%	5% •



2 Ensemble composition and analysis (i)

This entry contains 10 models. Model 8 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: closest to the average.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues				
Well-defined core Residue range (total) Backbone RMSD (Å) Medoid mod				
1	A:3-A:40 (38)	0.50	8	

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 3 clusters. No single-model clusters were found.

Cluster number	Models
1	2, 3, 4, 5
2	1, 7, 8, 10
3	6, 9



3 Entry composition (i)

There is only 1 type of molecule in this entry. The entry contains 676 atoms, of which 339 are hydrogens and 0 are deuteriums.

• Molecule 1 is a protein called Isoform 11 of Titin.

Mol	Chain	Residues	Atoms				Trace		
1	Λ	40	Total	С	Н	N	О	S	0
	A	40	676	217	339	54	64	2	U

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	MET	-	initiating methionine	UNP Q8WZ42




4 Residue-property plots (i)

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

• Molecule 1: Isoform 11 of Titin



4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.


4.2.1 Score per residue for model 1

• Molecule 1: Isoform 11 of Titin



4.2.2 Score per residue for model 2

• Molecule 1: Isoform 11 of Titin





4.2.3 Score per residue for model 3

• Molecule 1: Isoform 11 of Titin

Chain A: 93% 5% •



4.2.4 Score per residue for model 4

• Molecule 1: Isoform 11 of Titin

Chain A: 93% 5% •



4.2.5 Score per residue for model 5

• Molecule 1: Isoform 11 of Titin

Chain A: 93% 5% ·



4.2.6 Score per residue for model 6

• Molecule 1: Isoform 11 of Titin

Chain A: 93% 5%



4.2.7 Score per residue for model 7

• Molecule 1: Isoform 11 of Titin

Chain A: 93% 5% •





4.2.8 Score per residue for model 8 (medoid)

• Molecule 1: Isoform 11 of Titin





4.2.9 Score per residue for model 9

• Molecule 1: Isoform 11 of Titin

Chain A: 93% 5% •



4.2.10 Score per residue for model 10

• Molecule 1: Isoform 11 of Titin

Chain A: 93% 5% •





5 Refinement protocol and experimental data overview (i)



Of the 32500 calculated structures, 10 were deposited, based on the following criterion: all calculated structures submitted.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CS-ROSETTA	structure calculation	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	working_cs.cif
Number of chemical shift lists	1
Total number of shifts	403
Number of shifts mapped to atoms	5
Number of unparsed shifts	0
Number of shifts with mapping errors	398
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	1%



6 Model quality (i)

6.1 Standard geometry (i)

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
All	All	3210	3240	3240	-

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is -.

There are no clashes.

6.3 Torsion angles (i)

6.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	A	37/41 (90%)	37±0 (100±1%)	0±0 (0±1%)	0±0 (0±0%)	100	100
All	All	370/410 (90%)	369 (100%)	1 (0%)	0 (0%)	100	100

There are no Ramachandran outliers.



6.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	\mathbf{ntiles}
1	A	$34/37 \ (92\%)$	34±0 (100±0%)	0±0 (0±0%)	100	100
All	All	340/370 (92%)	340 (100%)	0 (0%)	100	100

There are no protein residues with a non-rotameric sidechain to report.

6.3.3 RNA (i)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates (i)

There are no monosaccharides in this entry.

6.6 Ligand geometry (i)

There are no ligands in this entry.

6.7 Other polymers (i)

There are no such molecules in this entry.

6.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



7 Chemical shift validation (i)

The completeness of assignment taking into account all chemical shift lists is 1% for the well-defined parts and 1% for the entire structure.

7.1 Chemical shift list 1

File name: working_cs.cif

Chemical shift list name: starch_output

7.1.1 Bookkeeping (i)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	403
Number of shifts mapped to atoms	5
Number of unparsed shifts	0
Number of shifts with mapping errors	398
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

The following assigned chemical shifts were not mapped to the molecules present in the coordinate file.

• No matching atom found in the structure. All 398 occurrences are reported below.

T:-4 ID	Clasica	Dag	Т	A +		Shift Data	1
List ID	Chain	Res	Type	Atom	Value	Uncertainty	Ambiguity
1	A	1	MET	CA	56.5		2
1	A	1	MET	СВ	29.96	•	2
1	A	1	MET	С	176.42		2
1	A	2	ASP	Н	8.103	•	2
1	A	2	ASP	N	123.071		2
1	A	2	ASP	CA	55.44		2
1	A	2	ASP	СВ	41.58	•	2
1	A	2	ASP	С	176.381		2
1	A	3	GLU	Н	8.187		2
1	A	3	GLU	N	121.433		2
1	A	3	GLU	CA	56.473		2
1	A	3	GLU	СВ	29.459		2
1	A	11	GLU	CA	57.885	•	2
1	A	11	GLU	СВ	29.525		2



 $Continued\ from\ previous\ page...$

Name Oncertainty Ambiguity 1	T:-4 ID				A 4	Shift Data			
1 A 12 GLY H 8.135 . 2 1 A 12 GLY N 108.676 . 2 1 A 12 GLY C 176.845 . 2 1 A 12 GLY CA 45.947 . 2 1 A 13 ASP H 8.161 . 2 1 A 13 ASP N 122.991 . 2 1 A 13 ASP C 177.902 . 2 1 A 13 ASP CA 56.385 . 2 1 A 14 LEU H 8.166 . 2 1 A 14 LEU H 8.166 . 2 1 A 14 LEU CA 57.149 . 2 1 A 14	List ID	Chain	Res	Type	Atom	Value	Uncertainty	Ambiguity	
1 A 12 GLY N 108.676 . 2 1 A 12 GLY C 176.845 . 2 1 A 12 GLY CA 45.947 . 2 1 A 13 ASP N 122.991 . 2 1 A 13 ASP N 122.991 . 2 1 A 13 ASP C 177.902 . 2 1 A 13 ASP CA 56.385 . 2 1 A 14 LEU H 8.166 . 2 1 A 14 LEU N 123.311 . 2 1 A 14 LEU C 178.537 . 2 1 A 14 LEU CA 57.149 . 2 1 A 15	1	A	11		С	177.824			
1 A 12 GLY C 176.845 . 2 1 A 12 GLY CA 45.947 . 2 1 A 13 ASP H 8.161 . 2 1 A 13 ASP N 122.991 . 2 1 A 13 ASP C 177.902 . 2 1 A 13 ASP CA 56.385 . 2 1 A 13 ASP CB 40.787 . 2 1 A 14 LEU H 8.166 . 2 1 A 14 LEU H 8.166 . 2 1 A 14 LEU C 178.537 . 2 1 A 14 LEU CB 40.989 . 2 1 A 15	1	A	12	GLY	Н	8.135	•		
1 A 12 GLY CA 45.947 . 2 1 A 13 ASP H 8.161 . 2 1 A 13 ASP N 122.991 . 2 1 A 13 ASP C 177.902 . 2 1 A 13 ASP CA 56.385 . 2 1 A 13 ASP CA 56.385 . 2 1 A 14 LEU H 8.166 . 2 1 A 14 LEU H 8.166 . 2 1 A 14 LEU C 178.537 . 2 1 A 14 LEU CB 40.989 . 2 1 A 15 ARG H 8.116 . 2 1 A 15	1	A	12	GLY	N				
1 A 13 ASP H 8.161 . 2 1 A 13 ASP N 122.991 . 2 1 A 13 ASP C 177.902 . 2 1 A 13 ASP CA 56.385 . 2 1 A 14 LEU H 8.166 . 2 1 A 14 LEU H 8.166 . 2 1 A 14 LEU C 178.537 . 2 1 A 14 LEU CA 57.149 . 2 1 A 14 LEU CB 40.989 . 2 1 A 15 ARG H 8.116 . 2 1 A 15 ARG N 118.6 . 2 1 A 15	1	A	12	GLY	С	176.845	•		
1 A 13 ASP N 122.991 . 2 1 A 13 ASP C 177.902 . 2 1 A 13 ASP CA 56.385 . 2 1 A 14 LEU H 8.166 . 2 1 A 14 LEU H 123.311 . 2 1 A 14 LEU C 178.537 . 2 1 A 14 LEU C 178.537 . 2 1 A 14 LEU CA 57.149 . 2 1 A 14 LEU CB 40.989 . 2 1 A 15 ARG H 8.116 . 2 1 A 15 ARG C 178.169 . 2 1 A 15	1	A	12		CA		•		
1 A 13 ASP C 177.902 . 2 1 A 13 ASP CA 56.385 . 2 1 A 13 ASP CB 40.787 . 2 1 A 14 LEU H 8.166 . 2 1 A 14 LEU H 8.166 . 2 1 A 14 LEU CA 57.149 . 2 1 A 14 LEU CB 40.989 . 2 1 A 15 ARG H 8.116 . 2 1 A 15 ARG H 8.116 . 2 1 A 15 ARG C 178.169 . 2 1 A 15 ARG CA 62.634 . 2 1 A 16	1	A	13	ASP	Н		•		
1 A 13 ASP CA 56.385 . 2 1 A 13 ASP CB 40.787 . 2 1 A 14 LEU H 8.166 . 2 1 A 14 LEU N 123.311 . 2 1 A 14 LEU C 178.537 . 2 1 A 14 LEU CA 57.149 . 2 1 A 14 LEU CA 57.149 . 2 1 A 15 ARG H 8.166 . 2 1 A 15 ARG H 8.166 . 2 1 A 15 ARG H 8.166 . 2 1 A 15 ARG N 118.6 . 2 1 A 15	1	A	13	ASP	N		•	2	
1 A 13 ASP CB 40.787 . 2 1 A 14 LEU H 8.166 . 2 1 A 14 LEU N 123.311 . 2 1 A 14 LEU C 178.537 . 2 1 A 14 LEU C 178.537 . 2 1 A 14 LEU CA 57.149 . 2 1 A 14 LEU CB 40.989 . 2 1 A 15 ARG H 8.116 . 2 1 A 15 ARG N 118.6 . 2 1 A 15 ARG CA 62.634 . 2 1 A 15 ARG CB 29.229 . 2 1 A 16	1	A	13			177.902	•		
1 A 14 LEU H 8.166 . 2 1 A 14 LEU N 123.311 . 2 1 A 14 LEU C 178.537 . 2 1 A 14 LEU CA 57.149 . 2 1 A 14 LEU CB 40.989 . 2 1 A 14 LEU CB 40.989 . 2 1 A 15 ARG H 8.116 . 2 1 A 15 ARG H 8.116 . 2 1 A 15 ARG N 118.6 . 2 1 A 15 ARG C 178.169 . 2 1 A 15 ARG C 178.169 . 2 1 A 16	1	A	13	ASP	CA	56.385	•		
1 A 14 LEU N 123.311 . 2 1 A 14 LEU C 178.537 . 2 1 A 14 LEU CA 57.149 . 2 1 A 14 LEU CB 40.989 . 2 1 A 15 ARG H 8.116 . 2 1 A 15 ARG N 118.6 . 2 1 A 15 ARG C 178.169 . 2 1 A 16 ALA H 7.75 . 2 1 A 16	1	A	13	ASP	CB	40.787	•		
1 A 14 LEU C 178.537 . 2 1 A 14 LEU CA 57.149 . 2 1 A 14 LEU CB 40.989 . 2 1 A 15 ARG H 8.116 . 2 1 A 15 ARG N 118.6 . 2 1 A 15 ARG C 178.169 . 2 1 A 15 ARG CA 62.634 . 2 1 A 16 ALA H 7.75 . 2 1 A 16 ALA N 121.471 . 2 1 A 16 ALA	1	A	14	LEU	Н	8.166		2	
1 A 14 LEU CA 57.149 2 1 A 14 LEU CB 40.989 2 1 A 15 ARG H 8.116 2 1 A 15 ARG N 118.6 2 1 A 15 ARG N 118.6 2 1 A 15 ARG N 118.6 2 1 A 15 ARG C 178.169 2 1 A 15 ARG CA 62.634 2 1 A 16 ALA H 7.75 2 1 A 16 ALA H 7.75 2 1 A 16 ALA C 179.493 2 1 A <	1	A	14	LEU	N	123.311	•	2	
1 A 14 LEU CB 40.989 . 2 1 A 15 ARG H 8.116 . 2 1 A 15 ARG N 118.6 . 2 1 A 15 ARG C 178.169 . 2 1 A 15 ARG CA 62.634 . 2 1 A 15 ARG CB 29.229 . 2 1 A 16 ALA H 7.75 . 2 1 A 16 ALA N 121.471 . 2 1 A 16 ALA C 179.493 . 2 1 A 16 ALA CA 53.834 . 2 1 A 16 ALA CB 17.901 . 2 1 A 17 MET H 7.768 . 2 1 A 17 MET<	1	A	14	LEU	С	178.537		2	
1 A 15 ARG H 8.116 . 2 1 A 15 ARG N 118.6 . 2 1 A 15 ARG C 178.169 . 2 1 A 15 ARG CA 62.634 . 2 1 A 15 ARG CB 29.229 . 2 1 A 16 ALA H 7.75 . 2 1 A 16 ALA N 121.471 . 2 1 A 16 ALA C 179.493 . 2 1 A 16 ALA CA 53.834 . 2 1 A 16 ALA CB 17.901 . 2 1 A 16 ALA CB 17.901 . 2 1 A 17 MET H 7.768 . 2 1 A 17 MET<	1	A	14	LEU	CA	57.149	•	2	
1 A 15 ARG N 118.6 . 2 1 A 15 ARG C 178.169 . 2 1 A 15 ARG CA 62.634 . 2 1 A 16 ALA H 7.75 . 2 1 A 16 ALA H 7.75 . 2 1 A 16 ALA N 121.471 . 2 1 A 16 ALA N 121.471 . 2 1 A 16 ALA C 179.493 . 2 1 A 16 ALA CA 53.834 . 2 1 A 16 ALA CB 17.901 . 2 1 A 17 MET H 7.768 . 2 1 A 17 MET N 118.1833 . 2 1 A 17 MET<	1	A	14	LEU	СВ	40.989		2	
1 A 15 ARG C 178.169 . 2 1 A 15 ARG CA 62.634 . 2 1 A 15 ARG CB 29.229 . 2 1 A 16 ALA H 7.75 . 2 1 A 16 ALA N 121.471 . 2 1 A 16 ALA C 179.493 . 2 1 A 16 ALA CA 53.834 . 2 1 A 16 ALA CA 53.834 . 2 1 A 16 ALA CB 17.901 . 2 1 A 17 MET H 7.768 . 2 1 A 17 MET N 118.183 . 2 1 A 17 MET CA 57.094 . 2 1 A 18	1	A	15	ARG	Н	8.116		2	
1 A 15 ARG CA 62.634 . 2 1 A 15 ARG CB 29.229 . 2 1 A 16 ALA H 7.75 . 2 1 A 16 ALA N 121.471 . 2 1 A 16 ALA C 179.493 . 2 1 A 16 ALA CA 53.834 . 2 1 A 16 ALA CB 17.901 . 2 1 A 16 ALA CB 17.901 . 2 1 A 17 MET H 7.768 . 2 1 A 17 MET N 118.183 . 2 1 A 17 MET CA 57.094 . 2 1 A 18 LEU CA 54.674 . 2 1 A 18	1	A	15	ARG	N	118.6		2	
1 A 15 ARG CB 29.229 . 2 1 A 16 ALA H 7.75 . 2 1 A 16 ALA N 121.471 . 2 1 A 16 ALA C 179.493 . 2 1 A 16 ALA CA 53.834 . 2 1 A 16 ALA CB 17.901 . 2 1 A 16 ALA CB 17.901 . 2 1 A 17 MET H 7.768 . 2 1 A 17 MET N 118.183 . 2 1 A 17 MET CA 57.094 . 2 1 A 17 MET CB 32.271 . 2 1 A 18 LEU CA 54.674 . 2 1 A 18	1	A	15	ARG	С	178.169		2	
1 A 16 ALA H 7.75 . 2 1 A 16 ALA N 121.471 . 2 1 A 16 ALA C 179.493 . 2 1 A 16 ALA CA 53.834 . 2 1 A 16 ALA CB 17.901 . 2 1 A 17 MET H 7.768 . 2 1 A 17 MET N 118.183 . 2 1 A 17 MET CA 57.094 . 2 1 A 17 MET CB 32.271 . 2 1 A 18 LEU CA 54.674 . 2 1 A 18 LEU CB 41.711 . 2 1 A 19 LYS H 8.136 . 2 1 A 19 LY	1	A	15	ARG	CA	62.634		2	
1 A 16 ALA N 121.471 . 2 1 A 16 ALA C 179.493 . 2 1 A 16 ALA CA 53.834 . 2 1 A 16 ALA CB 17.901 . 2 1 A 17 MET H 7.768 . 2 1 A 17 MET N 118.183 . 2 1 A 17 MET N 118.183 . 2 1 A 17 MET CA 57.094 . 2 1 A 17 MET CB 32.271 . 2 1 A 18 LEU CA 54.674 . 2 1 A 18 LEU CB 41.711 . 2 1 A 19 LYS H 8.136 . 2 1 A 19 <td< td=""><td>1</td><td>A</td><td>15</td><td>ARG</td><td>СВ</td><td>29.229</td><td></td><td>2</td></td<>	1	A	15	ARG	СВ	29.229		2	
1 A 16 ALA C 179.493 . 2 1 A 16 ALA CA 53.834 . 2 1 A 16 ALA CB 17.901 . 2 1 A 17 MET H 7.768 . 2 1 A 17 MET N 118.183 . 2 1 A 17 MET CA 57.094 . 2 1 A 17 MET CB 32.271 . 2 1 A 18 LEU CA 54.674 . 2 1 A 18 LEU CB 41.711 . 2 1 A 18 LEU C 176.723 . 2 1 A 19 LYS H 8.136 . 2 1 A 19 LYS N 122.966 . 2 1 A 19 <td< td=""><td>1</td><td>A</td><td>16</td><td>ALA</td><td>Н</td><td>7.75</td><td></td><td>2</td></td<>	1	A	16	ALA	Н	7.75		2	
1 A 16 ALA CA 53.834 . 2 1 A 16 ALA CB 17.901 . 2 1 A 17 MET H 7.768 . 2 1 A 17 MET N 118.183 . 2 1 A 17 MET CA 57.094 . 2 1 A 17 MET CB 32.271 . 2 1 A 18 LEU CA 54.674 . 2 1 A 18 LEU CB 41.711 . 2 1 A 18 LEU C 176.723 . 2 1 A 19 LYS H 8.136 . 2 1 A 19 LYS N 122.966 . 2 1 A 19 LYS C 176.228 . 2 1 A 19 <td< td=""><td>1</td><td>A</td><td>16</td><td>ALA</td><td>N</td><td>121.471</td><td></td><td>2</td></td<>	1	A	16	ALA	N	121.471		2	
1 A 16 ALA CB 17.901 . 2 1 A 17 MET H 7.768 . 2 1 A 17 MET N 118.183 . 2 1 A 17 MET CA 57.094 . 2 1 A 17 MET CB 32.271 . 2 1 A 18 LEU CA 54.674 . 2 1 A 18 LEU CB 41.711 . 2 1 A 18 LEU C 176.723 . 2 1 A 19 LYS H 8.136 . 2 1 A 19 LYS N 122.966 . 2 1 A 19 LYS C 176.228 . 2 1 A 19 LYS CA 55.738 . 2 1 A 19 <td< td=""><td>1</td><td>A</td><td>16</td><td>ALA</td><td>С</td><td>179.493</td><td></td><td>2</td></td<>	1	A	16	ALA	С	179.493		2	
1 A 17 MET H 7.768 . 2 1 A 17 MET N 118.183 . 2 1 A 17 MET CA 57.094 . 2 1 A 17 MET CB 32.271 . 2 1 A 18 LEU CA 54.674 . 2 1 A 18 LEU CB 41.711 . 2 1 A 18 LEU C 176.723 . 2 1 A 19 LYS H 8.136 . 2 1 A 19 LYS N 122.966 . 2 1 A 19 LYS C 176.228 . 2 1 A 19 LYS CA 55.738 . 2 1 A 19 LYS CB 32.478 . 2 1 A 20 <td< td=""><td>1</td><td>A</td><td>16</td><td>ALA</td><td>CA</td><td>53.834</td><td></td><td>2</td></td<>	1	A	16	ALA	CA	53.834		2	
1 A 17 MET N 118.183 . 2 1 A 17 MET CA 57.094 . 2 1 A 17 MET CB 32.271 . 2 1 A 18 LEU CA 54.674 . . 2 1 A 18 LEU CB 41.711 . . 2 1 A 18 LEU C 176.723 . . 2 1 A 19 LYS H 8.136 . . 2 1 A 19 LYS N 122.966 . . 2 1 A 19 LYS C 176.228 . . 2 1 A 19 LYS CA 55.738 . . 2 1 A 19 LYS CB 32.478 . . . 1 A 20 LYS H	1	A	16	ALA	СВ	17.901		2	
1 A 17 MET CA 57.094 . 2 1 A 17 MET CB 32.271 . 2 1 A 18 LEU CA 54.674 . 2 1 A 18 LEU CB 41.711 . 2 1 A 18 LEU C 176.723 . 2 1 A 19 LYS H 8.136 . 2 1 A 19 LYS H 8.136 . 2 1 A 19 LYS N 122.966 . 2 1 A 19 LYS C 176.228 . 2 1 A 19 LYS CA 55.738 . 2 1 A 19 LYS CB 32.478 . 2 1 A 20 LYS H 8.302 . 2 1 A 20 L	1	A	17	MET	Н	7.768		2	
1 A 17 MET CB 32.271 . 2 1 A 18 LEU CA 54.674 . 2 1 A 18 LEU CB 41.711 . 2 1 A 18 LEU C 176.723 . 2 1 A 19 LYS H 8.136 . 2 1 A 19 LYS N 122.966 . 2 1 A 19 LYS C 176.228 . 2 1 A 19 LYS CA 55.738 . 2 1 A 19 LYS CB 32.478 . 2 1 A 20 LYS H 8.302 . 2 1 A 20 LYS N 123.757 . 2 1 A 20 LYS C 175.352 . 2	1	A	17	MET	N	118.183		2	
1 A 18 LEU CA 54.674 . 2 1 A 18 LEU CB 41.711 . 2 1 A 18 LEU C 176.723 . 2 1 A 19 LYS H 8.136 . 2 1 A 19 LYS N 122.966 . 2 1 A 19 LYS C 176.228 . 2 1 A 19 LYS CA 55.738 . 2 1 A 19 LYS CB 32.478 . 2 1 A 20 LYS H 8.302 . 2 1 A 20 LYS N 123.757 . 2 1 A 20 LYS C 175.352 . 2	1	A	17	MET	CA	57.094	•	2	
1 A 18 LEU CB 41.711 . 2 1 A 18 LEU C 176.723 . 2 1 A 19 LYS H 8.136 . 2 1 A 19 LYS N 122.966 . 2 1 A 19 LYS C 176.228 . 2 1 A 19 LYS CA 55.738 . 2 1 A 19 LYS CB 32.478 . 2 1 A 20 LYS H 8.302 . 2 1 A 20 LYS N 123.757 . 2 1 A 20 LYS C 175.352 . 2	1	A	17	MET	СВ	32.271		2	
1 A 18 LEU CB 41.711 . 2 1 A 18 LEU C 176.723 . 2 1 A 19 LYS H 8.136 . 2 1 A 19 LYS N 122.966 . 2 1 A 19 LYS C 176.228 . 2 1 A 19 LYS CA 55.738 . 2 1 A 19 LYS CB 32.478 . 2 1 A 20 LYS H 8.302 . 2 1 A 20 LYS N 123.757 . 2 1 A 20 LYS C 175.352 . 2	1	A	18	LEU	CA	54.674		2	
1 A 19 LYS H 8.136 . 2 1 A 19 LYS N 122.966 . 2 1 A 19 LYS C 176.228 . 2 1 A 19 LYS CA 55.738 . 2 1 A 19 LYS CB 32.478 . 2 1 A 20 LYS H 8.302 . 2 1 A 20 LYS N 123.757 . 2 1 A 20 LYS C 175.352 . 2	1	A	18			41.711		2	
1 A 19 LYS N 122.966 . 2 1 A 19 LYS C 176.228 . 2 1 A 19 LYS CA 55.738 . 2 1 A 19 LYS CB 32.478 . 2 1 A 20 LYS H 8.302 . 2 1 A 20 LYS N 123.757 . 2 1 A 20 LYS C 175.352 . 2	1	A	18	LEU	С	176.723		2	
1 A 19 LYS C 176.228 . 2 1 A 19 LYS CA 55.738 . 2 1 A 19 LYS CB 32.478 . 2 1 A 20 LYS H 8.302 . 2 1 A 20 LYS N 123.757 . 2 1 A 20 LYS C 175.352 . 2	1	A	19	LYS	Н	8.136		2	
1 A 19 LYS C 176.228 . 2 1 A 19 LYS CA 55.738 . 2 1 A 19 LYS CB 32.478 . 2 1 A 20 LYS H 8.302 . 2 1 A 20 LYS N 123.757 . 2 1 A 20 LYS C 175.352 . 2	1	A	19	LYS	N	122.966		2	
1 A 19 LYS CB 32.478 . 2 1 A 20 LYS H 8.302 . 2 1 A 20 LYS N 123.757 . 2 1 A 20 LYS C 175.352 . 2	1	A	19		С	176.228		2	
1 A 19 LYS CB 32.478 . 2 1 A 20 LYS H 8.302 . 2 1 A 20 LYS N 123.757 . 2 1 A 20 LYS C 175.352 . 2	1	A	19	LYS	CA	55.738		2	
1 A 20 LYS N 123.757 . 2 1 A 20 LYS C 175.352 . 2	1	A	19		СВ	32.478		2	
1 A 20 LYS N 123.757 . 2 1 A 20 LYS C 175.352 . 2	1	A	20	LYS	Н	8.302		2	
	1	A	20		N	123.757		2	
1 A 20 LYS CA 56.131 . 2	1	A	20	LYS	С	175.352		2	
	1	A	20	LYS	CA	56.131		2	



 $Continued\ from\ previous\ page...$

Dist ID Chain Res Type Arom Value Uncertainty Ambiguity	T:-4 ID				A 4	Shift Data			
1 A 21 THR H 7.671 . 2 1 A 21 THR N 114.811 . 2 1 A 21 THR CB 69.958 . 2 1 A 21 THR CB 69.958 . 2 1 A 22 PRO CA 62.982 . 2 1 A 22 PRO CB 31.257 . 2 1 A 22 PRO CB 176.592 . 2 1 A 24 LEU H 8.021 . 2 1 A 24 LEU CB 46.694 . 2 1 A 24 LEU CB 44.694 . 2 1 A 26 LYS CA 55.982 . 2 1 A 26	List ID	Chain	Res	Type	Atom	Value	Uncertainty	Ambiguity	
1 A 21 THR N 114.811 2 1 A 21 THR CA 58.739 2 1 A 21 THR CB 69.958 2 1 A 22 PRO CB 62.982 2 1 A 22 PRO CB 63.952 2 1 A 22 PRO CB 63.952 2 1 A 24 LEU H 8.021 2 1 A 24 LEU CA 54.464 2 1 A 24 LEU CB 55.982 2 1 A 26 LYS CA 55.982 2 1 A 27 GLY H 8.39 2 1 A	1	A	20	LYS	СВ	32.377	•	2	
1 A 21 THR CA 58.739 . 2 1 A 21 THR CB 69.958 . 2 1 A 22 PRO CA 62.982 . 2 1 A 22 PRO CB 31.257 . 2 1 A 22 PRO CC 176.592 . 2 1 A 24 LEU H 8.021 . 2 1 A 24 LEU N 125.563 . 2 1 A 24 LEU CA 54.464 . 2 1 A 26 LYS CA 55.982 . 2 1 A 26 LYS CA 55.982 . 2 1 A 27 GLY H 8.39 . 2 1 A 27	1	A	21	THR	Н	7.671	•	2	
1 A 21 THR CB 69.958 . 2 1 A 22 PRO CA 62.982 . 2 1 A 22 PRO CB 31.257 . 2 1 A 22 PRO C 176.592 . 2 1 A 24 LEU H 8.021 . 2 1 A 24 LEU N 125.563 . 2 1 A 24 LEU CA 54.464 . 2 1 A 26 LYS CA 55.982 . 2 1 A 26 LYS CA 55.982 . 2 1 A 27 GLY C 177.08 . 2 1 A 27 GLY N 111.364 . 2 1 A 27	1	A	21	THR	N	114.811	•		
1 A 22 PRO CA 62.982 . 2 1 A 22 PRO CB 31.257 . 2 1 A 22 PRO C 176.592 . 2 1 A 24 LEU H 8.021 . 2 1 A 24 LEU N 125.563 . 2 1 A 24 LEU CB 54.464 . 2 1 A 24 LEU CB 41.694 . 2 1 A 26 LYS CA 55.982 . 2 1 A 26 LYS CA 55.982 . 2 1 A 27 GLY H 8.39 . 2 1 A 27 GLY N 111.364 . 2 1 A 27	1	A	21	THR	CA	58.739	•		
1 A 22 PRO CB 31.257 . 2 1 A 22 PRO C 176.592 . 2 1 A 24 LEU H 8.021 . 2 1 A 24 LEU N 125.563 . 2 1 A 24 LEU CB 41.694 . 2 1 A 24 LEU CB 41.694 . 2 1 A 26 LYS CA 55.982 . 2 1 A 26 LYS C 177.08 . 2 1 A 27 GLY N 111.364 . 2 1 A 27 GLY N 111.364 . 2 1 A 27 GLY N 111.364 . 2 1 A 28	1	A	21		СВ	69.958	•		
1 A 22 PRO C 176.592 . 2 1 A 24 LEU H 8.021 . 2 1 A 24 LEU N 125.563 . 2 1 A 24 LEU CA 54.464 . 2 1 A 24 LEU CB 41.694 . 2 1 A 26 LYS CA 55.982 . 2 1 A 26 LYS CA 55.982 . 2 1 A 26 LYS C 177.08 . 2 1 A 27 GLY N 111.364 . 2 1 A 27 GLY N 111.364 . 2 1 A 27 GLY N 111.364 . 2 1 A 28	1	A	22		CA	62.982	•		
1 A 24 LEU H 8.021 . 2 1 A 24 LEU N 125.563 . 2 1 A 24 LEU CA 54.464 . 2 1 A 24 LEU CB 41.694 . 2 1 A 26 LYS CA 55.982 . 2 1 A 26 LYS C 177.08 . 2 1 A 27 GLY H 8.39 . 2 1 A 27 GLY N 111.364 . 2 1 A 27 GLY N 111.364 . 2 1 A 27 GLY CA 45.079 . 2 1 A 28 ALA H 8.174 . 2 1 A 28	1	A	22	PRO	СВ	31.257	•		
1 A 24 LEU N 125.563 . 2 1 A 24 LEU CA 54.464 . 2 1 A 24 LEU CB 41.694 . 2 1 A 26 LYS CA 55.982 . 2 1 A 26 LYS C 177.08 . 2 1 A 26 LYS C 177.08 . 2 1 A 27 GLY H 8.39 . 2 1 A 27 GLY N 111.364 . 2 1 A 27 GLY N 111.364 . 2 1 A 27 GLY C 173.796 . 2 1 A 28 ALA N 124.471 . 2 1 A 28	1	A	22	PRO	С	176.592	•		
1 A 24 LEU CA 54.464 2 1 A 24 LEU CB 41.694 2 1 A 26 LYS CA 55.982 2 1 A 26 LYS C 177.08 2 1 A 27 GLY H 8.39 2 1 A 27 GLY N 11.364 2 1 A 27 GLY C 173.796 2 1 A 27 GLY CA 45.079 2 1 A 28 ALA H 8.174 2 1 A 28 ALA H 8.174 2 1 A 28 ALA C 178.315 2 1 A	1	A	24	LEU	Н	8.021	•	2	
1 A 24 LEU CB 41.694 . 2 1 A 26 LYS CA 55.982 . 2 1 A 26 LYS C 177.08 . 2 1 A 27 GLY H 8.39 . 2 1 A 27 GLY N 111.364 . 2 1 A 27 GLY C 173.796 . 2 1 A 27 GLY CA 45.079 . 2 1 A 28 ALA H 8.174 . 2 1 A 28 ALA H 8.174 . 2 1 A 28 ALA C 178.315 . 2 1 A 28 ALA CA 52.309 . 2 1 A 29	1	A	24	LEU	N	125.563	•	2	
1 A 26 LYS CA 55.982 2 1 A 26 LYS C 177.08 2 1 A 27 GLY H 8.39 2 1 A 27 GLY N 111.364 2 1 A 27 GLY C 173.796 2 1 A 27 GLY CA 45.079 2 1 A 28 ALA H 8.174 2 1 A 28 ALA H 8.174 2 1 A 28 ALA N 124.471 2 1 A 28 ALA C 178.315 2 1 A 28 ALA CA 52.309 2 1 A	1	A	24	LEU	CA	54.464	•	2	
1 A 26 LYS C 177.08 . 2 1 A 27 GLY H 8.39 . 2 1 A 27 GLY N 111.364 . 2 1 A 27 GLY C 173.796 . 2 1 A 27 GLY CA 45.079 . 2 1 A 28 ALA H 8.174 . 2 1 A 28 ALA N 124.471 . 2 1 A 28 ALA C 178.315 . 2 1 A 28 ALA CA 52.309 . 2 1 A 28 ALA CB 18.356 . 2 1 A 29 GLY H 8.386 . 2 1 A 29	1	A	24	LEU	СВ	41.694	•	2	
1 A 27 GLY H 8.39 . 2 1 A 27 GLY N 111.364 . 2 1 A 27 GLY C 173.796 . 2 1 A 28 ALA H 8.174 . 2 1 A 28 ALA H 8.174 . 2 1 A 28 ALA N 124.471 . 2 1 A 28 ALA C 178.315 . 2 1 A 28 ALA CA 52.309 . 2 1 A 28 ALA CB 18.356 . 2 1 A 29 GLY H 8.386 . 2 1 A 29 GLY N 109.31 . 2 1 A 29	1	A	26	LYS	CA	55.982	•		
1 A 27 GLY N 111.364 . 2 1 A 27 GLY C 173.796 . 2 1 A 27 GLY CA 45.079 . 2 1 A 28 ALA H 8.174 . 2 1 A 28 ALA N 124.471 . 2 1 A 28 ALA C 178.315 . 2 1 A 28 ALA CA 52.309 . 2 1 A 28 ALA CB 18.356 . 2 1 A 29 GLY H 8.386 . 2 1 A 29 GLY N 109.31 . 2 1 A 29 GLY N 109.31 . 2 1 A 29 GLY C 174.362 . 2 1 A 30 G	1	A	26	LYS	С	177.08	•	2	
1 A 27 GLY C 173.796 . 2 1 A 27 GLY CA 45.079 . 2 1 A 28 ALA H 8.174 . 2 1 A 28 ALA N 124.471 . 2 1 A 28 ALA C 178.315 . 2 1 A 28 ALA CA 52.309 . 2 1 A 28 ALA CB 18.356 . 2 1 A 29 GLY H 8.386 . 2 1 A 29 GLY N 109.31 . 2 1 A 29 GLY N 109.31 . 2 1 A 29 GLY CA 45.148 . 2 1 A 30 GLU H 8.123 . 2 1 A 30 GLU	1	A	27	GLY	Н	8.39		2	
1 A 27 GLY CA 45.079 . 2 1 A 28 ALA H 8.174 . 2 1 A 28 ALA N 124.471 . 2 1 A 28 ALA C 178.315 . 2 1 A 28 ALA CA 52.309 . 2 1 A 28 ALA CB 18.356 . 2 1 A 29 GLY H 8.386 . 2 1 A 29 GLY N 109.31 . 2 1 A 29 GLY N 109.31 . 2 1 A 29 GLY C 174.362 . 2 1 A 29 GLY CA 45.148 . 2 1 A 30 GLU H 8.123 . 2 1 A 30 GLU	1	A	27	GLY	N	111.364	•	2	
1 A 28 ALA H 8.174 . 2 1 A 28 ALA N 124.471 . 2 1 A 28 ALA C 178.315 . 2 1 A 28 ALA CA 52.309 . 2 1 A 28 ALA CB 18.356 . 2 1 A 29 GLY H 8.386 . 2 1 A 29 GLY N 109.31 . 2 1 A 29 GLY C 174.362 . 2 1 A 29 GLY CA 45.148 . 2 1 A 30 GLU H 8.123 . 2 1 A 30 GLU N 120.83 . 2 1 A 30 GLU N 120.83 . 2 1 A 30 GLU<	1	A	27	GLY	С	173.796		2	
1 A 28 ALA N 124.471 . 2 1 A 28 ALA C 178.315 . 2 1 A 28 ALA CA 52.309 . 2 1 A 28 ALA CB 18.356 . 2 1 A 29 GLY H 8.386 . 2 1 A 29 GLY N 109.31 . 2 1 A 29 GLY C 174.362 . 2 1 A 29 GLY CA 45.148 . 2 1 A 29 GLY CA 45.148 . 2 1 A 30 GLU H 8.123 . 2 1 A 30 GLU N 120.83 . 2 1 A 30 GLU C 177.44 . 2 1 A 30 GL	1	A	27	GLY	CA	45.079		2	
1 A 28 ALA C 178.315 . 2 1 A 28 ALA CA 52.309 . 2 1 A 28 ALA CB 18.356 . 2 1 A 29 GLY H 8.386 . 2 1 A 29 GLY N 109.31 . 2 1 A 29 GLY C 174.362 . 2 1 A 29 GLY CA 45.148 . 2 1 A 30 GLU H 8.123 . 2 1 A 30 GLU H 8.123 . 2 1 A 30 GLU N 120.83 . 2 1 A 30 GLU N 120.83 . 2 1 A 30 GLU C 177.44 . 2 1 A 30 GLU </td <td>1</td> <td>A</td> <td>28</td> <td>ALA</td> <td>Н</td> <td>8.174</td> <td></td> <td>2</td>	1	A	28	ALA	Н	8.174		2	
1 A 28 ALA CA 52.309 . 2 1 A 28 ALA CB 18.356 . 2 1 A 29 GLY H 8.386 . 2 1 A 29 GLY N 109.31 . 2 1 A 29 GLY C 174.362 . 2 1 A 29 GLY CA 45.148 . 2 1 A 30 GLU H 8.123 . 2 1 A 30 GLU H 8.123 . 2 1 A 30 GLU N 120.83 . 2 1 A 30 GLU N 120.83 . 2 1 A 30 GLU C 177.44 . 2 1 A 30 GLU CA 57.069 . 2 1 A 31 GLU </td <td>1</td> <td>A</td> <td>28</td> <td>ALA</td> <td>N</td> <td>124.471</td> <td></td> <td>2</td>	1	A	28	ALA	N	124.471		2	
1 A 28 ALA CB 18.356 . 2 1 A 29 GLY H 8.386 . 2 1 A 29 GLY N 109.31 . 2 1 A 29 GLY C 174.362 . 2 1 A 29 GLY CA 45.148 . 2 1 A 30 GLU H 8.123 . 2 1 A 30 GLU N 120.83 . 2 1 A 30 GLU N 120.83 . 2 1 A 30 GLU N 120.83 . 2 1 A 30 GLU C 177.44 . 2 1 A 30 GLU CB 29.437 . 2 1 A 31 GLU H 8.005 . 2 1 A 31 GLU <td>1</td> <td>A</td> <td>28</td> <td>ALA</td> <td>С</td> <td>178.315</td> <td></td> <td>2</td>	1	A	28	ALA	С	178.315		2	
1 A 29 GLY H 8.386 . 2 1 A 29 GLY N 109.31 . 2 1 A 29 GLY C 174.362 . 2 1 A 29 GLY CA 45.148 . 2 1 A 30 GLU H 8.123 . 2 1 A 30 GLU N 120.83 . 2 1 A 30 GLU C 177.44 . 2 1 A 30 GLU CA 57.069 . 2 1 A 30 GLU CB 29.437 . 2 1 A 31 GLU H 8.005 . 2 1 A 31 GLU N 121.259 . 2 1 A 31 GLU CA 56.974 . 2 1 A 32 GLU<	1	A	28	ALA	CA	52.309		2	
1 A 29 GLY N 109.31 . 2 1 A 29 GLY C 174.362 . 2 1 A 29 GLY CA 45.148 . 2 1 A 30 GLU H 8.123 . 2 1 A 30 GLU N 120.83 . 2 1 A 30 GLU C 177.44 . 2 1 A 30 GLU CA 57.069 . 2 1 A 30 GLU CB 29.437 . . 2 1 A 31 GLU CB 29.437 . . 2 1 A 31 GLU H 8.005 . . 2 1 A 31 GLU N 121.259 . . . 1 A 31 GLU CA 56.974 . . . <td>1</td> <td>A</td> <td>28</td> <td>ALA</td> <td>СВ</td> <td>18.356</td> <td>•</td> <td>2</td>	1	A	28	ALA	СВ	18.356	•	2	
1 A 29 GLY C 174.362 . 2 1 A 29 GLY CA 45.148 . 2 1 A 30 GLU H 8.123 . 2 1 A 30 GLU N 120.83 . 2 1 A 30 GLU C 177.44 . 2 1 A 30 GLU CA 57.069 . 2 1 A 30 GLU CB 29.437 . 2 1 A 31 GLU CB 29.437 . 2 1 A 31 GLU H 8.005 . 2 1 A 31 GLU N 121.259 . 2 1 A 31 GLU CA 56.974 . 2 1 A 32 GLU CA 56.22 . 2 1 A 32 GL	1	A	29	GLY	Н	8.386		2	
1 A 29 GLY CA 45.148 . 2 1 A 30 GLU H 8.123 . 2 1 A 30 GLU N 120.83 . 2 1 A 30 GLU C 177.44 . 2 1 A 30 GLU CA 57.069 . 2 1 A 30 GLU CB 29.437 . 2 1 A 31 GLU H 8.005 . 2 1 A 31 GLU H 8.005 . 2 1 A 31 GLU N 121.259 . 2 1 A 31 GLU CA 56.974 . 2 1 A 32 GLU CA 56.22 . 2 1 A 32 GLU CB 30.156 . 2 1 A 33 GLU<	1	A	29	GLY	N	109.31		2	
1 A 30 GLU H 8.123 . 2 1 A 30 GLU N 120.83 . 2 1 A 30 GLU C 177.44 . 2 1 A 30 GLU CA 57.069 . 2 1 A 30 GLU CB 29.437 . 2 1 A 31 GLU H 8.005 . 2 1 A 31 GLU H 8.005 . 2 1 A 31 GLU N 121.259 . 2 1 A 31 GLU CA 56.974 . 2 1 A 32 GLU CB 31.917 . 2 1 A 32 GLU CB 30.156 . 2 1 A 32 GLU C 176.105 . 2 1 A 33 GLU	1	A	29	GLY	С	174.362		2	
1 A 30 GLU N 120.83 . 2 1 A 30 GLU C 177.44 . 2 1 A 30 GLU CA 57.069 . 2 1 A 30 GLU CB 29.437 . 2 1 A 31 GLU H 8.005 . 2 1 A 31 GLU N 121.259 . 2 1 A 31 GLU CA 56.974 . 2 1 A 31 GLU CB 31.917 . 2 1 A 32 GLU CA 56.22 . 2 1 A 32 GLU CB 30.156 . 2 1 A 32 GLU C 176.105 . 2 1 A 33 GLU H 8.285 . 2	1	A	29	GLY	CA	45.148		2	
1 A 30 GLU C 177.44 . 2 1 A 30 GLU CA 57.069 . 2 1 A 30 GLU CB 29.437 . 2 1 A 31 GLU H 8.005 . 2 1 A 31 GLU N 121.259 . 2 1 A 31 GLU CA 56.974 . 2 1 A 31 GLU CB 31.917 . 2 1 A 32 GLU CA 56.22 . 2 1 A 32 GLU CB 30.156 . 2 1 A 32 GLU C 176.105 . 2 1 A 33 GLU H 8.285 . 2	1	A	30	GLU	Н	8.123		2	
1 A 30 GLU CA 57.069 . 2 1 A 30 GLU CB 29.437 . 2 1 A 31 GLU H 8.005 . 2 1 A 31 GLU N 121.259 . 2 1 A 31 GLU CA 56.974 . 2 1 A 31 GLU CB 31.917 . 2 1 A 32 GLU CA 56.22 . 2 1 A 32 GLU CB 30.156 . 2 1 A 32 GLU C 176.105 . 2 1 A 33 GLU H 8.285 . 2	1	A	30	GLU	N	120.83		2	
1 A 30 GLU CB 29.437 . 2 1 A 31 GLU H 8.005 . 2 1 A 31 GLU N 121.259 . 2 1 A 31 GLU CA 56.974 . 2 1 A 31 GLU CB 31.917 . 2 1 A 32 GLU CA 56.22 . 2 1 A 32 GLU CB 30.156 . 2 1 A 32 GLU C 176.105 . 2 1 A 33 GLU H 8.285 . 2	1	A	30	GLU	С	177.44		2	
1 A 31 GLU H 8.005 . 2 1 A 31 GLU N 121.259 . 2 1 A 31 GLU CA 56.974 . 2 1 A 31 GLU CB 31.917 . 2 1 A 32 GLU CA 56.22 . 2 1 A 32 GLU CB 30.156 . 2 1 A 32 GLU C 176.105 . 2 1 A 33 GLU H 8.285 . 2	1	A	30	GLU	CA	57.069		2	
1 A 31 GLU N 121.259 . 2 1 A 31 GLU CA 56.974 . 2 1 A 31 GLU CB 31.917 . 2 1 A 32 GLU CA 56.22 . 2 1 A 32 GLU CB 30.156 . 2 1 A 32 GLU C 176.105 . 2 1 A 33 GLU H 8.285 . 2	1	A	30	GLU	СВ	29.437		2	
1 A 31 GLU CA 56.974 . 2 1 A 31 GLU CB 31.917 . 2 1 A 32 GLU CA 56.22 . 2 1 A 32 GLU CB 30.156 . 2 1 A 32 GLU C 176.105 . 2 1 A 33 GLU H 8.285 . 2	1	A	31	GLU	Н	8.005		2	
1 A 31 GLU CB 31.917 . 2 1 A 32 GLU CA 56.22 . 2 1 A 32 GLU CB 30.156 . 2 1 A 32 GLU C 176.105 . 2 1 A 33 GLU H 8.285 . 2	1	A	31	GLU	N	121.259		2	
1 A 32 GLU CA 56.22 . 2 1 A 32 GLU CB 30.156 . 2 1 A 32 GLU C 176.105 . 2 1 A 33 GLU H 8.285 . 2	1	A	31	GLU	CA	56.974		2	
1 A 32 GLU CB 30.156 . 2 1 A 32 GLU C 176.105 . 2 1 A 33 GLU H 8.285 . 2	1	A	31	GLU	СВ	31.917		2	
1 A 32 GLU C 176.105 . 2 1 A 33 GLU H 8.285 . 2	1	A	32	GLU	CA	56.22		2	
1 A 33 GLU H 8.285 . 2	1	A	32	GLU	СВ	30.156		2	
	1	A	32	GLU	С	176.105		2	
1 A 33 GLU N 122.785 . 2	1	A	33	GLU	Н	8.285	•	2	
	1	A	33	GLU	N	122.785		2	



 $Continued\ from\ previous\ page...$

	$\frac{a \text{ from } pr}{a}$			A .		Shift Data	<u> </u>
List ID	Chain	Res	Type	Atom	Value	Uncertainty	Ambiguity
1	A	33	GLU	С	176.135	•	2
1	A	33	GLU	CA	56.025	•	2
1	A	33	GLU	СВ	29.992		2
1	A	34	ILE	Н	8.111	•	2
1	A	34	ILE	N	122.778		2
1	A	34	ILE	С	175.045	•	2
1	A	34	ILE	CA	60.293	•	2
1	A	34	ILE	СВ	38.675	•	2
1	A	35	ASP	Н	8.288	•	2
1	A	35	ASP	N	126.205	•	2
1	A	35	ASP	С	177.024	•	2
1	A	35	ASP	CA	53.074	•	2
1	A	35	ASP	СВ	41.149		2
1	A	36	ILE	Н	8.3		2
1	A	36	ILE	N	125.219		2
1	A	36	ILE	С	176.381		2
1	A	36	ILE	CA	62.545	•	2
1	A	36	ILE	СВ	37.298	•	2
1	A	37	MET	Н	8.007	•	2
1	A	37	MET	N	119.227	•	2
1	A	37	MET	С	178.763	•	2
1	A	37	MET	CA	57.236	•	2
1	A	37	MET	СВ	30.072	•	2
1	A	38	GLU	Н	7.435	•	2
1	A	38	GLU	N	119.404	•	2
1	A	38	GLU	С	178.922	•	2
1	A	38	GLU	CA	58.078	•	2
1	A	38	GLU	СВ	28.671	•	2
1	A	39	LEU	Н	7.529	•	2
1	A	39	LEU	N	119.918		2
1	A	39	LEU	С	179.268		2
1	A	39	LEU	CA	57.499		2
1	A	39	LEU	СВ	41.263		2
1	A	40	LEU	Н	7.761	•	2
1	A	40	LEU	N	116.939		2
1	A	40	LEU	С	178.457		2
1	A	40	LEU	CA	56.264		2
1	A	40	LEU	СВ	40.748		2
1	A	41	LYS	Н	7.457		2
1	A	41	LYS	N	118.411		2
1	A	41	LYS	С	177.181		2



 $Continued\ from\ previous\ page...$

	a from pr			A 4		Shift Data			
List ID	Chain	Res	Type	Atom	Value	Uncertainty	Ambiguity		
1	A	41	LYS	CA	58.607	•	2		
1	A	41	LYS	СВ	31.853	•	2		
1	A	42	ASN	Н	7.668	•	2		
1	A	42	ASN	N	115.507		2		
1	A	42	ASN	С	174.932		2		
1	A	42	ASN	CA	53.385		2		
1	A	42	ASN	СВ	39.504		2		
1	A	43	VAL	Н	7.347	•	2		
1	A	43	VAL	N	119.994		2		
1	A	43	VAL	CA	61.621	•	2		
1	A	43	VAL	СВ	32.446		2		
1	A	45	PRO	CA	64.385	•	2		
1	A	45	PRO	СВ	31.797		2		
1	A	45	PRO	С	178.761		2		
1	A	46	LYS	Н	8.474		2		
1	A	46	LYS	N	117.949		2		
1	A	46	LYS	С	179.079		2		
1	A	46	LYS	CA	58.402		2		
1	A	46	LYS	СВ	31.004		2		
1	A	47	GLU	Н	8.192		2		
1	A	47	GLU	N	119.047		2		
1	A	47	GLU	С	177.689		2		
1	A	47	GLU	CA	56.5		2		
1	A	47	GLU	CB	29.318		2		
1	A	48	TYR	Н	7.545		2		
1	A	48	TYR	N	119.101		2		
1	A	48	TYR	С	177.514		2		
1	A	48	TYR	CA	59.85		2		
1	A	48	TYR	CB	36.917		2		
1	A	49	GLU	Н	8.197		2		
1	A	49	GLU	N	119.158		2		
1	A	49	GLU	С	178.258		2		
1	A	49	GLU	CA	59.463		2		
1	A	49	GLU	СВ	28.631		2		
1	A	50	LYS	Н	7.481		2		
1	A	50	LYS	N	119.686		2		
1	A	50	LYS	С	178.995		2		
1	A	50	LYS	CA	59.07		2		
1	A	50	LYS	СВ	31.166		2		
1	A	51	TYR	Н	7.667		2		
1	A	51	TYR	N	119.195		2		



 $Continued\ from\ previous\ page...$

	$\frac{a \text{ from } pr}{a}$			A .		Shift Data	<u> </u>
List ID	Chain	Res	Type	Atom	Value	Uncertainty	Ambiguity
1	A	51	TYR	С	177.57	•	2
1	A	51	TYR	CA	61.195	•	2
1	A	51	TYR	СВ	37.972		2
1	A	52	ALA	Н	8.461	•	2
1	A	52	ALA	N	122.435		2
1	A	52	ALA	С	180.012	•	2
1	A	52	ALA	CA	55.24	•	2
1	A	52	ALA	СВ	17.346	•	2
1	A	53	ARG	Н	7.815	•	2
1	A	53	ARG	N	116.862	•	2
1	A	53	ARG	С	179.234	•	2
1	A	53	ARG	CA	58.422	•	2
1	A	53	ARG	СВ	29.348		2
1	A	54	MET	Н	7.717	•	2
1	A	54	MET	N	119.243		2
1	A	54	MET	С	177.279		2
1	A	54	MET	CA	58.146	•	2
1	A	54	MET	СВ	32.427	•	2
1	A	55	TYR	Н	7.655	•	2
1	A	55	TYR	N	115.756	•	2
1	A	55	TYR	С	175.841	•	2
1	A	55	TYR	CA	57.972	•	2
1	A	55	TYR	СВ	38.464	•	2
1	A	56	GLY	Н	7.627	•	2
1	A	56	GLY	N	109.004	•	2
1	A	56	GLY	С	174.489	•	2
1	A	56	GLY	CA	46.17	•	2
1	A	57	ILE	Н	7.844	•	2
1	A	57	ILE	N	119.981	•	2
1	A	57	ILE	CA	60.563		2
1	A	57	ILE	СВ	37.709		2
1	A	60	PHE	CA	60.3		2
1	A	60	PHE	СВ	38.758		2
1	A	60	PHE	С	176.854		2
1	A	61	ARG	Н	8.268		2
1	A	61	ARG	N	119.593		2
1	A	61	ARG	С	178.991		2
1	A	61	ARG	CA	59.216		2
1	A	61	ARG	СВ	28.603		2
1	A	62	GLY	Н	8.07		2
1	A	62	GLY	N	108.387		2



 $Continued\ from\ previous\ page...$

	$\frac{a \text{ from } pr}{a}$			A .		Shift Data	<u> </u>
List ID	Chain	Res	Type	Atom	Value	Uncertainty	Ambiguity
1	A	62	GLY	С	176.424	•	2
1	A	62	GLY	CA	46.489	•	2
1	A	63	LEU	Н	7.59	•	2
1	A	63	LEU	N	124.57	•	2
1	A	63	LEU	С	178.016		2
1	A	63	LEU	CA	57.493	•	2
1	A	63	LEU	СВ	40.849	•	2
1	A	64	LEU	Н	7.767	•	2
1	A	64	LEU	N	118.74	•	2
1	A	64	LEU	С	179.665	•	2
1	A	64	LEU	CA	57.588	•	2
1	A	64	LEU	СВ	40.422	•	2
1	A	65	GLN	Н	7.892		2
1	A	65	GLN	N	118.591	•	2
1	A	65	GLN	С	178.339	•	2
1	A	65	GLN	CA	58.235	•	2
1	A	65	GLN	СВ	27.787		2
1	A	66	ALA	Н	7.783	•	2
1	A	66	ALA	N	122.975		2
1	A	66	ALA	С	179.749		2
1	A	66	ALA	CA	54.597		2
1	A	66	ALA	СВ	17.45		2
1	A	67	PHE	Н	8.058		2
1	A	67	PHE	N	118.553		2
1	A	67	PHE	С	177.404		2
1	A	67	PHE	CA	60.036		2
1	A	67	PHE	СВ	38.144		2
1	A	68	GLU	Н	8.033	•	2
1	A	68	GLU	N	119.899		2
1	A	68	GLU	С	178.849		2
1	A	68	GLU	CA	58.898	•	2
1	A	68	GLU	СВ	28.698		2
1	A	69	LEU	Н	7.722	•	2
1	A	69	LEU	N	119.973	•	2
1	A	69	LEU	С	179.517		2
1	A	69	LEU	CA	57.068		2
1	A	69	LEU	СВ	40.956		2
1	A	70	LEU	Н	7.709	•	2
1	A	70	LEU	N	121.043		2
1	A	70	LEU	С	178.913	•	2
1	A	70	LEU	CA	56.887	•	2



Continued from previous page...

	a from pr			A 4		Shift Data	l
List ID	Chain	Res	Type	Atom	Value	Uncertainty	Ambiguity
1	A	70	LEU	СВ	40.974	•	2
1	A	71	LYS	Н	7.813	•	2
1	A	71	LYS	N	120.389	•	2
1	A	71	LYS	С	178.216	•	2
1	A	71	LYS	CA	57.844	•	2
1	A	71	LYS	СВ	31.482	•	2
1	A	72	GLN	Н	7.908	•	2
1	A	72	GLN	N	119.427	•	2
1	A	72	GLN	С	177.436	•	2
1	A	72	GLN	CA	57.156	•	2
1	A	72	GLN	СВ	28.16	•	2
1	A	73	SER	Н	7.983	•	2
1	A	73	SER	N	116.117		2
1	A	73	SER	CA	59.572	•	2
1	A	73	SER	СВ	63.527	•	2
1	A	77	GLU	CA	55.999	•	2
1	A	77	GLU	СВ	32.223		2
1	A	77	GLU	С	176.375		2
1	A	78	THR	Н	7.847		2
1	A	78	THR	N	117.326		2
1	A	78	THR	CA	59.736		2
1	A	78	THR	СВ	69.534		2
1	A	80	ARG	CA	56.619	•	2
1	A	80	ARG	СВ	30.116		2
1	A	80	ARG	С	176.574		2
1	A	81	LEU	Н	8.239		2
1	A	81	LEU	N	122.102		2
1	A	81	LEU	CA	54.834		2
1	A	81	LEU	СВ	40.79		2
1	A	82	GLU	CA	56.722		2
1	A	82	GLU	СВ	29.37		2
1	A	82	GLU	С	176.843		2
1	A	83	ILE	Н	7.876		2
1	A	83	ILE	N	121.054		2
1	A	83	ILE	С	176.496		2
1	A	83	ILE	CA	61.302		2
1	A	83	ILE	СВ	37.951		2
1	A	84	GLU	Н	8.223		2
1	A	84	GLU	N	123.978		2
1	A	84	GLU	С	176.394		2
1	A	84	GLU	CA	56.89		2



 $Continued\ from\ previous\ page...$

	a from pr			A .	Shift Data			
List ID	Chain	Res	Type	Atom	Value	Uncertainty	Ambiguity	
1	A	84	GLU	CB	29.606	•	2	
1	A	85	GLU	Н	8.143	•	2	
1	A	85	GLU	N	122.132	•	2	
1	A	85	GLU	С	176.833		2	
1	A	85	GLU	CA	56.745	•	2	
1	A	85	GLU	СВ	29.502		2	
1	A	86	ILE	Н	7.892		2	
1	A	86	ILE	N	122.077		2	
1	A	86	ILE	С	176.572		2	
1	A	86	ILE	CA	61.5		2	
1	A	86	ILE	СВ	38.146		2	
1	A	87	GLU	Н	8.26	•	2	
1	A	87	GLU	N	124.399		2	
1	A	87	GLU	С	176.802		2	
1	A	87	GLU	CA	56.782		2	
1	A	87	GLU	СВ	29.399		2	
1	A	88	ARG	Н	8.184		2	
1	A	88	ARG	N	121.829		2	
1	A	88	ARG	С	176.677		2	
1	A	88	ARG	CA	56.568		2	
1	A	88	ARG	СВ	29.524		2	
1	A	89	SER	Н	8.301		2	
1	A	89	SER	N	117.605		2	
1	A	89	SER	CA	58.634		2	
1	A	89	SER	СВ	63.702		2	
1	A	90	GLU	CA	57.462		2	
1	A	90	GLU	СВ	31.856		2	
1	A	90	GLU	С	177.944		2	
1	A	91	ARG	Н	8.179		2	
1	A	91	ARG	N	120.802		2	
1	A	91	ARG	С	178.224		2	
1	A	91	ARG	CA	58.009		2	
1	A	91	ARG	СВ	29.095		2	
1	A	92	ASP	Н	7.864		2	
1	A	92	ASP	N	123.395		2	
1	A	92	ASP	С	178.094		2	
1	A	92	ASP	CA	56.887		2	
1	A	92	ASP	СВ	40.826		2	
1	A	93	GLU	Н	7.98		2	
1	A	93	GLU	N	119.674		2	
1	A	93	GLU	CA	57.176		2	



Continued from previous page...

				A 4		Shift Data	l
List ID	Chain	Res	Type	Atom	Value	Uncertainty	Ambiguity
1	A	93	GLU	CB	28.293	•	2
1	A	97	GLU	CA	56.217	•	2
1	A	97	GLU	СВ	30.196		2
1	A	97	GLU	С	175.045	•	2
1	A	98	GLU	Н	8.273	•	2
1	A	98	GLU	N	123.148	•	2
1	A	98	GLU	С	177.734		2
1	A	98	GLU	CA	56.271		2
1	A	98	GLU	СВ	29.778	•	2
1	A	99	LEU	Н	8.118		2
1	A	99	LEU	N	124.423	•	2
1	A	99	LEU	С	177.278		2
1	A	99	LEU	CA	54.915		2
1	A	99	LEU	СВ	41.436		2
1	A	100	VAL	Н	7.937	•	2
1	A	100	VAL	N	121.795	•	2
1	A	100	VAL	CA	61.884	•	2
1	A	100	VAL	СВ	32.156	•	2
1	A	101	SER	CA	60.636	•	2
1	A	101	SER	СВ	62.942	•	2
1	A	101	SER	С	175.915	•	2
1	A	102	PHE	Н	7.952	•	2
1	A	102	PHE	N	123.15	•	2
1	A	102	PHE	С	175.836	•	2
1	A	102	PHE	CA	59.931	•	2
1	A	102	PHE	СВ	38.853	•	2
1	A	103	ILE	Н	8.066	•	2
1	A	103	ILE	N	120.484	•	2
1	A	103	ILE	CA	63.407		2
1	A	103	ILE	СВ	38.853		2
1	A	105	GLN	CA	56.798		2
1	A	105	GLN	СВ	29.298		2
1	A	106	ARG	CA	56.965		2
1	A	106	ARG	СВ	32.319		2
1	A	106	ARG	С	177.615		2
1	A	107	LEU	Н	7.827		2
1	A	107	LEU	N	120.63		2
1	A	107	LEU	С	177.828		2
1	A	107	LEU	CA	55.678		2
1	A	107	LEU	CB	41.073	•	2
1	A	108	SER	Н	7.782	Continued on	2



Continued from previous page...

List ID	Chain	Dag	Trens	Atom		Shift Data	ı
LISUID	Chain	Res	Type	Atom	Value	Uncertainty	Ambiguity
1	A	108	SER	N	115.141		2
1	A	108	SER	CA	58.648	•	2
1	A	108	SER	СВ	63.897	•	2
1	A	109	GLN	CA	57.172	•	2
1	A	109	GLN	СВ	29.464	•	2
1	A	109	GLN	С	177.407	•	2
1	A	110	THR	Н	7.981	•	2
1	A	110	THR	N	115.568		2
1	A	110	THR	С	173.765	•	2
1	A	110	THR	CA	62.962	•	2
1	A	110	THR	СВ	69.384	•	2
1	A	111	GLU	Н	7.865	•	2
1	A	111	GLU	N	128.524	•	2
1	A	111	GLU	CA	57.93	•	2
1	A	111	GLU	СВ	30.52		2

7.1.2 Chemical shift referencing (i)

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\mathrm{C}_{\alpha}$	92	0.00 ± 0.00	None needed ($< 0.5 \text{ ppm}$)
$^{13}C_{\beta}$	86	0.00 ± 0.00	None needed ($< 0.5 \text{ ppm}$)
¹³ C′	75	0.00 ± 0.00	None needed (< 0.5 ppm)
^{15}N	75	0.00 ± 0.00	None needed ($< 0.5 \text{ ppm}$)

7.1.3 Completeness of resonance assignments (i)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 1%, i.e. 5 atoms were assigned a chemical shift out of a possible 560. 0 out of 7 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	$^{1}\mathrm{H}$	$^{13}\mathbf{C}$	$^{15}{ m N}$
Backbone	4/190 (2%)	1/77 (1%)	2/76 (3%)	1/37 (3%)
Sidechain	1/323 (0%)	0/208 (0%)	1/101 (1%)	0/14 (0%)
Aromatic	0/47 (0%)	0/22~(0%)	0/25~(0%)	0/0 (%)
Overall	5/560 (1%)	1/307 (0%)	3/202 (1%)	1/51 (2%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 1%, i.e. 5 atoms were assigned a chemical shift out of a possible 587.



0	out of 7	assigned	methvl	groups	(LEU	and	VAL)	were	assigned	stereos	pecifically	
\sim	out or .	00001011001		0-046	\ -	~~~	, ,		00001011001	2002	0 0 0 1 1 1 0 0 0 1 1 . /	•

	Total	$^{1}\mathbf{H}$	$^{13}\mathbf{C}$	$^{15}\mathbf{N}$
Backbone	4/200 (2%)	1/81 (1%)	2/80 (2%)	1/39 (3%)
Sidechain	1/340 (0%)	0/219~(0%)	1/107 (1%)	0/14 (0%)
Aromatic	0/47 (0%)	0/22~(0%)	0/25~(0%)	0/0 (%)
Overall	5/587 (1%)	1/322~(0%)	3/212 (1%)	1/53 (2%)

7.1.4 Statistically unusual chemical shifts (i)

There are no statistically unusual chemical shifts.

7.1.5 Random Coil Index (RCI) plots (i)

The image below reports random coil index values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition. If well-defined core and ill-defined regions are not identified then it is shown as gray bars.

Random coil index (RCI) for chain A:

