



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 8, 2023 – 10:56 AM EDT

PDB ID : 1NM5
Title : R. rubrum transhydrogenase (dI.Q132N)2(dIII)1 asymmetric complex
Authors : Van Boxel, G.I.; Quirk, P.G.; Cotton, N.P.; White, S.A.; Jackson, J.B.
Deposited on : 2003-01-09
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	384	
1	B	384	
2	C	203	

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 6785 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NAD(P) transhydrogenase subunit alpha part 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	360	2649	1674	458	500	17	0	1	0
1	B	358	2634	1667	457	494	16	0	1	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	132	ASN	GLN	engineered mutation	UNP Q60164
B	132	ASN	GLN	engineered mutation	UNP Q60164

- Molecule 2 is a protein called NAD(P) transhydrogenase subunit beta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	C	174	1310	830	217	252	11	0	0	0


- Molecule 3 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: C₂₁H₂₇N₇O₁₄P₂).

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


- Molecule 1: NAD(P) transhydrogenase subunit alpha part 1



- Molecule 1: NAD(P) transhydrogenase subunit alpha part 1



- Molecule 2: NAD(P) transhydrogenase subunit beta



4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	71.94Å 73.89Å 205.26Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	100.00 – 2.40	Depositor
% Data completeness (in resolution range)	90.9 (100.00-2.40)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	0.06	Depositor
Refinement program	REFMAC 5.1.25	Depositor
R, R_{free}	0.236 , 0.264	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	6785	wwPDB-VP
Average B, all atoms (Å ²)	44.0	wwPDB-VP

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, NAP, NAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.65	2/2682 (0.1%)	0.77	4/3632 (0.1%)
1	B	0.54	0/2669	0.76	3/3619 (0.1%)
2	C	0.50	0/1333	0.72	3/1803 (0.2%)
All	All	0.58	2/6684 (0.0%)	0.75	10/9054 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	184	GLY	C-O	12.89	1.44	1.23
1	A	184	GLY	CA-C	5.68	1.60	1.51

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	135	ASP	CB-CG-OD2	6.45	124.11	118.30
1	B	202	ASP	CB-CG-OD2	6.10	123.79	118.30
2	C	190	ASP	CB-CG-OD2	5.92	123.63	118.30
1	B	371	ASP	CB-CG-OD2	5.82	123.54	118.30
1	A	48	ASP	CB-CG-OD2	5.71	123.44	118.30
1	A	350	ASP	CB-CG-OD2	5.71	123.44	118.30
2	C	123	ASP	CB-CG-OD2	5.71	123.44	118.30
1	A	151	ASP	CB-CG-OD2	5.59	123.33	118.30
2	C	141	ASP	CB-CG-OD2	5.58	123.32	118.30
1	B	48	ASP	CB-CG-OD2	5.32	123.09	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2649	0	2785	26	0
1	B	2634	0	2771	27	0
2	C	1310	0	1303	11	0
3	A	44	0	26	1	0
3	B	27	0	12	1	0
4	B	6	0	8	0	0
5	C	48	0	25	0	0
6	A	28	0	0	0	0
6	B	31	0	0	0	0
6	C	8	0	0	0	0
All	All	6785	0	6930	62	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (62) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:142:ASN:HD21	1:B:186:GLN:HE21	1.03	0.93
1:B:142:ASN:ND2	1:B:186:GLN:HE21	1.82	0.72
1:A:329:ALA:HB3	1:B:158:ARG:HG3	1.72	0.70
1:A:207:THR:HA	1:A:210:GLN:HE21	1.56	0.69
1:B:142:ASN:HD21	1:B:186:GLN:NE2	1.85	0.68
2:C:63:GLN:HG2	2:C:98:LEU:HB3	1.76	0.68
2:C:50:ILE:HG22	2:C:81:SER:HB2	1.76	0.67
1:B:351:THR:O	1:B:351:THR:HG22	2.00	0.62
2:C:50:ILE:HD11	2:C:119:PHE:CD1	2.37	0.59
1:B:10:ARG:NH1	1:B:76:ARG:O	2.37	0.57
1:A:156:PHE:CZ	1:A:259:ASP:HB3	2.40	0.57
1:B:284:MET:HE3	1:B:290:ILE:HD11	1.88	0.55
1:B:156:PHE:CZ	1:B:259:ASP:HB3	2.42	0.54
1:A:3:ILE:HG13	1:A:70:VAL:HG13	1.91	0.53
1:A:5:ILE:HD13	1:A:18:ILE:HD13	1.91	0.52
1:A:203:VAL:HG11	1:A:239:MET:HG3	1.91	0.52
2:C:43:MET:HE3	2:C:73:LEU:HD21	1.92	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:13:GLU:OE1	1:A:75:GLN:NE2	2.44	0.50
1:B:13:GLU:OE1	1:B:75:GLN:NE2	2.32	0.49
3:B:500:NAD:H3B	3:B:500:NAD:PA	2.51	0.49
1:A:177:VAL:HG13	1:A:177:VAL:O	2.13	0.49
1:B:87:VAL:HG23	1:B:112:LEU:HD23	1.93	0.48
2:C:193:LYS:HD2	2:C:197:GLN:NE2	2.29	0.48
1:A:135:ASP:OD2	3:A:400:NAD:H4N	2.14	0.48
1:B:156:PHE:CG	1:B:260:ILE:HD11	2.48	0.48
1:A:278:GLU:O	1:A:281:VAL:HG22	2.14	0.48
1:A:87:VAL:HG13	1:A:112:LEU:HD23	1.95	0.47
2:C:85:HIS:CE1	2:C:87:VAL:HG22	2.49	0.47
1:A:178:PHE:HB3	1:A:275:LEU:HD13	1.97	0.47
1:B:4:ALA:HA	1:B:34:ILE:O	2.14	0.46
1:A:106:ARG:N	1:A:107:PRO:CD	2.78	0.46
1:B:284:MET:CE	1:B:290:ILE:HD11	2.46	0.46
1:B:180:VAL:O	1:B:180:VAL:HG12	2.15	0.46
1:A:158:ARG:HB3	1:B:330:ASP:OD2	2.15	0.46
2:C:198:ILE:HG22	2:C:202:MET:HE3	1.99	0.45
1:A:202:ASP:CB	1:A:207:THR:HG21	2.47	0.45
1:B:88:ALA:HA	1:B:115:ARG:NE	2.32	0.45
1:B:337:LYS:HD2	1:B:341:ASN:ND2	2.32	0.44
1:B:2:LYS:HE3	1:B:34:ILE:HD11	1.99	0.44
1:A:180:VAL:HA	1:A:184:GLY:HA3	2.00	0.44
1:A:323:VAL:N	1:A:324:PRO:CD	2.80	0.44
1:A:5:ILE:CD1	1:A:18:ILE:HD13	2.48	0.44
1:B:106:ARG:N	1:B:107:PRO:CD	2.80	0.44
2:C:34:GLY:HA3	2:C:185:MET:SD	2.58	0.43
1:A:163:MET:HB2	1:A:170:VAL:HG13	2.00	0.43
1:A:202:ASP:HB2	1:A:207:THR:HG21	2.01	0.43
1:A:158:ARG:NH1	1:B:330:ASP:OD1	2.51	0.42
2:C:63:GLN:CG	2:C:98:LEU:HB3	2.46	0.42
1:B:270:LYS:HB3	1:B:271:PRO:HD2	2.01	0.42
2:C:69:MET:O	2:C:73:LEU:HB2	2.19	0.42
1:A:103:LEU:HD13	1:A:124:LEU:HD11	2.02	0.42
1:A:296:GLU:OE1	1:A:321:THR:HA	2.20	0.42
1:A:344:THR:N	1:A:345:PRO:CD	2.83	0.42
1:B:93:GLY:HA2	1:B:116:LYS:O	2.20	0.41
1:B:293:LEU:HD23	1:B:293:LEU:HA	1.91	0.41
1:A:279:GLU:O	1:A:282:THR:HB	2.21	0.41
1:B:160:PHE:N	1:B:161:PRO:HD2	2.36	0.41
1:A:374:ILE:HG22	1:A:374:ILE:O	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:277:THR:O	1:B:281:VAL:HG13	2.21	0.40
1:B:58:ALA:HB3	1:B:64:ALA:HB2	2.04	0.40
1:B:73:LYS:CB	1:B:73:LYS:NZ	2.84	0.40
2:C:112:LEU:HD23	2:C:112:LEU:C	2.41	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	356/384 (93%)	341 (96%)	14 (4%)	1 (0%)	41	55
1	B	354/384 (92%)	337 (95%)	13 (4%)	4 (1%)	14	20
2	C	172/203 (85%)	165 (96%)	5 (3%)	2 (1%)	13	19
All	All	882/971 (91%)	843 (96%)	32 (4%)	7 (1%)	19	29

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	243	PHE
1	B	350	ASP
1	B	351	THR
2	C	182	ASN
1	A	179	GLY
1	B	352	LYS
2	C	31	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	281/296 (95%)	246 (88%)	35 (12%)	4	5
1	B	280/296 (95%)	253 (90%)	27 (10%)	8	12
2	C	138/154 (90%)	123 (89%)	15 (11%)	6	8
All	All	699/746 (94%)	622 (89%)	77 (11%)	6	8

All (77) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	7	LYS
1	A	24	LYS
1	A	34	ILE
1	A	48	ASP
1	A	50	LEU
1	A	56	THR
1	A	60	THR
1	A	65	LEU
1	A	76	ARG
1	A	81	GLU
1	A	91	LYS
1	A	92	GLU
1	A	95	VAL
1	A	96	LEU
1	A	99	HIS
1	A	106	ARG
1	A	114	LYS
1	A	130	ARG
1	A	132	ASN
1	A	164	MET
1	A	170	VAL
1	A	176	LEU
1	A	192	LYS
1	A	207	THR
1	A	217	LYS
1	A	238	GLU
1	A	242[A]	GLU
1	A	256	VAL
1	A	257	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	296	GLU
1	A	327	VAL
1	A	349	LYS
1	A	353	THR
1	A	362	THR
1	B	1	MET
1	B	35	VAL
1	B	50	LEU
1	B	56	THR
1	B	59	SER
1	B	73	LYS
1	B	89	LEU
1	B	92	GLU
1	B	100	LEU
1	B	108	VAL
1	B	129	SER
1	B	137	LEU
1	B	176	LEU
1	B	210	GLN
1	B	221	VAL
1	B	243	PHE
1	B	247	GLN
1	B	252	LEU
1	B	281	VAL
1	B	337	LYS
1	B	339	LEU
1	B	349[A]	LYS
1	B	353	THR
1	B	354	LEU
1	B	362	THR
1	B	366	THR
1	B	368	VAL
2	C	48	LYS
2	C	50	ILE
2	C	61	GLN
2	C	63	GLN
2	C	74	LYS
2	C	111	GLU
2	C	115	ILE
2	C	164	LYS
2	C	178	LEU
2	C	180	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	C	181	ARG
2	C	183	ASN
2	C	185	MET
2	C	193	LYS
2	C	194	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	132	ASN
1	A	210	GLN
1	A	300	ASN
1	A	338	ASN
1	B	99	HIS
1	B	132	ASN
1	B	142	ASN
1	B	341	ASN
2	C	45	ASN
2	C	61	GLN
2	C	182	ASN
2	C	183	ASN
2	C	197	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAD	B	500	-	24,29,48	1.23	3 (12%)	29,45,73	1.69	3 (10%)
3	NAD	A	400	-	42,48,48	1.77	4 (9%)	50,73,73	1.35	5 (10%)
4	GOL	B	501	-	5,5,5	0.47	0	5,5,5	0.59	0
5	NAP	C	300	-	45,52,52	1.60	4 (8%)	56,80,80	1.11	1 (1%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAD	B	500	-	-	6/12/32/62	0/3/3/5
3	NAD	A	400	-	-	3/26/62/62	0/5/5/5
4	GOL	B	501	-	-	2/4/4/4	-
5	NAP	C	300	-	-	9/31/67/67	0/5/5/5

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	400	NAD	O7N-C7N	9.06	1.41	1.24
5	C	300	NAP	O7N-C7N	8.22	1.39	1.24
3	A	400	NAD	C2A-N3A	4.46	1.39	1.32
3	B	500	NAD	C2A-N3A	4.05	1.38	1.32
5	C	300	NAP	C2A-N3A	3.56	1.37	1.32
5	C	300	NAP	C2A-N1A	2.73	1.39	1.33
3	B	500	NAD	C2A-N1A	2.63	1.38	1.33
3	A	400	NAD	C2A-N1A	2.34	1.38	1.33
3	B	500	NAD	O4B-C1B	2.13	1.44	1.41
3	A	400	NAD	C2N-N1N	2.07	1.37	1.35
5	C	300	NAP	C2N-N1N	2.04	1.37	1.35

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	500	NAD	N3A-C2A-N1A	-6.25	118.92	128.68
3	A	400	NAD	N3A-C2A-N1A	-5.46	120.15	128.68
5	C	300	NAP	N3A-C2A-N1A	-5.24	120.49	128.68
3	A	400	NAD	C3N-C7N-N7N	3.61	122.08	117.75
3	A	400	NAD	PN-O3-PA	-3.46	120.95	132.83
3	B	500	NAD	PA-O3-PN	-3.20	121.84	132.83
3	B	500	NAD	O5D-PN-O3	2.63	113.47	104.64
3	A	400	NAD	C3D-C2D-C1D	2.35	104.52	100.98
3	A	400	NAD	O7N-C7N-N7N	-2.08	119.62	122.58

There are no chirality outliers.

All (20) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	400	NAD	C5D-O5D-PN-O3
3	B	500	NAD	C5B-O5B-PA-O1A
3	B	500	NAD	C5B-O5B-PA-O2A
3	B	500	NAD	C5B-O5B-PA-O3
5	C	300	NAP	PA-O3-PN-O5D
5	C	300	NAP	O4D-C1D-N1N-C2N
5	C	300	NAP	O4D-C1D-N1N-C6N
3	B	500	NAD	O4B-C4B-C5B-O5B
5	C	300	NAP	C1B-C2B-O2B-P2B
3	B	500	NAD	C3B-C4B-C5B-O5B
4	B	501	GOL	C1-C2-C3-O3
5	C	300	NAP	C3B-C2B-O2B-P2B
4	B	501	GOL	O2-C2-C3-O3
3	B	500	NAD	C4B-C5B-O5B-PA
3	A	400	NAD	C5D-O5D-PN-O1N
3	A	400	NAD	C5D-O5D-PN-O2N
5	C	300	NAP	O4B-C4B-C5B-O5B
5	C	300	NAP	O4D-C4D-C5D-O5D
5	C	300	NAP	C2D-C1D-N1N-C6N
5	C	300	NAP	PN-O3-PA-O1A


There are no ring outliers.


2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	500	NAD	1	0
3	A	400	NAD	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates [i](#)

EDS was not executed - this section is therefore empty.

6.4 Ligands [i](#)

EDS was not executed - this section is therefore empty.

6.5 Other polymers [i](#)

EDS was not executed - this section is therefore empty.