

Full wwPDB X-ray Structure Validation Report (i)

Jun 13, 2024 – 09:59 AM EDT

PDB ID	:	1NOY
Title	:	DNA POLYMERASE (E.C.2.7.7.7)/DNA COMPLEX
Authors	:	Wang, J.; Yu, P.; Lin, T.C.; Konigsberg, W.H.; Steitz, T.A.
Deposited on	:	1996-02-16
Resolution	:	2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity		4.02b-467
	·	4.020-401
Xtriage (Phenix)	:	1.13
EDS	:	2.36.2
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36.2

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Mol	Chain	Length	Quality of chain					
1	S	3	67%	33%				
2	А	388	60%	32% • •				
2	В	388	48%	35% · · 11%				



1NOY

2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 6130 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a DNA chain called DNA (5'-D(*TP*TP*T)-3').

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
1	S	3	Total 57	C 30	N 6	O 19	Р 2	0	0	0

• Molecule 2 is a protein called PROTEIN (DNA POLYMERASE (E.C.2.7.7.7)).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
2	А	372	Total 3052	C 1956	N 497	O 578	S 21	0	0	0
2	В	346	Total 2840	C 1822	N 466	O 533	S 19	0	0	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	2	ASP	LYS	CONFLICT	UNP P04415
А	250	LEU	ILE	CONFLICT	UNP P04415
В	2	ASP	LYS	CONFLICT	UNP P04415
В	250	LEU	ILE	CONFLICT	UNP P04415

• Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	В	1	Total Z 1	Zn 1	0	0

• Molecule 4 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	В	1	Total Mn 1 1	0	0

• Molecule 5 is water.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	S	4	Total O 4 4	0	0
5	А	112	Total O 112 112	0	0
5	В	63	Total O 63 63	0	0



Residue-property plots (i) 3

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: DNA (5'-D(*TP*TP*T)-3')





V245 V246 V246 V246 LEU ASN ASN ASN ASN CLY CL24 ASN CLY CL249 CL249 CL249 CL249 CL249 CL249 CL249 CL262 V2560 V2506 V2510 V25



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants	114.70Å 109.66Å 70.27Å	Deperitor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
$\mathbf{P}_{\text{acclution}}(\hat{\mathbf{A}})$	6.00 - 2.20	Depositor
Resolution (A)	59.16 - 2.49	EDS
% Data completeness	(Not available) $(6.00-2.20)$	Depositor
(in resolution range)	79.8(59.16-2.49)	EDS
R _{merge}	(Not available)	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$0.75 (at 2.48 \text{\AA})$	Xtriage
Refinement program	X-PLOR	Depositor
D D.	0.222 , (Not available)	Depositor
$\mathbf{n}, \mathbf{n}_{free}$	(Not available) , (Not available)	DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor $(Å^2)$	45.1	Xtriage
Anisotropy	0.440	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.32 , 87.3	EDS
L-test for twinning ²	$< L >=0.50, < L^2>=0.33$	Xtriage
Estimated twinning fraction	0.015 for k,h,-l	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	6130	wwPDB-VP
Average B, all atoms $(Å^2)$	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 6.91% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: MN, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Chain		Bo	nd lengths	Bond angles		
		RMSZ	# Z > 5	RMSZ	# Z > 5	
1	S	3.81	8/62~(12.9%)	4.48	20/94~(21.3%)	
2	А	0.54	0/3122	0.73	0/4206	
2	В	0.49	0/2904	0.71	0/3911	
All	All	0.64	8/6088~(0.1%)	0.86	20/8211~(0.2%)	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	S	0	1
2	А	1	0
2	В	1	0
All	All	2	1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	S	3	DT	C5-C7	13.34	1.58	1.50
1	S	5	DT	C5-C7	12.16	1.57	1.50
1	S	4	DT	C5'-C4'	9.10	1.61	1.51
1	S	4	DT	C5-C7	8.99	1.55	1.50
1	S	3	DT	C5-C6	7.29	1.39	1.34
1	S	4	DT	P-OP1	7.29	1.61	1.49
1	S	3	DT	N3-C4	5.41	1.43	1.38
1	S	3	DT	C2-N3	5.03	1.41	1.37

All (20) bond angle outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	S	3	DT	OP2-P-O3'	14.82	137.80	105.20
1	S	4	DT	O5'-P-OP1	-14.27	92.86	105.70
1	S	4	DT	O3'-P-O5'	-13.68	78.01	104.00
1	S	4	DT	OP2-P-O3'	12.91	133.60	105.20
1	S	4	DT	O5'-P-OP2	11.74	124.79	110.70
1	S	5	DT	O4'-C4'-C3'	8.94	111.36	106.00
1	S	3	DT	N3-C4-O4	7.97	124.68	119.90
1	S	3	DT	OP1-P-O3'	-7.90	87.83	105.20
1	S	3	DT	O3'-P-O5'	-7.54	89.68	104.00
1	S	4	DT	C6-C5-C7	-7.18	118.59	122.90
1	S	3	DT	C4'-C3'-C2'	-6.88	96.91	103.10
1	S	4	DT	C4-C5-C7	6.40	122.84	119.00
1	S	5	DT	N3-C2-O2	-6.11	118.63	122.30
1	S	4	DT	P-O5'-C5'	6.09	130.65	120.90
1	S	4	DT	O4'-C1'-N1	-5.69	104.01	108.00
1	S	4	DT	OP1-P-OP2	-5.66	111.11	119.60
1	S	5	DT	N3-C4-O4	-5.26	116.75	119.90
1	S	5	DT	O4'-C1'-C2'	5.18	110.04	105.90
1	S	5	DT	C1'-O4'-C4'	-5.08	105.02	110.10
1	S	5	DT	O4'-C1'-N1	5.06	111.54	108.00

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	А	211	THR	CB
2	В	211	THR	CB

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	S	5	DT	Sidechain

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	S	57	0	38	12	0
2	А	3052	0	2993	102	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	В	2840	0	2783	135	0
3	В	1	0	0	0	0
4	В	1	0	0	1	0
5	А	112	0	0	3	0
5	В	63	0	0	6	0
5	S	4	0	0	3	0
All	All	6130	0	5814	234	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

All (234) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:S:4:DT:H4'	5:S:108:HOH:O	1.42	1.18
1:S:3:DT:O4'	5:S:116:HOH:O	1.67	1.13
1:S:5:DT:O2	2:B:119:LYS:NZ	1.84	1.10
2:B:119:LYS:HA	2:B:119:LYS:HZ3	1.15	1.08
2:A:37:MET:SD	2:A:372:GLY:HA2	2.08	0.93
4:B:3000:MN:MN	5:B:3032:HOH:O	1.33	0.87
2:B:179:ILE:HG22	2:B:322:ILE:HD11	1.57	0.86
2:A:251:GLN:HA	2:A:255:GLY:O	1.75	0.86
2:A:130:ILE:HD11	2:A:133:ILE:HG13	1.62	0.81
2:B:40:HIS:HB3	2:B:58:GLN:HE22	1.47	0.80
2:B:119:LYS:NZ	2:B:119:LYS:HA	1.98	0.76
2:B:249:LEU:HD13	2:B:258:GLU:HB3	1.69	0.75
2:A:45:SER:HB2	2:B:279:PHE:CZ	2.25	0.72
2:A:228:LYS:NZ	2:A:233:GLU:HG3	2.05	0.71
2:B:237:LYS:HZ2	2:B:244:ARG:HG3	1.55	0.71
2:B:152:MET:SD	2:B:153:TYR:N	2.63	0.71
2:B:90:TYR:O	2:B:94:THR:HG23	1.90	0.70
2:A:46:LYS:HB2	2:A:47:TYR:CE1	2.26	0.70
2:B:169:CYS:SG	2:B:170:GLU:HG3	2.32	0.70
2:A:130:ILE:HD11	2:A:133:ILE:CG1	2.21	0.70
2:A:156:VAL:HG11	2:A:314:HIS:CB	2.22	0.69
2:A:95:TYR:O	2:A:349:LYS:HE2	1.92	0.69
2:B:312:THR:O	2:B:313:ASN:HB2	1.94	0.67
2:B:149:LEU:HD23	2:B:149:LEU:H	1.60	0.66
1:S:5:DT:C2	2:B:119:LYS:HE3	2.30	0.66
2:B:33:TYR:HD1	2:B:86:PHE:CE1	2.14	0.66
1:S:5:DT:H3	2:B:119:LYS:HD3	1.61	0.66



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:B:224:MET:HB3	2:B:236:MET:HE2	1.78	0.65
2:A:160:ASP:OD2	2:A:163:LEU:HB2	1.96	0.65
1:S:5:DT:C2	2:B:119:LYS:CE	2.80	0.65
2:B:38:PHE:CE1	2:B:58:GLN:HB2	2.32	0.64
2:A:250:LEU:N	2:A:250:LEU:HD23	2.12	0.64
2:B:160:ASP:HB3	2:B:163:LEU:HB2	1.79	0.64
2:A:102:ASP:HB3	2:A:105:PHE:HD2	1.63	0.64
2:B:302:TYR:N	2:B:302:TYR:CD1	2.65	0.64
2:B:167:LEU:HD12	2:B:167:LEU:H	1.63	0.64
2:B:152:MET:SD	2:B:152:MET:C	2.77	0.63
2:B:142:ARG:NH1	2:B:182:ARG:HG2	2.14	0.63
2:B:156:VAL:HG12	2:B:157:SER:H	1.63	0.63
2:B:242:ILE:HD11	2:B:263:ASP:HB3	1.79	0.63
2:B:245:VAL:HG12	2:B:260:TYR:HD2	1.63	0.63
2:A:246:LYS:HA	5:A:432:HOH:O	2.00	0.62
2:A:48:LYS:HG2	2:B:279:PHE:CZ	2.35	0.62
2:B:292:GLN:NE2	2:B:298:GLY:HA2	2.16	0.61
2:A:2:ASP:O	2:A:3:GLU:HB2	2.00	0.61
2:B:292:GLN:CD	2:B:298:GLY:HA2	2.21	0.61
2:A:228:LYS:HZ1	2:A:233:GLU:HG3	1.65	0.61
2:B:110:ASN:ND2	2:B:329:GLN:HE21	1.98	0.60
2:A:262:ILE:HD13	2:A:267:ILE:HD11	1.82	0.60
2:A:206:ARG:NH2	2:A:238:ARG:O	2.33	0.59
2:B:179:ILE:CG2	2:B:322:ILE:HD11	2.30	0.59
1:S:5:DT:N3	2:B:119:LYS:HD3	2.17	0.59
2:A:149:LEU:HD11	2:A:187:PRO:HB2	1.84	0.59
2:A:156:VAL:HG12	2:A:157:SER:N	2.18	0.59
2:A:156:VAL:HG11	2:A:314:HIS:CG	2.37	0.58
2:A:39:ARG:HD2	2:A:367:PHE:HD1	1.68	0.58
2:A:134:THR:HB	2:A:325:VAL:HG21	1.84	0.58
2:B:302:TYR:N	2:B:302:TYR:HD1	2.02	0.58
2:B:142:ARG:HH11	2:B:182:ARG:HG2	1.68	0.58
2:B:9:GLU:HG2	5:B:3023:HOH:O	2.04	0.58
2:A:14:ASN:ND2	2:A:32:GLU:HA	2.18	0.58
2:B:160:ASP:HB3	2:B:163:LEU:CB	2.33	0.57
2:B:233:GLU:O	2:B:234:ARG:HB3	2.04	0.57
2:A:361:THR:O	2:A:365:ILE:HG12	2.04	0.57
1:S:5:DT:O2	2:B:119:LYS:CE	2.52	0.57
2:B:15:ILE:HG21	2:B:90:TYR:CE1	2.39	0.57
2:A:163:LEU:HD23	2:A:166:LYS:HD2	1.87	0.57
2:A:163:LEU:HD22	2:A:172:GLY:HA2	1.87	0.56



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:A:72:ARG:O	2:A:76:ILE:HG12	2.06	0.56
2:B:3:GLU:HA	2:B:20:ILE:O	2.05	0.56
2:A:212:GLY:HA3	2:A:215:ILE:CG2	2.35	0.56
2:A:192:ARG:HG3	2:A:192:ARG:HH11	1.70	0.56
2:B:191:GLU:OE2	2:B:226:ARG:HD3	2.05	0.55
2:B:237:LYS:NZ	2:B:244:ARG:HG3	2.21	0.55
2:B:357:SER:HB3	2:B:360:LYS:HB2	1.88	0.55
2:B:42:LYS:HD2	2:B:85:ASP:OD2	2.06	0.55
2:A:102:ASP:HB3	2:A:105:PHE:CD2	2.41	0.55
2:B:123:PRO:HG3	2:B:218:PHE:CD1	2.42	0.55
2:A:122:ASP:HB3	2:A:125:LYS:HB2	1.89	0.54
2:A:212:GLY:HA3	2:A:215:ILE:HG23	1.88	0.54
2:B:220:VAL:HB	2:B:221:PRO:HD3	1.90	0.54
2:A:154:GLY:O	2:A:310:ARG:NH2	2.41	0.54
2:A:41:CYS:O	2:A:45:SER:HB3	2.08	0.54
2:A:166:LYS:O	2:A:172:GLY:HA3	2.08	0.53
2:A:156:VAL:HG11	2:A:314:HIS:HB3	1.90	0.53
2:B:300:LEU:HD23	2:B:301:PRO:HD2	1.89	0.53
2:B:148:LEU:HD12	2:B:188:PHE:O	2.09	0.53
2:B:19:TYR:HE2	2:B:21:ASP:HB2	1.74	0.52
2:A:15:ILE:HD13	2:A:90:TYR:CB	2.40	0.52
2:A:216:GLU:HG3	5:A:463:HOH:O	2.10	0.52
2:A:156:VAL:HG12	2:A:157:SER:H	1.74	0.52
2:B:83:MET:SD	2:B:86:PHE:CD2	3.03	0.52
2:A:344:MET:SD	2:A:355:VAL:HG13	2.49	0.52
2:A:248:LYS:HE3	2:A:261:SER:OG	2.11	0.51
2:A:134:THR:OG1	2:A:321:ASN:ND2	2.44	0.51
2:B:149:LEU:HB2	2:B:156:VAL:O	2.11	0.51
2:B:300:LEU:HD13	2:B:316:ARG:HH22	1.76	0.51
2:A:350:MET:CE	2:A:354:GLY:HA3	2.40	0.51
2:B:8:ILE:HD13	2:B:17:GLU:HG3	1.93	0.50
2:A:228:LYS:HZ2	2:A:233:GLU:HG3	1.77	0.50
2:B:292:GLN:NE2	2:B:297:LYS:O	2.44	0.50
1:S:5:DT:C2	2:B:119:LYS:NZ	2.74	0.50
2:B:132:ALA:HA	2:B:146:PHE:O	2.11	0.50
2:B:317:TYR:O	2:B:320:TYR:HB2	2.12	0.49
2:A:275:LYS:O	2:B:53:LYS:HD2	2.12	0.49
2:B:151:SER:O	2:B:153:TYR:N	2.44	0.49
2:B:242:ILE:HD11	2:B:263:ASP:CB	2.43	0.49
2:B:336:GLY:HA2	5:B:3004:HOH:O	2.11	0.49
2:A:220:VAL:HB	2:A:221:PRO:HD3	1.93	0.49



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:B:23:ASN:O	2:B:25:LYS:HG3	2.12	0.49
2:A:179:ILE:HG22	2:A:322:ILE:HD11	1.93	0.49
2:A:119:LYS:HD2	2:A:128:TYR:OH	2.12	0.49
2:B:314:HIS:ND1	2:B:315:GLN:N	2.60	0.49
2:A:158:LYS:HE2	2:A:158:LYS:HB3	1.69	0.49
2:A:370:LEU:HD21	2:B:340:LEU:HD12	1.95	0.49
2:B:160:ASP:CB	2:B:163:LEU:HB2	2.43	0.49
2:A:80:ALA:O	2:A:83:MET:HB2	2.12	0.48
2:A:306:ILE:HD12	2:A:306:ILE:H	1.78	0.48
2:B:39:ARG:HD2	2:B:57:PRO:HB3	1.95	0.48
2:B:212:GLY:HA3	2:B:215:ILE:HG23	1.95	0.48
2:A:199:ILE:HG21	2:A:238:ARG:HE	1.78	0.48
2:A:228:LYS:HZ1	2:A:233:GLU:CG	2.26	0.48
2:B:199:ILE:HD11	2:B:227:VAL:HG11	1.95	0.48
2:B:158:LYS:HG3	2:B:185:TYR:HE2	1.77	0.48
2:B:312:THR:O	2:B:313:ASN:CB	2.60	0.48
2:A:10:THR:HG22	2:A:15:ILE:HG13	1.96	0.48
2:B:159:TRP:HD1	2:B:315:GLN:HA	1.79	0.48
2:B:295:THR:O	2:B:296:LYS:HB2	2.13	0.48
2:B:230:ILE:HG22	2:B:231:LEU:HD12	1.96	0.48
2:B:107:ARG:HE	2:B:205:LYS:HB2	1.78	0.47
2:A:159:TRP:HB3	2:A:185:TYR:CE1	2.49	0.47
2:A:211:THR:C	2:A:215:ILE:HD13	2.33	0.47
2:B:33:TYR:CZ	2:B:35:PRO:HA	2.50	0.47
2:B:300:LEU:HD13	2:B:316:ARG:NH2	2.30	0.47
2:B:341:VAL:HG22	2:B:355:VAL:HG21	1.96	0.47
2:B:2:ASP:O	2:B:3:GLU:HB3	2.15	0.47
2:B:330:ALA:O	2:B:334:ILE:HG13	2.15	0.47
2:B:148:LEU:HD23	2:B:151:SER:OG	2.15	0.47
2:B:149:LEU:H	2:B:149:LEU:CD2	2.27	0.46
2:B:126:ALA:O	2:B:226:ARG:NH2	2.49	0.46
2:B:262:ILE:HD13	2:B:267:ILE:HD11	1.96	0.46
2:A:63:MET:O	2:A:67:ARG:HG3	2.15	0.46
2:A:15:ILE:CD1	2:A:90:TYR:HB2	2.45	0.46
2:B:15:ILE:HG21	2:B:90:TYR:CD1	2.50	0.46
2:B:206:ARG:NH1	2:B:239:PHE:O	2.48	0.46
2:A:114:GLU:HB2	2:A:132:ALA:HB3	1.98	0.46
2:B:231:LEU:HB3	2:B:235:SER:OG	2.15	0.46
2:A:255:GLY:O	2:A:257:LYS:N	2.49	0.46
2:A:295:THR:O	2:A:296:LYS:HB2	2.15	0.46
2:A:8:ILE:HD13	2:A:17:GLU:HB2	1.98	0.46



	A i a	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
2:A:273:LEU:HD12	2:A:273:LEU:N	2.30	0.46
2:B:37:MET:HE1	2:B:367:PHE:O	2.16	0.45
2:B:122:ASP:OD1	2:B:124:MET:HB2	2.17	0.45
2:B:168:ASP:C	2:B:170:GLU:H	2.20	0.45
2:A:107:ARG:HE	2:A:205:LYS:HB3	1.82	0.45
2:B:39:ARG:NH1	2:B:367:PHE:CD1	2.84	0.45
1:S:5:DT:N3	2:B:119:LYS:CD	2.80	0.45
2:A:219:ASP:O	2:A:223:ILE:HG13	2.16	0.45
2:B:110:ASN:HA	2:B:211:THR:O	2.17	0.45
2:A:44:GLU:O	2:A:46:LYS:HG3	2.16	0.45
2:A:366:ILE:HG23	2:B:340:LEU:HD11	1.99	0.45
2:B:57:PRO:HG2	2:B:370:LEU:CD1	2.47	0.45
2:B:183:VAL:O	2:B:184:ILE:HD12	2.17	0.45
2:B:233:GLU:HG3	2:B:237:LYS:HE2	1.98	0.44
2:A:61:PRO:HD2	2:A:65:ASP:OD2	2.17	0.44
2:B:358:PRO:HD2	5:B:3037:HOH:O	2.17	0.44
2:A:15:ILE:HD13	2:A:90:TYR:HB2	1.99	0.44
2:A:242:ILE:O	2:A:242:ILE:HG22	2.17	0.44
2:B:215:ILE:HG13	2:B:216:GLU:N	2.32	0.44
2:A:229:MET:O	2:A:229:MET:HG2	2.15	0.44
2:A:370:LEU:HD21	2:B:340:LEU:CD1	2.47	0.44
2:B:34:LEU:HD12	2:B:34:LEU:O	2.17	0.44
2:B:308:LYS:HB3	2:B:312:THR:OG1	2.17	0.44
2:B:92:SER:HB3	2:B:368:ASN:OD1	2.18	0.44
2:A:146:PHE:HZ	2:A:201:LEU:HD22	1.83	0.44
2:A:296:LYS:HD2	2:A:296:LYS:N	2.32	0.44
2:A:252:ASN:HB3	2:A:253:MET:H	1.67	0.43
2:B:156:VAL:HG12	2:B:157:SER:N	2.33	0.43
2:B:230:ILE:HA	5:B:3011:HOH:O	2.17	0.43
2:A:192:ARG:HG3	2:A:192:ARG:NH1	2.33	0.43
2:A:350:MET:HE1	2:A:354:GLY:HA3	2.00	0.43
2:B:150:ASN:HA	2:B:155:SER:HA	2.01	0.43
2:A:251:GLN:HA	2:A:255:GLY:C	2.38	0.43
2:B:152:MET:SD	2:B:153:TYR:CD1	3.11	0.43
2:A:15:ILE:HD13	2:A:90:TYR:CG	2.54	0.43
2:A:17:GLU:O	2:A:28:THR:HA	2.17	0.43
2:A:107:ARG:HD2	5:A:403:HOH:O	2.19	0.43
2:A:130:ILE:O	2:A:194:MET:HE1	2.19	0.43
2:B:311:GLU:HG3	2:B:312:THR:N	2.33	0.43
2:A:36:THR:HB	2:A:59:LYS:HE3	2.01	0.42
2:B:109:ALA:O	2:B:210:PHE:HA	2.18	0.42



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:B:245:VAL:HG12	2:B:260:TYR:CD2	2.50	0.42
2:B:57:PRO:CG	2:B:370:LEU:HD13	2.49	0.42
2:B:33:TYR:HD1	2:B:86:PHE:HE1	1.65	0.42
2:B:29:ARG:O	2:B:29:ARG:HG3	2.19	0.42
2:A:18:ARG:HA	2:A:27:ARG:O	2.19	0.42
2:B:96:GLY:O	2:B:97:SER:HB3	2.19	0.42
2:B:21:ASP:O	2:B:23:ASN:N	2.52	0.42
2:A:251:GLN:HB3	2:A:256:SER:HA	2.01	0.42
2:B:33:TYR:CD1	2:B:86:PHE:CE1	3.01	0.42
2:B:39:ARG:NH1	2:B:367:PHE:HD1	2.17	0.42
1:S:3:DT:C4'	5:S:116:HOH:O	2.48	0.42
2:A:119:LYS:HE3	2:A:119:LYS:HB3	1.84	0.42
2:B:33:TYR:OH	2:B:35:PRO:HA	2.20	0.42
2:B:348:ALA:HB3	2:B:350:MET:HG2	2.02	0.41
2:A:48:LYS:O	2:A:52:GLY:N	2.53	0.41
2:B:37:MET:HE2	2:B:37:MET:HB2	1.96	0.41
2:B:213:TRP:CZ2	2:B:290:VAL:HG21	2.55	0.41
2:A:247:SER:C	2:A:248:LYS:HG3	2.41	0.41
2:B:292:GLN:O	2:B:296:LYS:HA	2.19	0.41
2:B:310:ARG:NH1	2:B:314:HIS:HD2	2.18	0.41
2:B:107:ARG:HD2	5:B:3062:HOH:O	2.19	0.41
2:B:57:PRO:HG2	2:B:370:LEU:HD13	2.01	0.41
2:A:158:LYS:HE3	2:A:185:TYR:CE2	2.56	0.41
2:A:300:LEU:HD12	2:A:316:ARG:NH1	2.36	0.41
2:B:6:ILE:CG2	2:B:208:ALA:HB1	2.51	0.41
2:A:220:VAL:O	2:A:224:MET:HG2	2.21	0.41
2:B:228:LYS:HD2	2:B:236:MET:HE1	2.03	0.41
2:A:191:GLU:OE1	2:A:226:ARG:NH1	2.54	0.40
2:A:224:MET:CE	2:A:245:VAL:HG11	2.51	0.40
1:S:3:DT:H5"	2:B:285:PHE:C	2.41	0.40
2:A:58:GLN:HE21	2:A:58:GLN:HB3	1.61	0.40
2:A:146:PHE:CZ	2:A:201:LEU:HD22	2.56	0.40
2:B:19:TYR:OH	2:B:27:ARG:HD2	2.21	0.40
2:A:69:TRP:HA	2:A:72:ARG:HE	1.87	0.40
2:A:279:PHE:CD2	2:B:41:CYS:HB2	2.56	0.40
2:B:15:ILE:O	2:B:30:GLU:HA	2.22	0.40
2:B:160:ASP:CG	2:B:163:LEU:HB2	2.42	0.40
2:B:183:VAL:HG12	2:B:184:ILE:N	2.36	0.40
2:B:224:MET:O	2:B:236:MET:HE3	2.21	0.40
2:B:313:ASN:C	2:B:314:HIS:O	2.58	0.40
2:A:10:THR:HG21	2:A:86:PHE:HD2	1.87	0.40



Jerry Jerry Pressent Project					
Atom-1	Atom-2	$\begin{array}{c} \text{Interatomic} \\ \text{distance} \ (\text{\AA}) \end{array}$	Clash overlap (Å)		
2:A:165:ALA:HB2	2:A:180:LEU:CD1	2.51	0.40		
2:A:212:GLY:HA3	2:A:215:ILE:HG21	2.03	0.40		

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
2	А	370/388~(95%)	344 (93%)	24 (6%)	2~(0%)	29 31
2	В	338/388~(87%)	294 (87%)	31 (9%)	13 (4%)	3 1
All	All	708/776~(91%)	638 (90%)	55 (8%)	15 (2%)	7 4

All (15) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	А	45	SER
2	В	22	GLU
2	В	152	MET
2	В	313	ASN
2	В	150	ASN
2	В	165	ALA
2	В	167	LEU
2	В	234	ARG
2	В	302	TYR
2	В	303	ASP
2	В	24	GLY
2	В	305	PRO
2	А	21	ASP
2	В	119	LYS
2	В	153	TYR



5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
2	А	335/350~(96%)	303~(90%)	32 (10%)	8 8
2	В	312/350~(89%)	278~(89%)	34 (11%)	6 5
All	All	647/700~(92%)	581 (90%)	66 (10%)	7 6

All (66) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	А	6	ILE
2	А	15	ILE
2	А	22	GLU
2	А	44	GLU
2	А	49	ASP
2	А	50	ILE
2	А	75	ASP
2	А	81	LEU
2	А	83	MET
2	А	103	ARG
2	А	111	CYS
2	А	119	LYS
2	А	125	LYS
2	А	130	ILE
2	А	131	ASP
2	А	163	LEU
2	А	192	ARG
2	А	206	ARG
2	А	211	THR
2	А	226	ARG
2	А	236	MET
2	А	251	GLN
2	А	252	ASN
2	А	254	TYR
2	A	289	SER
2	А	292	GLN
2	А	306	ILE



Mol	Chain	Res	Type
2	А	313	ASN
2	А	316	ARG
2	А	322	ILE
2	А	333	LYS
2	А	342	LEU
2	В	13	ASN
2	В	27	ARG
2	В	37	MET
2	В	39	ARG
2	В	43	GLU
2	В	59	LYS
2	В	65	ASP
2	В	86	PHE
2	В	94	THR
2	В	111	CYS
2	В	119	LYS
2	В	120	PHE
2	В	149	LEU
2	В	150	ASN
2	В	152	MET
2	В	157	SER
2	В	163	LEU
2	В	173	ASP
2	В	174	GLU
2	В	204	GLN
2	В	211	THR
2	В	234	ARG
2	В	237	LYS
2	В	246	LYS
2	В	259	ILE
2	В	279	PHE
2	В	287	LEU
2	В	292	GLN
2	B	302	TYR
2	В	306	ILE
2	B	312	THR
2	В	313	ASN
2	В	315	GLN
2	В	322	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:



Mol	Chain	Res	Type
2	А	14	ASN
2	А	58	GLN
2	А	214	ASN
2	А	313	ASN
2	А	321	ASN
2	В	14	ASN
2	В	110	ASN
2	В	292	GLN
2	В	313	ASN
2	В	321	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.



5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains (i)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.3 Carbohydrates (i)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.4 Ligands (i)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.5 Other polymers (i)

Unable to reproduce the depositors R factor - this section is therefore empty.

