

wwPDB X-ray Structure Validation Summary Report (i)

Oct 2, 2023 – 04:52 PM EDT

PDB ID : 6NR1

Title : The X-ray crystal structure of Streptococcus pneumoniae Fatty Acid Kinase

(Fak) B2 protein loaded with Vaccenic acid (C18:1 delta11) to 2.1 Angstrom

resolution

Authors: Cuypers, M.G.; Gullett, J.M.; Subramanian, C.; White, S.W.; Rock, C.O.

Deposited on : 2019-01-22

Resolution : 2.10 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity : FAILED

Mogul : 1.8.5 (274361), CSD as 541 be (2020)

Xtriage (Phenix) : 1.13

EDS : FAILED

buster-report : 1.1.7 (2018)

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)

Validation Pipeline (wwPDB-VP) : 2.35.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

There are no overall percentile quality scores available for this entry.

MolProbity and EDS failed to run properly - the sequence quality summary graphics cannot be shown.



2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 4967 atoms, of which 8 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Fatty Acid Kinase (Fak) B2 protein (SPR1019).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
1	Δ	279	Total	С	N	О	S	0	5	0
1	Λ	219	2188	1383	364	430	11	0		
1	D	278	Total	С	N	О	S	0	8	0
	D	210	2208	1394	368	437	9			

There are 68 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-33	MET	-	expression tag	UNP A0A0I9AIE4
A	-32	GLY	-	expression tag	UNP A0A0I9AIE4
A	-31	SER	-	expression tag	UNP A0A0I9AIE4
A	-30	SER	-	expression tag	UNP A0A0I9AIE4
A	-29	HIS	-	expression tag	UNP A0A0I9AIE4
A	-28	HIS	-	expression tag	UNP A0A0I9AIE4
A	-27	HIS	-	expression tag	UNP A0A0I9AIE4
A	-26	HIS	-	expression tag	UNP A0A0I9AIE4
A	-25	HIS	-	expression tag	UNP A0A0I9AIE4
A	-24	HIS	-	expression tag	UNP A0A0I9AIE4
A	-23	SER	-	expression tag	UNP A0A0I9AIE4
A	-22	SER	-	expression tag	UNP A0A0I9AIE4
A	-21	GLY	-	expression tag	UNP A0A0I9AIE4
A	-20	LEU	-	expression tag	UNP A0A0I9AIE4
A	-19	VAL	-	expression tag	UNP A0A0I9AIE4
A	-18	PRO	-	expression tag	UNP A0A0I9AIE4
A	-17	ARG	-	expression tag	UNP A0A0I9AIE4
A	-16	GLY	-	expression tag	UNP A0A0I9AIE4
A	-15	SER	-	expression tag	UNP A0A0I9AIE4
A	-14	HIS	-	expression tag	UNP A0A0I9AIE4
A	-13	MET	-	expression tag	UNP A0A0I9AIE4
A	-12	ALA	-	expression tag	UNP A0A0I9AIE4
A	-11	SER	-	expression tag	UNP A0A0I9AIE4
A	-10	MET	-	expression tag	UNP A0A0I9AIE4
A	-9	THR	-	expression tag	UNP A0A0I9AIE4

Continued on next page...



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-8	GLY	-	expression tag	UNP A0A0I9AIE4
A	-7	GLY	-	expression tag	UNP A0A0I9AIE4
A	-6	GLN	-	expression tag	UNP A0A0I9AIE4
A	-5	GLN	_	expression tag	UNP A0A0I9AIE4
A	-4	MET	-	expression tag	UNP A0A0I9AIE4
A	-3	GLY	-	expression tag	UNP A0A0I9AIE4
A	-2	ARG	-	expression tag	UNP A0A0I9AIE4
A	-1	ASP	-	expression tag	UNP A0A0I9AIE4
A	0	PRO	-	expression tag	UNP A0A0I9AIE4
В	-33	MET	-	expression tag	UNP A0A0I9AIE4
В	-32	GLY	-	expression tag	UNP A0A0I9AIE4
В	-31	SER	-	expression tag	UNP A0A0I9AIE4
В	-30	SER	-	expression tag	UNP A0A0I9AIE4
В	-29	HIS	-	expression tag	UNP A0A0I9AIE4
В	-28	HIS	-	expression tag	UNP A0A0I9AIE4
В	-27	HIS	-	expression tag	UNP A0A0I9AIE4
В	-26	HIS	-	expression tag	UNP A0A0I9AIE4
В	-25	HIS	-	expression tag	UNP A0A0I9AIE4
В	-24	HIS	-	expression tag	UNP A0A0I9AIE4
В	-23	SER	_	expression tag	UNP A0A0I9AIE4
В	-22	SER	-	expression tag	UNP A0A0I9AIE4
В	-21	GLY	_	expression tag	UNP A0A0I9AIE4
В	-20	LEU	-	expression tag	UNP A0A0I9AIE4
В	-19	VAL	-	expression tag	UNP A0A0I9AIE4
В	-18	PRO	-	expression tag	UNP A0A0I9AIE4
В	-17	ARG	-	expression tag	UNP A0A0I9AIE4
В	-16	GLY	-	expression tag	UNP A0A0I9AIE4
В	-15	SER	-	expression tag	UNP A0A0I9AIE4
В	-14	HIS	-	expression tag	UNP A0A0I9AIE4
В	-13	MET	-	expression tag	UNP A0A0I9AIE4
В	-12	ALA	-	expression tag	UNP A0A0I9AIE4
В	-11	SER	_	expression tag	UNP A0A0I9AIE4
В	-10	MET	-	expression tag	UNP A0A0I9AIE4
В	-9	THR	-	expression tag	UNP A0A0I9AIE4
В	-8	GLY	-	expression tag	UNP A0A0I9AIE4
В	-7	GLY	-	expression tag	UNP A0A0I9AIE4
В	-6	GLN	-	expression tag	UNP A0A0I9AIE4
В	-5	GLN	-	expression tag	UNP A0A0I9AIE4
В	-4	MET	-	expression tag	UNP A0A0I9AIE4
В	-3	GLY	-	expression tag	UNP A0A0I9AIE4
В	-2	ARG	-	expression tag	UNP A0A0I9AIE4
В	-1	ASP	-	expression tag	UNP A0A0I9AIE4


Continued on next page...



Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
В	0	PRO	-	expression tag	UNP A0A0I9AIE4

 \bullet Molecule 2 is VACCENIC ACID (three-letter code: VCA) (formula: $\mathrm{C_{18}H_{34}O_2}).$



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 20 18 2	0	0
2	В	1	Total C O 20 18 2	0	0

 \bullet Molecule 3 is GLYCEROL (three-letter code: GOL) (formula: $\mathrm{C_3H_8O_3}).$





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 6 3 3	0	0
3	A	1	Total C H O 14 3 8 3	0	0
3	A	1	Total C O 6 3 3	0	0

• Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	284	Total O 285 285	0	1
4	В	217	Total O 220 220	0	3

MolProbity and EDS failed to run properly - this section is therefore empty.



3 Data and refinement statistics (i)

EDS failed to run properly - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	59.66Å 103.41Å 107.92Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Resolution (Å)	52.21 - 2.10	Depositor
% Data completeness	99.5 (52.21-2.10)	Depositor
(in resolution range)	,	-
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	2.10 (at 2.10Å)	Xtriage
Refinement program	PHENIX (dev_3354: ???)	Depositor
R, R_{free}	0.184 , 0.241	Depositor
Wilson B-factor (A^2)	25.5	Xtriage
Anisotropy	0.535	Xtriage
L-test for twinning ²	$< L > = 0.51, < L^2> = 0.34$	Xtriage
Estimated twinning fraction	0.000 for -h,l,k	Xtriage
Total number of atoms	4967	wwPDB-VP
Average B, all atoms (\mathring{A}^2)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 23.75 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 4.3852e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

²Theoretical values of <|L|>, $<L^2>$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

4 Model quality (i)

4.1 Standard geometry (i)

MolProbity failed to run properly - this section is therefore empty.

4.2 Too-close contacts (i)

MolProbity failed to run properly - this section is therefore empty.

4.3 Torsion angles (i)

4.3.1 Protein backbone (i)

MolProbity failed to run properly - this section is therefore empty.

4.3.2 Protein sidechains (i)

MolProbity failed to run properly - this section is therefore empty.

4.3.3 RNA (i)

MolProbity failed to run properly - this section is therefore empty.

4.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

4.5 Carbohydrates (i)

There are no monosaccharides in this entry.

4.6 Ligand geometry (i)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond



length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Trino	Chain	Res	Link	Во	nd leng	ths	Bond angles		
IVIOI	Type	Chain	nes	LIIIK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	GOL	A	403	-	5,5,5	0.49	0	5,5,5	1.30	1 (20%)
3	GOL	A	402	-	5,5,5	1.04	0	5,5,5	1.13	0
2	VCA	В	401	-	19,19,19	0.85	1 (5%)	19,19,19	0.79	0
2	VCA	A	401	-	19,19,19	0.77	0	19,19,19	0.95	1 (5%)
3	GOL	A	404	-	5,5,5	1.28	0	5,5,5	0.75	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	A	403	-	-	0/4/4/4	-
3	GOL	A	402	-	-	0/4/4/4	-
2	VCA	В	401	_	-	3/17/17/17	-
2	VCA	A	401	-	-	2/17/17/17	-
3	GOL	A	404	-	-	2/4/4/4	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$Ideal(\AA)$
2	В	401	VCA	C2-C1	2.10	1.55	1.50

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\mathbf{Observed}(^o)$	$\operatorname{Ideal}({}^{o})$
2	A	401	VCA	C3-C2-C1	-2.55	108.04	114.47
3	A	403	GOL	C3-C2-C1	-2.54	101.81	111.70

There are no chirality outliers.

5 of 7 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	404	GOL	O2-C2-C3-O3
3	A	404	GOL	C1-C2-C3-O3
2	В	401	VCA	O2-C1-C2-C3

Continued on next page...




Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	В	401	VCA	O1-C1-C2-C3
2	A	401	VCA	O2-C1-C2-C3

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



4.7 Other polymers (i)

There are no such residues in this entry.

4.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



5 Fit of model and data (i)

5.1 Protein, DNA and RNA chains (i)

EDS failed to run properly - this section is therefore empty.

5.2 Non-standard residues in protein, DNA, RNA chains (i)

EDS failed to run properly - this section is therefore empty.

5.3 Carbohydrates (i)

EDS failed to run properly - this section is therefore empty.

5.4 Ligands (i)

EDS failed to run properly - this section is therefore empty.

5.5 Other polymers (i)

EDS failed to run properly - this section is therefore empty.

