



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 2, 2023 – 01:06 PM EDT

PDB ID : 6NSW
Title : X-ray reduced Catalase 3 From N.Crassa in Cpd I state (0.135 MGy)
Authors : Zarate-Romero, A.; Rudino-Pinera, E.; Stojanoff, V.
Deposited on : 2019-01-25
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : **FAILED**
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : **FAILED**
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.


There are no overall percentile quality scores available for this entry.

MolProbity and EDS failed to run properly - the sequence quality summary graphics cannot be shown.

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
2	C	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	D	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 3 is ACETATE ION (three-letter code: ACT) (formula: $C_2H_3O_2$).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	C O	0	0
			4	2 2		
3	A	1	Total	C O	0	0
			4	2 2		
3	B	1	Total	C O	0	0
			4	2 2		
3	B	1	Total	C O	0	0
			4	2 2		
3	C	1	Total	C O	0	0
			4	2 2		
3	C	1	Total	C O	0	0
			4	2 2		
3	D	1	Total	C O	0	0
			4	2 2		
3	D	1	Total	C O	0	0
			4	2 2		

- Molecule 4 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula: $C_6H_{14}O_4$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			10	6	4		
4	B	1	Total	C	O	0	0
			10	6	4		
4	D	1	Total	C	O	0	0
			10	6	4		

- Molecule 5 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: $C_4H_{10}O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			7	4	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	C	1	Total C O 7 4 3	0	0
5	C	1	Total C O 7 4 3	0	0
5	C	1	Total C O 7 4 3	0	0

- Molecule 6 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 4 2 2	0	0
6	A	1	Total C O 4 2 2	0	0
6	B	1	Total C O 4 2 2	0	0
6	B	1	Total C O 4 2 2	0	0
6	C	1	Total C O 4 2 2	0	0
6	C	1	Total C O 4 2 2	0	0
6	C	1	Total C O 4 2 2	0	0
6	D	1	Total C O 4 2 2	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	D	1	Total C O 4 2 2	0	0
6	D	1	Total C O 4 2 2	0	0

- Molecule 7 is OXYGEN ATOM (three-letter code: O) (formula: O) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total O 1 1	0	0
7	B	1	Total O 1 1	0	0
7	C	1	Total O 1 1	0	0
7	D	1	Total O 1 1	0	0

- Molecule 8 is ETHANOL (three-letter code: EOH) (formula: C₂H₆O).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	1	Total C O 3 2 1	0	0
8	B	1	Total C O 3 2 1	0	0
8	B	1	Total C O 3 2 1	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	D	1	Total	C	O	0	0
			3	2	1		
8	D	1	Total	C	O	0	0
			3	2	1		

- Molecule 9 is PENTAETHYLENE GLYCOL (three-letter code: 1PE) (formula: C₁₀H₂₂O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	B	1	Total	C	O	0	0
			16	10	6		

- Molecule 10 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula: C₈H₁₈O₅).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	C	1	Total	C	O	0	0
			13	8	5		

- Molecule 11 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	A	493	Total	O	0	0
			493	493		
11	B	502	Total	O	0	0
			502	502		
11	C	499	Total	O	0	0
			499	499		
11	D	473	Total	O	0	0
			473	473		

MolProbity and EDS failed to run properly - this section is therefore empty.

3 Data and refinement statistics i

EDS failed to run properly - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	131.10Å 154.40Å 160.90Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.60 – 2.10	Depositor
% Data completeness (in resolution range)	80.5 (29.60-2.10)	Depositor
R_{merge}	0.16	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.00 (at 2.10Å)	Xtrriage
Refinement program	PHENIX 1.12_2829	Depositor
R, R_{free}	0.170 , 0.220	Depositor
Wilson B-factor (Å ²)	16.5	Xtrriage
Anisotropy	0.024	Xtrriage
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	0.023 for -h,l,k	Xtrriage
Total number of atoms	23881	wwPDB-VP
Average B, all atoms (Å ²)	18.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.59% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

4 Model quality [i](#)

4.1 Standard geometry [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.2 Too-close contacts [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3 Torsion angles [i](#)

4.3.1 Protein backbone [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3.2 Protein sidechains [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3.3 RNA [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

4.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

4.6 Ligand geometry [i](#)

Of 40 ligands modelled in this entry, 4 are monoatomic - leaving 36 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	EOH	D	810	-	2,2,2	0.46	0	1,1,1	0.11	0
6	EDO	A	807	-	3,3,3	0.46	0	2,2,2	0.34	0
8	EOH	B	809	-	2,2,2	0.43	0	1,1,1	0.24	0
9	1PE	B	804	-	15,15,15	0.51	0	14,14,14	0.49	0
3	ACT	C	803	-	3,3,3	1.45	1 (33%)	3,3,3	1.44	0
6	EDO	D	806	-	3,3,3	0.46	0	2,2,2	0.40	0
2	HEM	B	801	7,1	41,50,50	1.47	5 (12%)	45,82,82	1.36	5 (11%)
4	PGE	A	804	-	9,9,9	0.33	0	8,8,8	0.30	0
5	PEG	C	807	-	6,6,6	0.52	0	5,5,5	0.46	0
6	EDO	A	806	-	3,3,3	0.49	0	2,2,2	0.30	0
4	PGE	B	805	-	9,9,9	0.30	0	8,8,8	0.33	0
6	EDO	B	807	-	3,3,3	0.48	0	2,2,2	0.29	0
2	HEM	D	801	7,1	41,50,50	1.48	5 (12%)	45,82,82	1.39	7 (15%)
3	ACT	B	802	-	3,3,3	1.45	0	3,3,3	1.29	0
3	ACT	B	803	-	3,3,3	1.23	0	3,3,3	1.31	0
4	PGE	D	804	-	9,9,9	0.36	0	8,8,8	0.25	0
6	EDO	C	810	-	3,3,3	0.44	0	2,2,2	0.38	0
8	EOH	A	809	-	2,2,2	0.46	0	1,1,1	0.06	0
3	ACT	D	803	-	3,3,3	1.43	1 (33%)	3,3,3	1.31	0
6	EDO	C	808	-	3,3,3	0.44	0	2,2,2	0.41	0
5	PEG	C	805	-	6,6,6	0.48	0	5,5,5	0.57	0
5	PEG	A	805	-	6,6,6	0.48	0	5,5,5	0.55	0
6	EDO	C	809	-	3,3,3	0.49	0	2,2,2	0.41	0
2	HEM	C	801	7,1	41,50,50	1.45	3 (7%)	45,82,82	1.41	6 (13%)
3	ACT	A	803	-	3,3,3	1.51	1 (33%)	3,3,3	1.25	0
2	HEM	A	801	7,1	41,50,50	1.45	5 (12%)	45,82,82	1.40	6 (13%)
8	EOH	D	809	-	2,2,2	0.47	0	1,1,1	0.16	0
3	ACT	D	802	-	3,3,3	1.29	0	3,3,3	1.50	0
6	EDO	D	805	-	3,3,3	0.50	0	2,2,2	0.33	0
5	PEG	C	806	-	6,6,6	0.50	0	5,5,5	0.40	0
8	EOH	B	810	-	2,2,2	0.47	0	1,1,1	0.19	0
10	PG4	C	804	-	12,12,12	0.51	0	11,11,11	0.34	0
3	ACT	C	802	-	3,3,3	1.47	1 (33%)	3,3,3	1.29	0
6	EDO	B	806	-	3,3,3	0.38	0	2,2,2	0.56	0
6	EDO	D	807	-	3,3,3	0.48	0	2,2,2	0.30	0
3	ACT	A	802	-	3,3,3	1.39	0	3,3,3	1.45	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	EDO	A	807	-	-	1/1/1/1	-
9	IPE	B	804	-	-	8/13/13/13	-
6	EDO	D	806	-	-	1/1/1/1	-
2	HEM	B	801	7,1	-	4/12/54/54	-
4	PGE	A	804	-	-	6/7/7/7	-
5	PEG	C	807	-	-	1/4/4/4	-
6	EDO	A	806	-	-	0/1/1/1	-
4	PGE	B	805	-	-	3/7/7/7	-
6	EDO	B	807	-	-	0/1/1/1	-
2	HEM	D	801	7,1	-	2/12/54/54	-
4	PGE	D	804	-	-	4/7/7/7	-
6	EDO	C	810	-	-	1/1/1/1	-
6	EDO	C	808	-	-	0/1/1/1	-
5	PEG	C	805	-	-	1/4/4/4	-
5	PEG	A	805	-	-	4/4/4/4	-
6	EDO	C	809	-	-	1/1/1/1	-
2	HEM	C	801	7,1	-	3/12/54/54	-
2	HEM	A	801	7,1	-	2/12/54/54	-
6	EDO	D	805	-	-	0/1/1/1	-
5	PEG	C	806	-	-	2/4/4/4	-
10	PG4	C	804	-	-	4/10/10/10	-
6	EDO	B	806	-	-	0/1/1/1	-
6	EDO	D	807	-	-	0/1/1/1	-

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	801	HEM	C3C-C2C	-3.87	1.35	1.40
2	B	801	HEM	C3C-C2C	-3.83	1.35	1.40
2	A	801	HEM	C3C-C2C	-3.79	1.35	1.40
2	B	801	HEM	C3C-CAC	3.79	1.55	1.47
2	D	801	HEM	C3C-C2C	-3.79	1.35	1.40
2	C	801	HEM	C3C-CAC	3.78	1.55	1.47
2	D	801	HEM	C3C-CAC	3.70	1.55	1.47
2	A	801	HEM	C3C-CAC	3.69	1.55	1.47
2	B	801	HEM	CAB-C3B	3.01	1.55	1.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	801	HEM	CAB-C3B	3.00	1.55	1.47
2	D	801	HEM	CAB-C3B	3.00	1.55	1.47
2	A	801	HEM	CAB-C3B	2.86	1.55	1.47
2	D	801	HEM	CMB-C2B	2.22	1.55	1.50
3	A	803	ACT	CH3-C	2.21	1.58	1.49
3	C	802	ACT	CH3-C	2.21	1.58	1.49
2	B	801	HEM	CMB-C2B	2.19	1.55	1.50
2	A	801	HEM	FE-ND	2.11	2.07	1.96
3	D	803	ACT	CH3-C	2.11	1.57	1.49
3	C	803	ACT	CH3-C	2.10	1.57	1.49
2	A	801	HEM	CMB-C2B	2.10	1.55	1.50
2	D	801	HEM	FE-ND	2.05	2.07	1.96
2	B	801	HEM	CAA-C2A	2.01	1.55	1.52

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	801	HEM	C4D-ND-C1D	3.26	108.44	105.07
2	C	801	HEM	C4D-ND-C1D	3.18	108.36	105.07
2	B	801	HEM	C1B-NB-C4B	3.11	108.28	105.07
2	A	801	HEM	C1B-NB-C4B	3.07	108.25	105.07
2	B	801	HEM	C4D-ND-C1D	2.99	108.16	105.07
2	A	801	HEM	C4D-ND-C1D	2.97	108.14	105.07
2	D	801	HEM	C1B-NB-C4B	2.90	108.07	105.07
2	C	801	HEM	CAA-CBA-CGA	-2.71	106.16	113.76
2	B	801	HEM	C4C-CHD-C1D	2.64	126.05	122.56
2	C	801	HEM	C4C-CHD-C1D	2.61	126.01	122.56
2	A	801	HEM	CAA-CBA-CGA	-2.57	106.55	113.76
2	C	801	HEM	C1B-NB-C4B	2.50	107.66	105.07
2	B	801	HEM	CAA-CBA-CGA	-2.40	107.03	113.76
2	C	801	HEM	CMC-C2C-C3C	2.40	129.16	124.68
2	A	801	HEM	C4C-CHD-C1D	2.37	125.68	122.56
2	D	801	HEM	C3D-C4D-ND	-2.30	107.61	110.17
2	D	801	HEM	C4A-C3A-C2A	2.29	108.59	107.00
2	C	801	HEM	C3D-C4D-ND	-2.27	107.64	110.17
2	A	801	HEM	C3D-C4D-ND	-2.25	107.66	110.17
2	D	801	HEM	CAA-CBA-CGA	-2.17	107.67	113.76
2	D	801	HEM	C4C-CHD-C1D	2.13	125.37	122.56
2	A	801	HEM	CMC-C2C-C3C	2.04	128.50	124.68
2	D	801	HEM	C2D-C1D-ND	-2.02	107.46	109.88
2	B	801	HEM	C3D-C4D-ND	-2.02	107.92	110.17

There are no chirality outliers.

All (48) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	804	PGE	C4-C3-O2-C2
4	A	804	PGE	O2-C3-C4-O3
9	B	804	1PE	OH6-C15-C25-OH5
4	D	804	PGE	O3-C5-C6-O4
5	A	805	PEG	O2-C3-C4-O4
5	C	806	PEG	O2-C3-C4-O4
10	C	804	PG4	C5-C6-O4-C7
4	D	804	PGE	O1-C1-C2-O2
5	A	805	PEG	O1-C1-C2-O2
9	B	804	1PE	OH2-C12-C22-OH3
4	A	804	PGE	O1-C1-C2-O2
6	C	809	EDO	O1-C1-C2-O2
6	D	806	EDO	O1-C1-C2-O2
4	B	805	PGE	O3-C5-C6-O4
9	B	804	1PE	OH7-C16-C26-OH6
4	B	805	PGE	O2-C3-C4-O3
5	A	805	PEG	C4-C3-O2-C2
4	B	805	PGE	C1-C2-O2-C3
5	C	807	PEG	C4-C3-O2-C2
5	C	806	PEG	C4-C3-O2-C2
4	D	804	PGE	C3-C4-O3-C5
10	C	804	PG4	O4-C7-C8-O5
9	B	804	1PE	C25-C15-OH6-C26
9	B	804	1PE	C13-C23-OH3-C22
5	C	805	PEG	C1-C2-O2-C3
10	C	804	PG4	C3-C4-O3-C5
4	A	804	PGE	C1-C2-O2-C3
6	A	807	EDO	O1-C1-C2-O2
2	B	801	HEM	CAA-CBA-CGA-O1A
2	C	801	HEM	CAA-CBA-CGA-O1A
2	B	801	HEM	CAA-CBA-CGA-O2A
2	A	801	HEM	CAA-CBA-CGA-O2A
2	A	801	HEM	CAA-CBA-CGA-O1A
9	B	804	1PE	C12-C22-OH3-C23
2	D	801	HEM	CAA-CBA-CGA-O1A
2	B	801	HEM	CAD-CBD-CGD-O2D
2	C	801	HEM	CAA-CBA-CGA-O2A
2	D	801	HEM	CAA-CBA-CGA-O2A
9	B	804	1PE	C14-C24-OH4-C13
2	B	801	HEM	CAD-CBD-CGD-O1D

Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Atoms
5	A	805	PEG	C1-C2-O2-C3
4	D	804	PGE	O2-C3-C4-O3
10	C	804	PG4	O2-C3-C4-O3
6	C	810	EDO	O1-C1-C2-O2
4	A	804	PGE	C3-C4-O3-C5
4	A	804	PGE	C6-C5-O3-C4
2	C	801	HEM	CAD-CBD-CGD-O2D
9	B	804	1PE	OH4-C13-C23-OH3


There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









4.7 Other polymers [i](#)

There are no such residues in this entry.

4.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

5 Fit of model and data

5.1 Protein, DNA and RNA chains

EDS failed to run properly - this section is therefore empty.

5.2 Non-standard residues in protein, DNA, RNA chains

EDS failed to run properly - this section is therefore empty.

5.3 Carbohydrates

EDS failed to run properly - this section is therefore empty.

5.4 Ligands

EDS failed to run properly - this section is therefore empty.

5.5 Other polymers

EDS failed to run properly - this section is therefore empty.