



# wwPDB X-ray Structure Validation Summary Report ⓘ

Aug 7, 2023 – 11:30 PM EDT

PDB ID : 1NWX  
Title : COMPLEX OF THE LARGE RIBOSOMAL SUBUNIT FROM DEINOCOCCUS RADIODURANS WITH ABT-773  
Authors : Schluenzen, F.; Harms, J.; Franceschi, F.; Hansen, H.A.S.; Bartels, H.; Zariwach, R.; Yonath, A.  
Deposited on : 2003-02-07  
Resolution : 3.50 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtrriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



| Metric       | Whole archive<br>(#Entries) | Similar resolution<br>(#Entries, resolution range(Å)) |
|--------------|-----------------------------|-------------------------------------------------------|
| Clashscore   | 141614                      | 1036 (3.58-3.42)                                      |
| RNA backbone | 3102                        | 1002 (4.00-3.00)                                      |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Note EDS was not executed.

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|------------------|
| 1   | 0     | 2880   | 26% 57% 13% .    |
| 2   | 9     | 124    | 19% 59% 18% 5%   |
| 3   | A     | 274    | 99% .            |
| 4   | B     | 211    | 96% ..           |
| 5   | C     | 204    | 97% .            |
| 6   | D     | 180    | 98% ..           |
| 7   | E     | 185    | 95% . .          |
| 8   | F     | 146    | 34% 64%          |
| 9   | G     | 144    | 99% .            |

*Continued on next page...*

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|------------------|
| 10  | H     | 174    | 82% 18%          |
| 11  | I     | 134    | 99%              |
| 12  | J     | 156    | 90% 10%          |
| 13  | K     | 141    | 87% 12%          |
| 14  | L     | 116    | 97%              |
| 15  | M     | 113    | 97%              |
| 16  | N     | 166    | 75% 25%          |
| 17  | O     | 118    | 99%              |
| 18  | P     | 100    | 100%             |
| 19  | Q     | 134    | 97%              |
| 20  | R     | 94     | 99%              |
| 21  | S     | 115    | 98%              |
| 22  | T     | 237    | 94% 6%           |
| 23  | U     | 91     | 95% 5%           |
| 24  | W     | 67     | 97%              |
| 25  | X     | 55     | 100%             |
| 26  | Y     | 73     | 100%             |
| 27  | Z     | 59     | 97%              |
| 28  | 1     | 55     | 96%              |
| 29  | 2     | 47     | 98%              |
| 30  | 3     | 65     | 97%              |
| 31  | 4     | 37     | 95% 5%           |

## 2 Entry composition [i](#)

There are 32 unique types of molecules in this entry. The entry contains 65355 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 23S RIBOSOMAL RNA.

| Mol | Chain | Residues | Atoms |       |       |       |      | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|-------|-------|-------|------|---------|---------|-------|
|     |       |          | Total | C     | N     | O     | P    |         |         |       |
| 1   | 0     | 2766     | 59359 | 26479 | 10949 | 19166 | 2765 | 0       | 0       | 0     |

- Molecule 2 is a RNA chain called 5S RIBOSOMAL RNA.

| Mol | Chain | Residues | Atoms |      |     |     |     | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|-----|---------|---------|-------|
|     |       |          | Total | C    | N   | O   | P   |         |         |       |
| 2   | 9     | 118      | 2519  | 1124 | 464 | 813 | 118 | 0       | 0       | 0     |

- Molecule 3 is a protein called ribosomal protein L2.

| Mol | Chain | Residues | Atoms |     | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|-----|---------|---------|-------|
| 3   | A     | 270      | Total | C   | 0       | 0       | 270   |
|     |       |          | 270   | 270 |         |         |       |

- Molecule 4 is a protein called ribosomal protein L3.

| Mol | Chain | Residues | Atoms |     | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|-----|---------|---------|-------|
| 4   | B     | 205      | Total | C   | 0       | 0       | 205   |
|     |       |          | 205   | 205 |         |         |       |

- Molecule 5 is a protein called ribosomal protein L4.

| Mol | Chain | Residues | Atoms |     | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|-----|---------|---------|-------|
| 5   | C     | 197      | Total | C   | 0       | 0       | 197   |
|     |       |          | 197   | 197 |         |         |       |

- Molecule 6 is a protein called ribosomal protein L5.

| Mol | Chain | Residues | Atoms |     | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|-----|---------|---------|-------|
| 6   | D     | 178      | Total | C   | 0       | 0       | 178   |
|     |       |          | 178   | 178 |         |         |       |

- Molecule 7 is a protein called ribosomal protein L6.

| Mol | Chain | Residues | Atoms              | ZeroOcc | AltConf | Trace |
|-----|-------|----------|--------------------|---------|---------|-------|
| 7   | E     | 177      | Total C<br>177 177 | 0       | 0       | 177   |

- Molecule 8 is a protein called ribosomal protein L9.

| Mol | Chain | Residues | Atoms            | ZeroOcc | AltConf | Trace |
|-----|-------|----------|------------------|---------|---------|-------|
| 8   | F     | 52       | Total C<br>52 52 | 0       | 0       | 52    |

- Molecule 9 is a protein called ribosomal protein L11.

| Mol | Chain | Residues | Atoms              | ZeroOcc | AltConf | Trace |
|-----|-------|----------|--------------------|---------|---------|-------|
| 9   | G     | 143      | Total C<br>143 143 | 0       | 0       | 143   |

- Molecule 10 is a protein called ribosomal protein L13.

| Mol | Chain | Residues | Atoms              | ZeroOcc | AltConf | Trace |
|-----|-------|----------|--------------------|---------|---------|-------|
| 10  | H     | 143      | Total C<br>143 143 | 0       | 0       | 143   |

- Molecule 11 is a protein called ribosomal protein L14.

| Mol | Chain | Residues | Atoms              | ZeroOcc | AltConf | Trace |
|-----|-------|----------|--------------------|---------|---------|-------|
| 11  | I     | 132      | Total C<br>132 132 | 0       | 0       | 132   |

- Molecule 12 is a protein called ribosomal protein L15.

| Mol | Chain | Residues | Atoms              | ZeroOcc | AltConf | Trace |
|-----|-------|----------|--------------------|---------|---------|-------|
| 12  | J     | 141      | Total C<br>141 141 | 0       | 0       | 141   |

- Molecule 13 is a protein called ribosomal protein L16.

| Mol | Chain | Residues | Atoms              | ZeroOcc | AltConf | Trace |
|-----|-------|----------|--------------------|---------|---------|-------|
| 13  | K     | 124      | Total C<br>124 124 | 0       | 0       | 124   |

- Molecule 14 is a protein called ribosomal protein L17.

| Mol | Chain | Residues | Atoms              | ZeroOcc | AltConf | Trace |
|-----|-------|----------|--------------------|---------|---------|-------|
| 14  | L     | 114      | Total C<br>114 114 | 0       | 0       | 114   |

- Molecule 15 is a protein called ribosomal protein L18.

| Mol | Chain | Residues | Atoms              | ZeroOcc | AltConf | Trace |
|-----|-------|----------|--------------------|---------|---------|-------|
| 15  | M     | 111      | Total C<br>111 111 | 8       | 0       | 111   |

- Molecule 16 is a protein called ribosomal protein L19.

| Mol | Chain | Residues | Atoms              | ZeroOcc | AltConf | Trace |
|-----|-------|----------|--------------------|---------|---------|-------|
| 16  | N     | 125      | Total C<br>125 125 | 0       | 0       | 125   |

- Molecule 17 is a protein called ribosomal protein L20.

| Mol | Chain | Residues | Atoms              | ZeroOcc | AltConf | Trace |
|-----|-------|----------|--------------------|---------|---------|-------|
| 17  | O     | 117      | Total C<br>117 117 | 16      | 0       | 117   |

- Molecule 18 is a protein called ribosomal protein L21.

| Mol | Chain | Residues | Atoms              | ZeroOcc | AltConf | Trace |
|-----|-------|----------|--------------------|---------|---------|-------|
| 18  | P     | 100      | Total C<br>100 100 | 0       | 0       | 100   |

- Molecule 19 is a protein called ribosomal protein L22.

| Mol | Chain | Residues | Atoms              | ZeroOcc | AltConf | Trace |
|-----|-------|----------|--------------------|---------|---------|-------|
| 19  | Q     | 130      | Total C<br>130 130 | 0       | 0       | 130   |

- Molecule 20 is a protein called ribosomal protein L23.

| Mol | Chain | Residues | Atoms            | ZeroOcc | AltConf | Trace |
|-----|-------|----------|------------------|---------|---------|-------|
| 20  | R     | 93       | Total C<br>93 93 | 0       | 0       | 93    |

- Molecule 21 is a protein called ribosomal protein L24.

| Mol | Chain | Residues | Atoms              | ZeroOcc | AltConf | Trace |
|-----|-------|----------|--------------------|---------|---------|-------|
| 21  | S     | 113      | Total C<br>113 113 | 0       | 0       | 113   |

- Molecule 22 is a protein called general stress protein Ctc.

| Mol | Chain | Residues | Atoms              | ZeroOcc | AltConf | Trace |
|-----|-------|----------|--------------------|---------|---------|-------|
| 22  | T     | 223      | Total C<br>223 223 | 43      | 0       | 223   |

- Molecule 23 is a protein called ribosomal protein L27.

| Mol | Chain | Residues | Atoms            | ZeroOcc | AltConf | Trace |
|-----|-------|----------|------------------|---------|---------|-------|
| 23  | U     | 86       | Total C<br>86 86 | 0       | 0       | 86    |

- Molecule 24 is a protein called ribosomal protein L29.

| Mol | Chain | Residues | Atoms            | ZeroOcc | AltConf | Trace |
|-----|-------|----------|------------------|---------|---------|-------|
| 24  | W     | 65       | Total C<br>65 65 | 0       | 0       | 65    |

- Molecule 25 is a protein called ribosomal protein L30.

| Mol | Chain | Residues | Atoms            | ZeroOcc | AltConf | Trace |
|-----|-------|----------|------------------|---------|---------|-------|
| 25  | X     | 55       | Total C<br>55 55 | 4       | 0       | 55    |

- Molecule 26 is a protein called ribosomal protein L31.

| Mol | Chain | Residues | Atoms            | ZeroOcc | AltConf | Trace |
|-----|-------|----------|------------------|---------|---------|-------|
| 26  | Y     | 73       | Total C<br>73 73 | 0       | 0       | 73    |

- Molecule 27 is a protein called ribosomal protein L32.

| Mol | Chain | Residues | Atoms            | ZeroOcc | AltConf | Trace |
|-----|-------|----------|------------------|---------|---------|-------|
| 27  | Z     | 58       | Total C<br>58 58 | 0       | 0       | 58    |

- Molecule 28 is a protein called ribosomal protein L33.

| Mol | Chain | Residues | Atoms            | ZeroOcc | AltConf | Trace |
|-----|-------|----------|------------------|---------|---------|-------|
| 28  | 1     | 53       | Total C<br>53 53 | 0       | 0       | 53    |

- Molecule 29 is a protein called ribosomal protein L34.

| Mol | Chain | Residues | Atoms            | ZeroOcc | AltConf | Trace |
|-----|-------|----------|------------------|---------|---------|-------|
| 29  | 2     | 46       | Total C<br>46 46 | 0       | 0       | 46    |


- Molecule 30 is a protein called ribosomal protein L35.

| Mol | Chain | Residues | Atoms            | ZeroOcc | AltConf | Trace |
|-----|-------|----------|------------------|---------|---------|-------|
| 30  | 3     | 63       | Total C<br>63 63 | 0       | 0       | 63    |

- Molecule 31 is a protein called ribosomal protein L36.

| Mol | Chain | Residues | Atoms            | ZeroOcc | AltConf | Trace |
|-----|-------|----------|------------------|---------|---------|-------|
| 31  | 4     | 35       | Total C<br>35 35 | 0       | 0       | 35    |

- Molecule 32 is CETHROMYCIN (three-letter code: 773) (formula:  $C_{42}H_{59}N_3O_{10}$ ).



| Mol | Chain | Residues | Atoms                     | ZeroOcc | AltConf |
|-----|-------|----------|---------------------------|---------|---------|
| 32  | 0     | 1        | Total C N O<br>55 42 3 10 | 0       | 0       |




### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


Note EDS was not executed.

- Molecule 1: 23S RIBOSOMAL RNA





|       |       |       |       |       |       |       |       |       |      |      |      |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|------|------|
| G1691 | C1621 | G1488 | G1296 | C1230 | G1155 | G1082 | C1002 | G933  | C864 | A794 | G732 |
| C1692 | G1622 | C1489 | A1297 | A1233 | U1156 | C1083 | C1003 | A936  | A865 | A795 | G733 |
| A1693 | G1623 | U1490 | G1298 | C1234 | A1162 | C1086 | U1005 | A937  | A866 | A796 | G734 |
| A1694 | A1624 | C1491 | A1299 | A1235 | C1163 | A1087 | C1006 | G938  | G867 | A797 | G735 |
| U1695 | A1625 | A1492 | A1300 | U1236 | C1164 | C1088 | C1007 | C939  | U868 | G798 | G736 |
| C1696 | A1626 | A1493 | U1301 | A1238 | C1165 | C1089 | C1008 | G940  | C869 | C799 | G737 |
| U1697 | G1432 | U1365 | C1302 | A1238 | A1166 | C1090 | C1009 | U941  | C870 | A801 | G738 |
| A1698 | A1433 | G1368 | U1303 | G1241 | A1167 | C1091 | U1010 | U942  | C871 | A802 | G739 |
| A1699 | G1436 | G1371 | C1304 | A1242 | A1168 | U1092 | A1011 | U943  | U872 | C803 | A740 |
| C1703 | A1437 | A1372 | U1305 | G1243 | C1169 | U1095 | A1012 | U944  | U873 | G804 | G741 |
| G1704 | G1438 | A1373 | U1306 | U1244 | U1170 | A1096 | G1016 | G945  | A874 | G805 | G742 |
| U1705 | G1439 | G1374 | C1308 | G1246 | U1171 | A1099 | C1017 | G951  | A875 | A806 | G743 |
| A1706 | G1440 | C1375 | G1309 | U1247 | U1172 | A1100 | U1018 | G952  | A876 | A807 | C744 |
| A1707 | A1441 | C1376 | C1310 | U1248 | A1179 | G1109 | G1019 | A953  | A886 | C808 | G745 |
| C1708 | G1442 | G1377 | C1311 | A1249 | A1180 | U1101 | U1019 | A954  | G887 | C809 | G746 |
| U1709 | G1443 | A1378 | U1312 | A1250 | C1181 | G1102 | A1020 | U955  | U888 | U810 | G750 |
| G1710 | C1444 | A1379 | U1313 | A1251 | U1182 | C1103 | A1021 | A956  | G889 | G811 | C751 |
| A1643 | A1445 | C1380 | A1314 | C1252 | C1183 | G1104 | A1022 | G957  | U890 | A812 | G752 |
| G1644 | U1446 | G1381 | A1315 | C1253 | C1184 | G1110 | U1023 | G958  | A891 | A813 | U753 |
| U1645 | U1447 | C1382 | G1316 | U1254 | C1185 | U1111 | G1024 | G959  | G    | A814 | G754 |
| A1581 | A1448 | G1383 | G1317 | A1255 | U1186 | U1112 | U1025 | U960  | C    | A815 | C755 |
| A1582 | C1449 | C1384 | A1318 | A1256 | G1190 | C1113 | U1026 | G961  | C    | U816 | C756 |
| C1648 | G1450 | G1385 | C1319 | U1256 | C1191 | A1114 | C1027 | G962  | C    | A817 | U757 |
| A1583 | C1451 | A1386 | A1320 | U1257 | A1192 | C1115 | U1028 | A964  | C    | G818 | C758 |
| G1584 | U1452 | G1387 | A1321 | G1258 | A1193 | U1116 | C1029 | G965  | C    | C819 | C759 |
| A1585 | C1455 | C1388 | G1322 | A1259 | G1193 | U1116 | U1030 | G966  | C    | U820 | U760 |
| A1586 | C1456 | G1389 | G1323 | A1260 | U1194 | G1117 | C1031 | G968  | C    | U821 | U761 |
| C1524 | A1456 | C1390 | U1324 | A1261 | U1195 | U1121 | A1032 | C969  | U    | U824 | A762 |
| G1527 | A1457 | G1391 | G1325 | U1262 | C1196 | A1122 | G1033 | U970  | A    | C825 | A763 |
| C1528 | U1458 | A1392 | U1326 | A1263 | U1197 | G1123 | U1034 | A971  | C    | U826 | A764 |
| U1529 | U1459 | G1393 | C1327 | G1264 | C1198 | U1124 | G1035 | A972  | A    | C765 | C766 |
| C1530 | G1460 | G1394 | U1329 | A1265 | U1199 | U1125 | G1036 | C972  | C    | C829 | A766 |
| A1531 | C1461 | A1397 | U1330 | A1266 | G1200 | A1126 | U1037 | U973  | C    | C830 | G767 |
| A1532 | A1462 | G1398 | G1332 | U1267 | U1202 | G1133 | U1038 | U974  | C    | G831 | U768 |
| G1533 | A1463 | C1399 | U1333 | U1268 | U1203 | U1134 | A1039 | C975  | U    | A832 | C769 |
| C1534 | G1465 | A1400 | A1334 | G1270 | G1204 | U1135 | A1040 | G977  | C    | U837 | U770 |
| U1535 | C1466 | G1401 | A1335 | C1271 | G1205 | C1132 | G1036 | U978  | C    | U838 | C771 |
| G1536 | U1467 | U1402 | G1336 | G1272 | U1206 | G1133 | U1044 | A979  | C    | A838 | G772 |
| U1537 | A1468 | A1403 | U1337 | G1273 | G1207 | C1134 | U1054 | C980  | C    | U839 | G773 |
| A1538 | U1469 | C1404 | G1338 | U1274 | U1208 | G1135 | C1064 | C981  | A911 | U840 | G774 |
| U1539 | G1470 | A1405 | U1339 | G1275 | U1209 | G1136 | A1055 | C982  | A912 | U841 | A774 |
| A1604 | G1471 | A1406 | C1340 | A1276 | U1213 | A1137 | U1056 | C983  | A913 | G842 | U775 |
| G1541 | C1472 | G1407 | G1341 | U1277 | C1214 | A1138 | A1057 | A984  | C915 | A842 | G776 |
| A1542 | U1473 | A1408 | U1342 | C1278 | A1215 | A1139 | G1058 | G985  | U916 | G843 | A777 |
| U1543 | A1474 | U1409 | C1343 | A1280 | G1216 | A1140 | C1064 | A986  | U917 | G844 | G778 |
| A1544 | U1475 | U1410 | C1344 | A1281 | U1217 | G1141 | A1065 | A987  | U918 | C847 | G781 |
| G1545 | G1476 | C1411 | G1345 | U1282 | U1218 | U1142 | G1066 | G988  | U919 | A848 | U782 |
| C1546 | C1477 | C1412 | C1346 | A1285 | C1219 | G1145 | G1067 | A991  | A922 | U852 | U783 |
| U1547 | U1478 | A1416 | C1347 | U1286 | G1220 | G1146 | G1067 | A994  | A923 | C853 | U784 |
| U1548 | G1479 | C1417 | A1348 | A1287 | U1221 | G1147 | A1068 | A995  | A924 | U853 | U785 |
| C1552 | G1480 | U1418 | A1349 | A1288 | G1222 | G1148 | G1069 | C926  | C926 | G854 | U786 |
| A1553 | U1481 | G1419 | G1350 | A1289 | U1223 | G1149 | G1073 | C927  | C927 | G855 | A787 |
| G1554 | U1482 | C1419 | G1351 | A1290 | A1224 | G1150 | G1074 | C928  | C928 | U857 | G788 |
| A1555 | G1483 | C1422 | G1352 | G1291 | G1225 | U1151 | C1075 | C929  | A929 | U857 | G789 |
| U1556 | G1484 | A1423 | A1353 | A1292 | A1226 | U1151 | C1075 | C930  | A930 | G858 | A790 |
| A1557 | U1485 | U1424 | A1354 | A1293 | A1227 | C1152 | U1076 | A999  | A931 | U859 | G791 |
| C1620 | U1486 | G1425 | A1355 | A1294 | G1228 | U1153 | U1076 | A999  | A931 | U860 | U792 |
|       | C1487 |       | G1356 | U1295 | C1229 | A1154 | A1081 | A1001 | G932 | G861 | G793 |


|       |       |       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| A2721 | A2654 | C2585 | A2509 | C2444 | C2375 | G2300 | A2220 | C2157 | C2094 | G2029 | C1962 | A1821 | G1760 |
| C2722 | C2655 | U2588 | A2510 | C2445 | G2376 | A2301 | G2225 | C2188 | G2095 | U2030 | G1963 | C1822 | G1761 |
| G2723 | C2656 | C2589 | G2511 | G2446 | U2377 | C2302 | A2226 | C2160 | U2096 | A1901 | A1964 | G1823 | G1762 |
| C2725 | A2658 | U2590 | U2516 | A2448 | G2378 | A2306 | C2227 | C2161 | G     | C2033 | C1966 | U1965 | G1763 |
| G2726 | C2659 | C2591 | C2517 | G2449 | G2379 | A2307 | U2228 | C2162 | A     | G1904 | G1905 | U1826 | A1764 |
| G2727 | C2660 | U2592 | C2518 | A2450 | U2380 | A2308 | G2229 | U2163 | U     | G1906 | G1907 | C1765 | U1766 |
| A2728 | C2661 | A2593 | C2519 | C2454 | A2381 | G2309 | G2230 | G2164 | A     | U1907 | C1970 | U1767 | U1768 |
| A2730 | C2662 | C2594 | A2521 | A2455 | C2382 | G2310 | C2233 | G2166 | G2103 | C2038 | G1972 | U1769 | U1770 |
| G2731 | C2665 | C2595 | G2522 | U2456 | G2383 | U2311 | G2234 | A2167 | G1909 | U1908 | C1973 | U1771 | U1772 |
| C2732 | U2666 | G2597 | G2523 | A2457 | C2384 | U2312 | G2235 | A2168 | U2105 | A2040 | G1974 | C1836 | A1771 |
| A2733 | C2669 | C2598 | G2524 | U2458 | U2385 | G2313 | G2236 | A2169 | G2106 | A2041 | G1975 | G1837 | A1772 |
| U2734 | U2599 | U2599 | C2459 | C2459 | U2386 | A2314 | G2237 | C2170 | G2107 | A2042 | U1976 | C1838 | C1772 |
| C2735 | C2670 | A2600 | G2460 | G2460 | A2391 | A2315 | U2241 | U2171 | G2110 | A2043 | C1977 | C1839 | C1773 |
| U2736 | U2531 | U2531 | G2316 | G2316 | U2241 | A2316 | U2241 | U2172 | C     | G2044 | C1978 | A1838 | C1774 |
| A2737 | G2604 | G2604 | G2317 | C2462 | C2394 | U2317 | C2242 | G2173 | C     | A2045 | C1979 | A1840 | A1775 |
| G2738 | C2605 | G2605 | U2318 | G2463 | C2395 | U2318 | C2243 | G2174 | A2117 | A2046 | C1980 | A1841 | A1776 |
| G2739 | G2606 | G2606 | G2319 | G2464 | C2396 | G2319 | C2244 | A2175 | A2118 | A1916 | G1981 | G1842 | G1841 |
| C2740 | C2607 | C2607 | G2320 | G2465 | A2397 | G2320 | A2245 | U2176 | U     | C2047 | C1982 | U1843 | A1777 |
| G2741 | A2608 | A2608 | C2321 | G2466 | U2398 | C2321 | A2246 | U2177 | C     | C2048 | C1982 | U1844 | U1778 |
| C2742 | G2609 | G2609 | U2322 | U2467 | U2399 | U2322 | A2247 | C2177 | G     | C2049 | C1989 | A1845 | C1781 |
| G2743 | G2610 | G2610 | U2323 | G2468 | C2399 | U2323 | A2248 | C2178 | A2117 | U2050 | U1990 | A1846 | A1782 |
| A2744 | U2680 | U2680 | G2324 | G2469 | C2400 | G2324 | A2249 | U2179 | A2118 | U1922 | G1991 | A1847 | G1783 |
| A2745 | A2613 | A2613 | A2325 | U2470 | C2401 | A2325 | U2249 | U2180 | A2119 | U1923 | G1992 | G1848 | G1784 |
| C2746 | A2614 | A2614 | U2471 | U2471 | A2404 | C2326 | U2251 | A2182 | C2120 | C1924 | G1849 | A1785 | A1785 |
| C2748 | U2615 | U2615 | G2472 | G2472 | A2405 | U2327 | A2252 | C2183 | U2121 | G1925 | G1850 | G1786 | G1786 |
| A2749 | U2616 | U2616 | G2473 | G2473 | A2406 | U2328 | A2253 | C2184 | G2122 | U1926 | A1851 | G1787 | U1787 |
| G2750 | A2685 | G2685 | C2474 | C2474 | C2406 | G2329 | A2254 | C2185 | G2123 | U1927 | G1854 | G1788 | U1788 |
| C2751 | C2686 | C2686 | A2475 | A2475 | G2407 | G2330 | G2254 | U2186 | C2124 | A1996 | G1855 | U1789 | U1789 |
| G2752 | G2687 | G2687 | G2476 | G2476 | G2408 | G2330 | G2255 | G2195 | C2125 | U2058 | G1856 | G1790 | G1790 |
| C2753 | G2688 | G2688 | C2477 | C2477 | A2409 | A2331 | G2256 | U2196 | U     | U2059 | U1999 | C1791 | G1791 |
| C2754 | G2689 | G2689 | U2478 | U2478 | U2410 | U2335 | G2261 | A2191 | U     | A2060 | U2000 | C1792 | C1792 |
| A2755 | A2690 | A2690 | G2479 | G2479 | A2411 | G2336 | C2262 | U2192 | U     | U2064 | G2001 | A1793 | A1794 |
| G2756 | C2691 | C2691 | C2480 | C2480 | A2412 | G2336 | C2263 | C2193 | U     | A2065 | A1859 | A1860 | A1794 |
| C2757 | A2692 | A2692 | G2481 | G2481 | A2413 | A2337 | C2264 | C2194 | U     | G2066 | A2003 | G1861 | G1797 |
| A2758 | U2693 | U2693 | U2482 | U2482 | U2417 | G2341 | A2265 | C2195 | C     | U2067 | U2004 | G1861 | G1797 |
| U2759 | G2694 | G2694 | U2483 | U2483 | A2418 | U2342 | A2266 | U2196 | G     | U2067 | U2005 | C1862 | G1798 |
| G2760 | C2695 | C2695 | G2484 | G2484 | C2419 | U2342 | A2267 | U2197 | G2132 | G2006 | U1863 | A1863 | A1800 |
| A2761 | G2696 | G2696 | U2485 | U2485 | C2420 | G2344 | G2268 | U2198 | U     | G2070 | G2007 | G1864 | G1800 |
| G2762 | U2697 | U2697 | G2486 | G2486 | C2421 | A2345 | U2270 | G2200 | G2137 | C2072 | G2010 | C1865 | C1801 |
| U2763 | C2698 | C2698 | C2487 | C2487 | C2422 | G2346 | U2271 | G2201 | U2138 | A2073 | G2011 | G1866 | A1802 |
| G2764 | U2700 | U2700 | G2488 | G2488 | C2423 | G2347 | C2273 | G2202 | G2139 | U2074 | A2011 | A1867 | G1803 |
| C2765 | G2702 | G2702 | U2489 | U2489 | G2424 | A2348 | C2274 | G2203 | G2140 | U2075 | A2012 | U1804 | G1804 |
| C2768 | U2704 | U2704 | G2492 | G2492 | G2425 | G2351 | U2275 | A2204 | A     | G2076 | A2013 | A1868 | G1805 |
| C2769 | A2705 | A2705 | U2493 | U2493 | G2426 | G2352 | U2276 | C2205 | G     | G2077 | C1947 | U1870 | G1806 |
| A2770 | C2706 | C2706 | C2494 | C2494 | A2427 | A2352 | A2277 | C2206 | U     | G2078 | C1948 | G1871 | A1807 |
| G2771 | U2707 | U2707 | G2495 | G2495 | U2428 | G2353 | G2278 | G2207 | C     | A2079 | A2016 | A1872 | C1808 |
| U2772 | C2708 | C2708 | C2496 | C2496 | A2429 | G2354 | G2279 | U2208 | A     | U2080 | U2017 | A1873 | G1809 |
| C2773 | G2640 | G2640 | A2497 | A2497 | A2430 | G2354 | A2280 | G2209 | A     | U2081 | G2018 | U1810 | U1810 |
| C2774 | A2641 | A2641 | U2498 | U2498 | C2431 | G2361 | U2285 | C2210 | C     | C2082 | C2019 | U1811 | A1811 |
| U2775 | G2642 | G2642 | G2499 | G2499 | A2432 | G2362 | U2286 | U2211 | G     | G2083 | G2020 | G1882 | U1812 |
| C2776 | C2643 | C2643 | G2500 | G2500 | G2433 | G2363 | G2287 | U2212 | G     | G2084 | G2021 | A1883 | A1813 |
| U2777 | G2644 | G2644 | U2501 | U2501 | G2434 | C2364 | G2288 | G2213 | U     | G2085 | C2022 | A1884 | G1814 |
| A2778 | C2645 | C2645 | G2502 | G2502 | U2435 | U2365 | A2288 | G2214 | A     | U2086 | C2023 | C1885 | G1815 |
| C2779 | G2646 | G2646 | U2503 | U2503 | U2436 | A2366 | A2289 | G2215 | G     | U2086 | U2024 | G1886 | G1816 |
| G2780 | U2504 | U2504 | G2504 | G2504 | U2437 | U2369 | A2290 | G2216 | A     | U2087 | A2025 | G1887 | U1817 |
| C2781 | G2505 | G2505 | G2504 | G2504 | A2438 | G2370 | A2290 | G2216 | A     | U2087 | C2026 | C1888 | U1818 |
| G2782 | U2507 | U2507 | U2508 | U2508 | A2438 | A2371 | U2298 | G2218 | U     | U2092 | C2027 | G1889 | U1819 |
|       | G2508 | G2508 |       |       | C2443 | A2372 | A2299 | U2219 | A     | C2093 | C2028 | G1890 | G1820 |



• Molecule 2: 5S RIBOSOMAL RNA




• Molecule 3: ribosomal protein L2




• Molecule 4: ribosomal protein L3



• Molecule 5: ribosomal protein L4



• Molecule 6: ribosomal protein L5




• Molecule 7: ribosomal protein L6








- Molecule 8: ribosomal protein L9



- Molecule 9: ribosomal protein L11





- Molecule 10: ribosomal protein L13





- Molecule 11: ribosomal protein L14



- Molecule 12: ribosomal protein L15




- Molecule 13: ribosomal protein L16




- Molecule 14: ribosomal protein L17

Chain L:  97% ..




- Molecule 15: ribosomal protein L18

Chain M:  97% ..



- Molecule 16: ribosomal protein L19

Chain N:  75% . 25%



- Molecule 17: ribosomal protein L20

Chain O:  99% .




- Molecule 18: ribosomal protein L21

Chain P:  100%

There are no outlier residues recorded for this chain.

- Molecule 19: ribosomal protein L22

Chain Q:  97% .



- Molecule 20: ribosomal protein L23

Chain R:  99% .




- Molecule 21: ribosomal protein L24

Chain S:  98% .



- Molecule 22: general stress protein Ctc

Chain T: 94% 6%



- Molecule 23: ribosomal protein L27

Chain U: 95% 5%



- Molecule 24: ribosomal protein L29

Chain W: 97%



- Molecule 25: ribosomal protein L30

Chain X: 100%

There are no outlier residues recorded for this chain.

- Molecule 26: ribosomal protein L31

Chain Y: 100%

There are no outlier residues recorded for this chain.

- Molecule 27: ribosomal protein L32

Chain Z: 97%



- Molecule 28: ribosomal protein L33

Chain 1: 96%




- Molecule 29: ribosomal protein L34

Chain 2:  98% .




- Molecule 30: ribosomal protein L35

Chain 3:  97% .



- Molecule 31: ribosomal protein L36

Chain 4:  95% 5%





## 4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

| Property                                                 | Value                                           | Source    |
|----------------------------------------------------------|-------------------------------------------------|-----------|
| Space group                                              | I 2 2 2                                         | Depositor |
| Cell constants<br>a, b, c, $\alpha$ , $\beta$ , $\gamma$ | 171.00Å 409.50Å 695.70Å<br>90.00° 90.00° 90.00° | Depositor |
| Resolution (Å)                                           | 15.00 – 3.50                                    | Depositor |
| % Data completeness<br>(in resolution range)             | (Not available) (15.00-3.50)                    | Depositor |
| $R_{merge}$                                              | (Not available)                                 | Depositor |
| $R_{sym}$                                                | 0.13                                            | Depositor |
| Refinement program                                       | CNS                                             | Depositor |
| R, $R_{free}$                                            | 0.285 , 0.313                                   | Depositor |
| Estimated twinning fraction                              | No twinning to report.                          | Xtrriage  |
| Total number of atoms                                    | 65355                                           | wwPDB-VP  |
| Average B, all atoms (Å <sup>2</sup> )                   | 54.0                                            | wwPDB-VP  |

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 773

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths |         | Bond angles |                 |
|-----|-------|--------------|---------|-------------|-----------------|
|     |       | RMSZ         | # Z  >5 | RMSZ        | # Z  >5         |
| 1   | 0     | 0.23         | 0/66467 | 0.67        | 0/103673        |
| 2   | 9     | 0.59         | 0/2816  | 0.81        | 1/4388 (0.0%)   |
| All | All   | 0.25         | 0/69283 | 0.67        | 1/108061 (0.0%) |

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

| Mol | Chain | #Chirality outliers | #Planarity outliers |
|-----|-------|---------------------|---------------------|
| 1   | 0     | 0                   | 1                   |

There are no bond length outliers.

All (1) bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms      | Z     | Observed( $^{\circ}$ ) | Ideal( $^{\circ}$ ) |
|-----|-------|-----|------|------------|-------|------------------------|---------------------|
| 2   | 9     | 94  | G    | N9-C1'-C2' | -6.58 | 104.76                 | 112.00              |

There are no chirality outliers.

All (1) planarity outliers are listed below:

| Mol | Chain | Res  | Type | Group     |
|-----|-------|------|------|-----------|
| 1   | 0     | 1342 | U    | Sidechain |

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 1   | 0     | 59359 | 0        | 29917    | 2141    | 0            |
| 2   | 9     | 2519  | 0        | 1285     | 147     | 0            |
| 3   | A     | 270   | 0        | 0        | 0       | 0            |
| 4   | B     | 205   | 0        | 0        | 2       | 0            |
| 5   | C     | 197   | 0        | 0        | 0       | 0            |
| 6   | D     | 178   | 0        | 0        | 1       | 0            |
| 7   | E     | 177   | 0        | 0        | 1       | 0            |
| 8   | F     | 52    | 0        | 0        | 1       | 0            |
| 9   | G     | 143   | 0        | 0        | 0       | 0            |
| 10  | H     | 143   | 0        | 0        | 0       | 0            |
| 11  | I     | 132   | 0        | 0        | 0       | 0            |
| 12  | J     | 141   | 0        | 0        | 0       | 0            |
| 13  | K     | 124   | 0        | 0        | 1       | 0            |
| 14  | L     | 114   | 0        | 0        | 1       | 0            |
| 15  | M     | 111   | 0        | 0        | 1       | 0            |
| 16  | N     | 125   | 0        | 0        | 1       | 0            |
| 17  | O     | 117   | 0        | 0        | 0       | 0            |
| 18  | P     | 100   | 0        | 0        | 0       | 0            |
| 19  | Q     | 130   | 0        | 0        | 0       | 0            |
| 20  | R     | 93    | 0        | 0        | 0       | 0            |
| 21  | S     | 113   | 0        | 0        | 0       | 0            |
| 22  | T     | 223   | 0        | 0        | 0       | 0            |
| 23  | U     | 86    | 0        | 0        | 0       | 0            |
| 24  | W     | 65    | 0        | 0        | 0       | 0            |
| 25  | X     | 55    | 0        | 0        | 0       | 0            |
| 26  | Y     | 73    | 0        | 0        | 0       | 0            |
| 27  | Z     | 58    | 0        | 0        | 1       | 0            |
| 28  | 1     | 53    | 0        | 0        | 0       | 0            |
| 29  | 2     | 46    | 0        | 0        | 0       | 0            |
| 30  | 3     | 63    | 0        | 0        | 0       | 0            |
| 31  | 4     | 35    | 0        | 0        | 0       | 0            |
| 32  | 0     | 55    | 0        | 59       | 9       | 0            |
| All | All   | 65355 | 0        | 31261    | 2286    | 0            |

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 24.

The worst 5 of 2286 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

| Atom-1         | Atom-2             | Interatomic distance (Å) | Clash overlap (Å) |
|----------------|--------------------|--------------------------|-------------------|
| 1:0:2041:A:N6  | 32:0:2881:773:H143 | 1.54                     | 1.19              |
| 1:0:2548:G:H2' | 1:0:2549:G:H5''    | 1.21                     | 1.17              |
| 1:0:1679:U:H2' | 1:0:1680:U:H5''    | 1.27                     | 1.16              |
| 1:0:2041:A:H61 | 32:0:2881:773:C14  | 1.58                     | 1.16              |
| 1:0:1966:C:H4' | 1:0:2585:C:H4'     | 1.22                     | 1.14              |

There are no symmetry-related clashes.

### 5.3 Torsion angles [i](#)

#### 5.3.1 Protein backbone [i](#)

There are no protein backbone outliers to report in this entry.

#### 5.3.2 Protein sidechains [i](#)

There are no protein residues with a non-rotameric sidechain to report in this entry.

#### 5.3.3 RNA [i](#)

| Mol | Chain | Analysed        | Backbone Outliers | Pucker Outliers |
|-----|-------|-----------------|-------------------|-----------------|
| 1   | 0     | 2757/2880 (95%) | 482 (17%)         | 41 (1%)         |
| 2   | 9     | 117/124 (94%)   | 23 (19%)          | 1 (0%)          |
| All | All   | 2874/3004 (95%) | 505 (17%)         | 42 (1%)         |

5 of 505 RNA backbone outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 1   | 0     | 13  | A    |
| 1   | 0     | 35  | G    |
| 1   | 0     | 45  | C    |
| 1   | 0     | 48  | A    |
| 1   | 0     | 49  | U    |

5 of 42 RNA pucker outliers are listed below:

| Mol | Chain | Res  | Type |
|-----|-------|------|------|
| 1   | 0     | 1975 | G    |
| 1   | 0     | 2261 | G    |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Res  | Type |
|-----|-------|------|------|
| 1   | 0     | 2015 | G    |
| 1   | 0     | 2161 | C    |
| 1   | 0     | 2404 | A    |

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res  | Link | Bond lengths |      |             | Bond angles |      |             |
|-----|------|-------|------|------|--------------|------|-------------|-------------|------|-------------|
|     |      |       |      |      | Counts       | RMSZ | # $ Z  > 2$ | Counts      | RMSZ | # $ Z  > 2$ |
| 32  | 773  | 0     | 2881 | -    | 57,59,59     | 1.81 | 12 (21%)    | 75,88,88    | 1.36 | 10 (13%)    |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res  | Link | Chirals | Torsions   | Rings   |
|-----|------|-------|------|------|---------|------------|---------|
| 32  | 773  | 0     | 2881 | -    | -       | 2/67/98/98 | 0/4/5/5 |

The worst 5 of 12 bond length outliers are listed below:

| Mol | Chain | Res  | Type | Atoms | Z     | Observed(Å) | Ideal(Å) |
|-----|-------|------|------|-------|-------|-------------|----------|
| 32  | 0     | 2881 | 773  | C5-C4 | -5.48 | 1.44        | 1.52     |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Res  | Type | Atoms   | Z     | Observed(Å) | Ideal(Å) |
|-----|-------|------|------|---------|-------|-------------|----------|
| 32  | 0     | 2881 | 773  | C35-C34 | -5.27 | 1.24        | 1.36     |
| 32  | 0     | 2881 | 773  | C37-C38 | -5.13 | 1.33        | 1.41     |
| 32  | 0     | 2881 | 773  | C2-C4   | 4.07  | 1.58        | 1.52     |
| 32  | 0     | 2881 | 773  | C22-C21 | -3.12 | 1.47        | 1.52     |

The worst 5 of 10 bond angle outliers are listed below:

| Mol | Chain | Res  | Type | Atoms       | Z     | Observed(°) | Ideal(°) |
|-----|-------|------|------|-------------|-------|-------------|----------|
| 32  | 0     | 2881 | 773  | O7-C24-N2   | -4.65 | 105.73      | 109.73   |
| 32  | 0     | 2881 | 773  | O6-C24-N2   | 4.13  | 134.05      | 129.22   |
| 32  | 0     | 2881 | 773  | O9-C21-C22  | 2.99  | 124.85      | 120.60   |
| 32  | 0     | 2881 | 773  | C42-C25-C26 | 2.81  | 119.11      | 115.23   |
| 32  | 0     | 2881 | 773  | C43-C42-C25 | 2.59  | 119.58      | 113.13   |

There are no chirality outliers.

All (2) torsion outliers are listed below:


| Mol | Chain | Res  | Type | Atoms           |
|-----|-------|------|------|-----------------|
| 32  | 0     | 2881 | 773  | O4-C25-C42-C43  |
| 32  | 0     | 2881 | 773  | C26-C25-C42-C43 |

There are no ring outliers.

1 monomer is involved in 9 short contacts:

| Mol | Chain | Res  | Type | Clashes | Symm-Clashes |
|-----|-------|------|------|---------|--------------|
| 32  | 0     | 2881 | 773  | 9       | 0            |

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section is therefore empty.

### 6.3 Carbohydrates [i](#)

EDS was not executed - this section is therefore empty.

### 6.4 Ligands [i](#)

EDS was not executed - this section is therefore empty.

### 6.5 Other polymers [i](#)

EDS was not executed - this section is therefore empty.