



# Full wwPDB X-ray Structure Validation Report ⓘ

May 15, 2020 – 10:38 pm BST

PDB ID : 5NX8  
Title : Crystal structure of Neanderthal Adenylosuccinate Lyase (ADSL)  
Authors : Van Laer, B.; Kapp, U.; Soler-Lopez, M.; Leonard, G.; Mueller-Dieckmann, C.  
Deposited on : 2017-05-09  
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4298 (1.70-1.70)
Clashscore	141614	4695 (1.70-1.70)
Ramachandran outliers	138981	4610 (1.70-1.70)
Sidechain outliers	138945	4610 (1.70-1.70)
RSRZ outliers	127900	4222 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	487	 8% 87% 6% 7%
1	B	487	 4% 90% 5% 5%
1	C	487	 6% 85% 7% 7%
1	D	487	 3% 90% 5% 5%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	PEG	A	502	-	-	X	-
2	PEG	C	502	-	-	X	-

## 2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 16015 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Adenylosuccinate lyase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	452	Total 3641	C 2299	N 641	O 676	S 25	0	4	0
1	B	465	Total 3727	C 2351	N 660	O 688	S 28	0	2	0
1	C	451	Total 3640	C 2290	N 647	O 677	S 26	0	6	0
1	D	464	Total 3730	C 2350	N 661	O 694	S 25	0	4	0

- Molecule 2 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C<sub>4</sub>H<sub>10</sub>O<sub>3</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
2	A	1	Total 7	C 4	O 3	0	0
2	A	1	Total 7	C 4	O 3	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	C	1	Total	C	O	0	0
			7	4	3		
2	C	1	Total	C	O	0	0
			7	4	3		
2	D	1	Total	C	O	0	0
			7	4	3		

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	C	1	Total	C	O	0	0
			6	3	3		
3	C	1	Total	C	O	0	0
			6	3	3		
3	D	1	Total	C	O	0	0
			6	3	3		
3	D	1	Total	C	O	0	0
			6	3	3		

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	2	Total Cl 2 2	0	0
4	A	2	Total Cl 2 2	0	0
4	D	3	Total Cl 3 3	0	0
4	C	2	Total Cl 2 2	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	307	Total O 307 307	0	0
5	B	283	Total O 283 283	0	0
5	C	278	Total O 278 278	0	0
5	D	323	Total O 323 323	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Adenylosuccinate lyase




- Molecule 1: Adenylosuccinate lyase



- Molecule 1: Adenylosuccinate lyase



- Molecule 1: Adenylosuccinate lyase





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	85.39Å 104.88Å 215.40Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.96 – 1.70 19.96 – 1.70	Depositor EDS
% Data completeness (in resolution range)	99.3 (19.96-1.70) 99.4 (19.96-1.70)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.36 (at 1.70Å)	Xtrriage
Refinement program	REFMAC 5.8.0131	Depositor
R, $R_{free}$	0.171 , 0.215 0.182 , 0.223	Depositor DCC
$R_{free}$ test set	10542 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	22.1	Xtrriage
Anisotropy	0.419	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 42.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.46$ , $\langle L^2 \rangle = 0.28$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	16015	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	31.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 10.56% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, PEG, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.76	0/3712	0.79	5/5014 (0.1%)
1	B	0.73	1/3798 (0.0%)	0.77	3/5124 (0.1%)
1	C	0.72	2/3708 (0.1%)	0.80	6/5008 (0.1%)
1	D	0.77	1/3801 (0.0%)	0.81	4/5131 (0.1%)
All	All	0.75	4/15019 (0.0%)	0.79	18/20277 (0.1%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	343	GLU	CD-OE2	7.78	1.34	1.25
1	C	343	GLU	CD-OE1	6.01	1.32	1.25
1	C	280	GLU	CD-OE1	-5.63	1.19	1.25
1	D	343	GLU	CD-OE2	5.48	1.31	1.25

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	296	ARG	NE-CZ-NH1	8.36	124.48	120.30
1	C	37	ARG	NE-CZ-NH2	-8.13	116.23	120.30
1	A	296	ARG	NE-CZ-NH2	-7.57	116.51	120.30
1	A	337	ARG	NE-CZ-NH1	6.91	123.75	120.30
1	A	234	ARG	NE-CZ-NH2	-6.82	116.89	120.30
1	A	309	ARG	NE-CZ-NH2	-6.44	117.08	120.30
1	C	37	ARG	CG-CD-NE	-6.24	98.70	111.80
1	D	337	ARG	NE-CZ-NH1	5.97	123.28	120.30
1	D	194	ARG	NE-CZ-NH1	5.91	123.25	120.30
1	C	309	ARG	NE-CZ-NH1	5.87	123.24	120.30
1	D	191	ASP	CB-CG-OD1	5.71	123.44	118.30
1	C	309	ARG	NE-CZ-NH2	-5.67	117.47	120.30
1	C	190	ARG	NE-CZ-NH2	-5.38	117.61	120.30

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	426	ARG	NE-CZ-NH2	-5.35	117.63	120.30
1	D	374	ARG	NE-CZ-NH1	5.22	122.91	120.30
1	B	452	ARG	NE-CZ-NH1	5.19	122.90	120.30
1	B	459	ARG	NE-CZ-NH1	5.14	122.87	120.30
1	C	137	ARG	NE-CZ-NH1	5.11	122.85	120.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3641	0	3658	30	0
1	B	3727	0	3758	21	0
1	C	3640	0	3654	29	0
1	D	3730	0	3745	13	0
2	A	14	0	20	8	0
2	C	14	0	20	6	0
2	D	7	0	10	0	0
3	A	12	0	16	3	0
3	B	6	0	8	0	0
3	C	12	0	16	1	0
3	D	12	0	16	0	0
4	A	2	0	0	0	0
4	B	2	0	0	0	0
4	C	2	0	0	0	0
4	D	3	0	0	0	0
5	A	307	0	0	9	0
5	B	283	0	0	5	0
5	C	278	0	0	5	0
5	D	323	0	0	1	0
All	All	16015	0	14921	89	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (89) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:343:GLU:OE2	1:D:343:GLU:OE1	1.83	0.95
1:A:386:ILE:O	1:A:387:MET:HG2	1.68	0.94
1:A:386:ILE:O	1:A:387:MET:CG	2.16	0.93
1:A:186:LEU:HD12	1:A:254[B]:VAL:CG1	2.04	0.86
1:C:186:LEU:HD12	1:C:254[B]:VAL:CG1	2.08	0.84
2:C:502:PEG:H21	5:C:633:HOH:O	1.77	0.84
1:A:207:SER:OG	5:A:601:HOH:O	1.96	0.83
1:B:343:GLU:OE1	1:C:343:GLU:OE2	2.00	0.80
1:C:389:MET:SD	1:C:436:ILE:HG12	2.24	0.78
1:A:186:LEU:HD12	1:A:254[B]:VAL:HG11	1.74	0.69
1:B:371:ARG:NH1	1:D:420:ASP:OD1	2.25	0.69
1:A:386:ILE:O	1:A:387:MET:HG3	1.93	0.68
2:C:502:PEG:O1	5:C:601:HOH:O	2.12	0.67
1:C:111:THR:HG21	1:C:201[B]:THR:HG23	1.78	0.65
1:C:251:VAL:O	1:C:254[A]:VAL:HG22	1.97	0.64
1:A:217[A]:HIS:ND1	5:A:603:HOH:O	2.30	0.62
1:C:34:TYR:OH	1:C:126[A]:ASN:ND2	2.30	0.62
1:D:186:LEU:HD12	1:D:254[B]:VAL:CG1	2.30	0.61
1:B:32:ASP:OD2	1:C:14:ARG:NH2	2.34	0.61
1:B:478:VAL:CG2	5:B:881:HOH:O	2.49	0.60
1:D:374:ARG:NH2	5:D:601:HOH:O	2.31	0.58
1:A:292:MET:CE	1:A:296:ARG:HD3	2.35	0.56
1:B:389[A]:MET:HE3	1:B:436:ILE:HG23	1.87	0.56
1:A:292:MET:HE2	1:A:296:ARG:HD3	1.87	0.56
3:A:504:GOL:C1	5:A:657:HOH:O	2.53	0.55
1:B:462:GLU:HG2	5:B:868:HOH:O	2.06	0.55
2:A:502:PEG:H32	5:A:669:HOH:O	2.06	0.55
1:A:194:ARG:H	2:A:502:PEG:H12	1.71	0.55
3:A:504:GOL:H12	5:A:657:HOH:O	2.07	0.55
1:B:328:GLU:O	1:B:329:ARG:HB2	2.09	0.53
1:A:194:ARG:N	2:A:502:PEG:H12	2.24	0.53
1:C:216:ASP:OD2	3:C:504:GOL:O1	2.27	0.52
1:C:186:LEU:HD12	1:C:254[B]:VAL:HG11	1.90	0.52
1:A:247:VAL:HG22	2:A:502:PEG:H31	1.91	0.52
1:D:21:TYR:HB3	1:D:350:THR:HG21	1.90	0.52
1:A:386:ILE:C	1:A:387:MET:CG	2.78	0.52
1:D:382:THR:HB	1:D:403:ILE:HG21	1.93	0.51
1:C:126[A]:ASN:CG	5:C:605:HOH:O	2.49	0.50
1:A:15:SER:HB2	1:D:15:SER:HB2	1.91	0.50
1:C:164:GLN:NE2	5:C:608:HOH:O	2.35	0.50
1:A:338:ARG:NH2	5:A:606:HOH:O	2.45	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:478:VAL:HG22	5:B:881:HOH:O	2.10	0.49
1:B:418:GLY:O	1:D:371:ARG:HD2	2.12	0.49
1:B:478:VAL:HG13	5:B:879:HOH:O	2.12	0.49
1:A:290:SER:O	1:C:404:ARG:NH1	2.45	0.49
1:C:194:ARG:H	2:C:502:PEG:H41	1.76	0.48
1:B:389[A]:MET:HG3	1:B:399:CYS:SG	2.54	0.48
1:A:409:GLN:OE1	1:A:426:ARG:NH1	2.46	0.48
1:C:385:ILE:HD13	1:C:443:LEU:HD13	1.95	0.48
1:A:186:LEU:HD12	1:A:254[B]:VAL:HG12	1.93	0.47
3:A:504:GOL:H11	5:A:657:HOH:O	2.14	0.47
1:C:276:LYS:HE3	5:C:859:HOH:O	2.14	0.47
1:D:470:LYS:HB3	1:D:471:PRO:HD3	1.95	0.47
1:C:434:SER:N	1:C:435:PRO:CD	2.78	0.47
1:C:221:GLN:HG2	2:C:501:PEG:H22	1.96	0.46
1:B:15:SER:HB2	1:C:15:SER:HB2	1.98	0.46
1:C:186:LEU:HD12	1:C:254[B]:VAL:HG12	1.97	0.45
1:D:50:GLU:HB3	1:D:55:LEU:HD12	1.98	0.45
1:B:434:SER:N	1:B:435:PRO:CD	2.79	0.45
1:C:186:LEU:CD1	1:C:254[B]:VAL:CG1	2.88	0.45
1:A:194:ARG:H	2:A:502:PEG:C1	2.30	0.45
1:D:403:ILE:HA	1:D:403:ILE:HD13	1.85	0.45
1:B:320:GLN:HB2	1:C:309:ARG:HD3	1.99	0.45
1:C:382:THR:HB	1:C:403:ILE:HG21	1.99	0.45
1:B:478:VAL:CG1	5:B:879:HOH:O	2.65	0.44
1:A:386:ILE:C	1:A:387:MET:HG3	2.37	0.44
1:B:198:VAL:HB	1:B:208:PHE:CE2	2.52	0.44
1:B:403:ILE:HD11	1:B:427:ILE:HD11	2.00	0.44
1:D:186:LEU:CD1	1:D:254[B]:VAL:CG1	2.94	0.43
2:A:501:PEG:H22	5:A:835:HOH:O	2.18	0.43
1:A:194:ARG:H	2:A:502:PEG:H21	1.83	0.43
1:A:186:LEU:CD1	1:A:254[B]:VAL:HG12	2.49	0.43
1:A:415:LYS:NZ	1:C:279:GLU:OE1	2.53	0.42
2:A:501:PEG:C2	5:A:835:HOH:O	2.66	0.42
1:C:470:LYS:HB3	1:C:471:PRO:HD3	2.01	0.42
1:A:186:LEU:CD1	1:A:254[B]:VAL:CG1	2.87	0.42
1:B:470:LYS:HB3	1:B:471:PRO:HD3	2.01	0.42
1:A:262:VAL:HG11	1:A:351:ILE:CG2	2.49	0.42
1:D:198:VAL:HB	1:D:208:PHE:CE2	2.55	0.42
1:C:221:GLN:HG3	2:C:501:PEG:H32	2.01	0.41
1:A:328:GLU:O	1:A:329:ARG:CB	2.68	0.41
1:A:278:MET:HA	1:A:363:VAL:O	2.20	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:328:GLU:O	1:A:329:ARG:HB2	2.20	0.41
1:C:50:GLU:HB3	1:C:55:LEU:HD12	2.03	0.41
1:B:31:SER:HB2	1:C:10:PRO:O	2.21	0.41
1:A:220:GLU:OE1	1:B:459:ARG:CZ	2.69	0.41
1:C:186:LEU:CD1	1:C:254[B]:VAL:HG12	2.50	0.40
1:C:194:ARG:H	2:C:502:PEG:C3	2.34	0.40
1:B:389[A]:MET:HE2	1:B:435:PRO:HB2	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	452/487 (93%)	441 (98%)	10 (2%)	1 (0%)	47 30
1	B	463/487 (95%)	456 (98%)	6 (1%)	1 (0%)	47 30
1	C	453/487 (93%)	446 (98%)	6 (1%)	1 (0%)	47 30
1	D	464/487 (95%)	458 (99%)	5 (1%)	1 (0%)	47 30
All	All	1832/1948 (94%)	1801 (98%)	27 (2%)	4 (0%)	47 30

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	329	ARG
1	B	329	ARG
1	C	329	ARG
1	D	329	ARG

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	401/422 (95%)	398 (99%)	3 (1%)	84	77
1	B	410/422 (97%)	407 (99%)	3 (1%)	84	77
1	C	401/422 (95%)	398 (99%)	3 (1%)	84	77
1	D	410/422 (97%)	406 (99%)	4 (1%)	76	67
All	All	1622/1688 (96%)	1609 (99%)	13 (1%)	81	74

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	11	ASP
1	A	37	ARG
1	A	190	ARG
1	B	64	GLU
1	B	264	LYS
1	B	398	ASP
1	C	190	ARG
1	C	396	ARG
1	C	441	ASP
1	D	37	ARG
1	D	95	PHE
1	D	250	GLU
1	D	264	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 21 ligands modelled in this entry, 9 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	PEG	C	502	-	6,6,6	0.54	0	5,5,5	0.55	0
2	PEG	A	502	-	6,6,6	0.72	0	5,5,5	0.82	0
2	PEG	D	501	-	6,6,6	0.39	0	5,5,5	0.48	0
3	GOL	B	501	-	5,5,5	0.85	0	5,5,5	0.95	0
3	GOL	D	503	-	5,5,5	0.30	0	5,5,5	0.48	0
2	PEG	A	501	-	6,6,6	0.45	0	5,5,5	0.52	0
3	GOL	A	503	-	5,5,5	0.43	0	5,5,5	0.86	0
3	GOL	C	504	-	5,5,5	0.29	0	5,5,5	0.43	0
3	GOL	C	503	-	5,5,5	0.74	0	5,5,5	1.29	1 (20%)
3	GOL	A	504	-	5,5,5	0.39	0	5,5,5	0.58	0
3	GOL	D	502	-	5,5,5	0.62	0	5,5,5	1.18	0
2	PEG	C	501	-	6,6,6	0.41	0	5,5,5	0.69	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PEG	C	502	-	-	1/4/4/4	-
2	PEG	A	502	-	-	4/4/4/4	-

*Continued on next page...*



Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PEG	D	501	-	-	3/4/4/4	-
3	GOL	B	501	-	-	0/4/4/4	-
3	GOL	D	503	-	-	2/4/4/4	-
2	PEG	A	501	-	-	3/4/4/4	-
3	GOL	A	503	-	-	0/4/4/4	-
3	GOL	C	504	-	-	2/4/4/4	-
3	GOL	C	503	-	-	2/4/4/4	-
3	GOL	A	504	-	-	2/4/4/4	-
3	GOL	D	502	-	-	4/4/4/4	-
2	PEG	C	501	-	-	3/4/4/4	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	503	GOL	C3-C2-C1	-2.40	102.37	111.70

There are no chirality outliers.

All (26) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	C	503	GOL	C1-C2-C3-O3
3	D	502	GOL	C1-C2-C3-O3
3	C	504	GOL	O2-C2-C3-O3
3	D	502	GOL	O2-C2-C3-O3
2	C	501	PEG	O2-C3-C4-O4
2	A	502	PEG	C4-C3-O2-C2
3	D	503	GOL	C1-C2-C3-O3
3	C	504	GOL	C1-C2-C3-O3
3	A	504	GOL	O1-C1-C2-C3
2	A	502	PEG	O2-C3-C4-O4
2	A	502	PEG	O1-C1-C2-O2
2	D	501	PEG	O2-C3-C4-O4
3	A	504	GOL	O1-C1-C2-O2
3	D	503	GOL	O2-C2-C3-O3
2	A	502	PEG	C1-C2-O2-C3
2	D	501	PEG	C1-C2-O2-C3
3	C	503	GOL	O2-C2-C3-O3
2	C	501	PEG	C1-C2-O2-C3

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
3	D	502	GOL	O1-C1-C2-O2
2	A	501	PEG	C4-C3-O2-C2
3	D	502	GOL	O1-C1-C2-C3
2	A	501	PEG	C1-C2-O2-C3
2	C	502	PEG	C1-C2-O2-C3
2	A	501	PEG	O2-C3-C4-O4
2	C	501	PEG	O1-C1-C2-O2
2	D	501	PEG	C4-C3-O2-C2

There are no ring outliers.

6 monomers are involved in 18 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	502	PEG	4	0
2	A	502	PEG	6	0
2	A	501	PEG	2	0
3	C	504	GOL	1	0
3	A	504	GOL	3	0
2	C	501	PEG	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	452/487 (92%)	0.08	38 (8%) 11 12	15, 25, 69, 89	0
1	B	465/487 (95%)	0.05	20 (4%) 35 39	15, 27, 54, 67	0
1	C	451/487 (92%)	0.07	28 (6%) 20 23	15, 27, 61, 90	0
1	D	464/487 (95%)	-0.05	17 (3%) 41 46	15, 26, 51, 82	0
All	All	1832/1948 (94%)	0.04	103 (5%) 24 27	15, 26, 60, 90	0

All (103) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	431	ALA	7.6
1	A	432	TYR	7.4
1	B	478	VAL	6.6
1	A	19	SER	5.5
1	A	291	ALA	5.1
1	C	397	GLN	5.0
1	B	8	GLY	5.0
1	C	431	ALA	4.7
1	A	480	ALA	4.7
1	D	288	GLY	4.7
1	D	285	GLN	4.6
1	C	19	SER	4.2
1	D	82	LYS	4.1
1	A	429	ALA	4.0
1	A	433	PHE	3.9
1	C	405	VAL	3.9
1	A	386	ILE	3.8
1	A	290	SER	3.8
1	A	292	MET	3.8
1	D	286	GLN	3.8
1	C	434	SER	3.7

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	C	390	VAL	3.7
1	A	479	LYS	3.6
1	A	288	GLY	3.6
1	C	404	ARG	3.5
1	D	475	VAL	3.4
1	A	412	SER	3.3
1	C	296	ARG	3.3
1	A	9	SER	3.3
1	D	474	SER	3.3
1	D	75	LYS	3.3
1	C	21	TYR	3.2
1	B	385	ILE	3.2
1	A	435	PRO	3.1
1	A	11	ASP	3.1
1	D	19	SER	3.1
1	A	20	ARG	3.1
1	A	434	SER	3.0
1	B	284	LYS	3.0
1	C	385	ILE	3.0
1	C	438	SER	3.0
1	C	20	ARG	2.9
1	B	67	SER	2.9
1	D	84	LEU	2.9
1	A	385	ILE	2.9
1	C	442	HIS	2.9
1	A	477	LYS	2.8
1	A	419	GLY	2.8
1	D	83	ARG	2.8
1	D	8	GLY	2.8
1	C	441	ASP	2.8
1	B	75	LYS	2.8
1	A	437	HIS	2.7
1	A	387	MET	2.7
1	A	409	GLN	2.7
1	B	20	ARG	2.7
1	A	441	ASP	2.7
1	D	287	ILE	2.7
1	B	404	ARG	2.7
1	A	430	ASP	2.7
1	A	383	GLU	2.6
1	A	436	ILE	2.6
1	A	442	HIS	2.6

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	C	392	ALA	2.6
1	C	401	GLU	2.6
1	C	85	ARG	2.6
1	C	18	ALA	2.6
1	A	438	SER	2.5
1	B	431	ALA	2.4
1	A	427	ILE	2.4
1	B	9	SER	2.4
1	C	14	ARG	2.4
1	C	398	ASP	2.3
1	B	429	ALA	2.3
1	B	442	HIS	2.3
1	D	58	THR	2.3
1	A	21	TYR	2.3
1	A	426	ARG	2.3
1	C	391	LYS	2.3
1	C	387	MET	2.2
1	D	22	ALA	2.2
1	D	9	SER	2.2
1	D	21	TYR	2.1
1	B	479	LYS	2.1
1	C	17	LEU	2.1
1	B	79	GLU	2.1
1	D	60	GLU	2.1
1	C	281	PRO	2.1
1	B	441	ASP	2.1
1	A	285	GLN	2.1
1	C	436	ILE	2.1
1	C	408	GLN	2.1
1	A	420	ASP	2.1
1	A	410	ALA	2.1
1	A	418	GLY	2.1
1	C	393	GLY	2.1
1	B	86	HIS	2.1
1	B	46	LEU	2.1
1	B	106	ILE	2.1
1	B	101	LYS	2.0
1	C	400	HIS	2.0
1	A	15	SER	2.0
1	B	19	SER	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	PEG	C	501	7/7	0.74	0.26	50,52,57,67	0
2	PEG	A	502	7/7	0.79	0.26	36,41,56,64	0
2	PEG	D	501	7/7	0.82	0.27	55,58,60,63	0
2	PEG	C	502	7/7	0.83	0.27	37,46,51,59	0
3	GOL	C	504	6/6	0.84	0.19	36,46,51,59	0
2	PEG	A	501	7/7	0.84	0.35	52,58,61,63	0
3	GOL	D	502	6/6	0.87	0.14	35,40,42,57	0
3	GOL	C	503	6/6	0.88	0.11	30,35,36,38	0
3	GOL	D	503	6/6	0.90	0.16	46,51,53,60	0
3	GOL	A	504	6/6	0.90	0.16	32,47,56,58	0
3	GOL	B	501	6/6	0.92	0.08	32,34,36,36	0
3	GOL	A	503	6/6	0.95	0.10	26,29,31,32	0
4	CL	D	506	1/1	0.96	0.04	48,48,48,48	0
4	CL	D	505	1/1	0.98	0.04	35,35,35,35	0
4	CL	B	503	1/1	0.98	0.03	36,36,36,36	0
4	CL	A	505	1/1	0.99	0.03	24,24,24,24	0
4	CL	C	505	1/1	0.99	0.05	25,25,25,25	0
4	CL	D	504	1/1	0.99	0.08	27,27,27,27	0
4	CL	B	502	1/1	0.99	0.05	29,29,29,29	0
4	CL	C	506	1/1	1.00	0.05	18,18,18,18	0
4	CL	A	506	1/1	1.00	0.06	19,19,19,19	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.