

# Full wwPDB X-ray Structure Validation Report (i)

#### Oct 2, 2023 – 01:39 PM EDT

PDB ID	:	6NZG
Title	:	Bacteroides uniformis beta-glucuronidase 2 covalently bound to cyclophellitol
		-6-carboxylate aziridine
Authors	:	Pellock, S.J.; Jariwala, P.B.; Redinbo, M.R.
Deposited on	:	2019-02-13
Resolution	:	2.43  Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity	:	FAILED
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	FAILED
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35.1

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\hbox{-}RAY\,DIFFRACTION$ 

The reported resolution of this entry is 2.43 Å.

There are no overall percentile quality scores available for this entry.

MolProbity and EDS failed to run properly - the sequence quality summary graphics cannot be shown.



#### 6NZG

# 2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 14097 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Beta-galactosidase.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
1	А	837	Total 6783	С 4317	N 1163	O 1282	S 21	0	2	0
1	В	837	Total 6783	-	N 1163	0 1282	S 21	0	2	0

A A A A	9 10 11 12 13	HIS HIS HIS HIS		expression tag expression tag	UNP A0A174CNH3 UNP A0A174CNH3
A A	11 12	HIS			UNP A0A174CNH3
А	12		-	• • •	
		HIS		expression tag	UNP A0A174CNH3
	13		-	expression tag	UNP A0A174CNH3
A		HIS	-	expression tag	UNP A0A174CNH3
А	14	HIS	-	expression tag	UNP A0A174CNH3
A	15	SER	-	expression tag	UNP A0A174CNH3
A	16	SER	-	expression tag	UNP A0A174CNH3
А	17	GLY	-	expression tag	UNP A0A174CNH3
A	18	VAL	-	expression tag	UNP A0A174CNH3
А	19	ASP	-	expression tag	UNP A0A174CNH3
A	20	LEU	-	expression tag	UNP A0A174CNH3
А	21	GLY	-	expression tag	UNP A0A174CNH3
A	22	THR	-	expression tag	UNP A0A174CNH3
A	23	GLU	-	expression tag	UNP A0A174CNH3
A	24	ASN	-	expression tag	UNP A0A174CNH3
А	25	LEU	-	expression tag	UNP A0A174CNH3
А	26	TYR	-	expression tag	UNP A0A174CNH3
A	27	PHE	-	expression tag	UNP A0A174CNH3
A	28	GLN	-	expression tag	UNP A0A174CNH3
А	29	SER	-	expression tag	UNP A0A174CNH3
А	30	ASN	-	expression tag	UNP A0A174CNH3
А	262	ALA	THR	conflict	UNP A0A174CNH3
А	393	ASN	ASP	conflict	UNP A0A174CNH3
А	672	ALA	GLY	conflict	UNP A0A174CNH3

There are 54 discrepancies between the modelled and reference sequences:

Continued on next page...




Chain	Residue	Modelled	Actual	Comment	Reference
А	771	GLY	ASP	conflict	UNP A0A174CNH3
А	824	SER	ASN	conflict	UNP A0A174CNH3
В	9	HIS	-	expression tag	UNP A0A174CNH3
В	10	HIS	-	expression tag	UNP A0A174CNH3
В	11	HIS	-	expression tag	UNP A0A174CNH3
В	12	HIS	-	expression tag	UNP A0A174CNH3
В	13	HIS	-	expression tag	UNP A0A174CNH3
В	14	HIS	-	expression tag	UNP A0A174CNH3
В	15	SER	-	expression tag	UNP A0A174CNH3
В	16	SER	-	expression tag	UNP A0A174CNH3
В	17	GLY	-	expression tag	UNP A0A174CNH3
В	18	VAL	-	expression tag	UNP A0A174CNH3
В	19	ASP	-	expression tag	UNP A0A174CNH3
В	20	LEU	-	expression tag	UNP A0A174CNH3
В	21	GLY	-	expression tag	UNP A0A174CNH3
В	22	THR	-	expression tag	UNP A0A174CNH3
В	23	GLU	-	expression tag	UNP A0A174CNH3
В	24	ASN	-	expression tag	UNP A0A174CNH3
В	25	LEU	-	expression tag	UNP A0A174CNH3
В	26	TYR	-	expression tag	UNP A0A174CNH3
В	27	PHE	-	expression tag	UNP A0A174CNH3
В	28	GLN	-	expression tag	UNP A0A174CNH3
В	29	SER	-	expression tag	UNP A0A174CNH3
В	30	ASN	-	expression tag	UNP A0A174CNH3
В	262	ALA	THR	conflict	UNP A0A174CNH3
В	393	ASN	ASP	conflict	UNP A0A174CNH3
В	672	ALA	GLY	conflict	UNP A0A174CNH3
В	771	GLY	ASP	conflict	UNP A0A174CNH3
В	824	SER	ASN	conflict	UNP A0A174CNH3

Continued from previous page...


• Molecule 2 is (1S,2R,3S,4S,5S,6R)-2-amino-3,4,5,6-tetrahydroxycyclohexane-1-carboxylic acid (three-letter code: L9D) (formula:  $C_7H_{13}NO_6$ ).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	1	Total C N O   13 7 1 5	0	0
2	В	1	Total C N O   13 7 1 5	0	0

• Molecule 3 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
3	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0

Continued on next page...



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
3	В	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 6  3  3 \end{array}$	0	0

• Molecule 4 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	1	Total K 1 1	0	0
4	В	1	Total K 1 1	0	0

• Molecule 5 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	1	Total Ca 1 1	0	0
5	В	1	Total Ca 1 1	0	0

• Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	А	283	Total O   283 283	0	0
6	В	194	Total O 194 194	0	0

MolProbity and EDS failed to run properly - this section is therefore empty.



# 3 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	74.54Å 142.41Å 180.66Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $90.00^{\circ}$ $90.00^{\circ}$	Depositor
Resolution (Å)	29.46 - 2.43	Depositor
% Data completeness	99.8 (29.46-2.43)	Depositor
(in resolution range)		-
$R_{merge}$	0.15	Depositor
R <sub>sym</sub>	(Not available)	Depositor
$< I/\sigma(I) > 1$	$3.63 (at 2.42 \text{\AA})$	Xtriage
Refinement program	PHENIX (1.14_3260: ???)	Depositor
$R, R_{free}$	0.170 , $0.221$	Depositor
Wilson B-factor $(Å^2)$	40.5	Xtriage
Anisotropy	0.211	Xtriage
L-test for twinning <sup>2</sup>	$ < L >=0.47, < L^2>=0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	14097	wwPDB-VP
Average B, all atoms $(Å^2)$	42.0	wwPDB-VP

EDS failed to run properly - this section is therefore incomplete.

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.76% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 4 Model quality (i)

## 4.1 Standard geometry (i)

MolProbity failed to run properly - this section is therefore empty.

#### 4.2 Too-close contacts (i)

MolProbity failed to run properly - this section is therefore empty.

#### 4.3 Torsion angles (i)

#### 4.3.1 Protein backbone (i)

MolProbity failed to run properly - this section is therefore empty.

#### 4.3.2 Protein sidechains (i)

MolProbity failed to run properly - this section is therefore empty.

#### 4.3.3 RNA (i)

MolProbity failed to run properly - this section is therefore empty.

#### 4.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 4.5 Carbohydrates (i)

There are no monosaccharides in this entry.

## 4.6 Ligand geometry (i)

Of 10 ligands modelled in this entry, 4 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond



Mol	Iol Type Chain Res		Link	Bo	Bond lengths			Bond angles		
	Type	Chain	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
3	GOL	А	902	-	$5,\!5,\!5$	1.18	0	$5,\!5,\!5$	0.80	0
3	GOL	В	904	-	$5,\!5,\!5$	1.33	1 (20%)	$5,\!5,\!5$	0.94	0
3	GOL	В	902	-	5,5,5	0.84	0	$5,\!5,\!5$	1.21	1 (20%)
3	GOL	В	903	-	$5,\!5,\!5$	0.99	0	$5,\!5,\!5$	1.01	0
2	L9D	А	901	-	13,13,14	0.99	0	$15,\!19,\!21$	1.13	0
2	L9D	В	901	-	13,13,14	1.03	0	$15,\!19,\!21$	1.29	2 (13%)

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	А	902	-	-	4/4/4/4	-
3	GOL	В	904	-	-	1/4/4/4	-
3	GOL	В	902	-	-	0/4/4/4	-
3	GOL	В	903	-	-	1/4/4/4	-
2	L9D	А	901	-	-	0/4/24/28	0/1/1/1
2	L9D	В	901	-	-	0/4/24/28	0/1/1/1

All	(1)	bond	length	outliers	are	listed	below:
-----	-----	------	--------	----------	-----	--------	--------

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	В	904	GOL	C3-C2	2.13	1.60	1.51

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	В	901	L9D	C08-C16-C14	3.57	115.87	110.69
3	В	902	GOL	C3-C2-C1	-2.26	102.91	111.70
2	В	901	L9D	O19-C18-C11	2.25	120.66	114.01

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	А	902	GOL	C1-C2-C3-O3

Continued on next page...

Mol	Chain	Res	Type	Atoms
3	А	902	GOL	O1-C1-C2-C3
3	А	902	GOL	O2-C2-C3-O3
3	А	902	GOL	O1-C1-C2-O2
3	В	903	GOL	O2-C2-C3-O3
3	В	904	GOL	O1-C1-C2-O2

Continued from previous page...

There are no ring outliers.

No monomer is involved in short contacts.

## 4.7 Other polymers (i)

There are no such residues in this entry.

# 4.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 5 Fit of model and data (i)

## 5.1 Protein, DNA and RNA chains (i)

EDS failed to run properly - this section is therefore empty.

## 5.2 Non-standard residues in protein, DNA, RNA chains (i)

EDS failed to run properly - this section is therefore empty.

## 5.3 Carbohydrates (i)

EDS failed to run properly - this section is therefore empty.

## 5.4 Ligands (i)

EDS failed to run properly - this section is therefore empty.

### 5.5 Other polymers (i)

EDS failed to run properly - this section is therefore empty.

