

Full wwPDB X-ray Structure Validation Report (i)

Aug 8, 2020 – 10:54 PM BST

PDB ID	:	4O02
Title	:	AlphaVBeta3 integrin in complex with monoclonal antibody FAB fragment.
Authors	:	Mahalingam, B.; van Agthoven, J.; Xiong, J.; Arnaout, M.A.
Deposited on	:	2013-12-13
Resolution	:	3.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.13.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.13.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 3.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R _{free}	130704	1257 (3.70 - 3.50)
Clashscore	141614	1353 (3.70-3.50)
Ramachandran outliers	138981	1307 (3.70-3.50)
Sidechain outliers	138945	1307 (3.70-3.50)
RSRZ outliers	127900	1161 (3.70-3.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	Δ	962	5%	1704	E04
	11	302	5%	17%	• 5%
2	В	692	75%	22%	••
3	L	214	% 	24%	
			3%	2470	
4	Н	218	72%	25%	••
-	a	C			
5	C	6	33% 67%		
G		0			
0		3	100%		



Mol	Chain	Length	Quality of chain	
7	Е	6	50%	50%
	Б	2		
8	F	2	100%	
8	Ι	2	50%	50%
8	J	2	100%	
9	G	6	83%	17%



2 Entry composition (i)

There are 12 unique types of molecules in this entry. The entry contains 13526 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Integrin alpha-V.

Mol	Chain	Residues		Α	toms		ZeroOcc	AltConf	Trace	
1	А	915	Total 5875	m C m 3627	N 1033	O 1192	S 23	0	0	0

• Molecule 2 is a protein called Integrin beta-3.

Mol	Chain	Residues		At	oms		ZeroOcc	AltConf	Trace	
2	В	687	Total 4364	$\begin{array}{c} \mathrm{C} \\ 2657 \end{array}$	N 771	0 871	S 65	0	0	0

• Molecule 3 is a protein called 17E6 light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	L	214	Total 1453	C 887	N 253	O 307	S 6	0	0	0

• Molecule 4 is a protein called 17E6 heavy chain.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
4	Н	218	Total 1440	C 891	N 247	O 293	S 9	0	0	0

• Molecule 5 is an oligosaccharide called beta-D-mannopyranose-(1-4)-alpha-D-mannopyranos e-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
5	С	6	Total C N O 72 40 2 30	0	0	0





• Molecule 6 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-b eta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
6	D	3	Total 39	С 22	N 2	O 15	0	0	0

• Molecule 7 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-alpha-D-mannopyran ose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
7	Е	6	Total C N O 72 40 2 30	0	0	0

• Molecule 8 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-a cetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
8	F	2	Total C N O 28 16 2 10	0	0	0
8	Ι	2	Total C N O 28 16 2 10	0	0	0
8	J	2	Total C N O 28 16 2 10	0	0	0

• Molecule 9 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-alpha-D-mannopyran ose-(1-3)-alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.





Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	Trace		
9	G	6	Total 72	C 40	N 2	O 30	0	0	0

• Molecule 10 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	А	1	Total C N O 14 8 1 5	0	0
10	В	1	Total C N O 14 8 1 5	0	0
10	В	1	Total C N O 14 8 1 5	0	0

• Molecule 11 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
11	В	1	Total Mn 1 1	0	0
11	А	4	Total Mn 4 4	0	0

• Molecule 12 is NITRATE ION (three-letter code: NO3) (formula: NO₃).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
12	А	1	TotalNO413	0	0
12	А	1	Total N O 4 1 3	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Integrin alpha-V





 $\label{eq:mannopyranose-(1-4)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-b$

Chain C:	33%	67%	
NAG1 NAG2 BMA3 MAN4 BMA5 MAN6 MAN6			

Chain D:

100%



NAG1 NAG2 BMA3

 $\label{eq:mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]} beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy$

Chain E:	50%	50%	
NAG 1 NAG 2 BMA 3 MAN 4 MAN 5 MAN 6 MAN 6			
• Molecule 8: opyranose	2-acetamido-2-deoxy-beta-	D-glucopyranose-(1-4)-2-acetamid	.o-2-deoxy-beta-D-gluc
Chain F:	1	00%	
NAG 1 NAG 2			
• Molecule 8:	2-acetamido-2-deoxy-beta-	D-glucopyranose-(1-4)-2-acetamid	.o-2-deoxy-beta-D-gluc
opyranose			
Chain I:	50%	50%	

NAG 1 NAG 2

• Molecule 8: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:	100%	
NAG2 NAG2		
• Molecule 9: alpha-D-	mannopyranose-(1-3)-alpha-D-mar	nnopyranose-(1-3)-alpha-D-mannopyran
$\cos(1.3)$ bots D manno	nyranosa (1.4) 2 acatamida 2 daor	vy bota D glucopyranoso (1.4) 2 acotam

ose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:	83%	17%

NAG1 NAG2 BMA3 MAN4 MAN5 MAN5 MAN5



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants	110.46Å 266.99Å 102.16 Å	Deperitor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
$\mathbf{P}_{\text{assolution}}(\hat{\lambda})$	49.86 - 3.60	Depositor
Resolution (A)	49.86 - 3.61	EDS
% Data completeness	87.6 (49.86-3.60)	Depositor
(in resolution range)	87.7 (49.86 - 3.61)	EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.13	Depositor
$< I/\sigma(I) > 1$	$3.06 (at 3.57 \text{\AA})$	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.2_1309)	Depositor
D D.	0.246 , 0.312	Depositor
Π, Π_{free}	0.253 , 0.314	DCC
R_{free} test set	1563 reflections (4.99%)	wwPDB-VP
Wilson B-factor $(Å^2)$	112.3	Xtriage
Anisotropy	0.556	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.23, 123.3	EDS
L-test for twinning ²	$< L >=0.44, < L^2>=0.27$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	13526	wwPDB-VP
Average B, all atoms $(Å^2)$	155.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.42% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NO3, NAG, MN, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal Chain		Bo	nd lengths	Bond angles	
	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.28	0/5981	0.62	1/8211~(0.0%)
2	В	0.32	1/4438~(0.0%)	0.65	0/6091
3	L	0.29	0/1483	0.62	0/2037
4	Н	0.29	0/1475	0.69	1/2027~(0.0%)
All	All	0.30	1/13377~(0.0%)	0.64	2/18366~(0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	А	0	2
2	В	0	4
3	L	0	3
4	Н	0	4
All	All	0	13

All (1) bond length outliers are listed below:

Mol	Chain	\mathbf{Res}	Type	Atoms	Z	Observed(Å)	$\operatorname{Ideal}(\operatorname{\AA})$	
2	В	335	MET	C-O	5.78	1.34	1.23	

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\mathbf{Observed}(^{o})$	$Ideal(^{o})$
1	А	173	GLY	N-CA-C	-5.39	99.62	113.10
4	Н	179	LEU	N-CA-C	5.25	125.16	111.00

There are no chirality outliers.



Mol	Chain	Res	Type	Group
1	А	134	THR	Peptide
1	А	768	THR	Peptide
2	В	50	ALA	Peptide
2	В	53	SER	Peptide
2	В	624	ALA	Peptide
2	В	8	ARG	Peptide
4	Н	139	SER	Peptide
4	Н	151	PHE	Peptide
4	Н	178	ASP	Peptide
4	Н	179	LEU	Peptide
3	L	140	TYR	Peptide
3	L	168	SER	Peptide
3	L	94	PHE	Peptide

All (13) planarity outliers are listed below:

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	5875	0	4346	96	0
2	В	4364	0	3235	104	0
3	L	1453	0	1128	33	0
4	Н	1440	0	1084	36	0
5	С	72	0	61	0	0
6	D	39	0	34	0	0
7	Е	72	0	61	2	0
8	F	28	0	25	0	0
8	Ι	28	0	25	1	0
8	J	28	0	25	0	0
9	G	72	0	61	1	0
10	А	14	0	13	0	0
10	В	28	0	26	0	0
11	А	4	0	0	0	0
11	В	1	0	0	0	0
12	А	8	0	0	0	0
All	All	13526	0	10124	263	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including



hydrogen atoms). The all-atom clashscore for this structure is 11.

All (263) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:253:VAL:HG23	1:A:267:PHE:HB2	1.50	0.94	
1:A:560:GLU:HG3	1:A:585:ASN:HB3	1.53	0.89	
1:A:121:GLU:HA	2:B:169:PRO:HB3	1.57	0.85	
1:A:100:SER:HB3	1:A:105:ILE:HG22	1.59	0.83	
2:B:31:LEU:HG	2:B:34:GLY:HA3	1.67	0.77	
2:B:579:GLY:HA2	2:B:589:ILE:HG13	1.67	0.76	
1:A:232:ASN:HB3	1:A:264:LEU:HD13	1.67	0.76	
2:B:488:PRO:HG2	2:B:491:GLY:HA3	1.73	0.70	
1:A:195:TYR:HA	1:A:202:ILE:HD13	1.73	0.70	
3:L:47:LEU:HA	3:L:58:VAL:HG11	1.74	0.70	
4:H:193:TRP:CG	4:H:194:PRO:HD3	2.28	0.68	
2:B:94:PRO:HB3	2:B:406:CYS:HB2	1.75	0.67	
4:H:140:SER:O	4:H:190:SER:HB2	1.95	0.67	
2:B:373:THR:HG22	2:B:379:VAL:HB	1.77	0.66	
4:H:213:LYS:NZ	4:H:214:LYS:O	2.25	0.66	
1:A:124:PRO:HG2	1:A:154:PHE:HA	1.76	0.66	
2:B:126:ASP:OD2	2:B:127:ASP:N	2.28	0.66	
3:L:46:LEU:HD11	4:H:104:ALA:HB1	1.77	0.65	
1:A:657:VAL:HG22	1:A:659:ASN:H	1.60	0.65	
1:A:131:GLN:HG3	1:A:136:THR:HG22	1.78	0.64	
2:B:168:SER:HB2	2:B:173:LEU:HB3	1.79	0.64	
3:L:162:SER:HB3	3:L:176:SER:HB3	1.80	0.64	
2:B:127:ASP:HA	2:B:336:ASP:O	1.98	0.64	
4:H:140:SER:HA	4:H:189:THR:HA	1.80	0.64	
1:A:346:PRO:HA	1:A:358:ILE:HG12	1.80	0.63	
1:A:88:PHE:HB2	1:A:113:HIS:HB2	1.80	0.63	
3:L:29:ILE:HG21	3:L:90:GLN:HG3	1.81	0.63	
1:A:14:PRO:HG2	1:A:17:SER:HB3	1.80	0.62	
2:B:83:VAL:O	2:B:86:GLN:NE2	2.33	0.62	
1:A:290:TYR:HB3	1:A:320:GLN:HB3	1.82	0.61	
2:B:30:ALA:O	2:B:48:ASN:ND2	2.33	0.61	
4:H:2:VAL:HG21	4:H:107:TYR:CD2	2.36	0.60	
3:L:138:ASN:HA	3:L:172:THR:HB	1.82	0.60	
3:L:110:ASP:HA	3:L:140:TYR:HB3	1.84	0.60	
1:A:791:SER:OG	1:A:930:GLU:O	2.20	0.59	
2:B:534:GLU:O	2:B:538:GLY:N	2.35	0.59	
4:H:150:TYR:HB3	4:H:180:TYR:HB2	1.83	0.59	
4:H:35:HIS:CD2	4:H:99:PHE:HB2	2.39	0.58	



		Interatomic	Clash		
Atom-1	Atom-2	distance (Å)	overlap (Å)		
1:A:335:GLU:OE2	1:A:366:GLY:N	2.30	0.58		
1:A:175:GLY:HA2	1:A:179:TRP:CD1	2.39	0.57		
1:A:472:CYS:HA	1:A:541:TYR:HA	1.86	0.57		
2:B:158:ASP:OD1	2:B:289:TYR:OH	2.22	0.57		
4:H:69:THR:OG1	4:H:82:GLN:HB2	2.05	0.57		
3:L:96:TYR:HB2	4:H:47:TRP:CG	2.40	0.57		
1:A:395:TRP:CE2	1:A:431:ARG:HG2	2.40	0.57		
2:B:486:CYS:HB3	2:B:494:VAL:O	2.03	0.57		
2:B:64:LEU:HD11	2:B:89:ALA:HB2	1.86	0.57		
4:H:35:HIS:HD2	4:H:99:PHE:HB2	1.69	0.57		
1:A:350:LEU:HA	1:A:420:PRO:HD2	1.87	0.56		
4:H:6:GLN:HG3	4:H:111:GLY:H	1.70	0.56		
2:B:245:LEU:HD11	2:B:348:TYR:HD1	1.70	0.56		
2:B:178:TYR:H	2:B:178:TYR:HD1	1.53	0.56		
4:H:141:VAL:O	4:H:187:THR:HA	2.06	0.56		
1:A:924:ALA:O	1:A:945:THR:N	2.32	0.55		
1:A:925:SER:HA	1:A:944:SER:HA	1.88	0.55		
1:A:570:ASP:HB3	1:A:573:GLY:HA2	1.87	0.55		
2:B:27:SER:HA	2:B:457:CYS:HB3	1.88	0.55		
1:A:100:SER:CB	1:A:105:ILE:HG22	2.35	0.55		
3:L:166:GLN:HB2	3:L:173:TYR:CZ	2.41	0.55		
2:B:249:THR:HG22	2:B:309:ALA:HB3	1.87	0.55		
1:A:399:SER:OG	1:A:400:MET:N	2.40	0.54		
2:B:49:CYS:HA	2:B:51:PRO:HD2	1.88	0.54		
2:B:194:LEU:HD22	2:B:203:PHE:HA	1.89	0.54		
2:B:221:GLY:HA2	2:B:289:TYR:HE2	1.72	0.54		
3:L:16:GLY:H	3:L:78:LEU:HB3	1.73	0.54		
1:A:141:PRO:HB2	1:A:184:ILE:HD13	1.89	0.54		
9:G:1:NAG:H61	9:G:2:NAG:H2	1.90	0.54		
2:B:340:VAL:HA	2:B:343:LEU:HD23	1.88	0.54		
2:B:106:GLN:HG2	2:B:352:ARG:HG3	1.90	0.54		
1:A:633:ASN:ND2	1:A:636:GLU:O	2.40	0.54		
1:A:256:TYR:CD1	1:A:263:SER:HB3	2.42	0.53		
2:B:334:SER:OG	2:B:336:ASP:OD2	2.25	0.53		
2:B:445:SER:OG	2:B:446:HIS:N	2.41	0.53		
1:A:255:ILE:HD12	1:A:265:TYR:HB2	1.90	0.53		
1:A:2:ASN:ND2	1:A:438:ARG:O	2.40	0.53		
2:B:454:THR:O	2:B:460:CYS:HB3	2.07	0.53		
1:A:17:SER:HB2	1:A:43:ALA:HB2	1.91	0.53		
3:L:167:ASP:O	3:L:171:SER:HA	2.09	0.53		
1:A:301:MET:HA	1:A:311:GLU:HA	1.91	0.52		



	louis pagein	Interatomic	Clash		
Atom-1	Atom-2	distance (Å)	overlap (Å)		
2:B:495:CYS:O	2:B:497:GLN:N	2.43	0.52		
1:A:38:VAL:HG23	1:A:57:LEU:HB2	1.91	0.52		
2:B:197:THR:HG22	2:B:199:GLN:H	1.74	0.52		
2:B:281:TYR:CE1	2:B:283:ALA:HB3	2.45	0.52		
1:A:253:VAL:HG22	1:A:276:PHE:HE2	1.75	0.51		
4:H:13:GLU:HG3	4:H:14:PRO:HD2	1.91	0.51		
1:A:338:ALA:HB1	1:A:362:ALA:HB1	1.93	0.51		
2:B:122:TYR:N	2:B:213:SER:O	2.44	0.51		
3:L:93:THR:OG1	3:L:94:PHE:N	2.44	0.51		
2:B:169:PRO:HG2	2:B:170:PRO:HD3	1.92	0.51		
4:H:151:PHE:HB2	4:H:179:LEU:CB	2.41	0.51		
2:B:190:TYR:HB3	2:B:281:TYR:HB2	1.92	0.51		
2:B:113:ASP:OD1	2:B:239:ARG:NE	2.42	0.50		
1:A:114:TRP:HZ3	1:A:147:ILE:HG21	1.77	0.50		
2:B:70:SER:HB2	2:B:80:VAL:O	2.11	0.50		
1:A:86:LEU:HD11	1:A:200:TYR:CE1	2.47	0.50		
1:A:76:GLY:O	1:A:89:LYS:NZ	2.44	0.50		
2:B:407:PRO:HD2	2:B:431:PHE:CD1	2.47	0.50		
3:L:48:ILE:HA	3:L:53:LYS:O	2.12	0.50		
1:A:283:THR:CG2	1:A:358:ILE:HD11	2.42	0.49		
1:A:339:ARG:HH12	2:B:268:PRO:HB3	1.77	0.49		
1:A:159:PHE:HB3	1:A:174:PRO:HD3	1.92	0.49		
1:A:314:GLN:OE1	1:A:332:ASN:ND2	2.46	0.49		
1:A:640:GLU:HA	1:A:685:ASN:HA	1.95	0.49		
3:L:54:LEU:HD11	3:L:60:SER:HA	1.94	0.49		
1:A:299:LEU:HD11	2:B:258:LEU:HG	1.94	0.49		
1:A:487:LEU:O	1:A:489:ARG:N	2.40	0.49		
1:A:272:MET:HE1	2:B:320:ASN:HD22	1.78	0.49		
2:B:165:MET:HG2	2:B:166:TYR:H	1.77	0.48		
2:B:283:ALA:HB1	2:B:287:MET:HB2	1.94	0.48		
4:H:29:PHE:CD2	4:H:77:SER:HA	2.48	0.48		
3:L:159:VAL:O	3:L:160:LEU:HG	2.13	0.48		
3:L:37:GLN:HB2	3:L:47:LEU:HD11	1.94	0.48		
1:A:765:ASN:N	1:A:766:PRO:HD3	2.29	0.48		
2:B:88:ILE:O	2:B:88:ILE:HG13	2.12	0.48		
3:L:31:ASN:OD1	3:L:67:SER:HA	2.13	0.48		
4:H:76:SER:OG	4:H:78:THR:OG1	2.30	0.48		
1:A:404:PHE:HA	1:A:426:ALA:HB2	1.95	0.47		
4:H:88:SER:HA	4:H:116:VAL:HB	1.96	0.47		
2:B:64:LEU:HB2	2:B:87:ARG:HG3	1.95	0.47		
2:B:134:LEU:HD11	2:B:341:LEU:HB2	1.95	0.47		



		Interatomic	Clash		
Atom-1	Atom-2	distance (Å)	overlap (Å)		
4:H:144:GLY:HA2	4:H:159:TRP:CH2	2.49	0.47		
2:B:143:ARG:HA	2:B:143:ARG:HD3	1.40	0.47		
2:B:495:CYS:C	2:B:497:GLN:H	2.18	0.47		
1:A:566:ARG:HA	1:A:566:ARG:HD3	1.73	0.47		
1:A:339:ARG:NH1	2:B:268:PRO:HB3	2.30	0.47		
1:A:395:TRP:CZ2	1:A:431:ARG:HG2	2.50	0.47		
2:B:154:GLY:HA2	2:B:193:VAL:HG23	1.97	0.47		
4:H:193:TRP:O	4:H:195:SER:N	2.47	0.47		
1:A:186:ASP:OD1	1:A:207:GLN:HB2	2.15	0.47		
2:B:49:CYS:C	2:B:51:PRO:HD2	2.35	0.47		
2:B:82:GLN:N	2:B:423:ASP:OD2	2.48	0.47		
1:A:230:ASP:HA	1:A:238:ASP:OD2	2.15	0.47		
1:A:408:MET:HA	1:A:423:ILE:O	2.13	0.47		
2:B:110:TYR:HB3	2:B:352:ARG:HH22	1.79	0.47		
1:A:18:TYR:CD1	1:A:427:PHE:HD1	2.32	0.47		
3:L:120:PRO:HG3	3:L:131:SER:O	2.15	0.46		
1:A:577:ILE:HG22	1:A:578:LEU:O	2.14	0.46		
2:B:139:ALA:O	2:B:143:ARG:HG2	2.16	0.46		
3:L:2:ILE:O	3:L:97:THR:HG21	2.15	0.46		
3:L:75:ILE:HG22	3:L:76:SER:O	2.16	0.46		
1:A:181:GLY:HA3	1:A:222:LEU:HB3	1.96	0.46		
1:A:20:GLY:O	1:A:407:SER:OG	2.31	0.46		
2:B:153:PHE:HE2	2:B:210:GLN:HG3	1.79	0.46		
2:B:200:VAL:O	2:B:203:PHE:HB3	2.15	0.46		
1:A:517:ARG:CG	1:A:517:ARG:HH11	2.29	0.46		
1:A:657:VAL:HG13	1:A:658:ARG:H	1.79	0.46		
2:B:158:ASP:HA	2:B:221:GLY:N	2.30	0.46		
2:B:139:ALA:HB2	2:B:200:VAL:HG21	1.96	0.46		
4:H:100:LEU:HG	4:H:101:GLY:H	1.79	0.46		
4:H:4:LEU:HB2	4:H:109:GLY:HA2	1.97	0.46		
1:A:419:TYR:CE1	1:A:439:PRO:HA	2.50	0.46		
2:B:66:ASP:OD1	2:B:66:ASP:N	2.49	0.46		
3:L:108:ARG:HD2	3:L:171:SER:O	2.16	0.46		
3:L:91:GLY:HA2	3:L:96:TYR:CE1	2.50	0.46		
1:A:106:LEU:HD11	1:A:128:CYS:HB3	1.98	0.46		
1:A:146:ASP:OD2	4:H:54:ARG:NE	2.41	0.46		
1:A:216:ILE:HG13	1:A:217:PHE:N	2.31	0.45		
1:A:492:ASN:ND2	1:A:564:ASP:OD2	2.49	0.45		
4:H:127:TYR:O	4:H:129:LEU:N	2.49	0.45		
1:A:257:ASP:HB2	1:A:264:LEU:HD21	1.98	0.45		
4:H:100:LEU:HB2	4:H:106:ASP:CG	2.37	0.45		



		Interatomic	Clash		
Atom-1	Atom-2	distance (Å)	overlap (Å)		
3:L:110:ASP:OD2	3:L:141:PRO:HD3	2.17	0.45		
3:L:35:TRP:CE2	3:L:73:LEU:HB2	2.52	0.45		
1:A:170:LEU:HD22	1:A:239:PHE:CD1	2.52	0.45		
1:A:278:PHE:CD2	1:A:298:PRO:HG3	2.51	0.45		
3:L:89:GLN:HB2	3:L:98:PHE:CD2	2.52	0.45		
1:A:375:ILE:HD12	1:A:389:GLN:HB3	1.98	0.45		
2:B:204:ASN:HA	2:B:207:VAL:HG12	1.99	0.45		
2:B:21:PRO:HG2	2:B:96:ASP:HB2	1.98	0.45		
2:B:221:GLY:HA2	2:B:289:TYR:CE2	2.51	0.44		
4:H:49:GLY:HA3	4:H:60:CYS:HA	1.99	0.44		
1:A:663:LEU:HA	1:A:694:LEU:O	2.16	0.44		
2:B:20:SER:HB3	2:B:22:MET:HG2	1.98	0.44		
2:B:245:LEU:HD11	2:B:348:TYR:CD1	2.51	0.44		
1:A:605:LYS:H	1:A:635:GLY:HA3	1.82	0.44		
2:B:120:LEU:HD12	2:B:120:LEU:HA	1.68	0.44		
2:B:169:PRO:CG	2:B:170:PRO:HD3	2.48	0.44		
1:A:719:SER:OG	1:A:720:SER:N	2.51	0.44		
2:B:176:PRO:CG	2:B:186:PRO:HA	2.47	0.44		
2:B:30:ALA:HB1	2:B:49:CYS:HB3	1.99	0.44		
7:E:4:MAN:H3	7:E:5:MAN:H2	1.52	0.44		
1:A:642:GLU:HG2	1:A:682:ASP:HA	1.99	0.44		
1:A:81:ALA:HB3	1:A:84:ASP:HB3	1.99	0.44		
2:B:297:GLU:OE1	2:B:301:GLN:NE2	2.51	0.44		
2:B:27:SER:HB2	2:B:53:SER:OG	2.18	0.44		
4:H:52:ASN:HD22	4:H:53:PRO:HD2	1.83	0.44		
3:L:48:ILE:HG23	3:L:53:LYS:H	1.83	0.44		
1:A:70:ILE:HB	1:A:72:PHE:CE1	2.53	0.44		
1:A:8:PRO:HB3	1:A:435:TYR:HD2	1.83	0.44		
2:B:158:ASP:HA	2:B:221:GLY:H	1.83	0.44		
4:H:98:SER:O	4:H:106:ASP:N	2.50	0.44		
3:L:79:ASP:OD1	3:L:80:GLN:N	2.39	0.44		
2:B:67:ARG:NH1	2:B:86:GLN:HG2	2.33	0.43		
3:L:195:GLU:HG3	3:L:206:VAL:HG22	2.00	0.43		
3:L:46:LEU:HD12	4:H:105:MET:O	2.17	0.43		
1:A:283:THR:HG21	1:A:358:ILE:HD11	2.00	0.43		
2:B:220:GLU:H	2:B:254:THR:HA	1.84	0.43		
4:H:159:TRP:CZ3	4:H:200:CYS:HB2	2.53	0.43		
1:A:554:PRO:HB2	1:A:589:GLN:HB3	1.99	0.43		
2:B:136:THR:HA	2:B:200:VAL:HG11	2.00	0.43		
2:B:136:THR:O	2:B:140:THR:HG23	2.18	0.43		
2:B:30:ALA:CB	2:B:49:CYS:HB3	2.49	0.43		



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
2:B:283:ALA:O	2:B:287:MET:N	2.48	0.43	
1:A:239:PHE:O	1:A:255:ILE:HA	2.18	0.43	
3:L:113:PRO:HB3	3:L:139:PHE:CD2	2.54	0.43	
2:B:357:LEU:HD11	2:B:397:PHE:CD2	2.53	0.43	
1:A:763:LYS:O	1:A:766:PRO:HG3	2.19	0.43	
2:B:265:ILE:HG23	2:B:286:THR:O	2.18	0.43	
2:B:28:ASP:N	2:B:457:CYS:O	2.52	0.43	
2:B:91:ARG:HA	2:B:430:THR:O	2.19	0.43	
1:A:347:LEU:HD11	1:A:359:ALA:HB2	2.00	0.42	
2:B:168:SER:HB2	2:B:173:LEU:CB	2.48	0.42	
2:B:38:CYS:HB3	2:B:39:ASP:H	1.53	0.42	
1:A:134:THR:OG1	1:A:135:LYS:N	2.53	0.42	
1:A:152:GLN:HB3	1:A:155:CYS:HB2	2.02	0.42	
1:A:829:ASN:HA	1:A:830:PRO:HD3	1.69	0.42	
2:B:138:LEU:HA	2:B:341:LEU:HD13	2.01	0.42	
1:A:525:MET:HE3	1:A:536:GLU:HG2	2.01	0.42	
2:B:336:ASP:O	2:B:337:SER:CB	2.68	0.42	
1:A:596:CYS:HB3	1:A:602:CYS:HB3	1.92	0.42	
2:B:219:PRO:HG2	2:B:255:HIS:CE1	2.55	0.42	
1:A:339:ARG:HB3	1:A:342:SER:OG	2.20	0.42	
4:H:100:LEU:HG	4:H:101:GLY:N	2.34	0.42	
2:B:316:ASN:HB3	8:I:1:NAG:HN2	1.85	0.42	
2:B:115:TYR:OH	2:B:192:HIS:ND1	2.49	0.42	
2:B:170:PRO:HG2	2:B:172:ALA:HB3	2.01	0.42	
4:H:47:TRP:CH2	4:H:49:GLY:HA2	2.55	0.42	
1:A:419:TYR:HA	1:A:420:PRO:HD3	1.77	0.41	
2:B:152:GLY:HA2	2:B:194:LEU:HD23	2.02	0.41	
3:L:139:PHE:CE2	3:L:174:SER:HA	2.54	0.41	
2:B:65:GLU:HG3	2:B:87:ARG:HG2	2.02	0.41	
3:L:96:TYR:HD1	3:L:96:TYR:HA	1.75	0.41	
1:A:248:ARG:O	1:A:249:THR:OG1	2.32	0.41	
1:A:629:VAL:O	1:A:694:LEU:HA	2.20	0.41	
2:B:49:CYS:HB2	2:B:50:ALA:H	1.74	0.41	
4:H:144:GLY:HA2	4:H:159:TRP:HH2	1.86	0.41	
2:B:165:MET:HG3	2:B:187:MET:HE3	2.01	0.41	
3:L:54:LEU:HD22	3:L:58:VAL:HG23	2.03	0.41	
1:A:748:SER:HA	1:A:778:HIS:HA	2.02	0.41	
1:A:8:PRO:HB3	1:A:435:TYR:CD2	2.56	0.41	
2:B:124:MET:O	2:B:127:ASP:HB2	2.21	0.41	
2:B:478:TYR:C	2:B:480:PRO:HD3	2.41	0.41	
1:A:291:ALA:O	1:A:320:GLN:HB2	2.21	0.41	



Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	$distance ({ m \AA})$	overlap (Å)	
2:B:165:MET:HG2	2:B:166:TYR:N	2.35	0.41	
2:B:269:ASN:HA	2:B:287:MET:SD	2.60	0.41	
1:A:794:MET:O	1:A:926:PHE:HA	2.21	0.41	
2:B:76:ASP:O	2:B:78:SER:N	2.50	0.41	
4:H:27:TYR:HE2	4:H:32:PHE:HB2	1.86	0.41	
3:L:193:THR:HG22	3:L:208:SER:HA	2.02	0.41	
2:B:10:VAL:C	2:B:12:SER:H	2.24	0.41	
2:B:502:LEU:O	2:B:505:GLN:O	2.39	0.41	
4:H:157:LEU:HA	4:H:201:ASN:O	2.21	0.41	
1:A:768:THR:OG1	1:A:769:GLU:N	2.54	0.40	
1:A:298:PRO:O	1:A:339:ARG:HA	2.22	0.40	
2:B:407:PRO:HD2	2:B:431:PHE:CE1	2.56	0.40	
2:B:49:CYS:CA	2:B:51:PRO:HD2	2.50	0.40	
2:B:249:THR:HA	2:B:309:ALA:O	2.21	0.40	
2:B:485:GLU:CB	2:B:490:GLU:H	2.34	0.40	
7:E:1:NAG:H61	7:E:2:NAG:H82	2.02	0.40	
1:A:764:GLU:C	1:A:766:PRO:HD3	2.42	0.40	
2:B:238:TRP:CE3	2:B:244:HIS:HD2	2.39	0.40	
2:B:4:ILE:C	2:B:6:THR:H	2.24	0.40	
4:H:139:SER:HA	4:H:190:SER:HB3	2.02	0.40	

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	P	erce	entiles
1	А	911/962~(95%)	815 (90%)	88 (10%)	8 (1%)		17	57
2	В	685/692~(99%)	595~(87%)	79~(12%)	11 (2%)		9	46
3	L	212/214~(99%)	196~(92%)	12~(6%)	4 (2%)		8	42
4	Н	216/218~(99%)	190 (88%)	20 (9%)	6 (3%)		5	34
All	All	2024/2086~(97%)	1796 (89%)	199(10%)	29 (1%)		11	48



Mol	Chain	Res	Type
1	А	135	LYS
1	А	619	ILE
1	А	710	SER
4	Н	180	TYR
1	А	453	ILE
1	А	738	VAL
1	А	876	VAL
2	В	516	ILE
2	В	632	ASN
3	L	159	VAL
2	В	36	PRO
2	В	80	VAL
2	В	496	SER
3	L	94	PHE
3	L	140	TYR
4	Н	151	PHE
2	В	10	VAL
2	В	76	ASP
2	В	625	LEU
4	Н	107	TYR
4	H	193	TRP
1	A	555	ILE
2	В	577	GLY
4	H	196	GLN
2	В	77	SER
1	A	766	PRO
3	L	95	PRO
2	В	162	SER
4	Н	132	VAL

All (29) Ramachandran outliers are listed below:

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	А	400/816~(49%)	378~(94%)	22~(6%)	21 57	



Mol	Chain	Analysed	Rotameric Outliers		Percentiles		
2	В	334/614~(54%)	308~(92%)	26 (8%)	12 44	Į	
3	L	125/192~(65%)	115~(92%)	10 (8%)	12 43	;	
4	Н	107/183~(58%)	102~(95%)	5(5%)	26 61		
All	All	966/1805~(54%)	903 (94%)	63 (6%)	17 51		

Continued from previous page...

All (63) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	29	SER
1	А	38	VAL
1	А	103	ASP
1	А	142	CYS
1	А	147	ILE
1	А	152	GLN
1	А	188	VAL
1	А	207	GLN
1	А	237	ASP
1	А	253	VAL
1	А	255	ILE
1	А	264	LEU
1	А	275	TYR
1	А	303	ARG
1	А	351	ASP
1	А	423	ILE
1	А	517	ARG
1	А	558	PHE
1	А	560	GLU
1	А	565	TYR
1	А	681	CYS
1	А	943	ASN
2	В	38	CYS
2	В	88	ILE
2	В	143	ARG
2	В	162	SER
2	В	177	CYS
2	В	178	TYR
2	В	232	CYS
2	В	284	SER
2	В	285	THR
2	В	300	SER
2	В	308	PHE



Mol	Chain	Res	Type
2	В	322	SER
2	В	334	SER
2	В	343	LEU
2	В	374	CYS
2	В	396	SER
2	В	417	LYS
2	В	421	PHE
2	В	435	CYS
2	В	460	CYS
2	В	486	CYS
2	В	495	CYS
2	В	542	CYS
2	В	576	SER
2	В	631	CYS
2	В	635	CYS
3	L	6	GLN
3	L	10	SER
3	L	23	CYS
3	L	41	ASP
3	L	72	SER
3	L	94	PHE
3	L	159	VAL
3	L	160	LEU
3	L	172	THR
3	L	193	THR
4	Н	89	GLU
4	Н	96	CYS
4	H	145	CYS
4	Н	151	PHE
4	Н	176	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	214	GLN
1	А	310	GLN
1	А	314	GLN
1	А	332	ASN
2	В	313	ASN
3	L	138	ASN
4	Н	52	ASN



5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

27 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Mol Type Chain		Dog	Tink	Bo	ond leng	$_{\rm ths}$	Bond angles		
	Type	Chain	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	NAG	С	1	1,5	14,14,15	0.32	0	17,19,21	0.49	0
5	NAG	С	2	5	14,14,15	0.41	0	17,19,21	0.77	0
5	BMA	C	3	5	11,11,12	1.03	0	15,15,17	1.19	1(6%)
5	MAN	C	4	5	11,11,12	1.01	1 (9%)	15,15,17	0.92	1 (6%)
5	BMA	С	5	5	11,11,12	0.61	0	$15,\!15,\!17$	1.05	1 (6%)
5	MAN	С	6	5	11,11,12	0.70	0	$15,\!15,\!17$	1.11	2 (13%)
6	NAG	D	1	1,6	14,14,15	0.42	0	17,19,21	0.43	0
6	NAG	D	2	6	14,14,15	0.42	0	17,19,21	0.49	0
6	BMA	D	3	6	11,11,12	0.72	0	$15,\!15,\!17$	0.90	0
7	NAG	Е	1	1,7	14,14,15	0.52	0	17,19,21	0.96	1 (5%)
7	NAG	Е	2	7	14,14,15	0.43	0	17,19,21	0.42	0
7	BMA	Е	3	7	11,11,12	0.67	0	$15,\!15,\!17$	1.00	1 (6%)
7	MAN	Е	4	7	11,11,12	0.88	1 (9%)	$15,\!15,\!17$	1.53	2 (13%)
7	MAN	Е	5	7	11,11,12	0.85	0	$15,\!15,\!17$	1.40	2 (13%)
7	MAN	Е	6	7	11,11,12	0.54	0	$15,\!15,\!17$	1.10	2 (13%)
8	NAG	F	1	1,8	14,14,15	0.41	0	17,19,21	0.46	0
8	NAG	F	2	8	14,14,15	0.32	0	17,19,21	0.32	0
9	NAG	G	1	1,9	14,14,15	0.24	0	17,19,21	0.53	0
9	NAG	G	2	9	14,14,15	0.65	1(7%)	17,19,21	0.79	1(5%)
9	BMA	G	3	9	11,11,12	1.17	1 (9%)	$15,\!15,\!17$	0.97	0



Mal	Mol Type Chain		Dec	Tink	Bo	ond leng	$_{\rm ths}$	В	ond ang	les
	туре	Chain	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z >2
9	MAN	G	4	9	11,11,12	1.25	1 (9%)	$15,\!15,\!17$	1.78	3 (20%)
9	MAN	G	5	9	11,11,12	1.34	2 (18%)	$15,\!15,\!17$	1.78	4 (26%)
9	MAN	G	6	9	11,11,12	0.80	1 (9%)	$15,\!15,\!17$	1.59	3 (20%)
8	NAG	Ι	1	8,2	14,14,15	0.78	1 (7%)	$17,\!19,\!21$	1.02	1(5%)
8	NAG	Ι	2	8	14,14,15	0.39	0	$17,\!19,\!21$	0.93	1(5%)
8	NAG	J	1	8,2	14,14,15	1.33	1 (7%)	$17,\!19,\!21$	1.60	1 (5%)
8	NAG	J	2	8	14,14,15	0.40	0	$17,\!19,\!21$	0.63	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	С	1	1,5	-	2/6/23/26	0/1/1/1
5	NAG	С	2	5	-	4/6/23/26	0/1/1/1
5	BMA	С	3	5	_	0/2/19/22	0/1/1/1
5	MAN	С	4	5	-	1/2/19/22	0/1/1/1
5	BMA	С	5	5	-	0/2/19/22	0/1/1/1
5	MAN	С	6	5	-	2/2/19/22	0/1/1/1
6	NAG	D	1	1,6	-	2/6/23/26	0/1/1/1
6	NAG	D	2	6	-	0/6/23/26	0/1/1/1
6	BMA	D	3	6	-	2/2/19/22	0/1/1/1
7	NAG	Е	1	1,7	-	3/6/23/26	0/1/1/1
7	NAG	Е	2	7	-	2/6/23/26	0/1/1/1
7	BMA	Е	3	7	-	2/2/19/22	0/1/1/1
7	MAN	Е	4	7	-	1/2/19/22	1/1/1/1
7	MAN	Е	5	7	-	1/2/19/22	1/1/1/1
7	MAN	E	6	7	_	0/2/19/22	0/1/1/1
8	NAG	F	1	1,8	-	0/6/23/26	0/1/1/1
8	NAG	F	2	8	-	2/6/23/26	0/1/1/1
9	NAG	G	1	1,9	-	2/6/23/26	0/1/1/1
9	NAG	G	2	9	-	2/6/23/26	0/1/1/1
9	BMA	G	3	9	-	2/2/19/22	0/1/1/1
9	MAN	G	4	9	-	1/2/19/22	1/1/1/1
9	MAN	G	5	9	-	0/2/19/22	0/1/1/1
9	MAN	G	6	9	-	0/2/19/22	0/1/1/1
8	NAG	I	1	8,2	-	2/6/23/26	0/1/1/1



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	NAG	Ι	2	8	-	2/6/23/26	0/1/1/1
8	NAG	J	1	8,2	-	2/6/23/26	0/1/1/1
8	NAG	J	2	8	-	2/6/23/26	0/1/1/1

Continued from previous page...

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\operatorname{\AA})$	Ideal(Å)
8	J	1	NAG	O5-C1	4.86	1.51	1.43
9	G	5	MAN	C1-C2	2.88	1.58	1.52
8	Ι	1	NAG	O5-C1	2.73	1.48	1.43
5	С	4	MAN	O5-C1	-2.65	1.39	1.43
9	G	5	MAN	C2-C3	2.54	1.56	1.52
9	G	4	MAN	O3-C3	2.48	1.48	1.43
9	G	3	BMA	C2-C3	2.43	1.56	1.52
9	G	6	MAN	C1-C2	2.24	1.57	1.52
9	G	2	NAG	O5-C1	2.17	1.47	1.43
7	Е	4	MAN	O5-C1	-2.06	1.40	1.43

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
8	J	1	NAG	C1-O5-C5	5.87	120.14	112.19
9	G	4	MAN	C1-O5-C5	5.10	119.10	112.19
7	Е	4	MAN	C1-O5-C5	4.59	118.41	112.19
7	Е	5	MAN	C1-O5-C5	4.22	117.91	112.19
9	G	6	MAN	C1-O5-C5	3.81	117.35	112.19
8	Ι	1	NAG	C1-O5-C5	3.71	117.22	112.19
9	G	5	MAN	O5-C1-C2	3.38	116.00	110.77
9	G	5	MAN	C1-O5-C5	3.28	116.64	112.19
8	Ι	2	NAG	C1-O5-C5	3.25	116.59	112.19
9	G	5	MAN	C1-C2-C3	3.22	113.63	109.67
5	С	6	MAN	C1-O5-C5	3.06	116.34	112.19
9	G	2	NAG	C1-O5-C5	3.02	116.28	112.19
7	Е	3	BMA	C1-O5-C5	2.97	116.21	112.19
5	С	3	BMA	C1-C2-C3	-2.87	106.14	109.67
7	Е	6	MAN	C1-O5-C5	2.75	115.92	112.19
9	G	6	MAN	O5-C1-C2	2.65	114.87	110.77
7	Е	4	MAN	O2-C2-C3	-2.53	105.08	110.14
9	G	6	MAN	O2-C2-C3	-2.31	105.52	110.14
7	Е	1	NAG	C1-O5-C5	2.31	115.32	112.19
9	G	5	MAN	O2-C2-C3	-2.30	105.53	110.14



Conti	Continued from previous page										
Mol	Chain	\mathbf{Res}	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$				
7	Е	6	MAN	O2-C2-C3	-2.23	105.66	110.14				
5	С	4	MAN	O2-C2-C3	-2.23	105.67	110.14				
5	С	6	MAN	O2-C2-C3	-2.22	105.69	110.14				
9	G	4	MAN	O2-C2-C3	-2.17	105.80	110.14				
9	G	4	MAN	O5-C1-C2	2.15	114.09	110.77				
5	С	5	BMA	C1-O5-C5	2.14	115.09	112.19				
7	Ε	5	MAN	O2-C2-C3	-2.13	105.88	110.14				
8	J	2	NAG	C1-O5-C5	2.05	114.97	112.19				

There are no chirality outliers.

All (39) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	F	2	NAG	O5-C5-C6-O6
5	С	1	NAG	C4-C5-C6-O6
5	С	2	NAG	O5-C5-C6-O6
6	D	3	BMA	O5-C5-C6-O6
8	Ι	2	NAG	C4-C5-C6-O6
9	G	3	BMA	O5-C5-C6-O6
5	С	6	MAN	O5-C5-C6-O6
5	С	2	NAG	C4-C5-C6-O6
6	D	3	BMA	C4-C5-C6-O6
7	Е	3	BMA	O5-C5-C6-O6
8	F	2	NAG	C4-C5-C6-O6
9	G	1	NAG	O5-C5-C6-O6
6	D	1	NAG	O5-C5-C6-O6
8	Ι	1	NAG	C8-C7-N2-C2
8	Ι	1	NAG	O7-C7-N2-C2
5	С	2	NAG	C8-C7-N2-C2
5	С	2	NAG	O7-C7-N2-C2
8	J	1	NAG	C8-C7-N2-C2
8	J	1	NAG	O7-C7-N2-C2
8	Ι	2	NAG	O5-C5-C6-O6
5	С	1	NAG	O5-C5-C6-O6
7	Е	2	NAG	O5-C5-C6-O6
9	G	1	NAG	C4-C5-C6-O6
9	G	2	NAG	O5-C5-C6-O6
5	С	6	MAN	C4-C5-C6-O6
7	Е	3	BMA	C4-C5-C6-O6
8	J	2	NAG	O5-C5-C6-O6
8	J	2	NAG	C4-C5-C6-O6
9	G	4	MAN	O5-C5-C6-O6



Mol	Chain	Res	Type	Atoms
7	Е	4	MAN	O5-C5-C6-O6
7	Е	1	NAG	C4-C5-C6-O6
9	G	3	BMA	C4-C5-C6-O6
6	D	1	NAG	C4-C5-C6-O6
7	Ε	1	NAG	O5-C5-C6-O6
7	Ε	2	NAG	C4-C5-C6-O6
9	G	2	NAG	C4-C5-C6-O6
7	Е	1	NAG	C3-C2-N2-C7
5	С	4	MAN	O5-C5-C6-O6
7	Е	5	MAN	C4-C5-C6-O6

Continued from previous page...

All (3) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
9	G	4	MAN	C1-C2-C3-C4-C5-O5
7	Е	4	MAN	C1-C2-C3-C4-C5-O5
7	Е	5	MAN	C1-C2-C3-C4-C5-O5

7 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	Е	4	MAN	1	0
8	Ι	1	NAG	1	0
7	Е	1	NAG	1	0
7	Е	5	MAN	1	0
9	G	1	NAG	1	0
9	G	2	NAG	1	0
7	Е	2	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





















5.6 Ligand geometry (i)

Of 10 ligands modelled in this entry, 5 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Type Chai		Chain	Dog	Tink	Bond lengths			Bond angles		
	туре	Chain	nes	LIIIK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
12	NO3	А	1029	-	1,3,3	3.64	1 (100%)	$0,\!3,\!3$	0.00	-
10	NAG	В	701	2	14,14,15	0.43	0	17,19,21	0.73	1 (5%)
12	NO3	А	1030	-	1,3,3	3.48	1 (100%)	0,3,3	0.00	-



Mal	L Type Chain Reg		Tink	B	Bond lengths			Bond angles		
Moi Type Chain	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2		
10	NAG	А	1016	1	14, 14, 15	0.39	0	17,19,21	0.45	0
10	NAG	В	706	2	14,14,15	0.31	0	17,19,21	0.55	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	NAG	В	701	2	-	2/6/23/26	0/1/1/1
10	NAG	А	1016	1	-	3/6/23/26	0/1/1/1
10	NAG	В	706	2	-	0/6/23/26	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\operatorname{\AA})$	$\operatorname{Ideal}(\operatorname{\AA})$
12	А	1029	NO3	O1-N	3.64	1.40	1.24
12	А	1030	NO3	O1-N	3.48	1.40	1.24

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
10	В	701	NAG	C1-O5-C5	2.70	115.85	112.19

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
10	А	1016	NAG	O5-C5-C6-O6
10	А	1016	NAG	C4-C5-C6-O6
10	В	701	NAG	C4-C5-C6-O6
10	В	701	NAG	O5-C5-C6-O6
10	А	1016	NAG	C3-C2-N2-C7

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.



5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	# RSRZ $>$	2	$\mathbf{OWAB}(\mathbf{\AA}^2)$	$Q{<}0.9$
1	А	915/962~(95%)	-0.02	46 (5%) 28	18	52, 165, 260, 296	0
2	В	687/692~(99%)	-0.10	35 (5%) 28	17	55, 145, 303, 428	0
3	L	214/214~(100%)	-0.36	2 (0%) 84	73	71, 127, 234, 297	0
4	Η	218/218~(100%)	-0.08	7 (3%) 47	32	81, 154, 242, 329	0
All	All	2034/2086~(97%)	-0.09	90 (4%) 34	21	52, 149, 274, 428	0

All (90) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	В	515	LYS	10.3
2	В	678	ILE	9.5
2	В	670	TYR	9.3
2	В	650	LYS	9.2
4	Н	133	CYS	9.1
1	А	683	LEU	8.9
1	А	454	LEU	7.6
4	Н	131	PRO	7.5
2	В	651	ASP	7.4
2	В	672	ASP	7.3
1	А	452	SER	6.3
1	А	455	ASN	6.2
2	В	673	SER	6.1
1	А	822	CYS	6.1
2	В	668	GLN	6.0
4	Н	130	ALA	6.0
2	В	638	GLU	5.9
2	В	669	TYR	5.8
4	Н	132	VAL	5.6
2	В	639	ILE	5.3
2	В	659	ASN	5.2



Mol	Chain	Res	Type	RSRZ
2	В	516	ILE	5.0
1	А	824	SER	4.8
1	А	739	LEU	4.6
2	В	677	SER	4.6
1	А	453	ILE	4.6
1	А	684	GLY	4.5
1	А	936	LEU	4.5
2	В	652	ALA	4.5
2	В	675	GLY	4.5
1	А	511	ALA	4.4
3	L	131	SER	4.3
2	В	649	GLY	4.2
1	А	915	ASN	4.2
1	A	937	PRO	4.1
1	А	917	SER	4.1
2	В	679	LEU	3.9
2	В	36	PRO	3.8
2	В	641	SER	3.8
2	В	648	THR	3.7
3	L	130	ALA	3.6
2	В	674	SER	3.6
1	А	446	GLY	3.6
1	А	667	SER	3.5
1	А	682	ASP	3.5
4	Н	124	PRO	3.5
1	А	451	PRO	3.3
2	В	474	SER	3.3
1	А	483	GLY	3.3
1	А	935	ASN	3.2
2	В	602	PRO	3.2
1	A	945	THR	3.2
1	А	939	GLU	3.2
1	A	543	ARG	3.2
4	Η	197	SER	3.1
1	A	916	HIS	3.1
1	А	445	ALA	3.0
1	А	774	PRO	3.0
1	A	681	CYS	2.9
1	A	507	ALA	2.9
1	А	601	VAL	2.9
2	В	642	VAL	2.8
4	Н	134	GLY	2.8



4	Ο	0	2

Mol	Chain	Res	Type	RSRZ
1	А	737	ALA	2.8
1	А	447	LEU	2.7
2	В	643	LYS	2.7
2	В	640	GLU	2.6
1	А	592	ILE	2.6
1	А	900	LYS	2.6
2	В	475	GLU	2.5
1	А	740	ALA	2.5
1	А	884	CYS	2.5
1	А	590	ALA	2.5
2	В	676	LYS	2.5
1	А	662	ALA	2.5
1	А	465	GLY	2.4
1	А	591	HIS	2.4
2	В	39	ASP	2.4
1	А	738	VAL	2.4
2	В	514	GLY	2.2
1	А	493	PHE	2.2
2	В	671	GLU	2.2
1	А	731	SER	2.2
1	А	918	TYR	2.2
1	А	762	HIS	2.2
1	А	788	SER	2.2
1	А	669	ALA	2.1
2	В	33	LEU	2.1
2	В	215	ASN	2.1
2	В	624	ALA	2.0

Continued from previous page...

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} extsf{-}\mathbf{B} extsf{-}\mathbf{factors}(\mathbf{A}^2)$	Q<0.9
6	BMA	D	3	11/12	0.62	0.23	$223,\!233,\!237,\!238$	0



Mol	Type	Chain	\mathbf{Res}	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathbf{A}^2)$	Q<0.9
5	MAN	С	6	11/12	0.66	0.29	$184,\!196,\!205,\!209$	0
9	BMA	G	3	11/12	0.75	0.20	225,229,266,267	0
9	MAN	G	6	11/12	0.76	0.18	229,231,239,245	0
9	MAN	G	4	11/12	0.79	0.19	253,259,264,264	0
5	BMA	С	3	11/12	0.80	0.16	$161,\!174,\!187,\!190$	0
8	NAG	J	2	14/15	0.80	0.17	$175,\!184,\!186,\!188$	0
9	NAG	G	1	14/15	0.81	0.16	$170,\!191,\!197,\!202$	0
9	MAN	G	5	11/12	0.81	0.25	242,256,261,263	0
6	NAG	D	2	14/15	0.82	0.22	$198,\!212,\!220,\!228$	0
5	MAN	С	4	11/12	0.84	0.14	172,188,221,223	0
9	NAG	G	2	14/15	0.86	0.14	207,215,221,224	0
7	MAN	Е	5	11/12	0.86	0.18	$170,\!178,\!183,\!185$	0
7	MAN	Е	4	11/12	0.87	0.15	$147,\!158,\!173,\!174$	0
8	NAG	F	1	14/15	0.87	0.19	$146,\!165,\!175,\!177$	0
8	NAG	Ι	2	14/15	0.88	0.21	$139,\!147,\!159,\!160$	0
6	NAG	D	1	14/15	0.89	0.13	$132,\!150,\!165,\!181$	0
7	MAN	Е	6	11/12	0.89	0.13	$150,\!152,\!158,\!164$	0
5	BMA	С	5	11/12	0.90	0.10	212,215,218,219	0
5	NAG	С	2	14/15	0.90	0.21	$110,\!131,\!145,\!149$	0
8	NAG	F	2	14/15	0.91	0.20	$178,\!183,\!190,\!192$	0
8	NAG	J	1	14/15	0.92	0.11	$104,\!130,\!146,\!163$	0
8	NAG	Ι	1	14/15	0.93	0.23	$101,\!128,\!141,\!146$	0
7	BMA	Е	3	11/12	0.93	0.14	112,127,139,141	0
7	NAG	Е	1	14/15	0.93	0.19	73,83,91,95	0
5	NAG	С	1	14/15	0.94	0.20	57,77,88,91	0
7	NAG	Е	2	14/15	0.95	0.17	$66,\!95,\!109,\!116$	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

















6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	\mathbf{Res}	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
10	NAG	А	1016	14/15	0.51	0.38	190,203,212,212	0
11	MN	А	1027	1/1	0.76	0.16	187,187,187,187	0
11	MN	В	707	1/1	0.77	0.16	271,271,271,271	0
11	MN	А	1025	1/1	0.84	0.06	241,241,241,241	0
10	NAG	В	706	14/15	0.85	0.18	$145,\!154,\!161,\!162$	0
10	NAG	В	701	14/15	0.89	0.16	120, 143, 162, 168	0
12	NO3	А	1029	4/4	0.94	0.28	$95,\!98,\!100,\!103$	0
12	NO3	А	1030	4/4	0.96	0.26	81,83,84,87	0



Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q<0.9
11	MN	А	1026	1/1	0.97	0.07	181,181,181,181	0
11	MN	А	1028	1/1	0.98	0.25	169, 169, 169, 169	0

6.5 Other polymers (i)

There are no such residues in this entry.

