



wwPDB X-ray Structure Validation Summary Report

Jun 12, 2024 – 10:22 AM EDT

PDB ID : 6O3M
Title : Unmodified tRNA(Pro) bound to Thermus thermophilus 70S (cognate)
Authors : Hoffer, E.D.; Subaramanian, S.; Hong, S.; Maehigashi, T.; Dunham, C.M.
Deposited on : 2019-02-26
Resolution : 3.97 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the  symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : **FAILED**
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.97 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	1099 (4.26-3.70)
Ramachandran outliers	138981	1061 (4.26-3.70)
Sidechain outliers	138945	1053 (4.26-3.70)
RNA backbone	3102	1041 (4.84-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Note EDS failed to run properly.

Mol	Chain	Length	Quality of chain
1	QA	1521	
1	XA	1521	
2	QB	256	
2	XB	256	
3	QC	239	
3	XC	239	


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain	
4	QD	209	72%	27%
4	XD	209	67%	30%
5	QE	162	74%	18% 7%
5	XE	162	71%	22% 7%
6	QF	101	77%	23%
6	XF	101	88%	12%
7	QG	156	72%	24% ..
7	XG	156	78%	21% ..
8	QH	138	69%	29% ..
8	XH	138	67%	30% ..
9	QI	128	67%	28% ..
9	XI	128	68%	30% ..
10	QJ	105	62%	32% 6%
10	XJ	105	61%	29% 9%
11	QK	129	69%	23% 8%
11	XK	129	71%	19% 10%
12	QL	132	68%	25% 5%
12	XL	132	72%	20% 8%
13	QM	126	60%	33% 5%
13	XM	126	67%	25% 6%
14	QN	61	70%	25% ..
14	XN	61	59%	38% ..
15	QO	89	75%	24% .
15	XO	89	80%	18% .
16	QP	88	78%	17% 5%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
16	XP	88	 84% 11% 5%
17	QQ	105	 81% 13% 5%
17	XQ	105	 74% 20% 5%
18	QR	88	 63% 17% 20%
18	XR	88	 63% 17% 20%
19	QS	93	 65% 25% 11%
19	XS	93	 73% 17% 10%
20	QT	106	 75% 19% 7%
20	XT	106	 72% 22% 7%
21	QU	27	 74% 19% 7%
21	XU	27	 56% 37% 7%
22	QV	77	 52% 35% 13%
22	XV	77	 58% 26% 16%
23	QX	19	 32% 53% 11% 5%
23	XX	19	 37% 58% 5%
24	RA	2915	 49% 39% 10% ..
24	YA	2915	 48% 40% 10% ..
25	RB	122	 60% 27% 10% ..
25	YB	122	 61% 25% 12% .
26	RD	276	 72% 26% .
26	YD	276	 74% 24% .
27	RE	206	 68% 30% .
27	YE	206	 71% 27% .
28	RF	210	 81% 15% .
28	YF	210	 82% 14% .


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain	
29	RG	182	74%	24% ...
29	YG	182	68%	29% ..
30	RH	180	69%	26% ..
30	YH	180	78%	17% ..
31	RI	148	82%	16% ..
31	YI	148	85%	12% ..
32	RN	140	80%	19% .
32	YN	140	80%	18% ..
33	RO	122	74%	26%
33	YO	122	80%	20%
34	RP	150	70%	30%
34	YP	150	75%	23% .
35	RQ	141	73%	26% .
35	YQ	141	72%	26% .
36	RR	118	75%	24% ..
36	YR	118	84%	15% .
37	RS	112	71%	29% .
37	YS	112	76%	23% .
38	RT	146	70%	22% . 6%
38	YT	146	69%	23% . 6%
39	RU	118	85%	13% ..
39	YU	118	81%	17% ..
40	RV	101	74%	24% .
40	YV	101	74%	25% .
41	RW	113	79%	21%



Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
41	YW	113	 85% 14%
42	RX	96	 82% 14%
42	YX	96	 81% 15%
43	RY	110	 75% 22%
43	YY	110	 70% 27%
44	RZ	206	 67% 21% 11%
44	YZ	206	 69% 18% 11%
45	R0	85	 75% 20% 5%
45	Y0	85	 65% 22% 13%
46	R1	98	 81% 18%
46	Y1	98	 78% 17% 5%
47	R2	72	 72% 24%
47	Y2	72	 74% 22%
48	R3	60	 83% 15%
48	Y3	60	 73% 20% 5%
49	R4	71	 72% 25%
49	Y4	71	 58% 37%
50	R5	60	 72% 27%
50	Y5	60	 75% 22%
51	R6	54	 80% 19%
51	Y6	54	 67% 31%
52	R7	49	 86% 10%
52	Y7	49	 82% 16%
53	R8	65	 68% 28%
53	Y8	65	 72% 23%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
54	R9	37	 70% 30%
54	Y9	37	 84% 16%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
56	SF4	XD	301	-	-	X	-

2 Entry composition [i](#)

There are 57 unique types of molecules in this entry. The entry contains 291782 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
1	QA	1500	Total 32247	C 14353	N 5981	O 10414	P 1499	0	0	0
1	XA	1500	Total 32249	C 14354	N 5984	O 10412	P 1499	0	0	0

- Molecule 2 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	QB	235	Total 1907	C 1217	N 342	O 343	S 5	0	0	0
2	XB	236	Total 1915	C 1223	N 343	O 344	S 5	0	0	0

- Molecule 3 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	QC	205	Total 1605	C 1011	N 313	O 280	S 1	0	0	0
3	XC	205	Total 1605	C 1011	N 313	O 280	S 1	0	0	0

- Molecule 4 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	QD	208	Total 1703	C 1066	N 339	O 291	S 7	0	0	0
4	XD	208	Total 1703	C 1066	N 339	O 291	S 7	0	0	0

- Molecule 5 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	QE	151	Total	C	N	O	S	0	0	0
			1155	729	218	204	4			
5	XE	151	Total	C	N	O	S	0	0	0
			1155	729	218	204	4			

- Molecule 6 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	QF	101	Total	C	N	O	S	0	0	0
			843	531	155	154	3			
6	XF	101	Total	C	N	O	S	0	0	0
			843	531	155	154	3			

- Molecule 7 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	QG	155	Total	C	N	O	S	0	0	0
			1257	781	252	218	6			
7	XG	155	Total	C	N	O	S	0	0	0
			1257	781	252	218	6			

- Molecule 8 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	QH	137	Total	C	N	O	S	0	0	0
			1108	700	214	192	2			
8	XH	137	Total	C	N	O	S	0	0	0
			1108	700	214	192	2			

- Molecule 9 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
9	QI	125	Total	C	N	O	0	0	0
			989	627	191	171			
9	XI	126	Total	C	N	O	0	0	0
			998	633	193	172			

- Molecule 10 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	QJ	99	Total	C	N	O	S	0	0	0
			801	504	157	139	1			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	XJ	96	Total	C	N	O	S	0	0	0
			777	487	153	136	1			

- Molecule 11 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	QK	119	Total	C	N	O	S	0	0	0
			885	549	168	165	3			
11	XK	116	Total	C	N	O	S	0	0	0
			864	537	164	160	3			

- Molecule 12 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	QL	125	Total	C	N	O	S	0	0	0
			975	614	196	164	1			
12	XL	122	Total	C	N	O	S	0	0	0
			956	603	193	159	1			

- Molecule 13 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	QM	120	Total	C	N	O	S	0	0	0
			955	591	197	165	2			
13	XM	119	Total	C	N	O	S	0	0	0
			946	585	195	164	2			

- Molecule 14 is a protein called 30S ribosomal protein S14 type Z.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	QN	60	Total	C	N	O	S	0	0	0
			492	312	104	72	4			
14	XN	60	Total	C	N	O	S	0	0	0
			492	312	104	72	4			

- Molecule 15 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
15	QO	88	Total	C	N	O	S	0	0	0
			734	459	147	126	2			
15	XO	87	Total	C	N	O	S	0	0	0
			729	457	146	124	2			

- Molecule 16 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
16	QP	84	Total	C	N	O	S	0	0	0
			705	446	140	118	1			
16	XP	84	Total	C	N	O	S	0	0	0
			705	446	140	118	1			

- Molecule 17 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
17	QQ	100	Total	C	N	O	S	0	0	0
			834	534	155	143	2			
17	XQ	100	Total	C	N	O	S	0	0	0
			834	534	155	143	2			

- Molecule 18 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
18	QR	70	Total	C	N	O	0	0	0
			574	367	112	95			
18	XR	70	Total	C	N	O	0	0	0
			574	367	112	95			

- Molecule 19 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
19	QS	83	Total	C	N	O	S	0	0	0
			665	424	124	115	2			
19	XS	84	Total	C	N	O	S	0	0	0
			674	430	126	116	2			

- Molecule 20 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
20	QT	99	Total	C	N	O	S	0	0	0
			763	470	162	129	2			
20	XT	99	Total	C	N	O	S	0	0	0
			763	470	162	129	2			

- Molecule 21 is a protein called 30S ribosomal protein Thx.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
21	QU	25	Total	C	N	O	0	0	0
			217	134	52	31			
21	XU	25	Total	C	N	O	0	0	0
			217	134	52	31			

- Molecule 22 is a RNA chain called P-site ASLPro.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
22	QV	77	Total	C	N	O	P	0	0	0
			1647	733	295	542	77			
22	XV	77	Total	C	N	O	P	0	0	0
			1647	733	295	542	77			

- Molecule 23 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
23	QX	19	Total	C	N	O	P	0	0	0
			418	186	86	127	19			
23	XX	19	Total	C	N	O	P	0	0	0
			418	186	86	127	19			

- Molecule 24 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
24	RA	2882	Total	C	N	O	P	0	0	0
			62071	27627	11611	19952	2881			
24	YA	2883	Total	C	N	O	P	0	0	0
			62091	27636	11613	19960	2882			

- Molecule 25 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
25	RB	120	Total	C	N	O	P	0	0	0
			2573	1146	476	832	119			
25	YB	120	Total	C	N	O	P	0	0	0
			2573	1146	476	832	119			

- Molecule 26 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	RD	272	Total	C	N	O	S	0	0	0
			2115	1335	420	357	3			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
26	YD	272	2115	1335	420	357	3	0	0	0

- Molecule 27 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
27	RE	205	1568	991	300	271	6	0	0	0
27	YE	205	1568	991	300	271	6	0	0	0

- Molecule 28 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
28	RF	202	1585	1011	297	275	2	0	0	0
28	YF	202	1585	1011	297	275	2	0	0	0

- Molecule 29 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
29	RG	181	1474	942	268	260	4	0	0	0
29	YG	181	1474	942	268	260	4	0	0	0

- Molecule 30 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
30	RH	174	1336	848	251	236	1	0	0	0
30	YH	174	1336	848	251	236	1	0	0	0

- Molecule 31 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
31	RI	146	1136	726	201	208	1	0	0	0
31	YI	146	1136	726	201	208	1	0	0	0

- Molecule 32 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
32	RN	138	1104	712	206	182	4	0	0	0
32	YN	138	1104	712	206	182	4	0	0	0

- Molecule 33 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
33	RO	122	933	588	171	170	4	0	0	0
33	YO	122	933	588	171	170	4	0	0	0

- Molecule 34 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
34	RP	150	1145	712	232	198	3	0	0	0
34	YP	147	1122	698	229	192	3	0	0	0

- Molecule 35 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
35	RQ	141	1122	715	212	188	7	0	0	0
35	YQ	141	1122	715	212	188	7	0	0	0

- Molecule 36 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
36	RR	117	960	599	202	159	0	0	0
36	YR	117	960	599	202	159	0	0	0

- Molecule 37 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
37	RS	111	Total	C	N	O	0	0	0
			882	556	176	150			
37	YS	111	Total	C	N	O	0	0	0
			882	556	176	150			

- Molecule 38 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
38	RT	137	Total	C	N	O	S	0	0	0
			1141	710	234	196	1			
38	YT	137	Total	C	N	O	S	0	0	0
			1141	710	234	196	1			

- Molecule 39 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
39	RU	117	Total	C	N	O	S	0	0	0
			964	610	202	151	1			
39	YU	117	Total	C	N	O	S	0	0	0
			964	610	202	151	1			

- Molecule 40 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
40	RV	101	Total	C	N	O	S	0	0	0
			779	501	142	135	1			
40	YV	101	Total	C	N	O	S	0	0	0
			779	501	142	135	1			

- Molecule 41 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
41	RW	113	Total	C	N	O	S	0	0	0
			900	566	177	155	2			
41	YW	113	Total	C	N	O	S	0	0	0
			900	566	177	155	2			

- Molecule 42 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
42	RX	92	Total	C	N	O	0	0	0
			725	471	131	123			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
42	YX	92	725	471	131	123	0	0	0

- Molecule 43 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
43	RY	107	818	525	155	132	6	0	0	0
43	YY	107	818	525	155	132	6	0	0	0

- Molecule 44 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
44	RZ	183	1461	933	260	265	3	0	0	0
44	YZ	183	1461	933	260	265	3	0	0	0

- Molecule 45 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
45	R0	81	643	398	137	107	1	0	0	0
45	Y0	74	593	367	126	99	1	0	0	0

- Molecule 46 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
46	R1	97	763	481	150	131	1	0	0	0
46	Y1	93	729	457	145	126	1	0	0	0

- Molecule 47 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
47	R2	69	581	358	118	104	1	0	0	0
47	Y2	69	581	358	118	104	1	0	0	0

- Molecule 48 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
48	R3	59	469	298	90	81	0	0	0
48	Y3	59	469	298	90	81	0	0	0

- Molecule 49 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
49	R4	69	565	356	103	101	5	0	0	0
49	Y4	69	565	356	103	101	5	0	0	0

- Molecule 50 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
50	R5	59	459	288	90	76	5	0	0	0
50	Y5	59	459	288	90	76	5	0	0	0

- Molecule 51 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
51	R6	53	453	281	91	77	4	0	0	0
51	Y6	53	453	281	91	77	4	0	0	0

- Molecule 52 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
52	R7	47	409	251	102	54	2	0	0	0
52	Y7	48	418	257	104	55	2	0	0	0

- Molecule 53 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
53	R8	64	Total	C	N	O	S	0	0	0
			517	331	102	82	2			
53	Y8	64	Total	C	N	O	S	0	0	0
			517	331	102	82	2			

- Molecule 54 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
54	R9	37	Total	C	N	O	S	0	0	0
			307	188	68	47	4			
54	Y9	37	Total	C	N	O	S	0	0	0
			307	188	68	47	4			

- Molecule 55 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
55	QA	69	Total	Mg	0	0
			69	69		
55	QE	1	Total	Mg	0	0
			1	1		
55	QH	1	Total	Mg	0	0
			1	1		
55	QV	1	Total	Mg	0	0
			1	1		
55	RA	381	Total	Mg	0	0
			381	381		
55	RB	9	Total	Mg	0	0
			9	9		
55	RD	1	Total	Mg	0	0
			1	1		
55	RE	1	Total	Mg	0	0
			1	1		
55	RQ	1	Total	Mg	0	0
			1	1		
55	R1	1	Total	Mg	0	0
			1	1		
55	XA	67	Total	Mg	0	0
			67	67		
55	XE	1	Total	Mg	0	0
			1	1		
55	YA	454	Total	Mg	0	0
			454	454		
55	YB	8	Total	Mg	0	0
			8	8		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
55	YD	2	Total Mg 2 2	0	0
55	YE	1	Total Mg 1 1	0	0
55	YP	1	Total Mg 1 1	0	0
55	YQ	2	Total Mg 2 2	0	0
55	YR	2	Total Mg 2 2	0	0
55	Y0	1	Total Mg 1 1	0	0
55	Y5	1	Total Mg 1 1	0	0
55	Y7	2	Total Mg 2 2	0	0

- Molecule 56 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula: Fe₄S₄).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
56	QD	1	Total Fe S 8 4 4	0	0
56	XD	1	Total Fe S 8 4 4	0	0

- Molecule 57 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
57	QN	1	Total 1	Zn 1	0	0
57	RY	1	Total 1	Zn 1	0	0
57	R4	1	Total 1	Zn 1	0	0
57	R5	1	Total 1	Zn 1	0	0
57	R6	1	Total 1	Zn 1	0	0
57	R9	1	Total 1	Zn 1	0	0
57	XN	1	Total 1	Zn 1	0	0
57	YY	1	Total 1	Zn 1	0	0
57	Y4	1	Total 1	Zn 1	0	0
57	Y5	1	Total 1	Zn 1	0	0
57	Y6	1	Total 1	Zn 1	0	0
57	Y9	1	Total 1	Zn 1	0	0


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS failed to run properly.


- Molecule 1: 16S rRNA

Chain QA: 







• Molecule 1: 16S rRNA








- Molecule 5: 30S ribosomal protein S5





- Molecule 5: 30S ribosomal protein S5




- Molecule 6: 30S ribosomal protein S6




- Molecule 6: 30S ribosomal protein S6




- Molecule 7: 30S ribosomal protein S7




- Molecule 7: 30S ribosomal protein S7

Chain XG:  78% 21% ..




- Molecule 8: 30S ribosomal protein S8

Chain QH:  69% 29% ..




- Molecule 8: 30S ribosomal protein S8

Chain XH:  67% 30% ..



- Molecule 9: 30S ribosomal protein S9

Chain QI:  67% 28% ..



- Molecule 9: 30S ribosomal protein S9

Chain XI:  68% 30% ..



- Molecule 10: 30S ribosomal protein S10

Chain QJ:  62% 32% 6%



ARG

• Molecule 10: 30S ribosomal protein S10


Chain XJ:  61% 29% 9%



VAL, GLY, GLY, ARG

• Molecule 11: 30S ribosomal protein S11

Chain QK:  69% 23% 8%



• Molecule 11: 30S ribosomal protein S11

Chain XK:  71% 19% 10%



• Molecule 12: 30S ribosomal protein S12

Chain QL:  68% 25% 5%



LYS, THR, ALA, LYS

• Molecule 12: 30S ribosomal protein S12


Chain XL:  72% 20% 8%



LYS, LYS

- Molecule 13: 30S ribosomal protein S13

Chain QM:  60% 33% 5%



- Molecule 13: 30S ribosomal protein S13

Chain XM:  67% 25% 6%




- Molecule 14: 30S ribosomal protein S14 type Z

Chain QN:  70% 25% 2%




- Molecule 14: 30S ribosomal protein S14 type Z

Chain XN:  59% 38% 2%




- Molecule 15: 30S ribosomal protein S15

Chain QO:  75% 24% 1%




- Molecule 15: 30S ribosomal protein S15

Chain XO:  80% 18% 2%




- Molecule 16: 30S ribosomal protein S16

Chain QP:  78% 17% 5%




- Molecule 16: 30S ribosomal protein S16

Chain XP:  84% 11% 5%




- Molecule 17: 30S ribosomal protein S17

Chain QQ:  81% 13% 5%




- Molecule 17: 30S ribosomal protein S17

Chain XQ:  74% 20% 5%




- Molecule 18: 30S ribosomal protein S18

Chain QR:  63% 17% 20%



- Molecule 18: 30S ribosomal protein S18

Chain XR:  63% 17% 20%



- Molecule 19: 30S ribosomal protein S19

Chain QS:  65% 25% 11%




- Molecule 19: 30S ribosomal protein S19

Chain XS:  73% 17% 10%




- Molecule 20: 30S ribosomal protein S20

Chain QT:  75% 19% 7%




- Molecule 20: 30S ribosomal protein S20

Chain XT:  72% 22% 7%




- Molecule 21: 30S ribosomal protein Thx

Chain QU:  74% 19% 7%




- Molecule 21: 30S ribosomal protein Thx

Chain XU:  56% 37% 7%



- Molecule 22: P-site ASLPro

Chain QV:  52% 35% 13%




- Molecule 22: P-site ASLPro


Chain XV:  58% 26% 16%




- Molecule 23: mRNA




• Molecule 24: 23S rRNA









• Molecule 25: 5S rRNA






• Molecule 25: 5S rRNA



• Molecule 26: 50S ribosomal protein L2




• Molecule 26: 50S ribosomal protein L2




• Molecule 27: 50S ribosomal protein L3

Chain RE:  68% 30%





- Molecule 27: 50S ribosomal protein L3

Chain YE:  71% 27%





- Molecule 28: 50S ribosomal protein L4

Chain RF:  81% 15%





- Molecule 28: 50S ribosomal protein L4

Chain YF:  82% 14%




- Molecule 29: 50S ribosomal protein L5

Chain RG:  74% 24%




- Molecule 29: 50S ribosomal protein L5

Chain YG: 68% 29% ..




• Molecule 30: 50S ribosomal protein L6

Chain RH: 69% 26% ..



• Molecule 30: 50S ribosomal protein L6

Chain YH: 78% 17% ..



• Molecule 31: 50S ribosomal protein L9

Chain RI: 82% 16% ..



• Molecule 31: 50S ribosomal protein L9

Chain YI: 85% 12% ..




• Molecule 32: 50S ribosomal protein L13

Chain RN: 80% 19% ..





• Molecule 32: 50S ribosomal protein L13

Chain YN:  80% 18%




- Molecule 33: 50S ribosomal protein L14

Chain RO:  74% 26%




- Molecule 33: 50S ribosomal protein L14

Chain YO:  80% 20%




- Molecule 34: 50S ribosomal protein L15

Chain RP:  70% 30%





- Molecule 34: 50S ribosomal protein L15

Chain YP:  75% 23%




- Molecule 35: 50S ribosomal protein L16


Chain RQ:  73% 26%




- Molecule 35: 50S ribosomal protein L16




- Molecule 36: 50S ribosomal protein L17




- Molecule 36: 50S ribosomal protein L17




- Molecule 37: 50S ribosomal protein L18




- Molecule 37: 50S ribosomal protein L18




- Molecule 38: 50S ribosomal protein L19




- Molecule 38: 50S ribosomal protein L19




- Molecule 39: 50S ribosomal protein L20




- Molecule 39: 50S ribosomal protein L20




- Molecule 40: 50S ribosomal protein L21




- Molecule 40: 50S ribosomal protein L21




- Molecule 41: 50S ribosomal protein L22



- Molecule 41: 50S ribosomal protein L22




- Molecule 42: 50S ribosomal protein L23

Chain RX:  82% 14%




- Molecule 42: 50S ribosomal protein L23

Chain YX:  81% 15%




- Molecule 43: 50S ribosomal protein L24

Chain RY:  75% 22%





- Molecule 43: 50S ribosomal protein L24

Chain YY:  70% 27%





- Molecule 44: 50S ribosomal protein L25

Chain RZ:  67% 21% 11%





- Molecule 44: 50S ribosomal protein L25

Chain YZ:  69% 18% 11%




- Molecule 45: 50S ribosomal protein L27

Chain R0:  75% 20% 5%




- Molecule 45: 50S ribosomal protein L27

Chain Y0:  65% 22% 13%




- Molecule 46: 50S ribosomal protein L28

Chain R1:  81% 18%



- Molecule 46: 50S ribosomal protein L28

Chain Y1:  78% 17% 5%




- Molecule 47: 50S ribosomal protein L29

Chain R2:  72% 24%





- Molecule 47: 50S ribosomal protein L29

Chain Y2:  74% 22%




- Molecule 48: 50S ribosomal protein L30

Chain R3:  83% 15%



- Molecule 48: 50S ribosomal protein L30

Chain Y3:  73% 20% 5%



• Molecule 49: 50S ribosomal protein L31

Chain R4:  72% 25%



• Molecule 49: 50S ribosomal protein L31

Chain Y4:  58% 37%



• Molecule 50: 50S ribosomal protein L32

Chain R5:  72% 27%




• Molecule 50: 50S ribosomal protein L32

Chain Y5:  75% 22%



• Molecule 51: 50S ribosomal protein L33

Chain R6:  80% 19%




• Molecule 51: 50S ribosomal protein L33

Chain Y6:  67% 31%




• Molecule 52: 50S ribosomal protein L34

Chain R7:  86% 10%



- Molecule 52: 50S ribosomal protein L34

Chain Y7:  82% 16%




- Molecule 53: 50S ribosomal protein L35

Chain R8:  68% 28%



- Molecule 53: 50S ribosomal protein L35

Chain Y8:  72% 23%




- Molecule 54: 50S ribosomal protein L36

Chain R9:  70% 30%



- Molecule 54: 50S ribosomal protein L36

Chain Y9:  84% 16%



4 Data and refinement statistics

EDS failed to run properly - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	209.97Å 450.71Å 619.40Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.82 – 3.97	Depositor
% Data completeness (in resolution range)	98.7 (49.82-3.97)	Depositor
R_{merge}	0.33	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.36 (at 4.00Å)	Xtrriage
Refinement program	PHENIX 1.14_3260	Depositor
R, R_{free}	0.228 , 0.255	Depositor
Wilson B-factor (Å ²)	146.0	Xtrriage
Anisotropy	0.246	Xtrriage
L-test for twinning ²	$\langle L \rangle = 0.41$, $\langle L^2 \rangle = 0.24$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	291782	wwPDB-VP
Average B, all atoms (Å ²)	177.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.93% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, SF4, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	QA	0.59	0/36098	1.09	116/56341 (0.2%)
1	XA	0.59	0/36101	1.09	126/56346 (0.2%)
2	QB	0.44	0/1942	0.69	1/2619 (0.0%)
2	XB	0.46	0/1950	0.68	0/2630
3	QC	0.46	0/1629	0.72	0/2195
3	XC	0.44	0/1629	0.72	0/2195
4	QD	0.47	1/1733 (0.1%)	0.67	0/2318
4	XD	0.53	1/1733 (0.1%)	0.65	0/2318
5	QE	0.46	1/1171 (0.1%)	0.68	1/1576 (0.1%)
5	XE	0.45	0/1171	0.69	0/1576
6	QF	0.46	0/856	0.69	0/1154
6	XF	0.41	0/856	0.66	0/1154
7	QG	0.46	0/1276	0.67	0/1709
7	XG	0.45	0/1276	0.70	0/1709
8	QH	0.45	0/1128	0.64	1/1517 (0.1%)
8	XH	0.41	0/1128	0.63	0/1517
9	QI	0.46	0/1008	0.77	3/1354 (0.2%)
9	XI	0.45	0/1017	0.79	2/1365 (0.1%)
10	QJ	0.45	0/814	0.69	1/1095 (0.1%)
10	XJ	0.46	0/790	0.71	0/1063
11	QK	0.42	0/900	0.59	0/1213
11	XK	0.42	0/879	0.66	0/1187
12	QL	0.44	0/991	0.69	0/1327
12	XL	0.43	0/972	0.70	0/1301
13	QM	0.46	0/965	0.74	0/1292
13	XM	0.49	0/956	0.83	1/1281 (0.1%)
14	QN	0.42	0/501	0.70	1/664 (0.2%)
14	XN	0.51	0/501	0.76	1/664 (0.2%)
15	QO	0.40	0/745	0.56	0/992
15	XO	0.41	0/740	0.62	0/987
16	QP	0.46	0/721	0.63	0/970
16	XP	0.43	0/721	0.70	0/970

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
17	QQ	0.38	0/847	0.61	0/1131
17	XQ	0.39	0/847	0.63	0/1131
18	QR	0.40	0/579	0.61	0/768
18	XR	0.44	0/579	0.65	0/768
19	QS	0.39	0/680	0.74	1/915 (0.1%)
19	XS	0.46	0/689	0.75	0/926
20	QT	0.37	0/765	0.61	0/1007
20	XT	0.49	0/765	0.75	0/1007
21	QU	0.41	0/221	0.68	0/288
21	XU	0.40	0/221	0.71	0/288
22	QV	0.47	1/1840 (0.1%)	1.02	6/2866 (0.2%)
22	XV	0.42	1/1840 (0.1%)	1.02	9/2866 (0.3%)
23	QX	0.28	0/470	0.86	1/733 (0.1%)
23	XX	0.33	0/470	0.90	0/733
24	RA	0.76	1/69521 (0.0%)	1.14	353/108529 (0.3%)
24	YA	0.89	3/69543 (0.0%)	1.17	381/108563 (0.4%)
25	RB	0.56	0/2878	1.14	22/4490 (0.5%)
25	YB	0.78	0/2878	1.19	15/4490 (0.3%)
26	RD	0.51	0/2165	0.71	2/2919 (0.1%)
26	YD	0.53	0/2165	0.68	2/2919 (0.1%)
27	RE	0.45	0/1601	0.72	0/2160
27	YE	0.47	0/1601	0.68	0/2160
28	RF	0.49	0/1620	0.64	0/2194
28	YF	0.55	0/1620	0.66	0/2194
29	RG	0.44	0/1499	0.73	0/2016
29	YG	0.46	0/1499	0.73	0/2016
30	RH	0.48	0/1362	0.75	0/1841
30	YH	0.49	0/1362	0.74	0/1841
31	RI	0.43	0/1151	0.76	0/1558
31	YI	0.46	0/1151	0.76	1/1558 (0.1%)
32	RN	0.42	0/1131	0.67	0/1525
32	YN	0.50	0/1131	0.69	0/1525
33	RO	0.52	0/943	0.67	0/1269
33	YO	0.51	0/943	0.67	0/1269
34	RP	0.47	0/1162	0.78	0/1544
34	YP	0.47	0/1139	0.73	0/1514
35	RQ	0.45	0/1143	0.70	0/1527
35	YQ	0.51	0/1143	0.71	0/1527
36	RR	0.45	0/974	0.67	0/1302
36	YR	0.46	0/974	0.67	0/1302
37	RS	0.43	0/892	0.76	0/1187
37	YS	0.44	0/892	0.72	0/1187
38	RT	0.46	0/1155	0.75	2/1542 (0.1%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
38	YT	0.48	0/1155	0.74	2/1542 (0.1%)
39	RU	0.46	0/982	0.65	0/1306
39	YU	0.55	0/982	0.64	0/1306
40	RV	0.48	0/790	0.72	0/1057
40	YV	0.49	0/790	0.70	0/1057
41	RW	0.50	0/911	0.67	0/1220
41	YW	0.50	0/911	0.64	0/1220
42	RX	0.43	0/739	0.64	1/993 (0.1%)
42	YX	0.50	0/739	0.67	1/993 (0.1%)
43	RY	0.44	0/831	0.60	0/1108
43	YY	0.46	0/831	0.58	0/1108
44	RZ	0.49	0/1493	0.79	0/2026
44	YZ	0.44	0/1493	0.74	2/2026 (0.1%)
45	R0	0.41	0/652	0.61	0/867
45	Y0	0.44	0/601	0.60	0/801
46	R1	0.46	0/770	0.66	0/1022
46	Y1	0.50	0/736	0.69	0/978
47	R2	0.49	0/583	0.68	0/771
47	Y2	0.46	0/583	0.68	0/771
48	R3	0.43	0/474	0.65	0/635
48	Y3	0.49	0/474	0.66	0/635
49	R4	0.44	0/578	0.73	0/776
49	Y4	0.48	0/578	0.76	0/776
50	R5	0.46	0/473	0.62	0/639
50	Y5	0.50	0/473	0.78	1/639 (0.2%)
51	R6	0.40	0/460	0.60	0/613
51	Y6	0.45	0/460	0.62	0/613
52	R7	0.44	0/417	0.65	0/550
52	Y7	0.49	0/426	0.64	0/561
53	R8	0.52	0/525	0.75	0/691
53	Y8	0.59	0/525	0.76	0/691
54	R9	0.37	0/310	0.62	0/407
54	Y9	0.42	0/310	0.59	0/407
All	All	0.68	9/316004 (0.0%)	1.03	1056/472499 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
4	QD	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
12	XL	0	1
27	YE	0	1
29	RG	0	1
29	YG	0	1
44	RZ	0	1
44	YZ	0	1
All	All	0	7

The worst 5 of 9 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	XD	61	LYS	CE-NZ	11.17	1.76	1.49
22	QV	1	C	OP3-P	-10.43	1.48	1.61
22	XV	1	C	OP3-P	-10.41	1.48	1.61
4	QD	13	ARG	CZ-NH1	7.36	1.42	1.33
5	QE	57	LYS	CD-CE	5.31	1.64	1.51

The worst 5 of 1056 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	RA	1774	C	C2-N1-C1'	19.55	140.31	118.80
24	RA	1774	C	C6-N1-C1'	-15.44	102.27	120.80
1	XA	359	U	C2-N1-C1'	13.62	134.05	117.70
24	YA	1158	C	C2-N1-C1'	13.17	133.29	118.80
1	QA	1301	U	N1-C2-O2	12.01	131.21	122.80

There are no chirality outliers.

5 of 7 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
4	QD	33	MET	Peptide
29	RG	82	LEU	Peptide
44	RZ	52	SER	Peptide
12	XL	104	VAL	Peptide
27	YE	17	ASP	Peptide

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	QA	32247	0	16276	508	0
1	XA	32249	0	16279	516	1
2	QB	1907	0	1958	28	0
2	XB	1915	0	1969	33	0
3	QC	1605	0	1668	40	0
3	XC	1605	0	1668	27	1
4	QD	1703	0	1763	39	0
4	XD	1703	0	1763	53	1
5	QE	1155	0	1213	21	0
5	XE	1155	0	1213	24	0
6	QF	843	0	857	17	0
6	XF	843	0	857	9	0
7	QG	1257	0	1296	27	0
7	XG	1257	0	1296	22	0
8	QH	1108	0	1165	29	0
8	XH	1108	0	1165	30	0
9	QI	989	0	1011	29	0
9	XI	998	0	1024	26	0
10	QJ	801	0	849	26	0
10	XJ	777	0	816	27	0
11	QK	885	0	904	24	1
11	XK	864	0	881	17	0
12	QL	975	0	1062	29	0
12	XL	956	0	1046	18	0
13	QM	955	0	1021	38	0
13	XM	946	0	1008	20	0
14	QN	492	0	528	16	0
14	XN	492	0	531	36	0
15	QO	734	0	771	14	0
15	XO	729	0	768	11	0
16	QP	705	0	725	10	0
16	XP	705	0	725	9	0
17	QQ	834	0	904	11	0
17	XQ	834	0	904	18	0
18	QR	574	0	644	14	0
18	XR	574	0	644	12	0
19	QS	665	0	686	18	0
19	XS	674	0	699	14	0
20	QT	763	0	861	15	0
20	XT	763	0	861	21	0
21	QU	217	0	234	5	0
21	XU	217	0	234	8	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
22	QV	1647	0	832	20	0
22	XV	1647	0	832	18	0
23	QX	418	0	209	10	0
23	XX	418	0	209	9	0
24	RA	62071	0	31291	830	4
24	YA	62091	0	31297	821	0
25	RB	2573	0	1306	27	0
25	YB	2573	0	1306	26	0
26	RD	2115	0	2195	50	0
26	YD	2115	0	2195	52	0
27	RE	1568	0	1634	53	0
27	YE	1568	0	1634	41	0
28	RF	1585	0	1632	25	0
28	YF	1585	0	1632	21	0
29	RG	1474	0	1535	33	0
29	YG	1474	0	1535	42	0
30	RH	1336	0	1418	33	0
30	YH	1336	0	1418	20	1
31	RI	1136	0	1223	15	0
31	YI	1136	0	1223	10	0
32	RN	1104	0	1180	23	0
32	YN	1104	0	1180	21	0
33	RO	933	0	996	23	0
33	YO	933	0	996	17	0
34	RP	1145	0	1228	35	0
34	YP	1122	0	1206	29	0
35	RQ	1122	0	1179	27	0
35	YQ	1122	0	1179	29	0
36	RR	960	0	1021	20	0
36	YR	960	0	1021	11	0
37	RS	882	0	942	19	0
37	YS	882	0	943	19	0
38	RT	1141	0	1202	26	0
38	YT	1141	0	1202	24	0
39	RU	964	0	1022	19	0
39	YU	964	0	1022	22	0
40	RV	779	0	852	18	0
40	YV	779	0	852	16	1
41	RW	900	0	964	16	0
41	YW	900	0	964	10	0
42	RX	725	0	778	9	0
42	YX	725	0	778	10	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
43	RY	818	0	909	16	0
43	YY	818	0	909	18	1
44	RZ	1461	0	1493	32	0
44	YZ	1461	0	1493	24	0
45	R0	643	0	667	12	0
45	Y0	593	0	612	15	0
46	R1	763	0	848	11	0
46	Y1	729	0	802	11	0
47	R2	581	0	629	11	0
47	Y2	581	0	629	9	2
48	R3	469	0	518	6	0
48	Y3	469	0	518	9	0
49	R4	565	0	557	12	0
49	Y4	565	0	557	21	0
50	R5	459	0	476	16	0
50	Y5	459	0	477	13	1
51	R6	453	0	473	9	0
51	Y6	453	0	473	11	0
52	R7	409	0	454	4	0
52	Y7	418	0	467	7	0
53	R8	517	0	582	17	0
53	Y8	517	0	582	19	0
54	R9	307	0	335	9	0
54	Y9	307	0	335	5	0
55	QA	69	0	0	0	0
55	QE	1	0	0	0	0
55	QH	1	0	0	0	0
55	QV	1	0	0	0	0
55	R1	1	0	0	0	0
55	RA	381	0	0	0	0
55	RB	9	0	0	0	0
55	RD	1	0	0	0	0
55	RE	1	0	0	0	0
55	RQ	1	0	0	0	0
55	XA	67	0	0	0	0
55	XE	1	0	0	0	0
55	Y0	1	0	0	0	0
55	Y5	1	0	0	0	0
55	Y7	2	0	0	0	0
55	YA	454	0	0	0	0
55	YB	8	0	0	0	0
55	YD	2	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
55	YE	1	0	0	0	0
55	YP	1	0	0	0	0
55	YQ	2	0	0	0	0
55	YR	2	0	0	0	0
56	QD	8	0	0	1	0
56	XD	8	0	0	3	0
57	QN	1	0	0	0	0
57	R4	1	0	0	0	0
57	R5	1	0	0	0	0
57	R6	1	0	0	0	0
57	R9	1	0	0	0	0
57	RY	1	0	0	0	0
57	XN	1	0	0	0	0
57	Y4	1	0	0	0	0
57	Y5	1	0	0	0	0
57	Y6	1	0	0	0	0
57	Y9	1	0	0	0	0
57	YY	1	0	0	0	0
All	All	291782	0	197805	4186	7

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

The worst 5 of 4186 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
14:XN:24:CYS:SG	14:XN:40:CYS:HB2	1.54	1.47
4:XD:61:LYS:NZ	4:XD:61:LYS:CE	1.77	1.47
14:XN:29:ARG:HD2	14:XN:40:CYS:SG	1.67	1.33
14:XN:24:CYS:SG	14:XN:40:CYS:CB	2.36	1.14
14:XN:29:ARG:CD	14:XN:40:CYS:SG	2.36	1.13

The worst 5 of 7 symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
40:YV:53:GLU:CB	50:Y5:59:GLU:OE1[4_445]	1.95	0.25
11:QK:99:GLN:OE1	3:XC:79:ARG:CD[4_555]	2.01	0.19
24:RA:2137:C:OP1	1:XA:999:U:O2'[4_555]	2.05	0.15
30:YH:46:GLU:OE2	43:YY:23:ARG:NH1[4_445]	2.08	0.12

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
24:RA:306:U:O3'	47:Y2:17:SER:OG[3_555]	2.12	0.08

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	QB	233/256 (91%)	204 (88%)	27 (12%)	2 (1%)	17	54
2	XB	234/256 (91%)	207 (88%)	27 (12%)	0	100	100
3	QC	203/239 (85%)	189 (93%)	13 (6%)	1 (0%)	29	66
3	XC	203/239 (85%)	184 (91%)	18 (9%)	1 (0%)	29	66
4	QD	206/209 (99%)	188 (91%)	18 (9%)	0	100	100
4	XD	206/209 (99%)	191 (93%)	15 (7%)	0	100	100
5	QE	149/162 (92%)	139 (93%)	9 (6%)	1 (1%)	22	60
5	XE	149/162 (92%)	138 (93%)	11 (7%)	0	100	100
6	QF	99/101 (98%)	95 (96%)	4 (4%)	0	100	100
6	XF	99/101 (98%)	98 (99%)	1 (1%)	0	100	100
7	QG	153/156 (98%)	145 (95%)	8 (5%)	0	100	100
7	XG	153/156 (98%)	148 (97%)	5 (3%)	0	100	100
8	QH	135/138 (98%)	126 (93%)	9 (7%)	0	100	100
8	XH	135/138 (98%)	128 (95%)	7 (5%)	0	100	100
9	QI	123/128 (96%)	113 (92%)	9 (7%)	1 (1%)	19	57
9	XI	124/128 (97%)	116 (94%)	8 (6%)	0	100	100
10	QJ	97/105 (92%)	93 (96%)	4 (4%)	0	100	100
10	XJ	94/105 (90%)	83 (88%)	11 (12%)	0	100	100
11	QK	117/129 (91%)	111 (95%)	6 (5%)	0	100	100
11	XK	114/129 (88%)	110 (96%)	4 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
12	QL	123/132 (93%)	111 (90%)	11 (9%)	1 (1%)	19	57
12	XL	120/132 (91%)	104 (87%)	15 (12%)	1 (1%)	19	57
13	QM	118/126 (94%)	102 (86%)	15 (13%)	1 (1%)	19	57
13	XM	117/126 (93%)	99 (85%)	17 (14%)	1 (1%)	17	54
14	QN	58/61 (95%)	51 (88%)	6 (10%)	1 (2%)	9	42
14	XN	58/61 (95%)	52 (90%)	5 (9%)	1 (2%)	9	42
15	QO	86/89 (97%)	82 (95%)	4 (5%)	0	100	100
15	XO	85/89 (96%)	84 (99%)	1 (1%)	0	100	100
16	QP	82/88 (93%)	79 (96%)	3 (4%)	0	100	100
16	XP	82/88 (93%)	81 (99%)	1 (1%)	0	100	100
17	QQ	98/105 (93%)	93 (95%)	5 (5%)	0	100	100
17	XQ	98/105 (93%)	95 (97%)	3 (3%)	0	100	100
18	QR	68/88 (77%)	66 (97%)	2 (3%)	0	100	100
18	XR	68/88 (77%)	62 (91%)	6 (9%)	0	100	100
19	QS	81/93 (87%)	73 (90%)	8 (10%)	0	100	100
19	XS	82/93 (88%)	68 (83%)	14 (17%)	0	100	100
20	QT	97/106 (92%)	91 (94%)	6 (6%)	0	100	100
20	XT	97/106 (92%)	90 (93%)	6 (6%)	1 (1%)	15	52
21	QU	23/27 (85%)	20 (87%)	3 (13%)	0	100	100
21	XU	23/27 (85%)	23 (100%)	0	0	100	100
26	RD	270/276 (98%)	245 (91%)	23 (8%)	2 (1%)	22	60
26	YD	270/276 (98%)	248 (92%)	20 (7%)	2 (1%)	22	60
27	RE	203/206 (98%)	170 (84%)	31 (15%)	2 (1%)	15	52
27	YE	203/206 (98%)	166 (82%)	35 (17%)	2 (1%)	15	52
28	RF	200/210 (95%)	189 (94%)	11 (6%)	0	100	100
28	YF	200/210 (95%)	189 (94%)	11 (6%)	0	100	100
29	RG	179/182 (98%)	148 (83%)	29 (16%)	2 (1%)	14	50
29	YG	179/182 (98%)	150 (84%)	27 (15%)	2 (1%)	14	50
30	RH	172/180 (96%)	147 (86%)	20 (12%)	5 (3%)	4	32
30	YH	172/180 (96%)	150 (87%)	18 (10%)	4 (2%)	6	37
31	RI	144/148 (97%)	121 (84%)	20 (14%)	3 (2%)	7	38

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
31	YI	144/148 (97%)	120 (83%)	21 (15%)	3 (2%)	7	38
32	RN	136/140 (97%)	120 (88%)	15 (11%)	1 (1%)	22	60
32	YN	136/140 (97%)	119 (88%)	17 (12%)	0	100	100
33	RO	120/122 (98%)	112 (93%)	8 (7%)	0	100	100
33	YO	120/122 (98%)	112 (93%)	8 (7%)	0	100	100
34	RP	148/150 (99%)	120 (81%)	26 (18%)	2 (1%)	11	45
34	YP	145/150 (97%)	119 (82%)	25 (17%)	1 (1%)	22	60
35	RQ	139/141 (99%)	119 (86%)	19 (14%)	1 (1%)	22	60
35	YQ	139/141 (99%)	117 (84%)	21 (15%)	1 (1%)	22	60
36	RR	115/118 (98%)	108 (94%)	5 (4%)	2 (2%)	9	42
36	YR	115/118 (98%)	107 (93%)	7 (6%)	1 (1%)	17	54
37	RS	109/112 (97%)	93 (85%)	15 (14%)	1 (1%)	17	54
37	YS	109/112 (97%)	92 (84%)	17 (16%)	0	100	100
38	RT	135/146 (92%)	118 (87%)	15 (11%)	2 (2%)	10	45
38	YT	135/146 (92%)	114 (84%)	19 (14%)	2 (2%)	10	45
39	RU	115/118 (98%)	107 (93%)	7 (6%)	1 (1%)	17	54
39	YU	115/118 (98%)	106 (92%)	8 (7%)	1 (1%)	17	54
40	RV	99/101 (98%)	87 (88%)	11 (11%)	1 (1%)	15	52
40	YV	99/101 (98%)	86 (87%)	12 (12%)	1 (1%)	15	52
41	RW	111/113 (98%)	105 (95%)	5 (4%)	1 (1%)	17	54
41	YW	111/113 (98%)	101 (91%)	9 (8%)	1 (1%)	17	54
42	RX	90/96 (94%)	89 (99%)	1 (1%)	0	100	100
42	YX	90/96 (94%)	88 (98%)	2 (2%)	0	100	100
43	RY	105/110 (96%)	101 (96%)	4 (4%)	0	100	100
43	YY	105/110 (96%)	99 (94%)	6 (6%)	0	100	100
44	RZ	181/206 (88%)	146 (81%)	32 (18%)	3 (2%)	9	42
44	YZ	181/206 (88%)	149 (82%)	29 (16%)	3 (2%)	9	42
45	R0	79/85 (93%)	74 (94%)	5 (6%)	0	100	100
45	Y0	72/85 (85%)	69 (96%)	3 (4%)	0	100	100
46	R1	95/98 (97%)	86 (90%)	9 (10%)	0	100	100
46	Y1	91/98 (93%)	83 (91%)	8 (9%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
47	R2	67/72 (93%)	63 (94%)	3 (4%)	1 (2%)	10	45
47	Y2	67/72 (93%)	63 (94%)	3 (4%)	1 (2%)	10	45
48	R3	57/60 (95%)	55 (96%)	2 (4%)	0	100	100
48	Y3	57/60 (95%)	55 (96%)	2 (4%)	0	100	100
49	R4	67/71 (94%)	53 (79%)	13 (19%)	1 (2%)	10	45
49	Y4	67/71 (94%)	53 (79%)	13 (19%)	1 (2%)	10	45
50	R5	57/60 (95%)	53 (93%)	4 (7%)	0	100	100
50	Y5	57/60 (95%)	52 (91%)	5 (9%)	0	100	100
51	R6	51/54 (94%)	51 (100%)	0	0	100	100
51	Y6	51/54 (94%)	47 (92%)	4 (8%)	0	100	100
52	R7	45/49 (92%)	45 (100%)	0	0	100	100
52	Y7	46/49 (94%)	45 (98%)	1 (2%)	0	100	100
53	R8	62/65 (95%)	48 (77%)	11 (18%)	3 (5%)	2	23
53	Y8	62/65 (95%)	47 (76%)	13 (21%)	2 (3%)	4	31
54	R9	35/37 (95%)	35 (100%)	0	0	100	100
54	Y9	35/37 (95%)	33 (94%)	2 (6%)	0	100	100
All	All	11449/12128 (94%)	10319 (90%)	1055 (9%)	75 (1%)	22	60

5 of 75 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
27	RE	18	ASP
31	RI	15	VAL
38	RT	124	ASP
44	RZ	53	ILE
53	R8	30	ARG

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	QB	203/220 (92%)	200 (98%)	3 (2%)	65	79
2	XB	204/220 (93%)	201 (98%)	3 (2%)	65	79
3	QC	159/188 (85%)	154 (97%)	5 (3%)	40	63
3	XC	159/188 (85%)	157 (99%)	2 (1%)	69	81
4	QD	180/181 (99%)	176 (98%)	4 (2%)	52	71
4	XD	180/181 (99%)	175 (97%)	5 (3%)	43	65
5	QE	116/123 (94%)	115 (99%)	1 (1%)	78	87
5	XE	116/123 (94%)	115 (99%)	1 (1%)	78	87
6	QF	90/90 (100%)	90 (100%)	0	100	100
6	XF	90/90 (100%)	90 (100%)	0	100	100
7	QG	126/127 (99%)	122 (97%)	4 (3%)	39	62
7	XG	126/127 (99%)	124 (98%)	2 (2%)	62	79
8	QH	118/119 (99%)	116 (98%)	2 (2%)	60	78
8	XH	118/119 (99%)	116 (98%)	2 (2%)	60	78
9	QI	96/99 (97%)	94 (98%)	2 (2%)	53	72
9	XI	97/99 (98%)	95 (98%)	2 (2%)	53	72
10	QJ	89/92 (97%)	88 (99%)	1 (1%)	73	84
10	XJ	86/92 (94%)	83 (96%)	3 (4%)	36	61
11	QK	90/99 (91%)	89 (99%)	1 (1%)	73	84
11	XK	88/99 (89%)	88 (100%)	0	100	100
12	QL	104/109 (95%)	103 (99%)	1 (1%)	76	85
12	XL	103/109 (94%)	102 (99%)	1 (1%)	76	85
13	QM	96/101 (95%)	93 (97%)	3 (3%)	40	63
13	XM	95/101 (94%)	92 (97%)	3 (3%)	39	62
14	QN	49/50 (98%)	47 (96%)	2 (4%)	30	57
14	XN	49/50 (98%)	49 (100%)	0	100	100
15	QO	79/80 (99%)	79 (100%)	0	100	100
15	XO	79/80 (99%)	79 (100%)	0	100	100
16	QP	72/74 (97%)	72 (100%)	0	100	100
16	XP	72/74 (97%)	72 (100%)	0	100	100
17	QQ	95/97 (98%)	94 (99%)	1 (1%)	73	84
17	XQ	95/97 (98%)	94 (99%)	1 (1%)	73	84

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
18	QR	61/77 (79%)	61 (100%)	0	100	100
18	XR	61/77 (79%)	61 (100%)	0	100	100
19	QS	72/80 (90%)	71 (99%)	1 (1%)	67	80
19	XS	73/80 (91%)	73 (100%)	0	100	100
20	QT	76/82 (93%)	75 (99%)	1 (1%)	69	81
20	XT	76/82 (93%)	76 (100%)	0	100	100
21	QU	20/22 (91%)	19 (95%)	1 (5%)	24	52
21	XU	20/22 (91%)	19 (95%)	1 (5%)	24	52
26	RD	214/218 (98%)	212 (99%)	2 (1%)	78	87
26	YD	214/218 (98%)	212 (99%)	2 (1%)	78	87
27	RE	165/166 (99%)	164 (99%)	1 (1%)	86	91
27	YE	165/166 (99%)	165 (100%)	0	100	100
28	RF	161/166 (97%)	161 (100%)	0	100	100
28	YF	161/166 (97%)	161 (100%)	0	100	100
29	RG	155/156 (99%)	154 (99%)	1 (1%)	86	91
29	YG	155/156 (99%)	154 (99%)	1 (1%)	86	91
30	RH	145/148 (98%)	144 (99%)	1 (1%)	84	90
30	YH	145/148 (98%)	143 (99%)	2 (1%)	67	80
31	RI	122/124 (98%)	122 (100%)	0	100	100
31	YI	122/124 (98%)	121 (99%)	1 (1%)	81	88
32	RN	117/119 (98%)	117 (100%)	0	100	100
32	YN	117/119 (98%)	116 (99%)	1 (1%)	78	87
33	RO	100/100 (100%)	100 (100%)	0	100	100
33	YO	100/100 (100%)	100 (100%)	0	100	100
34	RP	116/116 (100%)	114 (98%)	2 (2%)	60	78
34	YP	114/116 (98%)	114 (100%)	0	100	100
35	RQ	111/111 (100%)	109 (98%)	2 (2%)	59	77
35	YQ	111/111 (100%)	109 (98%)	2 (2%)	59	77
36	RR	100/101 (99%)	100 (100%)	0	100	100
36	YR	100/101 (99%)	100 (100%)	0	100	100
37	RS	87/88 (99%)	86 (99%)	1 (1%)	73	84

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
37	YS	87/88 (99%)	87 (100%)	0	100	100
38	RT	120/127 (94%)	119 (99%)	1 (1%)	81	88
38	YT	120/127 (94%)	120 (100%)	0	100	100
39	RU	93/94 (99%)	92 (99%)	1 (1%)	73	84
39	YU	93/94 (99%)	93 (100%)	0	100	100
40	RV	82/82 (100%)	81 (99%)	1 (1%)	71	83
40	YV	82/82 (100%)	80 (98%)	2 (2%)	49	69
41	RW	92/92 (100%)	92 (100%)	0	100	100
41	YW	92/92 (100%)	90 (98%)	2 (2%)	52	71
42	RX	74/78 (95%)	74 (100%)	0	100	100
42	YX	74/78 (95%)	74 (100%)	0	100	100
43	RY	88/91 (97%)	87 (99%)	1 (1%)	73	84
43	YY	88/91 (97%)	86 (98%)	2 (2%)	50	70
44	RZ	162/179 (90%)	162 (100%)	0	100	100
44	YZ	162/179 (90%)	160 (99%)	2 (1%)	71	83
45	R0	65/67 (97%)	64 (98%)	1 (2%)	65	79
45	Y0	60/67 (90%)	59 (98%)	1 (2%)	60	78
46	R1	82/83 (99%)	81 (99%)	1 (1%)	71	83
46	Y1	78/83 (94%)	78 (100%)	0	100	100
47	R2	64/67 (96%)	64 (100%)	0	100	100
47	Y2	64/67 (96%)	64 (100%)	0	100	100
48	R3	51/52 (98%)	50 (98%)	1 (2%)	55	73
48	Y3	51/52 (98%)	45 (88%)	6 (12%)	5	24
49	R4	62/63 (98%)	61 (98%)	1 (2%)	62	79
49	Y4	62/63 (98%)	60 (97%)	2 (3%)	39	62
50	R5	51/52 (98%)	51 (100%)	0	100	100
50	Y5	51/52 (98%)	50 (98%)	1 (2%)	55	73
51	R6	51/52 (98%)	51 (100%)	0	100	100
51	Y6	51/52 (98%)	50 (98%)	1 (2%)	55	73
52	R7	40/42 (95%)	40 (100%)	0	100	100
52	Y7	41/42 (98%)	41 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
53	R8	54/55 (98%)	53 (98%)	1 (2%)	57	75
53	Y8	54/55 (98%)	54 (100%)	0	100	100
54	R9	34/34 (100%)	34 (100%)	0	100	100
54	Y9	34/34 (100%)	34 (100%)	0	100	100
All	All	9684/10066 (96%)	9578 (99%)	106 (1%)	73	84

5 of 106 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
4	XD	19	LEU
10	XJ	60	ARG
48	Y3	37	LEU
4	XD	139	ARG
8	XH	129	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 18 such sidechains are listed below:

Mol	Chain	Res	Type
27	YE	66	HIS
39	YU	94	ASN
29	YG	40	ASN
2	XB	95	GLN
26	YD	126	GLN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	QA	1499/1521 (98%)	271 (18%)	37 (2%)
1	XA	1498/1521 (98%)	254 (16%)	30 (2%)
22	QV	76/77 (98%)	15 (19%)	1 (1%)
22	XV	76/77 (98%)	17 (22%)	1 (1%)
23	QX	18/19 (94%)	5 (27%)	2 (11%)
23	XX	18/19 (94%)	5 (27%)	1 (5%)
24	RA	2879/2915 (98%)	571 (19%)	41 (1%)
24	YA	2880/2915 (98%)	576 (20%)	42 (1%)
25	RB	119/122 (97%)	18 (15%)	1 (0%)
25	YB	119/122 (97%)	21 (17%)	1 (0%)
All	All	9182/9308 (98%)	1753 (19%)	157 (1%)

5 of 1753 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	QA	6	G
1	QA	9	G
1	QA	32	A
1	QA	39	G
1	QA	47	C

5 of 157 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
24	YA	221	A
24	YA	1786	A
24	YA	278	A
24	YA	1022	G
24	YA	2681	C

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 1022 ligands modelled in this entry, 1020 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
56	SF4	XD	301	4	0,12,12	-	-	-		
56	SF4	QD	301	4	0,12,12	-	-	-		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
56	SF4	XD	301	4	-	-	0/6/5/5
56	SF4	QD	301	4	-	-	0/6/5/5

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
56	XD	301	SF4	3	0
56	QD	301	SF4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS failed to run properly - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS failed to run properly - this section is therefore empty.

6.3 Carbohydrates

EDS failed to run properly - this section is therefore empty.

6.4 Ligands

EDS failed to run properly - this section is therefore empty.

6.5 Other polymers

EDS failed to run properly - this section is therefore empty.