

# Full wwPDB X-ray Structure Validation Report (i)

#### Oct 4, 2023 – 07:43 PM EDT

PDB ID	:	6O3X
Title	:	Crystal structure of yeast Nrd1 CID in complex with Sen1 NIM2
Authors	:	Zhang, Y.; Tong, L.
Deposited on		
Resolution	:	1.99 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

:	FAILED
:	1.13
:	FAILED
:	20191225.v01 (using entries in the PDB archive December 25th 2019)
:	Engh & Huber $(2001)$
:	Parkinson et al. (1996)
:	2.35.1
	: : : :

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\hbox{-}RAY\,DIFFRACTION$ 

The reported resolution of this entry is 1.99 Å.

There are no overall percentile quality scores available for this entry.

MolProbity and EDS failed to run properly - the sequence quality summary graphics cannot be shown.



# 2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 3823 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace			
1	1 A	148	Total	С	Ν	0	S	0	0	0			
			1167	733	203	226	5	0					
1	В	138	Total	С	Ν	0	S	0	0	0			
	D		1098	697	188	208	5						
1	С	С	С	С	146	Total	С	Ν	0	S	0	0	0
1		0 140	1152	724	199	224	5	0	0	0			

• Molecule 1 is a protein called Protein NRD1.

There are 63 discrepancies betwee	en the modelled and reference sequences:
-----------------------------------	--

Chain	Residue	Modelled	Actual	Comment	Reference
А	-15	MET	-	initiating methionine	UNP P53617
А	-14	GLY	-	expression tag	UNP P53617
А	-13	SER	-	expression tag	UNP P53617
А	-12	SER	-	expression tag	UNP P53617
А	-11	HIS	-	expression tag	UNP P53617
А	-10	HIS	-	expression tag	UNP P53617
А	-9	HIS	-	expression tag	UNP P53617
А	-8	HIS	-	expression tag	UNP P53617
А	-7	HIS	-	expression tag	UNP P53617
А	-6	HIS	-	expression tag	UNP P53617
А	-5	SER	-	expression tag	UNP P53617
А	-4	SER	-	expression tag	UNP P53617
А	-3	GLY	-	expression tag	UNP P53617
А	-2	LEU	-	expression tag	UNP P53617
А	-1	VAL	-	expression tag	UNP P53617
A	0	PRO	-	expression tag	UNP P53617
А	1	ARG	-	expression tag	UNP P53617
А	2	GLY	-	expression tag	UNP P53617
А	3	SER	-	expression tag	UNP P53617
А	4	HIS	-	expression tag	UNP P53617
А	5	MET	-	expression tag	UNP P53617
В	-15	MET	-	initiating methionine	UNP P53617
В	-14	GLY	-	expression tag	UNP P53617
				Continued	on nort nago

Continued on next page...



Chain	Residue	Modelled	Actual	Comment	Reference
В	-13	SER	-	expression tag	UNP P53617
В	-12	SER	_	expression tag	UNP P53617
В	-11	HIS	_	expression tag	UNP P53617
В	-10	HIS	-	expression tag	UNP P53617
В	-9	HIS	-	expression tag	UNP P53617
В	-8	HIS	-	expression tag	UNP P53617
В	-7	HIS	-	expression tag	UNP P53617
В	-6	HIS	-	expression tag	UNP P53617
В	-5	SER	-	expression tag	UNP P53617
В	-4	SER	-	expression tag	UNP P53617
В	-3	GLY	-	expression tag	UNP P53617
В	-2	LEU	-	expression tag	UNP P53617
В	-1	VAL	-	expression tag	UNP P53617
В	0	PRO	-	expression tag	UNP P53617
В	1	ARG	-	expression tag	UNP P53617
В	2	GLY	-	expression tag	UNP P53617
В	3	SER	-	expression tag	UNP P53617
В	4	HIS	-	expression tag	UNP P53617
В	5	MET	-	expression tag	UNP P53617
С	-15	MET	-	initiating methionine	UNP P53617
С	-14	GLY	-	expression tag	UNP P53617
С	-13	SER	-	expression tag	UNP P53617
С	-12	SER	-	expression tag	UNP P53617
С	-11	HIS	-	expression tag	UNP P53617
С	-10	HIS	-	expression tag	UNP P53617
С	-9	HIS	-	expression tag	UNP P53617
С	-8	HIS	-	expression tag	UNP P53617
C	-7	HIS	-	expression tag	UNP P53617
С	-6	HIS	-	expression tag	UNP P53617
С	-5	SER	-	expression tag	UNP P53617
С	-4	SER	-	expression tag	UNP P53617
С	-3	GLY	-	expression tag	UNP P53617
С	-2	LEU	-	expression tag	UNP P53617
С	-1	VAL	-	expression tag	UNP P53617
С	0	PRO	-	expression tag	UNP P53617
С	1	ARG	-	expression tag	UNP P53617
С	2	GLY	-	expression tag	UNP P53617
С	3	SER	-	expression tag	UNP P53617
С	4	HIS	-	expression tag	UNP P53617
С	5	MET	-	expression tag	UNP P53617

Continued from previous page...

• Molecule 2 is a protein called Helicase SEN1.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
2	D	6	Total C N O   48 29 6 13	0	0	0
2	Е	6	Total C N O   48 29 6 13	0	0	0
2	F	6	Total C N O   48 29 6 13	0	0	0

• Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	Total Cl 1 1	0	0
3	С	1	Total Cl 1 1	0	0

• Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	125	Total O 125 125	0	0
4	В	51	Total O   51 51	0	0
4	С	72	$\begin{array}{cc} \text{Total} & \text{O} \\ 72 & 72 \end{array}$	0	0
4	D	7	Total O 7 7	0	0
4	Ε	2	Total O 2 2	0	0
4	F	3	Total O 3 3	0	0

MolProbity and EDS failed to run properly - this section is therefore empty.



# 3 Data and refinement statistics (i)

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants	98.69Å $102.40$ Å $115.36$ Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $90.00^{\circ}$ $90.00^{\circ}$	Depositor
Resolution (Å)	49.34 - 1.99	Depositor
% Data completeness	98.1 (49.34-1.99)	Depositor
(in resolution range)	· · · ·	1
$R_{merge}$	0.08	Depositor
R <sub>sym</sub>	(Not available)	Depositor
$< I/\sigma(I) > 1$	$2.32 (at 2.00 \text{\AA})$	Xtriage
Refinement program	PHENIX	Depositor
$R, R_{free}$	0.179 , $0.226$	Depositor
Wilson B-factor $(Å^2)$	27.1	Xtriage
Anisotropy	0.574	Xtriage
L-test for twinning <sup>2</sup>	$<  L  > = 0.47, < L^2 > = 0.30$	Xtriage
Estimated twinning fraction	0.075 for -k,-h,-l	Xtriage
Total number of atoms	3823	wwPDB-VP
Average B, all atoms $(Å^2)$	35.0	wwPDB-VP

EDS failed to run properly - this section is therefore incomplete.

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 14.97% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 4 Model quality (i)

# 4.1 Standard geometry (i)

MolProbity failed to run properly - this section is therefore empty.

#### 4.2 Too-close contacts (i)

MolProbity failed to run properly - this section is therefore empty.

#### 4.3 Torsion angles (i)

#### 4.3.1 Protein backbone (i)

MolProbity failed to run properly - this section is therefore empty.

#### 4.3.2 Protein sidechains (i)

MolProbity failed to run properly - this section is therefore empty.

#### 4.3.3 RNA (i)

MolProbity failed to run properly - this section is therefore empty.

#### 4.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 4.5 Carbohydrates (i)

There are no monosaccharides in this entry.

### 4.6 Ligand geometry (i)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.



There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

### 4.7 Other polymers (i)

There are no such residues in this entry.

# 4.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 5 Fit of model and data (i)

# 5.1 Protein, DNA and RNA chains (i)

EDS failed to run properly - this section is therefore empty.

### 5.2 Non-standard residues in protein, DNA, RNA chains (i)

EDS failed to run properly - this section is therefore empty.

### 5.3 Carbohydrates (i)

EDS failed to run properly - this section is therefore empty.

## 5.4 Ligands (i)

EDS failed to run properly - this section is therefore empty.

### 5.5 Other polymers (i)

EDS failed to run properly - this section is therefore empty.

