

Full wwPDB X-ray Structure Validation Report (i)

Apr 20, 2022 - 01:07 am BST

PDB ID	:	70CS
Title	:	Mannitol-1-phosphate bound to the phosphatase domain of the bifunctional
		mannitol-1-phosphate dehydrogenase/phosphatase MtlD-D16A from Acineto-
		bacter baumannii
Authors	:	Tam, H.K.; Mueller, V.; Pos, K.M.
Deposited on	:	2021-04-28
Resolution	:	2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.27
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0267
CCP4	:	7.1.010 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.27

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R _{free}	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575(2.30-2.30)
Sidechain outliers	138945	5575(2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	727	8%	8%	6%
1	В	727	8%	9%	6%
1	С	727	16% 71% 8%	21%	
1	D	727	83%	11%	6%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard



ria:	residues in protein, DNA, RNA chains	that are outliers for geometric or electron-density-fit crite-
	ria:	

Mol	Type	Chain	\mathbf{Res}	Chirality	Geometry	Clashes	Electron density
11	EPE	В	805	-	-	Х	-
7	SO4	В	808	-	-	-	Х
7	SO4	С	804	-	-	Х	-



70CS

2 Entry composition (i)

There are 14 unique types of molecules in this entry. The entry contains 22135 atoms, of which 173 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		A	toms			ZeroOcc	AltConf	Trace
1	Δ	682	Total	С	Ν	Ο	S	0	0	0
	A	082	5497	3497	940	1028	32	0	0	0
1	В	683	Total	С	Ν	0	S	0	0	0
1	I D		5505	3499	942	1031	33	0	0	
1	1 C	579	Total	С	Ν	0	S	0	0	0
	512	4601	2921	780	870	30	0	0	0	
1 D	685	Total	С	Ν	0	S	0	0	0	
		5523	3512	944	1035	32	0		0	

• Molecule 1 is a protein called HAD hydrolase, family IA, variant 3.

There are 56 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	1	MET	-	- initiating methionine	
А	2	VAL	-	expression tag	UNP D0C7J2
А	16	ALA	ASP	engineered mutation	UNP D0C7J2
А	717	ALA	-	expression tag	UNP D0C7J2
А	718	ALA	-	expression tag	UNP D0C7J2
А	719	ALA	-	expression tag	UNP D0C7J2
А	720	LEU	-	expression tag	UNP D0C7J2
А	721	GLU	-	expression tag	UNP D0C7J2
А	722	HIS	-	expression tag	UNP D0C7J2
А	723	HIS	-	expression tag	UNP D0C7J2
A	724	HIS	-	expression tag	UNP D0C7J2
A	725	HIS	-	expression tag	UNP D0C7J2
А	726	HIS	-	expression tag	UNP D0C7J2
А	727	HIS	-	expression tag	UNP D0C7J2
В	1	MET	-	initiating methionine	UNP D0C7J2
В	2	VAL	-	expression tag	UNP D0C7J2
В	16	ALA	ASP	engineered mutation	UNP D0C7J2
В	717	ALA	- expression tag		UNP D0C7J2
В	718	ALA	-	expression tag	UNP D0C7J2
В	719	ALA	-	expression tag	UNP D0C7J2
В	720	LEU	-	expression tag	UNP D0C7J2



Chain	Residue	Modelled	Actual	Comment	Reference
В	721	GLU	-	expression tag	UNP D0C7J2
В	722	HIS	-	- expression tag	
В	723	HIS	-	expression tag	UNP D0C7J2
В	724	HIS	-	expression tag	UNP D0C7J2
В	725	HIS	-	expression tag	UNP D0C7J2
В	726	HIS	-	expression tag	UNP D0C7J2
В	727	HIS	-	expression tag	UNP D0C7J2
С	1	MET	-	initiating methionine	UNP D0C7J2
С	2	VAL	-	expression tag	UNP D0C7J2
С	16	ALA	ASP	engineered mutation	UNP D0C7J2
С	717	ALA	-	expression tag	UNP D0C7J2
С	718	ALA	-	expression tag	UNP D0C7J2
С	719	ALA	-	expression tag	UNP D0C7J2
С	720	LEU	-	expression tag	UNP D0C7J2
С	721	GLU	-	expression tag	UNP D0C7J2
С	722	HIS	-	expression tag	UNP D0C7J2
С	723	HIS	-	expression tag	UNP D0C7J2
С	724	HIS	-	expression tag	UNP D0C7J2
С	725	HIS	-	expression tag	UNP D0C7J2
С	726	HIS	-	expression tag	UNP D0C7J2
С	727	HIS	-	expression tag	UNP D0C7J2
D	1	MET	-	initiating methionine	UNP D0C7J2
D	2	VAL	-	expression tag	UNP D0C7J2
D	16	ALA	ASP	engineered mutation	UNP D0C7J2
D	717	ALA	-	expression tag	UNP D0C7J2
D	718	ALA	-	expression tag	UNP D0C7J2
D	719	ALA	-	expression tag	UNP D0C7J2
D	720	LEU	-	expression tag	UNP D0C7J2
D	721	GLU	-	expression tag	UNP D0C7J2
D	722	HIS	-	expression tag	UNP D0C7J2
D	723	HIS	-	expression tag	UNP D0C7J2
D	724	HIS	-	expression tag	UNP D0C7J2
D	725	HIS	-	expression tag	UNP D0C7J2
D	726	HIS	-	expression tag	UNP D0C7J2
D	727	HIS	-	expression tag	UNP D0C7J2

• Molecule 2 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
2	Δ	1	Total	С	Η	0	0	0	
	I	14	3	8	3	0	0		
9	С	1	Total	С	Η	Ο	0	0	
Z	U			3	8	3	0	U	

• Molecule 3 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atom	S	ZeroOcc	AltConf
3	А	1	Total C 10 2	H O 6 2	0	0
3	А	1	Total C 10 2	H O 6 2	0	0

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	Total C H O 10 2 6 2	0	0
3	А	1	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	0	0
3	А	1	IO 2 0 2 Total C H O 10 2 6 2	0	0
3	В	1	IO 2 0 2 Total C H O 10 2 6 2	0	0
3	В	1	IO 2 0 2 Total C H O 10 2 6 2	0	0
3	В	1	IO 2 0 2 Total C H O 10 2 6 2	0	0
3	В	1	IO 2 0 2 Total C H O 10 2 6 2	0	0
3	D	1	Total C H O 10 2 6 2	0	0
3	D	1	Total C H O 10 2 6 2	0	0
3	D	1	Total C H O 10 2 6 2	0	0
3	D	1	IO Z O Z Total C H O 10 2 6 2	0	0

• Molecule 4 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula: $C_6H_{14}O_4$).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	Δ	1	Total	С	Η	0	0	0
	I	24	6	14	4	0	0	
4	4 Δ	1	Total	С	Η	Ο	0	0
4 A	1	24	6	14	4	0	0	

• Molecule 5 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula: $C_8H_{18}O_5$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	Δ	1	Total	С	Η	Ο	0	0
	1	31	8	18	5	0	0	
5	5 C	1	Total	С	Η	0	0	0
	U	L	31	8	18	5	0	

• Molecule 6 is BETA-MERCAPTOETHANOL (three-letter code: BME) (formula: C_2H_6OS).





Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	Δ	1	Total	С	Η	0	S	0	0
	1	10	2	6	1	1	0	0	
6	D	D 1	Total	С	Η	0	S	0	0
0	D	1	10	2	6	1	1	0	0



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
7	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
7	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
7	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
7	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
7	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
7	С	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
7	D	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
7	D	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0

• Molecule 8 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	А	1	Total Mg 1 1	0	0

• Molecule 9 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	А	3	Total Cl 3 3	0	0
9	В	4	Total Cl 4 4	0	0
9	С	3	Total Cl 3 3	0	0

• Molecule 10 is D-Mannitol-1-phosphate (three-letter code: 44H) (formula: $C_6H_{15}O_9P$).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	Δ	1	Total C O P	0	0
	1	16 6 9 1	0	0	
10	В	1	Total C O P	0	0
	1	16 6 9 1	0	0	
10	10 C	1	Total C O P	0	0
10			16 6 9 1	0	
10	Л	1	Total C O P	0	0
10			$16 \ 6 \ 9 \ 1$	0	

• Molecule 11 is 4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULFONIC ACID (three-letter code: EPE) (formula: $C_8H_{18}N_2O_4S$).





Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
11	В	1	Total 15	C 8	N 2	0 4	S 1	0	0

• Molecule 12 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
12	В	1	Total Na 1 1	0	0
12	С	1	Total Na 1 1	0	0

• Molecule 13 is ACETATE ION (three-letter code: ACT) (formula: $C_2H_3O_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
13	С	1	Total 7	С 2	Н 3	O 2	0	0

• Molecule 14 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
14	А	196	Total O 196 196	0	0
14	В	200	Total O 200 200	0	0
14	С	75	Total O 75 75	0	0



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
14	D	101	Total O 101 101	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: HAD hydrolase, family IA, variant 3







4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	88.89Å 212.63Å 98.82Å	Depositor
a, b, c, α , β , γ	90.00° 112.81° 90.00°	Depositor
Bosolution(A)	48.61 - 2.30	Depositor
	48.61 - 2.30	EDS
% Data completeness	99.8 (48.61-2.30)	Depositor
(in resolution range)	99.8 (48.61 - 2.30)	EDS
R_{merge}	0.22	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.49 (at 2.29 \text{\AA})$	Xtriage
Refinement program	BUSTER	Depositor
B B.	0.215 , 0.247	Depositor
Π, Π_{free}	0.229 , 0.265	DCC
R_{free} test set	7389 reflections (4.96%)	wwPDB-VP
Wilson B-factor $(Å^2)$	33.2	Xtriage
Anisotropy	1.159	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	(Not available), (Not available)	EDS
L-test for $twinning^2$	$ < L > = 0.50, < L^2 > = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	22135	wwPDB-VP
Average B, all atoms $(Å^2)$	53.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.82% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, MG, NA, EPE, BME, PGE, 44H, GOL, PG4, ACT, CL, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Iol Chain	Bond lengths		Bond angles	
		RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.40	0/5602	0.37	0/7563
1	В	0.39	0/5609	0.36	0/7571
1	С	0.35	0/4685	0.33	0/6320
1	D	0.36	0/5627	0.34	0/7595
All	All	0.38	0/21523	0.35	0/29049

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	5497	0	5485	33	0
1	В	5505	0	5483	38	0
1	С	4601	0	4575	36	0
1	D	5523	0	5504	48	0
2	А	6	8	8	0	0
2	С	6	8	8	0	0
3	А	20	30	30	0	0
3	В	16	24	24	0	0
3	D	16	24	24	1	0



7	()	CS
•	\sim	$\sim \sim$

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	А	20	28	28	1	0
5	А	13	18	18	4	0
5	С	13	18	18	4	0
6	А	4	6	6	3	0
6	D	4	6	6	1	0
7	А	20	0	0	0	0
7	В	15	0	0	0	0
7	С	5	0	0	2	0
7	D	10	0	0	1	0
8	А	1	0	0	0	0
9	А	3	0	0	0	0
9	В	4	0	0	0	0
9	С	3	0	0	0	0
10	А	16	0	0	0	0
10	В	16	0	0	1	0
10	С	16	0	0	0	0
10	D	16	0	0	0	0
11	В	15	0	18	7	0
12	В	1	0	0	0	0
12	С	1	0	0	0	0
13	С	4	3	3	0	0
14	А	196	0	0	0	0
14	В	200	0	0	0	0
14	С	75	0	0	1	0
14	D	101	0	0	0	0
All	All	21962	173	21238	148	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (148) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:B:130:ILE:HA	11:B:805:EPE:O1S	1.57	1.04
1:D:250:HIS:CD2	1:D:336:LEU:HD11	2.13	0.82
1:A:135:TYR:HB3	5:A:809:PG4:H11	1.62	0.81
1:A:2:VAL:HA	4:A:807:PGE:H62	1.63	0.80
1:A:130:ILE:HA	5:A:809:PG4:H22	1.66	0.76
1:D:57:ALA:HB3	7:D:807:SO4:O1	1.86	0.74
11:B:805:EPE:H71	1:C:421:LEU:HD11	1.71	0.71
1:D:371:ILE:HB	1:D:411:ASP:HA	1.72	0.71



Interatomic Cla						
Atom-1	Atom-2	distance $(Å)$	overlan (Å)			
1.B.533.GLY.HA2	1·B·620·ARG·HB3	1 73	0.71			
11:B:805:EPE:H62	1:C:489:ILE:HB	1.72	0.70			
1.C·450·ILE·HD12	1:C:471:ASP:HA	1.79	0.65			
1:A:258:GLY:HA3	1.A.418.VAL:HG11	1.80	0.64			
1:A:540:TBP:CD1	1:A:608:ALA:HB1	2.34	0.63			
1.C.130.ILE.HA	5·C·801·PG4·H72	1.81	0.63			
1.D.576.ILE.HG21	1:D:631:HIS:CE1	2.34	0.63			
1.D.639.LEU.HD21	1.D.684.GLU.HB3	1.81	0.62			
1:B:534:VAL:HG13	1:B:566:LEU:HD23	1.82	0.62			
1.B.130.ILE.CA	11:B:805:EPE:O1S	2.39	0.62			
1.A.418.VAL:HG13	1.A.493.SEB.HB3	1.81	0.62			
1:D:576:ILE:HG21	1.D.631.HIS.ND1	2.14	0.62			
1:C:57:ALA:HB3	7·C·804·SO4·O3	1 99	0.62			
1:D:258:GLY:HA3	1:D:418:VAL:HG11	1.82	0.61			
1.D.538.LEU.HD21	1.D.563.ALA.HB2	1.82	0.61			
1.A.172.LEU.HD22	$1 \cdot A \cdot 192 \cdot ILE \cdot HD11$	1.85	0.59			
1:C:58:THB:HG23	7·C·804·SO4·O3	$\frac{1.00}{2.03}$	0.59			
1.C.336.LEU.HD22	1·C·344·GLU·HG3	1.84	0.59			
1:D:450:ILE:HD11	1.D.474.ABG.HD3	1.81	0.57			
1.D.2.VAL.HG12	1.D.11.HIS.NE2	2.20	0.57			
1:A·494·GLU·HG3	1:A:595:SEB:HB2	1.87	0.56			
11:B:805:EPE:H32	14:C:926:HOH:O	2.05	0.56			
1:D:455:CYS:HB2	1:D:463:LEU:HD21	1.86	0.56			
1:A:413:VAL:HG21	1:A:523:ILE:HG23	1.86	0.56			
1:B:187:SER:O	1:B:188:LYS:HB2	2.05	0.56			
1:B:639:LEU:HD21	1:B:684:GLU:HB3	1.88	0.56			
11:B:805:EPE:H62	1:C:489:ILE:CB	2.37	0.55			
1:B:416:ARG:HD3	1:B:493:SER:OG	2.07	0.55			
1:A:287:GLU:HB3	1:D:470:VAL:HG11	1.88	0.54			
1:B:646:TYR:O	1:B:650:ILE:HG12	2.08	0.54			
1:B:151:LYS:HD3	1:B:180:GLY:HA2	1.91	0.53			
1:B:258:GLY:HA3	1:B:418:VAL:HG11	1.90	0.53			
1:A:227:PRO:HB3	1:B:4:ILE:HD12	1.90	0.53			
1:D:375:LYS:HB3	1:D:378:ALA:HB2	1.90	0.53			
1:C:68:TYR:HB2	1:C:72:VAL:HG11	1.91	0.53			
1:A:334:LEU:HD11	1:A:336:LEU:HD22	1.91	0.53			
1:B:534:VAL:HG21	1:B:567:ILE:HD12	1.90	0.52			
1:D:418:VAL:HG13	1:D:493:SER:HB2	1.91	0.52			
1:B:130:ILE:HG23	11:B:805:EPE:H91	1.92	0.52			
1:D:655:ILE:HG23	1:D:659:LYS:HE3	1.91	0.52			
1:B:172:LEU:HD22	1:B:192:ILE:HD11	1.93	0.51			



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:B:287:GLU:HB3	1:C:470:VAL:HG11	1.93	0.51	
1:D:540:TRP:CD1	1:D:608:ALA:HB1	2.46	0.51	
1:A:438:GLU:O	1:A:442:GLU:HG2	2.11	0.50	
1:C:258:GLY:HA3	1:C:418:VAL:HG11	1.93	0.50	
1:B:413:VAL:HG21	1:B:523:ILE:HG23	1.93	0.50	
1:D:52:CYS:HA	1:D:55:LEU:HD12	1.93	0.50	
1:A:187:SER:O	1:A:188:LYS:HB2	2.12	0.50	
1:D:68:TYR:CB	1:D:72:VAL:HG11	2.41	0.50	
1:D:20:THR:HG23	1:D:194:LEU:HD12	1.93	0.50	
5:A:809:PG4:H12	1:D:298:ARG:HH22	1.77	0.50	
1:A:4:ILE:HD12	1:B:227:PRO:HB3	1.94	0.49	
1:C:135:TYR:HE1	1:C:141:ILE:HG13	1.78	0.49	
1:C:250:HIS:HB3	1:C:334:LEU:HD12	1.95	0.49	
1:C:135:TYR:HB3	5:C:801:PG4:H71	1.95	0.48	
1:B:540:TRP:CD1	1:B:608:ALA:HB1	2.48	0.48	
1:B:314:VAL:HB	1:B:321:GLN:HB3	1.94	0.48	
1:D:151:LYS:HD3	1:D:180:GLY:HA2	1.96	0.48	
1:C:416:ARG:HD3	1:C:493:SER:OG	2.13	0.48	
1:D:557:HIS:CE1	1:D:558:LEU:HG	2.48	0.48	
1:D:450:ILE:HD12	1:D:471:ASP:HA	1.94	0.48	
1:B:228:VAL:HG22	1:B:510:LYS:HD3	1.96	0.48	
1:A:336:LEU:HD11	6:A:810:BME:S2	2.54	0.47	
1:D:252:PHE:HB3	1:D:280:THR:HB	1.96	0.47	
1:C:133:ASN:HA	5:C:801:PG4:H81	1.96	0.47	
1:A:576:ILE:HD12	1:A:633:LEU:HD11	1.96	0.47	
1:D:626:ALA:HB2	1:D:671:LEU:HD22	1.96	0.47	
1:D:68:TYR:HB3	1:D:72:VAL:HG11	1.97	0.47	
1:D:2:VAL:CG1	1:D:11:HIS:NE2	2.79	0.46	
1:D:113:ARG:HB3	1:D:164:LEU:HD22	1.96	0.46	
1:D:453:GLU:HA	1:D:463:LEU:HD13	1.96	0.46	
1:A:336:LEU:HD21	1:A:344:GLU:HG3	1.98	0.46	
1:A:336:LEU:CD1	6:A:810:BME:S2	3.04	0.46	
1:B:135:TYR:HE1	1:B:141:ILE:HG13	1.80	0.46	
1:C:187:SER:O	1:C:188:LYS:HB2	2.16	0.46	
1:D:84:MET:HG2	6:D:805:BME:H11	1.98	0.46	
1:C:474:ARG:O	1:C:478:GLN:HB2	2.16	0.46	
1:A:252:PHE:HB3	1:A:280:THR:HB	1.98	0.45	
1:A:553:ALA:HB1	1:A:559:VAL:HG11	1.99	0.45	
1:D:413:VAL:HG21	1:D:523:ILE:HG23	1.99	0.45	
1:C:130:ILE:HA	5:C:801:PG4:C7	2.46	0.45	
1:C:172:LEU:HD22	1:C:192:ILE:HD11	1.98	0.45	



	lo uo pagem	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:289:VAL:HB	1:A:313:ILE:HG13	1.98	0.45	
1:D:416:ARG:HD3	1:D:493:SER:OG	2.17	0.44	
1:B:252:PHE:HB3	1:B:280:THR:HB	1.99	0.44	
1:B:597:GLU:O	1:C:165:HIS:HE1	2.00	0.44	
1:C:289:VAL:HB	1:C:313:ILE:HG13	1.99	0.44	
1:A:251:GLY:HA2	6:A:810:BME:H22	1.99	0.44	
1:D:429:GLN:O	1:D:433:LYS:HG2	2.16	0.44	
1:C:341:ILE:HD12	1:C:381:LEU:HD23	2.00	0.44	
1:D:2:VAL:HG12	1:D:11:HIS:CE1	2.52	0.44	
1:A:639:LEU:HD21	1:A:684:GLU:HB3	2.00	0.44	
1:C:455:CYS:HB2	1:C:458:LEU:HD12	2.00	0.44	
1:C:411:ASP:HB3	1:C:520:ILE:HG12	2.00	0.44	
1:D:379:LYS:HB2	1:D:411:ASP:HB3	1.99	0.44	
1:A:46:HIS:O	1:A:50:MET:HG2	2.18	0.43	
1:D:576:ILE:CG2	1:D:631:HIS:CE1	2.99	0.43	
1:A:413:VAL:HB	1:A:500:TYR:HB2	2.00	0.43	
1:C:151:LYS:HD3	1:C:180:GLY:HA2	2.01	0.43	
1:C:582:ALA:HA	1:C:585:LEU:HD12	2.01	0.43	
1:B:48:TYR:CZ	1:B:52:CYS:SG	3.12	0.43	
1:B:107:LEU:HB3	1:B:112:LEU:HD12	2.00	0.43	
1:B:259:TYR:CD1	1:B:416:ARG:HD2	2.54	0.43	
1:A:541:TYR:HB2	1:A:644:LEU:HD13	1.99	0.43	
1:D:187:SER:O	1:D:188:LYS:HB2	2.19	0.42	
1:A:592:PHE:CZ	1:A:596:CYS:SG	3.12	0.42	
1:C:106:ARG:HG2	1:C:226:ILE:HG21	2.01	0.42	
5:A:809:PG4:H12	1:D:298:ARG:NH2	2.34	0.42	
1:A:497:MET:HB2	1:A:498:PRO:HD3	2.02	0.42	
1:C:255:ILE:HD11	1:C:414:VAL:HG11	2.02	0.42	
1:D:6:HIS:HA	3:D:801:EDO:H21	2.02	0.42	
1:A:281:ARG:HG3	1:A:316:SER:HB2	2.02	0.42	
1:C:413:VAL:HG21	1:C:523:ILE:HG23	2.01	0.42	
1:D:48:TYR:CZ	1:D:52:CYS:SG	3.13	0.42	
1:B:332:ILE:HG13	1:B:367:LEU:HD11	2.01	0.42	
1:C:418:VAL:HG13	1:C:493:SER:HB2	2.02	0.42	
1:D:242:LEU:HD23	1:D:272:LYS:HG3	2.01	0.42	
1:D:352:LEU:HD22	1:D:407:HIS:CD2	2.54	0.42	
1:D:500:TYR:CG	1:D:523:ILE:HG12	2.55	0.42	
1:B:458:LEU:HD11	1:C:284:LEU:HD22	2.01	0.41	
1:B:537:MET:HB2	1:B:566:LEU:HD21	2.02	0.41	
1:C:243:ASN:OD1	1:C:273:PRO:HA	2.20	0.41	
1:B:165:HIS:HD2	1:C:597:GLU:OE2	2.04	0.41	



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-1 Atom-2		overlap (Å)
1:A:534:VAL:HG22	1:A:566:LEU:HG	2.02	0.41
1:B:28:ARG:HD2	10:B:814:44H:O4	2.20	0.41
1:B:379:LYS:O	1:B:383:MET:HG2	2.20	0.41
1:A:298:ARG:CZ	1:D:136:LYS:HB3	2.51	0.41
1:B:294:THR:HG22	1:B:309:GLU:HA	2.03	0.41
1:B:576:ILE:HD12	1:B:633:LEU:HD11	2.02	0.41
1:B:641:GLY:HA2	1:B:644:LEU:HD12	2.03	0.41
1:C:65:GLN:HG2	1:C:70:VAL:HA	2.03	0.41
1:C:341:ILE:HD11	1:C:373:LEU:HD22	2.03	0.41
1:D:40:ILE:HG23	1:D:77:ILE:HD11	2.03	0.41
1:B:497:MET:HB2	1:B:498:PRO:HD3	2.02	0.41
1:D:255:ILE:HD12	1:D:255:ILE:HA	1.98	0.40
1:A:533:GLY:CA	1:A:620:ARG:HB2	2.51	0.40
1:B:412:THR:HG22	1:B:501:VAL:HG22	2.03	0.40
1:B:415:ASN:OD1	1:B:527:LYS:HD3	2.22	0.40
1:D:8:LYS:HA	1:D:9:PRO:HD3	1.96	0.40
1:D:105:GLU:HG2	1:D:270:TYR:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	\mathbf{ntiles}
1	А	678/727~(93%)	662 (98%)	15 (2%)	1 (0%)	51	64
1	В	677/727~(93%)	659~(97%)	16 (2%)	2(0%)	41	50
1	С	564/727~(78%)	545 (97%)	19 (3%)	0	100	100
1	D	679/727~(93%)	653~(96%)	25~(4%)	1 (0%)	51	64
All	All	2598/2908~(89%)	2519 (97%)	75 (3%)	4 (0%)	47	58

All (4) Ramachandran outliers are listed below:



Mol	Chain	Res	Type
1	А	188	LYS
1	В	620	ARG
1	В	188	LYS
1	D	620	ARG

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	\mathbf{ntiles}
1	А	600/641~(94%)	593~(99%)	7 (1%)	71	84
1	В	601/641~(94%)	594 (99%)	7 (1%)	71	84
1	С	508/641~(79%)	500 (98%)	8 (2%)	62	78
1	D	603/641~(94%)	596~(99%)	7 (1%)	71	84
All	All	2312/2564~(90%)	2283 (99%)	29 (1%)	69	82

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	29	PHE
1	А	216	TYR
1	А	328	HIS
1	А	392	GLU
1	А	398	ASP
1	А	411	ASP
1	А	601	LYS
1	В	29	PHE
1	В	216	TYR
1	В	275	ARG
1	В	411	ASP
1	В	463	LEU
1	В	525	LEU
1	В	567	ILE
1	С	29	PHE
1	С	216	TYR
1	С	336	LEU
1	С	395	ASN



Mol	Chain	Res	Type
1	С	410	CYS
1	С	411	ASP
1	С	421	LEU
1	С	525	LEU
1	D	29	PHE
1	D	42	GLN
1	D	127	GLU
1	D	216	TYR
1	D	410	CYS
1	D	580	ASN
1	D	606	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	В	133	ASN
1	С	535	HIS

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 50 ligands modelled in this entry, 13 are monoatomic - leaving 37 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the



Mal	Turne	Chain	Dec	Tiple	B	ond leng	gths	Bond angles		
INIOI	туре	Chain	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GOL	А	801	-	$5,\!5,\!5$	0.08	0	$5,\!5,\!5$	0.16	0
7	SO4	А	812	-	4,4,4	0.36	0	$6,\!6,\!6$	0.11	0
5	PG4	С	801	-	$12,\!12,\!12$	0.23	0	11,11,11	0.11	0
7	SO4	В	806	-	$4,\!4,\!4$	0.66	0	6,6,6	0.23	0
4	PGE	А	808	-	9,9,9	0.24	0	8,8,8	0.09	0
3	EDO	В	802	-	3,3,3	0.57	0	2,2,2	0.27	0
3	EDO	A	803	-	3,3,3	0.53	0	2,2,2	0.34	0
10	44H	D	808	-	$15,\!15,\!15$	0.73	0	21,21,21	0.63	0
3	EDO	D	802	-	3,3,3	0.62	0	2,2,2	0.33	0
7	SO4	D	807	-	4,4,4	0.18	0	6,6,6	0.14	0
3	EDO	A	805	-	3,3,3	0.64	0	2,2,2	0.29	0
7	SO4	С	804	-	4,4,4	0.14	0	6,6,6	0.12	0
6	BME	A	810	-	3,3,3	0.29	0	1,2,2	1.45	0
3	EDO	D	801	-	3,3,3	0.62	0	2,2,2	0.30	0
13	ACT	С	803	-	$1,\!3,\!3$	<mark>3.34</mark>	1 (100%)	0,3,3	-	-
3	EDO	А	804	-	3, 3, 3	0.58	0	2,2,2	0.31	0
5	PG4	А	809	-	$12,\!12,\!12$	0.25	0	11,11,11	0.18	0
7	SO4	В	807	-	$4,\!4,\!4$	0.15	0	$6,\!6,\!6$	0.08	0
7	SO4	D	806	-	4,4,4	0.26	0	6,6,6	0.08	0
10	44H	А	819	-	$15,\!15,\!15$	1.02	1 (6%)	21,21,21	0.59	0
3	EDO	В	801	-	3, 3, 3	0.54	0	2,2,2	0.33	0
3	EDO	В	803	-	3, 3, 3	0.61	0	2,2,2	0.31	0
11	EPE	В	805	-	$15,\!15,\!15$	1.54	3 (20%)	18,20,20	2.18	7 (38%)
7	SO4	А	813	-	4,4,4	0.20	0	6,6,6	0.06	0
4	PGE	А	807	-	9,9,9	0.13	0	8,8,8	0.09	0
2	GOL	С	802	-	$5,\!5,\!5$	0.05	0	$5,\!5,\!5$	0.12	0
7	SO4	А	811	-	$4,\!4,\!4$	0.15	0	6,6,6	0.10	0
10	44H	В	814	-	$15,\!15,\!15$	1.03	1 (6%)	21,21,21	0.76	0
7	SO4	А	814	-	4,4,4	0.34	0	6,6,6	0.19	0
6	BME	D	805	-	$3,\!3,\!3$	0.15	0	1,2,2	1.41	0
3	EDO	D	804	-	3,3,3	0.54	0	2,2,2	0.33	0
3	EDO	В	804	-	3,3,3	0.69	0	2,2,2	0.24	0
3	EDO	А	806	-	3, 3, 3	0.55	0	$2,\!2,\!2$	0.35	0
3	EDO	D	803	-	$3,\!3,\!3$	0.57	0	2,2,2	0.32	0
3	EDO	A	802	-	3,3,3	0.56	0	2,2,2	0.33	0
7	SO4	В	808	-	4,4,4	0.12	0	$6,\!6,\!6$	0.07	0
10	44H	C	809	-	$15,\!15,\!15$	1.08	1 (6%)	21,21,21	0.55	0

expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	А	801	-	-	0/4/4/4	-
5	PG4	С	801	-	-	3/10/10/10	-
4	PGE	А	808	-	-	3/7/7/7	-
3	EDO	В	802	-	-	0/1/1/1	-
3	EDO	А	803	-	-	0/1/1/1	-
10	44H	D	808	-	-	0/20/20/20	-
3	EDO	D	802	-	-	0/1/1/1	-
3	EDO	А	805	-	-	0/1/1/1	-
6	BME	А	810	-	-	0/1/1/1	-
3	EDO	D	801	-	-	0/1/1/1	-
3	EDO	А	804	-	-	0/1/1/1	-
5	PG4	А	809	-	-	4/10/10/10	-
10	44H	А	819	-	-	0/20/20/20	-
3	EDO	В	801	-	-	0/1/1/1	-
3	EDO	В	803	-	-	0/1/1/1	-
11	EPE	В	805	-	-	4/9/19/19	0/1/1/1
4	PGE	А	807	-	-	3/7/7/7	-
2	GOL	С	802	-	-	0/4/4/4	-
10	44H	В	814	-	-	0/20/20/20	-
6	BME	D	805	-	-	0/1/1/1	-
3	EDO	D	804	-	-	0/1/1/1	-
3	EDO	В	804	-	-	0/1/1/1	-
3	EDO	A	806	-	-	0/1/1/1	-
3	EDO	D	803	-	-	0/1/1/1	-
3	EDO	A	802	-	-	0/1/1/1	-
10	44H	С	809	-	-	0/20/20/20	-

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	В	805	EPE	C10-S	4.25	1.83	1.77
13	С	803	ACT	CH3-C	3.34	1.53	1.48
10	С	809	44H	P-O2P	3.09	1.60	1.50
10	В	814	44H	P-O2P	3.04	1.60	1.50
10	А	819	44H	P-O2P	2.82	1.59	1.50
11	В	805	EPE	O2S-S	2.50	1.52	1.45
11	В	805	EPE	O1S-S	2.29	1.51	1.45

All (7) bond angle outliers are listed below:



7	Ο	CS
	-	

Mol	Chain	Res	Type	Atoms	Ζ	$\mathbf{Observed}(^{o})$	$Ideal(^{o})$
11	В	805	EPE	C6-N1-C2	3.95	117.72	108.83
11	В	805	EPE	O3S-S-O2S	-3.78	102.03	111.27
11	В	805	EPE	O2S-S-C10	3.73	111.40	106.92
11	В	805	EPE	O3S-S-C10	3.37	111.23	105.77
11	В	805	EPE	O1S-S-C10	3.07	110.61	106.92
11	В	805	EPE	C5-C6-N1	2.71	116.21	110.64
11	В	805	EPE	C9-N1-C6	2.18	116.81	111.23

There are no chirality outliers.

Mol	Chain	Res	Type	Atoms
11	В	805	EPE	C10-C9-N1-C2
11	В	805	EPE	C10-C9-N1-C6
5	А	809	PG4	O3-C5-C6-O4
5	С	801	PG4	O2-C3-C4-O3
11	В	805	EPE	C8-C7-N4-C5
4	А	808	PGE	O3-C5-C6-O4
11	В	805	EPE	C8-C7-N4-C3
4	А	808	PGE	O2-C3-C4-O3
5	С	801	PG4	C4-C3-O2-C2
5	А	809	PG4	C5-C6-O4-C7
5	А	809	PG4	C3-C4-O3-C5
5	С	801	PG4	C5-C6-O4-C7
4	А	807	PGE	C6-C5-O3-C4
5	А	809	PG4	C4-C3-O2-C2
4	A	808	PGE	O1-C1-C2-O2
4	А	807	PGE	C4-C3-O2-C2
4	А	807	PGE	O2-C3-C4-O3

All (17) torsion outliers are listed below:

There are no ring outliers.

10 monomers are involved in 25 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	С	801	PG4	4	0
7	D	807	SO4	1	0
7	С	804	SO4	2	0
6	А	810	BME	3	0
3	D	801	EDO	1	0
5	А	809	PG4	4	0
11	В	805	EPE	7	0
4	А	807	PGE	1	0



	3	1	1 0		
Mol	Chain	Res	Type	Clashes	Symm-Clashes
10	В	814	44H	1	0
6	D	805	BME	1	0

Continued from previous page...

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and sufficient must be highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	682/727~(93%)	0.87	58 (8%) 10 14	26, 44, 74, 97	0
1	В	683/727~(93%)	0.91	57 (8%) 11 15	29, 45, 72, 102	0
1	С	572/727~(78%)	1.29	114 (19%) 1 1	33, 56, 92, 114	0
1	D	685/727~(94%)	1.16	129 (18%) 1 1	34, 56, 90, 116	0
All	All	2622/2908~(90%)	1.05	358 (13%) 3 4	26, 50, 86, 116	0

All (358) RSRZ outliers are listed below:

Mol	Chain	\mathbf{Res}	Type	RSRZ
1	В	692	LEU	13.9
1	D	381	LEU	9.9
1	С	538	LEU	9.8
1	D	376	VAL	8.6
1	А	661	VAL	8.5
1	С	570	VAL	8.5
1	С	576	ILE	8.2
1	D	382	VAL	7.8
1	С	360	LEU	7.8
1	С	577	VAL	7.7
1	С	626	ALA	7.7
1	В	688	LEU	7.3
1	А	693	PHE	7.1
1	D	399	VAL	6.9
1	С	625	ILE	6.9
1	D	400	THR	6.7
1	С	574	LEU	6.7
1	С	537	MET	6.7
1	D	377	GLY	6.4
1	С	622	MET	6.4
1	D	364	ILE	6.3



Mol	Chain	Res	Type	RSRZ
1	С	528	ASN	6.1
1	D	353	TYR	6.1
1	С	581	TYR	5.8
1	С	536	ALA	5.8
1	С	361	GLU	5.8
1	D	352	LEU	5.7
1	С	568	ALA	5.6
1	А	650	ILE	5.6
1	D	660	ALA	5.5
1	С	578	LEU	5.4
1	А	362	THR	5.4
1	D	658	THR	5.3
1	С	450	ILE	5.3
1	D	373	LEU	5.3
1	А	652	PHE	5.2
1	В	544	LEU	5.2
1	D	404	LEU	5.2
1	С	452	ILE	5.2
1	В	658	THR	5.1
1	В	691	TYR	5.1
1	С	40	ILE	5.0
1	В	454	ASP	5.0
1	С	531	TRP	5.0
1	С	363	CYS	5.0
1	D	659	LYS	4.9
1	С	362	THR	4.9
1	D	600	PHE	4.9
1	D	410	CYS	4.9
1	С	585	LEU	4.8
1	В	693	PHE	4.8
1	D	409	PHE	4.7
1	D	386	LEU	4.7
1	A	655	ILE	4.7
1	В	652	PHE	4.7
1	D	374	ASN	4.6
1	D	391	LEU	4.6
1	D	654	GLU	4.6
1	С	526	ILE	4.6
1	D	452	ILE	4.5
1	С	32	LEU	4.5
1	D	339	GLN	4.5
1	С	579	PRO	4.5



7	Ο	CS

Mol	Chain	Res	Type	RSRZ
1	С	592	PHE	4.4
1	С	534	VAL	4.4
1	С	530	LEU	4.4
1	D	653	LEU	4.4
1	А	391	LEU	4.4
1	В	361	GLU	4.4
1	D	548	GLU	4.3
1	С	628	ASN	4.3
1	D	357	ASN	4.3
1	С	569	GLU	4.3
1	В	560	LYS	4.2
1	D	388	GLU	4.2
1	А	692	LEU	4.2
1	D	375	LYS	4.1
1	С	205	LEU	4.1
1	С	453	GLU	4.1
1	С	454	ASP	4.1
1	С	451	GLU	4.1
1	С	67	LEU	4.1
1	D	661	VAL	4.0
1	D	397	GLU	4.0
1	D	576	ILE	4.0
1	В	639	LEU	4.0
1	С	68	TYR	4.0
1	А	444	VAL	4.0
1	В	650	ILE	3.9
1	D	408	TYR	3.9
1	D	350	LYS	3.9
1	С	627	VAL	3.9
1	В	359	GLN	3.9
1	А	576	ILE	3.9
1	D	655	ILE	3.9
1	А	359	GLN	3.9
1	В	443	ASP	3.9
1	С	588	MET	3.9
1	D	451	GLU	3.8
1	D	369	PHE	3.8
1	D	601	LYS	3.8
1	А	681	LEU	3.8
1	A	651	GLN	3.8
1	С	623	ALA	3.7
1	С	86	LEU	3.7



Mol	Chain	Res	Type	RSRZ
1	А	656	GLU	3.7
1	С	6	HIS	3.7
1	D	380	TYR	3.7
1	D	574	LEU	3.7
1	D	392	GLU	3.7
1	D	406	GLU	3.6
1	D	11	HIS	3.6
1	С	533	GLY	3.6
1	D	603	PRO	3.6
1	А	653	LEU	3.6
1	В	644	LEU	3.6
1	С	46	HIS	3.6
1	D	449	GLN	3.6
1	D	358	SER	3.5
1	А	685	LEU	3.5
1	В	460	PRO	3.5
1	В	679	ARG	3.5
1	А	691	TYR	3.5
1	С	456	ASN	3.5
1	D	650	ILE	3.5
1	В	360	LEU	3.5
1	В	304	TYR	3.5
1	D	652	PHE	3.4
1	D	2	VAL	3.4
1	В	300	GLY	3.4
1	D	348	ILE	3.4
1	С	460	PRO	3.4
1	С	80	ARG	3.4
1	А	190	LEU	3.4
1	С	571	LYS	3.4
1	С	580	ASN	3.4
1	D	402	HIS	3.4
1	A	612	LEU	3.4
1	С	77	ILE	3.4
1	D	356	PHE	3.4
1	D	583	LYS	3.4
1	А	665	GLN	3.3
1	D	394	THR	3.3
1	D	526	ILE	3.3
1	D	444	VAL	3.3
1	А	377	GLY	3.3
1	D	390	LEU	3.3



700	CS
-----	----

Mol	Chain	Res	Type	RSRZ
1	D	550	ILE	3.3
1	D	396	ASP	3.3
1	А	459	THR	3.3
1	В	456	ASN	3.2
1	А	544	LEU	3.2
1	С	417	MET	3.2
1	С	539	ALA	3.2
1	С	239	PRO	3.2
1	В	558	LEU	3.2
1	В	635	TYR	3.2
1	D	225	PHE	3.2
1	А	643	ALA	3.1
1	А	460	PRO	3.1
1	А	360	LEU	3.1
1	В	386	LEU	3.1
1	В	453	GLU	3.1
1	D	398	ASP	3.1
1	D	605	GLN	3.1
1	С	445	GLU	3.1
1	D	693	PHE	3.1
1	В	397	GLU	3.1
1	В	687	GLN	3.1
1	С	589	SER	3.1
1	С	624	SER	3.0
1	А	648	TYR	3.0
1	В	546	GLY	3.0
1	D	395	ASN	3.0
1	С	596	CYS	3.0
1	A	593	LEU	3.0
1	C	190	LEU	2.9
1	D	354	ALA	2.9
1	А	364	ILE	2.9
1	D	579	PRO	2.9
1	С	186	THR	2.9
1	С	364	ILE	2.9
1	D	689	ILE	2.9
1	D	200	PRO	2.9
1	D	602	ASP	2.9
1	D	656	GLU	2.9
1	В	648	TYR	2.9
1	A	361	GLU	2.9
1	А	546	GLY	2.9



7	Ο	CS
(\mathbf{O}	US

Mol	Chain	Res	Type	RSRZ
1	D	378	ALA	2.9
1	С	74	TYR	2.9
1	С	140	VAL	2.9
1	D	559	VAL	2.9
1	В	238	PHE	2.8
1	А	688	LEU	2.8
1	D	387	LYS	2.8
1	С	582	ALA	2.8
1	В	607	VAL	2.8
1	D	647	ALA	2.8
1	А	558	LEU	2.7
1	D	411	ASP	2.7
1	В	542	ALA	2.7
1	D	349	ALA	2.7
1	С	404	LEU	2.7
1	А	658	THR	2.7
1	D	671	LEU	2.7
1	С	377	GLY	2.7
1	В	603	PRO	2.7
1	D	343	SER	2.7
1	D	188	LYS	2.7
1	А	639	LEU	2.7
1	С	593	LEU	2.7
1	А	669	GLN	2.7
1	А	668	ILE	2.7
1	С	64	ALA	2.7
1	D	686	VAL	2.7
1	C	7	GLY	2.7
1	D	540	TRP	2.6
1	С	148	GLU	2.6
1	A	567	ILE	2.6
1	D	389	ALA	2.6
1	С	62	LYS	2.6
1	С	525	LEU	2.6
1	D	688	LEU	2.6
1	В	567	ILE	2.6
1	D	546	GLY	2.6
1	D	320	GLN	2.6
1	С	532	ASN	2.6
1	А	622	MET	2.6
1	В	673	LEU	2.6
1	В	399	VAL	2.6



Mol	Chain	Res	Type	RSRZ
1	С	104	LEU	2.5
1	В	690	GLN	2.5
1	С	72	VAL	2.5
1	С	462	GLN	2.5
1	D	657	GLU	2.5
1	D	132	ALA	2.5
1	D	539	ALA	2.5
1	D	599	ALA	2.5
1	D	453	GLU	2.5
1	D	586	ASP	2.5
1	С	75	LYS	2.5
1	А	445	GLU	2.5
1	D	365	GLU	2.5
1	В	681	LEU	2.5
1	D	144	GLY	2.5
1	D	323	LEU	2.5
1	D	606	ARG	2.5
1	А	629	ILE	2.5
1	С	464	ASN	2.5
1	С	336	LEU	2.5
1	С	380	TYR	2.5
1	С	455	CYS	2.5
1	D	169	ASN	2.5
1	С	359	GLN	2.5
1	D	621	VAL	2.5
1	А	663	HIS	2.5
1	С	443	ASP	2.5
1	А	308	ILE	2.4
1	В	455	CYS	2.4
1	A	687	GLN	2.4
1	A	548	GLU	2.4
1	D	206	GLU	2.4
1	С	63	LEU	2.4
1	D	5	PHE	2.4
1	С	182	THR	2.4
1	С	71	ASP	2.4
1	D	590	GLN	2.4
1	В	519	GLN	2.4
1	В	689	ILE	2.4
1	В	67	LEU	2.4
1	D	582	ALA	2.4
1	С	70	VAL	2.4



700	CS
-----	----

Mol	Chain	Res	Type	RSRZ
1	А	657	GLU	2.4
1	D	638	LEU	2.4
1	С	101	VAL	2.4
1	В	299	TYR	2.3
1	С	323	LEU	2.3
1	D	544	LEU	2.3
1	D	319	GLU	2.3
1	D	403	ILE	2.3
1	D	450	ILE	2.3
1	А	125	ALA	2.3
1	В	458	LEU	2.3
1	А	615	LEU	2.3
1	В	417	MET	2.3
1	D	383	MET	2.3
1	С	369	PHE	2.3
1	С	153	HIS	2.3
1	D	651	GLN	2.3
1	D	347	ILE	2.3
1	С	242	LEU	2.3
1	С	188	LYS	2.3
1	С	9	PRO	2.3
1	D	385	HIS	2.3
1	А	376	VAL	2.3
1	С	91	LYS	2.3
1	В	442	GLU	2.2
1	D	29	PHE	2.2
1	D	649	ALA	2.2
1	А	488	LEU	2.2
1	С	132	ALA	2.2
1	D	180	GLY	2.2
1	D	553	ALA	2.2
1	С	39	LEU	2.2
1	D	443	ASP	2.2
1	С	598	TYR	2.2
1	В	405	LYS	2.2
1	С	229	MET	2.2
1	А	641	GLY	2.2
1	В	362	THR	2.2
1	А	475	ARG	2.2
1	C	82	ASP	2.2
1	С	5	PHE	2.2
1	В	242	LEU	2.2



Mol	Chain	Res	Type	RSRZ
1	С	483	LEU	2.2
1	D	648	TYR	2.1
1	С	66	ARG	2.1
1	D	607	VAL	2.1
1	D	4	ILE	2.1
1	В	608	ALA	2.1
1	D	457	LYS	2.1
1	В	651	GLN	2.1
1	D	336	LEU	2.1
1	В	493	SER	2.1
1	С	308	ILE	2.1
1	А	636	LYS	2.1
1	D	92	HIS	2.1
1	С	461	ASP	2.1
1	А	2	VAL	2.1
1	С	60	ALA	2.1
1	В	475	ARG	2.1
1	А	504	GLY	2.1
1	D	681	LEU	2.1
1	D	66	ARG	2.1
1	С	517	VAL	2.1
1	В	259	TYR	2.1
1	В	488	LEU	2.1
1	D	666	GLN	2.1
1	С	47	GLU	2.1
1	D	327	THR	2.1
1	D	366	PRO	2.1
1	С	37	GLN	2.0
1	D	424	GLN	2.0
1	С	584	ASP	2.0
1	D	609	ARG	2.0
1	D	668	ILE	2.0
1	В	283	SER	2.0
1	С	529	ARG	2.0
1	В	514	VAL	2.0
1	С	272	LYS	2.0
1	С	346	LYS	2.0
1	D	405	LYS	2.0
1	С	211	TYR	2.0
1	А	347	ILE	2.0
1	А	662	GLU	2.0
1	А	257	GLY	2.0



Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	С	591	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(A^2)$	Q<0.9
3	EDO	А	805	4/4	0.64	0.29	60,72,72,72	0
3	EDO	В	804	4/4	0.64	0.26	66,79,79,79	0
2	GOL	С	802	6/6	0.66	0.23	73,88,88,89	0
3	EDO	D	802	4/4	0.66	0.19	71,86,86,86	0
7	SO4	В	808	5/5	0.68	0.40	125,125,125,125	0
4	PGE	А	808	10/10	0.69	0.31	46,56,60,60	0
3	EDO	А	803	4/4	0.72	0.18	84,101,101,101	0
12	NA	С	808	1/1	0.72	0.30	60,60,60,60	0
5	PG4	С	801	13/13	0.74	0.31	$47,\!56,\!65,\!66$	0
11	EPE	В	805	15/15	0.75	0.35	73,73,73,74	0
7	SO4	С	804	5/5	0.77	0.28	98,98,98,98	0
7	SO4	А	813	5/5	0.77	0.27	$135,\!135,\!135,\!135$	0
3	EDO	А	804	4/4	0.77	0.16	$69,\!83,\!83,\!83$	0
13	ACT	С	803	4/4	0.78	0.17	$46,\!47,\!55,\!55$	0
3	EDO	А	802	4/4	0.81	0.17	77,92,93,93	0
3	EDO	D	801	4/4	0.82	0.30	74,88,88,88	0
4	PGE	А	807	10/10	0.82	0.26	69,84,84,84	0
3	EDO	А	806	4/4	0.83	0.16	$56,\!67,\!67,\!67$	0
5	PG4	A	809	13/13	0.84	0.19	42,51,57,57	0
3	EDO	В	802	4/4	0.86	0.27	40,48,48,49	0
2	GOL	А	801	6/6	0.87	0.24	$45,\!55,\!55,\!55$	0
3	EDO	В	803	4/4	0.88	0.27	52,62,63,63	0



Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
10	44H	D	808	16/16	0.90	0.19	41,42,42,42	0
7	SO4	В	807	5/5	0.90	0.17	99,99,99,99	0
3	EDO	D	803	4/4	0.90	0.13	70,84,84,84	0
3	EDO	В	801	4/4	0.90	0.21	42,50,51,51	0
9	CL	С	807	1/1	0.91	0.18	64,64,64,64	0
10	44H	С	809	16/16	0.91	0.17	47,49,51,51	0
7	SO4	А	814	5/5	0.91	0.28	71,71,71,71	0
9	CL	В	812	1/1	0.92	0.15	37,37,37,37	0
6	BME	А	810	4/4	0.92	0.14	$48,\!58,\!58,\!58$	0
10	44H	А	819	16/16	0.92	0.19	32,33,34,34	0
9	CL	В	810	1/1	0.92	0.14	$51,\!51,\!51,\!51$	0
7	SO4	В	806	5/5	0.93	0.30	$33,\!34,\!35,\!35$	0
3	EDO	D	804	4/4	0.93	0.17	48,58,58,58	0
8	MG	А	815	1/1	0.93	0.18	66,66,66,66	0
9	CL	В	809	1/1	0.94	0.18	36,36,36,36	0
6	BME	D	805	4/4	0.94	0.27	19,25,28,31	0
10	44H	В	814	16/16	0.94	0.17	33,36,37,38	0
9	CL	А	816	1/1	0.94	0.15	31,31,31,31	0
9	CL	А	818	1/1	0.95	0.09	38,38,38,38	0
7	SO4	А	811	5/5	0.95	0.24	70,70,70,70	0
7	SO4	D	807	5/5	0.95	0.21	78,78,78,78	0
7	SO4	А	812	5/5	0.96	0.22	$35,\!35,\!36,\!36$	5
9	CL	С	805	1/1	0.96	0.28	49,49,49,49	0
12	NA	В	813	1/1	0.97	0.21	39,39,39,39	0
7	SO4	D	806	5/5	0.97	0.16	54,54,55,55	0
9	CL	С	806	1/1	0.97	0.16	58,58,58,58	0
9	CL	А	817	1/1	0.98	0.17	34,34,34,34	0
9	CL	В	811	1/1	0.99	0.09	39,39,39,39	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.









6.5 Other polymers (i)

There are no such residues in this entry.

