



## Full wwPDB EM Validation Report ⓘ

Nov 27, 2022 – 06:04 AM EST

PDB ID : 6OKK  
EMDB ID : EMD-2660  
Title : Cryo-EM structure of the Plasmodium falciparum 80S ribosome bound to the anti-protozoan drug emetine, small subunit  
Authors : Wong, W.; Scheres, S.H.W.  
Deposited on : 2019-04-13  
Resolution : 3.30 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	2092	31% (Poor fit) 53% (0 outliers), 24% (1 outlier), 23% (2+ outliers)
2	B	262	47% (Poor fit) 63% (0 outliers), 15% (1 outlier), 20% (2+ outliers)
3	C	263	57% (Poor fit) 63% (0 outliers), 11% (1 outlier), 26% (2+ outliers)
4	D	221	71% (Poor fit) 63% (0 outliers), 8% (1 outlier), 29% (2+ outliers)
5	E	189	52% (Poor fit) 84% (0 outliers), 14% (1 outlier), 2% (2+ outliers)
6	F	261	50% (Poor fit) 82% (0 outliers), 16% (1 outlier), 2% (2+ outliers)
7	G	272	35% (Poor fit) 69% (0 outliers), 13% (1 outlier), 18% (2+ outliers)
8	H	306	52% (Poor fit) 55% (0 outliers), 11% (1 outlier), 33% (2+ outliers)

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	I	195	92% 75% 16% 8%
10	J	194	76% 84% 11%
11	K	130	31% 78% 18%
12	L	218	26% 67% 11% 21%
13	M	144	96% 87% 9%
14	N	118	82% 64% 15% 17%
15	O	137	58% 49% 9% 42%
16	P	151	42% 72% 10% 16%
17	Q	145	39% 89% 10%
18	R	141	70% 64% 6% 30%
19	S	156	82% 67% 15% 18%
20	T	54	89% 78% 11% 11%
21	U	151	47% 81% 18%
22	V	161	29% 71% 16% 9%
23	W	137	69% 57% 12% 31%
24	X	145	66% 57% 9% 34%
25	Y	170	91% 76% 14% 9%
26	Z	82	65% 71% 16% 12%
27	a	133	55% 76% 14% 10%
28	b	105	39% 34% 5% 61%
29	c	107	40% 76% 13% 11%
30	d	82	63% 76% 16% 7%
31	e	67	84% 81% 6% 13%
32	f	58	50% 64% 10% 26%
33	g	74	89% 59% 41%

## 2 Entry composition

There are 36 unique types of molecules in this entry. The entry contains 68866 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 18S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
1	A	1608	34277	15347	6109	11213	1608	0	0

- Molecule 2 is a protein called 40S ribosomal protein S3a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	210	1713	1097	301	303	12	0	0

- Molecule 3 is a protein called 40S ribosomal protein SA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	C	195	1538	990	266	273	9	0	0

- Molecule 4 is a protein called 40S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	D	157	1228	782	225	214	7	0	0

- Molecule 5 is a protein called 40S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	E	185	1508	959	287	260	2	0	0

- Molecule 6 is a protein called 40S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	F	257	2061	1320	377	356	8	0	0

- Molecule 7 is a protein called 40S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	G	224	1757	1132	307	309	9	0	0

- Molecule 8 is a protein called 40S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	H	204	1644	1042	313	283	6	0	0

- Molecule 9 is a protein called 40S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	I	180	1424	893	263	258	10	0	0

- Molecule 10 is a protein called 40S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	J	188	1528	982	264	278	4	0	0

- Molecule 11 is a protein called 40S ribosomal protein S15A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	K	129	1037	665	189	178	5	0	0

- Molecule 12 is a protein called 40S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	L	172	1392	878	266	244	4	0	0

- Molecule 13 is a protein called 40S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	M	138	1098	704	200	193	1	0	0

- Molecule 14 is a protein called 40S ribosomal protein S20e.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	N	98	Total	C	N	O	S	0	0
			772	484	135	148	5		

- Molecule 15 is a protein called 40S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	O	79	Total	C	N	O	S	0	0
			686	450	116	118	2		

- Molecule 16 is a protein called 40S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	P	127	Total	C	N	O	S	0	0
			953	591	184	175	3		

- Molecule 17 is a protein called 40S ribosomal protein S23.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	Q	144	Total	C	N	O	S	0	0
			1129	712	222	193	2		

- Molecule 18 is a protein called 40S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	R	98	Total	C	N	O	S	0	0
			746	474	123	145	4		

- Molecule 19 is a protein called 40S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	S	128	Total	C	N	O	S	0	0
			1042	655	204	179	4		

- Molecule 20 is a protein called 40S ribosomal protein S29.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	T	48	Total	C	N	O	S	0	0
			404	252	85	63	4		

- Molecule 21 is a protein called 40S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	U	149	1202	769	220	210	3	0	0

- Molecule 22 is a protein called 40S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	V	146	1206	772	227	200	7	0	0

- Molecule 23 is a protein called 40S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	W	95	785	498	149	135	3	0	0

- Molecule 24 is a protein called 40S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	X	96	776	497	137	138	4	0	0

- Molecule 25 is a protein called 40S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	Y	154	1266	811	239	214	2	0	0

- Molecule 26 is a protein called 40S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
26	Z	72	556	346	102	104	4	0	0

- Molecule 27 is a protein called 40S ribosomal protein S24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	a	120	981	629	188	162	2	0	0

- Molecule 28 is a protein called 40S ribosomal protein S25.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
28	b	41	320	208	56	56	0	0

- Molecule 29 is a protein called 40S ribosomal protein S26.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	c	95	781	478	169	128	6	0	0

- Molecule 30 is a protein called 40S ribosomal protein S27.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	d	76	586	368	102	107	9	0	0

- Molecule 31 is a protein called 40S ribosomal protein S28e.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
31	e	58	451	282	90	79	0	0

- Molecule 32 is a protein called 40S ribosomal protein S30.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
32	f	43	345	213	75	57	0	0

- Molecule 33 is a RNA chain called E-site tRNA.


Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
33	g	74	1571	702	275	521	73	0	0

- Molecule 34 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
			Total	Mg	
34	A	67	67	67	0

- Molecule 35 is emetine (three-letter code: 34G) (formula: C<sub>29</sub>H<sub>40</sub>N<sub>2</sub>O<sub>4</sub>).





Mol	Chain	Residues	Atoms				AltConf
35	P	1	Total	C	N	O	0
			35	29	2	4	


- Molecule 36 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		AltConf
36	T	1	Total	Zn	0
			1	1	


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: 18S ribosomal RNA









• Molecule 2: 40S ribosomal protein S3a




• Molecule 3: 40S ribosomal protein SA









• Molecule 4: 40S ribosomal protein S3




• Molecule 5: 40S ribosomal protein S9




• Molecule 6: 40S ribosomal protein S4







• Molecule 7: 40S ribosomal protein S5




• Molecule 8: 40S ribosomal protein S6





• Molecule 9: 40S ribosomal protein S5








• Molecule 10: 40S ribosomal protein S7




• Molecule 11: 40S ribosomal protein S15A





• Molecule 12: 40S ribosomal protein S8








• Molecule 13: 40S ribosomal protein S16





• Molecule 14: 40S ribosomal protein S20e




• Molecule 15: 40S ribosomal protein S10





• Molecule 16: 40S ribosomal protein S11










• Molecule 17: 40S ribosomal protein S23




• Molecule 18: 40S ribosomal protein S12




• Molecule 19: 40S ribosomal protein S18




• Molecule 20: 40S ribosomal protein S29




• Molecule 21: 40S ribosomal protein S15




• Molecule 22: 40S ribosomal protein S11




• Molecule 23: 40S ribosomal protein S17





• Molecule 24: 40S ribosomal protein S19








• Molecule 25: 40S ribosomal protein S19



• Molecule 26: 40S ribosomal protein S21




• Molecule 27: 40S ribosomal protein S24




• Molecule 28: 40S ribosomal protein S25









• Molecule 29: 40S ribosomal protein S26




• Molecule 30: 40S ribosomal protein S27




• Molecule 31: 40S ribosomal protein S28e




• Molecule 32: 40S ribosomal protein S30



• Molecule 33: E-site tRNA





## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	105247	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI POLARA 300	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	20	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	FEI FALCON II (4k x 4k)	Depositor
Maximum map value	0.962	Depositor
Minimum map value	-0.545	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.044	Depositor
Recommended contour level	0.18	Depositor
Map size (Å)	482.40002, 482.40002, 482.40002	wwPDB
Map dimensions	360, 360, 360	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.34, 1.34, 1.34	Depositor

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, 34G, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.35	3/38345 (0.0%)	0.75	16/59689 (0.0%)
2	B	0.46	0/1737	0.81	0/2321
3	C	0.43	0/1569	0.79	0/2129
4	D	0.46	0/1240	0.79	1/1652 (0.1%)
5	E	0.47	0/1532	0.87	0/2048
6	F	0.47	0/2097	0.80	1/2819 (0.0%)
7	G	0.48	0/1799	0.78	0/2429
8	H	0.43	0/1661	0.77	0/2205
9	I	0.47	0/1443	0.86	0/1936
10	J	0.45	0/1544	0.78	0/2064
11	K	0.51	0/1054	0.92	1/1411 (0.1%)
12	L	0.51	0/1416	0.82	1/1890 (0.1%)
13	M	0.45	0/1113	0.71	0/1487
14	N	0.46	0/780	0.81	0/1053
15	O	0.48	0/705	0.73	0/950
16	P	0.47	0/965	0.88	1/1295 (0.1%)
17	Q	0.47	0/1149	0.80	0/1532
18	R	0.47	0/754	0.66	0/1013
19	S	0.48	0/1058	0.82	0/1420
20	T	0.42	0/411	0.72	0/544
21	U	0.45	0/1223	0.87	0/1634
22	V	0.50	0/1233	0.79	1/1645 (0.1%)
23	W	0.47	0/792	0.86	0/1053
24	X	0.49	0/787	0.81	0/1050
25	Y	0.46	0/1294	0.86	1/1742 (0.1%)
26	Z	0.44	0/564	0.78	0/758
27	a	0.49	0/994	0.86	0/1317
28	b	0.48	0/323	0.67	0/435
29	c	0.48	0/793	0.90	0/1055
30	d	0.45	0/597	0.73	0/801
31	e	0.40	0/452	0.64	0/599
32	f	0.42	0/348	0.80	0/458

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
33	g	0.24	0/1754	0.72	0/2732
All	All	0.41	3/73526 (0.0%)	0.77	23/107166 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	0	1
10	J	0	1
11	K	0	3
12	L	0	1
19	S	0	1
21	U	0	1
24	X	0	1
27	a	0	1
All	All	0	10

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	788	A	O3'-P	7.96	1.70	1.61
1	A	789	U	C1'-N1	6.92	1.59	1.48
1	A	788	A	C1'-N9	-5.25	1.39	1.46

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	788	A	P-O3'-C3'	-10.80	106.73	119.70
1	A	788	A	OP2-P-O3'	7.77	122.30	105.20
1	A	2053	U	C2'-C3'-O3'	7.75	126.56	109.50
1	A	850	G	C2'-C3'-O3'	7.70	126.44	109.50
1	A	1381	C	C2'-C3'-O3'	7.21	125.35	109.50
1	A	1386	U	C2'-C3'-O3'	7.16	125.24	109.50
1	A	525	G	C2'-C3'-O3'	6.75	124.50	113.70
1	A	291	A	C2'-C3'-O3'	6.45	124.02	113.70
1	A	465	G	C2'-C3'-O3'	6.32	123.81	113.70
1	A	246	A	C2'-C3'-O3'	6.21	123.64	113.70
25	Y	124	ARG	NE-CZ-NH2	5.75	123.18	120.30
1	A	338	U	O5'-P-OP1	-5.67	100.60	105.70
22	V	74	LEU	CA-CB-CG	5.57	128.12	115.30

*Continued on next page...*



Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	788	A	O3'-P-O5'	-5.51	93.53	104.00
4	D	106	LEU	CA-CB-CG	5.48	127.90	115.30
16	P	147	ARG	NE-CZ-NH2	5.36	122.98	120.30
12	L	56	ARG	NE-CZ-NH1	5.36	122.98	120.30
1	A	844	G	C2'-C3'-O3'	5.35	122.27	113.70
6	F	18	TRP	CA-CB-CG	5.27	123.72	113.70
1	A	1786	U	C2'-C3'-O3'	5.26	122.11	113.70
1	A	463	G	C2'-C3'-O3'	5.22	122.05	113.70
11	K	76	SER	C-N-CD	-5.10	109.38	120.60
1	A	434	A	C2'-C3'-O3'	5.03	121.75	113.70

There are no chirality outliers.

All (10) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	148	ASN	Peptide
10	J	132	SER	Peptide
11	K	27	ILE	Peptide
11	K	76	SER	Peptide
11	K	94	LEU	Peptide
12	L	164	LYS	Peptide
19	S	36	LYS	Peptide
21	U	104	LYS	Peptide
24	X	38	LYS	Peptide
27	a	118	LYS	Peptide

## 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	B	208/262 (79%)	169 (81%)	27 (13%)	12 (6%)	1	11
3	C	193/263 (73%)	163 (84%)	22 (11%)	8 (4%)	3	17
4	D	149/221 (67%)	129 (87%)	17 (11%)	3 (2%)	7	32
5	E	183/189 (97%)	159 (87%)	19 (10%)	5 (3%)	5	26
6	F	255/261 (98%)	217 (85%)	31 (12%)	7 (3%)	5	26
7	G	222/272 (82%)	195 (88%)	20 (9%)	7 (3%)	4	22
8	H	200/306 (65%)	173 (86%)	19 (10%)	8 (4%)	3	18
9	I	176/195 (90%)	153 (87%)	14 (8%)	9 (5%)	2	13
10	J	186/194 (96%)	160 (86%)	17 (9%)	9 (5%)	2	14
11	K	127/130 (98%)	104 (82%)	16 (13%)	7 (6%)	2	11
12	L	166/218 (76%)	134 (81%)	23 (14%)	9 (5%)	2	12
13	M	136/144 (94%)	116 (85%)	13 (10%)	7 (5%)	2	13
14	N	96/118 (81%)	83 (86%)	8 (8%)	5 (5%)	2	13
15	O	77/137 (56%)	66 (86%)	10 (13%)	1 (1%)	12	40
16	P	125/151 (83%)	103 (82%)	18 (14%)	4 (3%)	4	22
17	Q	142/145 (98%)	128 (90%)	13 (9%)	1 (1%)	22	54
18	R	92/141 (65%)	73 (79%)	13 (14%)	6 (6%)	1	9
19	S	126/156 (81%)	100 (79%)	17 (14%)	9 (7%)	1	7
20	T	46/54 (85%)	43 (94%)	2 (4%)	1 (2%)	6	30
21	U	147/151 (97%)	133 (90%)	10 (7%)	4 (3%)	5	26
22	V	142/161 (88%)	123 (87%)	9 (6%)	10 (7%)	1	7
23	W	91/137 (66%)	80 (88%)	7 (8%)	4 (4%)	2	16
24	X	92/145 (63%)	82 (89%)	6 (6%)	4 (4%)	2	16
25	Y	152/170 (89%)	134 (88%)	12 (8%)	6 (4%)	3	18
26	Z	70/82 (85%)	62 (89%)	3 (4%)	5 (7%)	1	7
27	a	118/133 (89%)	104 (88%)	9 (8%)	5 (4%)	3	17
28	b	35/105 (33%)	30 (86%)	5 (14%)	0	100	100
29	c	93/107 (87%)	80 (86%)	10 (11%)	3 (3%)	4	22
30	d	74/82 (90%)	48 (65%)	21 (28%)	5 (7%)	1	8
31	e	54/67 (81%)	50 (93%)	4 (7%)	0	100	100
32	f	41/58 (71%)	34 (83%)	4 (10%)	3 (7%)	1	7
All	All	4014/4955 (81%)	3428 (85%)	419 (10%)	167 (4%)	5	17

All (167) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	84	ILE
2	B	93	ASN
2	B	147	GLN
2	B	179	VAL
3	C	20	CYS
3	C	95	ALA
4	D	149	LYS
5	E	16	LYS
8	H	39	ASP
8	H	67	VAL
9	I	71	GLY
9	I	157	ILE
9	I	159	SER
10	J	57	LYS
10	J	132	SER
11	K	23	ARG
11	K	77	PRO
12	L	23	LYS
12	L	49	ARG
12	L	168	ILE
13	M	17	ALA
14	N	74	ASN
14	N	105	ILE
14	N	108	VAL
18	R	42	ILE
18	R	51	SER
18	R	65	GLU
18	R	66	PRO
18	R	86	VAL
19	S	133	VAL
21	U	146	ALA
22	V	41	VAL
25	Y	54	PRO
25	Y	67	LYS
25	Y	145	ARG
26	Z	30	GLY
30	d	19	LEU
30	d	81	ILE
32	f	24	LEU
3	C	199	ASP
5	E	134	ILE
5	E	137	GLY

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
5	E	146	PHE
6	F	187	HIS
6	F	231	ASN
8	H	66	GLY
9	I	42	HIS
9	I	174	GLU
10	J	4	VAL
10	J	157	SER
10	J	181	ARG
11	K	120	HIS
12	L	22	LYS
12	L	165	SER
13	M	40	VAL
13	M	41	GLU
13	M	139	TYR
14	N	102	SER
16	P	138	ASP
19	S	14	ILE
19	S	92	LEU
19	S	94	GLU
19	S	101	ILE
22	V	16	GLN
22	V	24	SER
22	V	101	ASN
22	V	130	GLN
23	W	17	VAL
23	W	67	ARG
23	W	69	ILE
24	X	112	ILE
25	Y	91	PRO
25	Y	109	GLY
26	Z	75	LYS
27	a	64	LEU
27	a	117	LYS
29	c	11	SER
29	c	60	SER
2	B	107	ARG
3	C	115	PHE
5	E	15	PRO
6	F	3	LYS
6	F	185	ALA
6	F	195	ILE

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
6	F	232	THR
7	G	120	ASN
7	G	148	LEU
8	H	110	ASN
9	I	70	HIS
9	I	158	LYS
10	J	105	GLN
10	J	112	ILE
11	K	4	MET
11	K	29	PRO
12	L	8	ARG
12	L	61	ASP
19	S	19	ASN
19	S	40	LYS
22	V	131	CYS
25	Y	142	LYS
27	a	34	SER
27	a	49	LYS
29	c	46	ASP
30	d	56	SER
2	B	82	LYS
3	C	30	GLU
3	C	99	ALA
7	G	162	ASP
8	H	179	VAL
9	I	16	TYR
9	I	68	MET
10	J	15	ASP
10	J	110	PHE
13	M	33	ASN
14	N	67	SER
15	O	35	GLU
16	P	139	SER
21	U	132	LYS
21	U	141	TYR
22	V	56	TYR
22	V	115	SER
26	Z	23	LEU
30	d	58	ASN
32	f	23	LYS
32	f	28	LYS
2	B	70	LEU

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
2	B	116	LYS
2	B	138	PHE
2	B	209	ASN
3	C	116	THR
3	C	143	VAL
4	D	143	LEU
6	F	30	LYS
7	G	212	SER
7	G	215	LYS
8	H	16	ILE
13	M	30	ILE
13	M	116	SER
16	P	65	ASP
18	R	122	PHE
19	S	28	VAL
20	T	9	PRO
21	U	61	PRO
22	V	155	ARG
23	W	26	LEU
24	X	49	ILE
24	X	87	PRO
24	X	116	LEU
26	Z	80	PHE
27	a	31	ASN
2	B	98	THR
2	B	146	ARG
7	G	157	GLY
16	P	144	SER
22	V	54	GLY
26	Z	81	GLN
30	d	69	CYS
8	H	25	LEU
11	K	107	PRO
12	L	170	PRO
17	Q	88	PRO
7	G	160	ILE
8	H	121	ILE
11	K	52	ILE
4	D	36	GLY
12	L	202	GLY
19	S	24	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	195/238 (82%)	158 (81%)	37 (19%)	1	6
3	C	167/227 (74%)	144 (86%)	23 (14%)	3	16
4	D	132/188 (70%)	119 (90%)	13 (10%)	8	29
5	E	160/167 (96%)	137 (86%)	23 (14%)	3	15
6	F	233/237 (98%)	194 (83%)	39 (17%)	2	10
7	G	191/222 (86%)	161 (84%)	30 (16%)	2	12
8	H	181/279 (65%)	151 (83%)	30 (17%)	2	10
9	I	154/165 (93%)	128 (83%)	26 (17%)	2	9
10	J	177/183 (97%)	156 (88%)	21 (12%)	5	21
11	K	115/116 (99%)	94 (82%)	21 (18%)	1	7
12	L	152/193 (79%)	136 (90%)	16 (10%)	7	25
13	M	116/122 (95%)	110 (95%)	6 (5%)	23	54
14	N	91/109 (84%)	70 (77%)	21 (23%)	1	3
15	O	76/129 (59%)	65 (86%)	11 (14%)	3	14
16	P	99/119 (83%)	83 (84%)	16 (16%)	2	10
17	Q	120/121 (99%)	106 (88%)	14 (12%)	5	21
18	R	83/121 (69%)	81 (98%)	2 (2%)	49	73
19	S	113/136 (83%)	99 (88%)	14 (12%)	4	19
20	T	43/48 (90%)	38 (88%)	5 (12%)	5	22
21	U	132/133 (99%)	110 (83%)	22 (17%)	2	10
22	V	131/144 (91%)	106 (81%)	25 (19%)	1	6
23	W	86/127 (68%)	73 (85%)	13 (15%)	3	13
24	X	88/130 (68%)	80 (91%)	8 (9%)	9	31
25	Y	137/151 (91%)	117 (85%)	20 (15%)	3	14
26	Z	60/70 (86%)	50 (83%)	10 (17%)	2	10
27	a	103/115 (90%)	89 (86%)	14 (14%)	3	16

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
28	b	35/88 (40%)	30 (86%)	5 (14%)	3	15
29	c	87/98 (89%)	76 (87%)	11 (13%)	4	19
30	d	70/76 (92%)	60 (86%)	10 (14%)	3	15
31	e	46/54 (85%)	42 (91%)	4 (9%)	10	34
32	f	36/47 (77%)	33 (92%)	3 (8%)	11	36
All	All	3609/4353 (83%)	3096 (86%)	513 (14%)	6	15

All (513) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	24	PHE
2	B	26	LYS
2	B	41	ARG
2	B	42	ASN
2	B	46	THR
2	B	49	THR
2	B	55	LYS
2	B	62	LYS
2	B	91	ILE
2	B	93	ASN
2	B	98	THR
2	B	104	SER
2	B	107	ARG
2	B	108	ASP
2	B	112	SER
2	B	115	ARG
2	B	120	LEU
2	B	126	ASP
2	B	127	VAL
2	B	129	THR
2	B	135	LEU
2	B	146	ARG
2	B	158	THR
2	B	163	LYS
2	B	165	ARG
2	B	173	THR
2	B	178	LYS
2	B	179	VAL
2	B	182	LYS
2	B	186	LYS

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
2	B	199	LYS
2	B	203	LYS
2	B	204	ILE
2	B	218	LEU
2	B	219	LYS
2	B	222	LYS
2	B	233	THR
3	C	16	LYS
3	C	20	CYS
3	C	29	LEU
3	C	40	ARG
3	C	50	LEU
3	C	58	GLN
3	C	63	ILE
3	C	65	VAL
3	C	67	ILE
3	C	79	ARG
3	C	81	PHE
3	C	88	LYS
3	C	117	GLU
3	C	123	VAL
3	C	127	ARG
3	C	140	ASN
3	C	165	LYS
3	C	167	LYS
3	C	168	GLU
3	C	169	SER
3	C	181	VAL
3	C	188	ILE
3	C	200	MET
4	D	16	VAL
4	D	17	PHE
4	D	25	LEU
4	D	65	ARG
4	D	67	ARG
4	D	107	ARG
4	D	108	TYR
4	D	128	MET
4	D	129	GLU
4	D	138	ILE
4	D	158	LEU
4	D	163	GLU

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
4	D	182	VAL
5	E	4	SER
5	E	7	ASN
5	E	16	LYS
5	E	37	LYS
5	E	46	GLN
5	E	62	LEU
5	E	65	LYS
5	E	69	ARG
5	E	78	ARG
5	E	81	VAL
5	E	102	PRO
5	E	112	LYS
5	E	135	ARG
5	E	139	GLN
5	E	141	VAL
5	E	142	ASP
5	E	143	ILE
5	E	148	VAL
5	E	151	ASP
5	E	161	THR
5	E	177	LEU
5	E	181	LYS
5	E	184	THR
6	F	3	LYS
6	F	5	ILE
6	F	9	LEU
6	F	18	TRP
6	F	38	LEU
6	F	39	LEU
6	F	44	LEU
6	F	59	ASP
6	F	65	LEU
6	F	72	VAL
6	F	75	LYS
6	F	77	ARG
6	F	92	ILE
6	F	93	THR
6	F	94	LYS
6	F	102	LEU
6	F	114	ILE
6	F	118	GLU

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
6	F	122	LYS
6	F	130	LEU
6	F	132	ARG
6	F	138	ILE
6	F	153	ASP
6	F	159	THR
6	F	161	ARG
6	F	166	THR
6	F	168	LYS
6	F	169	VAL
6	F	173	LEU
6	F	180	LEU
6	F	181	VAL
6	F	184	THR
6	F	191	ARG
6	F	204	THR
6	F	220	THR
6	F	231	ASN
6	F	252	ARG
6	F	254	ASN
6	F	255	ARG
7	G	41	TRP
7	G	53	GLU
7	G	76	ASP
7	G	98	VAL
7	G	101	GLN
7	G	103	ARG
7	G	106	GLN
7	G	123	CYS
7	G	146	LEU
7	G	147	SER
7	G	153	ARG
7	G	159	LYS
7	G	160	ILE
7	G	168	MET
7	G	173	LYS
7	G	177	VAL
7	G	178	ARG
7	G	181	LEU
7	G	182	VAL
7	G	190	ILE
7	G	196	THR

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
7	G	200	LEU
7	G	206	LYS
7	G	211	SER
7	G	217	LYS
7	G	219	LYS
7	G	224	ARG
7	G	230	LEU
7	G	242	TRP
7	G	244	VAL
8	H	1	MET
8	H	11	ASN
8	H	15	SER
8	H	29	GLU
8	H	36	VAL
8	H	40	SER
8	H	41	ILE
8	H	58	LYS
8	H	67	VAL
8	H	75	LEU
8	H	76	LEU
8	H	78	LYS
8	H	82	LYS
8	H	87	ARG
8	H	89	LYS
8	H	92	ARG
8	H	95	LYS
8	H	109	LEU
8	H	111	LEU
8	H	113	LEU
8	H	114	VAL
8	H	121	ILE
8	H	131	LYS
8	H	137	ARG
8	H	158	ILE
8	H	174	LYS
8	H	178	LEU
8	H	180	THR
8	H	183	ARG
8	H	184	LEU
9	I	10	LEU
9	I	12	LYS
9	I	14	TRP

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
9	I	16	TYR
9	I	21	ILE
9	I	29	CYS
9	I	35	LYS
9	I	52	PHE
9	I	54	LYS
9	I	63	LEU
9	I	72	ARG
9	I	79	LYS
9	I	100	LEU
9	I	107	VAL
9	I	108	GLN
9	I	117	THR
9	I	118	ARG
9	I	128	GLN
9	I	137	ARG
9	I	158	LYS
9	I	164	LEU
9	I	179	TYR
9	I	182	LYS
9	I	189	ARG
9	I	190	VAL
9	I	195	ARG
10	J	6	LYS
10	J	9	LEU
10	J	17	GLU
10	J	27	ILE
10	J	31	SER
10	J	47	CYS
10	J	57	LYS
10	J	67	LYS
10	J	74	ARG
10	J	94	LEU
10	J	112	ILE
10	J	113	ILE
10	J	115	ARG
10	J	132	SER
10	J	136	ILE
10	J	155	LEU
10	J	166	GLU
10	J	178	LYS
10	J	180	THR

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
10	J	181	ARG
10	J	188	LEU
11	K	9	ASP
11	K	13	THR
11	K	14	ILE
11	K	19	LYS
11	K	25	VAL
11	K	34	VAL
11	K	47	ILE
11	K	52	ILE
11	K	53	VAL
11	K	62	VAL
11	K	70	ASN
11	K	72	CYS
11	K	75	ILE
11	K	81	VAL
11	K	94	LEU
11	K	110	ILE
11	K	111	MET
11	K	112	ASP
11	K	115	GLU
11	K	120	HIS
11	K	130	PHE
12	L	8	ARG
12	L	10	LYS
12	L	13	LEU
12	L	17	LYS
12	L	49	ARG
12	L	59	LYS
12	L	84	ASN
12	L	98	LYS
12	L	106	SER
12	L	112	TRP
12	L	113	TYR
12	L	172	LEU
12	L	177	LYS
12	L	188	ARG
12	L	205	LEU
12	L	216	LYS
13	M	7	ARG
13	M	83	ARG
13	M	95	GLN

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
13	M	105	GLU
13	M	121	ASP
13	M	128	LYS
14	N	27	ASN
14	N	31	ILE
14	N	35	CYS
14	N	40	LYS
14	N	43	LYS
14	N	53	VAL
14	N	54	ARG
14	N	60	LEU
14	N	67	SER
14	N	73	THR
14	N	74	ASN
14	N	78	ARG
14	N	81	LEU
14	N	86	ARG
14	N	90	LEU
14	N	93	GLN
14	N	99	GLN
14	N	105	ILE
14	N	108	VAL
14	N	115	ILE
14	N	117	ASP
15	O	21	LEU
15	O	32	ILE
15	O	42	ARG
15	O	46	LEU
15	O	53	ILE
15	O	61	LYS
15	O	63	ARG
15	O	69	LYS
15	O	72	TRP
15	O	73	LYS
15	O	85	GLU
16	P	54	VAL
16	P	63	LYS
16	P	65	ASP
16	P	70	SER
16	P	72	TYR
16	P	85	LEU
16	P	93	ILE

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
16	P	98	ARG
16	P	103	THR
16	P	104	LYS
16	P	129	ILE
16	P	138	ASP
16	P	141	ARG
16	P	143	LYS
16	P	146	ARG
16	P	147	ARG
17	Q	5	LYS
17	Q	9	LEU
17	Q	19	ARG
17	Q	84	THR
17	Q	93	LEU
17	Q	94	ASN
17	Q	96	ILE
17	Q	97	ASP
17	Q	104	VAL
17	Q	107	PHE
17	Q	116	ASP
17	Q	126	LYS
17	Q	132	LEU
17	Q	135	LEU
18	R	59	LEU
18	R	96	TRP
19	S	21	ASN
19	S	22	VAL
19	S	32	LEU
19	S	41	ARG
19	S	72	ILE
19	S	79	PHE
19	S	81	ILE
19	S	87	ASN
19	S	91	ASP
19	S	98	ILE
19	S	111	GLU
19	S	115	ARG
19	S	117	LYS
19	S	129	TRP
20	T	17	ARG
20	T	28	ILE
20	T	30	ARG

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
20	T	38	ARG
20	T	39	GLN
21	U	3	ARG
21	U	11	ILE
21	U	16	LEU
21	U	22	GLN
21	U	27	LYS
21	U	29	LYS
21	U	33	ILE
21	U	38	ILE
21	U	65	SER
21	U	67	THR
21	U	71	ILE
21	U	72	LEU
21	U	88	LEU
21	U	91	LEU
21	U	106	LYS
21	U	107	LYS
21	U	119	GLU
21	U	121	LYS
21	U	127	ARG
21	U	133	LYS
21	U	134	LEU
21	U	149	LEU
22	V	17	GLU
22	V	36	ARG
22	V	39	LYS
22	V	64	THR
22	V	70	ARG
22	V	74	LEU
22	V	81	ASN
22	V	83	MET
22	V	85	ARG
22	V	87	ILE
22	V	90	ARG
22	V	97	VAL
22	V	101	ASN
22	V	102	ARG
22	V	114	CYS
22	V	121	LYS
22	V	125	ILE
22	V	127	THR

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
22	V	130	GLN
22	V	131	CYS
22	V	141	ASN
22	V	147	LYS
22	V	150	ILE
22	V	155	ARG
22	V	160	LEU
23	W	7	LYS
23	W	14	ARG
23	W	45	ARG
23	W	49	LYS
23	W	50	VAL
23	W	54	VAL
23	W	55	THR
23	W	57	LEU
23	W	61	ILE
23	W	62	GLN
23	W	78	ARG
23	W	81	ARG
23	W	82	LEU
24	X	33	LEU
24	X	40	ARG
24	X	42	ARG
24	X	46	GLN
24	X	52	LYS
24	X	72	LYS
24	X	80	LEU
24	X	107	ILE
25	Y	17	LEU
25	Y	36	LEU
25	Y	37	PHE
25	Y	48	HIS
25	Y	50	LYS
25	Y	52	THR
25	Y	62	THR
25	Y	67	LYS
25	Y	68	LEU
25	Y	79	ARG
25	Y	85	ARG
25	Y	98	LEU
25	Y	99	ARG
25	Y	101	GLN

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
25	Y	127	LEU
25	Y	143	LYS
25	Y	145	ARG
25	Y	148	THR
25	Y	150	LYS
25	Y	160	ARG
26	Z	11	ILE
26	Z	12	TYR
26	Z	15	ARG
26	Z	23	LEU
26	Z	48	LYS
26	Z	63	GLU
26	Z	68	LEU
26	Z	70	ARG
26	Z	76	LYS
26	Z	78	LEU
27	a	7	ILE
27	a	11	LYS
27	a	19	ARG
27	a	50	LEU
27	a	54	ASN
27	a	55	THR
27	a	78	LYS
27	a	86	PHE
27	a	98	ILE
27	a	107	ARG
27	a	112	LEU
27	a	113	LYS
27	a	117	LYS
27	a	120	ARG
28	b	36	LEU
28	b	41	PHE
28	b	70	VAL
28	b	97	SER
28	b	98	GLN
29	c	5	ARG
29	c	10	ARG
29	c	26	CYS
29	c	38	ARG
29	c	50	GLN
29	c	62	PHE
29	c	64	LEU

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
29	c	74	CYS
29	c	79	ILE
29	c	88	SER
29	c	93	ARG
30	d	15	LYS
30	d	17	HIS
30	d	18	LYS
30	d	20	LYS
30	d	34	LYS
30	d	60	MET
30	d	61	LEU
30	d	71	LEU
30	d	81	ILE
30	d	82	GLU
31	e	23	ILE
31	e	24	GLN
31	e	48	VAL
31	e	52	ASP
32	f	33	ARG
32	f	36	LYS
32	f	37	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
2	B	81	HIS
3	C	23	HIS
4	D	102	GLN
6	F	116	ASN
9	I	42	HIS
9	I	48	GLN
9	I	194	ASN
11	K	24	GLN
11	K	64	ASN
12	L	21	HIS
17	Q	94	ASN
21	U	101	HIS
23	W	31	ASN
27	a	52	ASN
27	a	54	ASN
30	d	7	ASN

5.3.3 RNA 

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A	1586/2092 (75%)	474 (29%)	71 (4%)
33	g	73/74 (98%)	30 (41%)	0
All	All	1659/2166 (76%)	504 (30%)	71 (4%)

All (504) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A	2	A
1	A	4	C
1	A	5	U
1	A	17	C
1	A	25	C
1	A	26	A
1	A	27	U
1	A	34	G
1	A	35	U
1	A	40	A
1	A	42	G
1	A	44	U
1	A	45	U
1	A	47	A
1	A	50	C
1	A	57	G
1	A	59	G
1	A	60	A
1	A	61	A
1	A	67	A
1	A	71	A
1	A	81	U
1	A	82	G
1	A	103	U
1	A	106	A
1	A	116	A
1	A	125	G
1	A	127	C
1	A	128	A
1	A	129	U
1	A	130	U
1	A	138	U
1	A	139	A
1	A	142	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	143	A
1	A	144	U
1	A	151	G
1	A	157	G
1	A	159	U
1	A	165	U
1	A	166	A
1	A	169	A
1	A	174	C
1	A	182	U
1	A	183	C
1	A	186	U
1	A	206	A
1	A	207	G
1	A	208	U
1	A	209	A
1	A	217	G
1	A	247	G
1	A	249	A
1	A	250	A
1	A	251	U
1	A	252	U
1	A	255	A
1	A	258	A
1	A	260	A
1	A	262	A
1	A	264	G
1	A	266	A
1	A	267	A
1	A	268	C
1	A	272	U
1	A	274	A
1	A	292	G
1	A	305	G
1	A	316	C
1	A	320	C
1	A	322	G
1	A	323	C
1	A	326	U
1	A	327	U
1	A	335	G
1	A	339	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	343	G
1	A	344	C
1	A	345	C
1	A	350	A
1	A	357	U
1	A	358	G
1	A	359	A
1	A	360	C
1	A	361	G
1	A	365	A
1	A	366	A
1	A	367	C
1	A	375	U
1	A	376	A
1	A	379	G
1	A	396	G
1	A	399	C
1	A	405	A
1	A	406	A
1	A	407	A
1	A	408	U
1	A	409	A
1	A	410	G
1	A	422	A
1	A	423	A
1	A	424	G
1	A	425	G
1	A	428	G
1	A	430	C
1	A	431	A
1	A	432	G
1	A	434	A
1	A	440	G
1	A	443	A
1	A	445	U
1	A	446	U
1	A	450	C
1	A	451	A
1	A	454	U
1	A	458	A
1	A	459	A
1	A	460	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	461	A
1	A	465	G
1	A	466	A
1	A	467	G
1	A	470	A
1	A	481	A
1	A	483	A
1	A	488	U
1	A	494	G
1	A	515	U
1	A	516	G
1	A	521	G
1	A	526	G
1	A	527	A
1	A	534	A
1	A	543	A
1	A	545	A
1	A	546	G
1	A	547	U
1	A	548	A
1	A	549	A
1	A	562	A
1	A	564	G
1	A	565	U
1	A	566	C
1	A	568	G
1	A	572	C
1	A	574	A
1	A	575	G
1	A	579	C
1	A	584	G
1	A	585	U
1	A	586	A
1	A	587	A
1	A	589	U
1	A	592	A
1	A	601	A
1	A	602	G
1	A	603	C
1	A	612	A
1	A	613	A
1	A	616	U

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	617	G
1	A	618	U
1	A	626	A
1	A	627	A
1	A	629	A
1	A	630	C
1	A	631	G
1	A	641	G
1	A	642	A
1	A	645	U
1	A	646	U
1	A	648	A
1	A	651	G
1	A	753	U
1	A	756	A
1	A	757	A
1	A	758	U
1	A	760	C
1	A	792	U
1	A	793	G
1	A	794	U
1	A	801	G
1	A	804	U
1	A	805	A
1	A	806	A
1	A	815	G
1	A	816	U
1	A	821	A
1	A	824	A
1	A	828	A
1	A	829	G
1	A	830	U
1	A	832	A
1	A	833	A
1	A	837	A
1	A	845	U
1	A	846	G
1	A	849	U
1	A	851	A
1	A	852	A
1	A	856	U
1	A	857	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	858	U
1	A	859	A
1	A	866	A
1	A	869	A
1	A	870	A
1	A	873	A
1	A	874	A
1	A	875	A
1	A	876	U
1	A	877	U
1	A	878	G
1	A	880	A
1	A	881	C
1	A	882	A
1	A	886	U
1	A	887	A
1	A	888	A
1	A	889	A
1	A	915	G
1	A	917	C
1	A	920	A
1	A	921	G
1	A	923	U
1	A	924	A
1	A	925	C
1	A	927	A
1	A	928	U
1	A	929	U
1	A	930	A
1	A	931	A
1	A	941	C
1	A	942	U
1	A	945	G
1	A	955	U
1	A	967	A
1	A	972	U
1	A	978	U
1	A	981	U
1	A	982	A
1	A	983	G
1	A	984	A
1	A	990	U

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	998	A
1	A	1002	A
1	A	1003	C
1	A	1004	U
1	A	1011	G
1	A	1013	A
1	A	1021	A
1	A	1029	U
1	A	1035	A
1	A	1036	A
1	A	1051	U
1	A	1054	G
1	A	1057	A
1	A	1061	A
1	A	1062	A
1	A	1065	C
1	A	1073	U
1	A	1074	A
1	A	1076	C
1	A	1079	C
1	A	1081	U
1	A	1090	C
1	A	1092	A
1	A	1093	U
1	A	1095	A
1	A	1097	C
1	A	1101	G
1	A	1108	A
1	A	1109	G
1	A	1112	G
1	A	1116	G
1	A	1119	G
1	A	1168	U
1	A	1175	G
1	A	1177	A
1	A	1183	U
1	A	1187	A
1	A	1192	A
1	A	1193	A
1	A	1194	A
1	A	1195	G
1	A	1197	C

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	1198	U
1	A	1199	U
1	A	1200	U
1	A	1209	G
1	A	1210	G
1	A	1227	G
1	A	1230	A
1	A	1239	A
1	A	1244	A
1	A	1247	G
1	A	1251	G
1	A	1254	G
1	A	1255	G
1	A	1259	C
1	A	1260	C
1	A	1261	A
1	A	1265	G
1	A	1268	G
1	A	1286	U
1	A	1291	C
1	A	1293	C
1	A	1294	A
1	A	1295	A
1	A	1297	A
1	A	1300	G
1	A	1301	G
1	A	1302	G
1	A	1303	A
1	A	1304	A
1	A	1305	A
1	A	1308	C
1	A	1318	A
1	A	1319	G
1	A	1322	A
1	A	1366	A
1	A	1367	U
1	A	1374	G
1	A	1375	C
1	A	1382	G
1	A	1383	U
1	A	1384	U
1	A	1385	U

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	1386	U
1	A	1387	U
1	A	1388	A
1	A	1409	U
1	A	1415	A
1	A	1416	U
1	A	1422	U
1	A	1423	A
1	A	1431	A
1	A	1437	U
1	A	1441	C
1	A	1442	U
1	A	1443	G
1	A	1444	C
1	A	1445	U
1	A	1448	U
1	A	1450	A
1	A	1451	G
1	A	1453	G
1	A	1454	G
1	A	1456	G
1	A	1459	U
1	A	1607	U
1	A	1623	U
1	A	1625	C
1	A	1626	U
1	A	1635	C
1	A	1636	A
1	A	1644	U
1	A	1645	C
1	A	1646	U
1	A	1648	A
1	A	1649	C
1	A	1659	U
1	A	1660	U
1	A	1661	U
1	A	1664	G
1	A	1668	A
1	A	1673	A
1	A	1674	G
1	A	1677	C
1	A	1678	U

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	1679	G
1	A	1692	A
1	A	1693	U
1	A	1702	C
1	A	1705	C
1	A	1706	A
1	A	1715	A
1	A	1717	A
1	A	1718	C
1	A	1719	U
1	A	1720	G
1	A	1721	A
1	A	1723	A
1	A	1727	A
1	A	1728	U
1	A	1732	G
1	A	1735	U
1	A	1749	C
1	A	1787	U
1	A	1790	C
1	A	1792	U
1	A	1795	G
1	A	1796	C
1	A	1802	G
1	A	1806	U
1	A	1811	A
1	A	1812	A
1	A	1813	U
1	A	1814	C
1	A	1817	U
1	A	1818	A
1	A	1819	U
1	A	1820	C
1	A	1824	A
1	A	1830	C
1	A	1832	U
1	A	1833	G
1	A	1834	A
1	A	1835	U
1	A	1836	G
1	A	1837	G
1	A	1845	U

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	1854	U
1	A	1856	A
1	A	1861	U
1	A	1866	A
1	A	1868	C
1	A	1870	A
1	A	1871	G
1	A	1873	A
1	A	1881	G
1	A	1882	U
1	A	1887	A
1	A	1892	U
1	A	1898	G
1	A	1899	A
1	A	1902	G
1	A	1904	G
1	A	1907	G
1	A	1908	A
1	A	1911	A
1	A	1913	G
1	A	1916	C
1	A	1927	U
1	A	1928	A
1	A	1929	C
1	A	1937	C
1	A	1954	U
1	A	1955	G
1	A	1961	U
1	A	1962	A
1	A	1976	G
1	A	1977	G
1	A	1978	A
1	A	1979	C
1	A	1980	A
1	A	1981	A
1	A	1982	G
1	A	1987	A
1	A	2008	U
1	A	2012	G
1	A	2019	C
1	A	2020	G
1	A	2021	U

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	2028	U
1	A	2029	A
1	A	2034	U
1	A	2042	A
1	A	2045	A
1	A	2048	A
1	A	2049	G
1	A	2052	G
1	A	2054	A
1	A	2058	A
1	A	2060	G
1	A	2061	U
1	A	2065	C
1	A	2072	G
1	A	2074	A
1	A	2075	C
1	A	2084	G
1	A	2085	G
1	A	2086	A
1	A	2088	C
33	g	2	G
33	g	8	U
33	g	9	G
33	g	10	G
33	g	12	G
33	g	16	U
33	g	17	U
33	g	18	G
33	g	20	U
33	g	21	U
33	g	22	A
33	g	29	G
33	g	31	G
33	g	32	U
33	g	33	C
33	g	34	U
33	g	44	G
33	g	45	A
33	g	46	G
33	g	49	C
33	g	50	G
33	g	51	U

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
33	g	53	A
33	g	55	U
33	g	56	U
33	g	57	C
33	g	58	G
33	g	69	U
33	g	72	C
33	g	74	A

All (71) RNA pucker outliers are listed below:

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	25	C
1	A	39	A
1	A	44	U
1	A	60	A
1	A	105	A
1	A	116	A
1	A	127	C
1	A	138	U
1	A	142	G
1	A	156	A
1	A	206	A
1	A	246	A
1	A	250	A
1	A	251	U
1	A	267	A
1	A	291	A
1	A	358	G
1	A	406	A
1	A	423	A
1	A	427	A
1	A	431	A
1	A	544	G
1	A	546	G
1	A	614	A
1	A	752	U
1	A	793	G
1	A	805	A
1	A	815	G
1	A	844	G
1	A	850	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	858	U
1	A	877	U
1	A	919	U
1	A	923	U
1	A	930	A
1	A	981	U
1	A	983	G
1	A	1028	U
1	A	1100	U
1	A	1182	A
1	A	1183	U
1	A	1209	G
1	A	1259	C
1	A	1318	A
1	A	1381	C
1	A	1386	U
1	A	1423	A
1	A	1447	A
1	A	1448	U
1	A	1455	C
1	A	1645	C
1	A	1660	U
1	A	1672	C
1	A	1673	A
1	A	1692	A
1	A	1703	U
1	A	1786	U
1	A	1813	U
1	A	1818	A
1	A	1819	U
1	A	1834	A
1	A	1855	U
1	A	1865	G
1	A	1869	G
1	A	1870	A
1	A	1897	A
1	A	1898	G
1	A	1912	C
1	A	1976	G
1	A	1977	G
1	A	2053	U

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 69 ligands modelled in this entry, 68 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
35	34G	P	201	-	39,39,39	2.72	8 (20%)	51,56,56	2.03	15 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
35	34G	P	201	-	-	11/14/49/49	0/5/5/5

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
35	P	201	34G	CBC-CBG	-11.48	1.41	1.52
35	P	201	34G	CBD-CBH	-7.09	1.40	1.52
35	P	201	34G	CAM-CAX	-5.83	1.41	1.51
35	P	201	34G	CAL-CAW	-5.82	1.41	1.51
35	P	201	34G	CAK-CAL	2.59	1.57	1.50
35	P	201	34G	CAP-CBF	-2.51	1.47	1.53
35	P	201	34G	CAP-CBH	-2.32	1.50	1.53
35	P	201	34G	CAN-CAM	2.06	1.55	1.51

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
35	P	201	34G	CAE-OAV-CBB	-5.64	109.01	117.53
35	P	201	34G	CAD-OAU-CBA	-4.53	110.69	117.53
35	P	201	34G	CAL-CAK-NAR	4.46	115.22	109.04
35	P	201	34G	CAW-CBC-CBG	-4.40	117.11	121.63
35	P	201	34G	CAB-OAS-CAY	-3.63	112.05	117.53
35	P	201	34G	CAX-CBD-CBH	-3.38	117.67	121.57
35	P	201	34G	CAP-CBF-CBE	-3.35	104.98	110.55
35	P	201	34G	OAV-CBB-CAZ	2.90	119.45	115.41
35	P	201	34G	CAQ-NBI-CBH	2.69	114.04	110.12
35	P	201	34G	CBF-CAP-CBH	-2.65	106.81	111.84
35	P	201	34G	OAV-CBB-CAI	-2.47	119.88	124.12
35	P	201	34G	CAC-OAT-CAZ	-2.40	113.91	117.53
35	P	201	34G	CAI-CBD-CBH	2.38	122.96	119.39
35	P	201	34G	CAP-CBH-CBD	2.17	116.16	113.07
35	P	201	34G	CBF-CAO-CBG	-2.14	106.35	113.53

There are no chirality outliers.

All (11) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
35	P	201	34G	CBF-CAO-CBG-NAR
35	P	201	34G	CAY-CBA-OAU-CAD
35	P	201	34G	CBA-CAY-OAS-CAB
35	P	201	34G	CBB-CAZ-OAT-CAC
35	P	201	34G	CAH-CBA-OAU-CAD
35	P	201	34G	CAF-CAY-OAS-CAB
35	P	201	34G	CAG-CAZ-OAT-CAC
35	P	201	34G	CAI-CBB-OAV-CAE
35	P	201	34G	CAZ-CBB-OAV-CAE
35	P	201	34G	CAA-CAJ-CBE-CBF
35	P	201	34G	CBF-CAO-CBG-CBC

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be

highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-2660. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map



X Index: 180



Y Index: 180




Z Index: 180


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 201



Y Index: 183



Z Index: 187

The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal surface views [i](#)

### 6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.18. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

## 6.5 Mask visualisation


This section was not generated. No masks/segmentation were deposited.



## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is  $628 \text{ nm}^3$ ; this corresponds to an approximate mass of 567 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [i](#)



\*Reported resolution corresponds to spatial frequency of 0.303 Å<sup>-1</sup>


## 8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-2660 and PDB model 6OKK. Per-residue inclusion information can be found in section [3](#) on page [10](#).

### 9.1 Map-model overlay [i](#)



The images above show the 3D surface view of the map at the recommended contour level 0.18 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.18).





































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 41% of all backbone atoms, 36% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.18) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.3644	 0.3790
A	 0.4755	 0.4230
B	 0.3418	 0.4140
C	 0.2555	 0.3820
D	 0.0293	 0.2310
E	 0.4114	 0.4190
F	 0.4003	 0.4470
G	 0.4196	 0.4510
H	 0.2631	 0.3570
I	 0.0216	 0.1940
J	 0.1951	 0.3310
K	 0.4906	 0.4900
L	 0.4789	 0.4540
M	 0.0234	 0.2020
N	 0.0225	 0.1880
O	 0.0075	 0.1390
P	 0.4046	 0.4550
Q	 0.4394	 0.4680
R	 0.0000	 0.0500
S	 0.0118	 0.1580
T	 0.0515	 0.2420
U	 0.4271	 0.4530
V	 0.4945	 0.4920
W	 0.0395	 0.2040
X	 0.0039	 0.1120
Y	 0.0391	 0.2040
Z	 0.3028	 0.4060
a	 0.3463	 0.3870
b	 0.0158	 0.1430
c	 0.4477	 0.4660
d	 0.2892	 0.3760
e	 0.0368	 0.2170
f	 0.3012	 0.3950
g	 0.1426	 0.1840

