



# wwPDB X-ray Structure Validation Summary Report ⓘ

Aug 8, 2023 – 10:43 AM EDT

PDB ID : 1OND  
Title : THE CRYSTAL STRUCTURE OF THE 50S LARGE RIBOSOMAL SUB-UNIT FROM DEINOCOCCUS RADIODURANS COMPLEXED WITH TROLEANDOMYCIN MACROLIDE ANTIBIOTIC  
Authors : Berisio, R.; Schlunzen, F.; Harms, J.; Bashan, A.; Auerbach, T.; Baram, D.; Yonath, A.  
Deposited on : 2003-02-27  
Resolution : 3.40 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtrriage (Phenix) : 1.13  
EDS : 2.35  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1026 (3.48-3.32)
Clashscore	141614	1055 (3.48-3.32)
RNA backbone	3102	1006 (3.84-2.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Mol	Chain	Length	Quality of chain
1	0	2880	
2	Q	134	
3	Z	60	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	TAO	0	2881	-	X	X	-

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 59581 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 23S RIBOSOMAL RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
1	0	2765	59336	26469	10944	19159	2764	0	0	0


- Molecule 2 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	Trace
2	Q	130	Total	C	0	0	130
			130	130			

- Molecule 3 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	Trace
3	Z	58	Total	C	0	0	58
			58	58			

- Molecule 4 is TROLEANDOMYCIN (three-letter code: TAO) (formula:  $C_{41}H_{67}NO_{15}$ ).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
4	0	1	57	41	1	15	0	0

### 3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: 23S RIBOSOMAL RNA


Chain 0:  17% 62% 16% ..




A1603	A1604	A1605	U1608	G1609	A1610	A1611	A1612	A1613	A1614	A1615	G1616	A1617	A1619	A1620	A1621	A1622	A1623	A1624	A1625	A1626	A1627	G1628	G1629	A1630	A1631	A1632	A1633	A1634	G1635	G1636	G1637	A1638	A1639	G1640	A1641	A1642	A1643	A1644	A1645	A1646	A1647	A1648	A1649	A1650	A1651	A1652	A1653	A1654	C1655	C1656	A1657	A1658	C1661	C1662	C1663	C1664																																																																																																																																																																																																																																																																		
C1540	G1541	G1542	G1543	A1544	A1545	C1546	U1547	A1548	A1549	C1550	U1551	C1552	G	G1554	G1555	A1556	G1557	C1558	G1559	A1560	A1561	G1562	U1563	U1564	G1569	C1570	C1571	C1572	C1573	A1574	G1575	G1576	G1577	A1578	U1579	C1580	C1581	A1582	A1583	A1584	A1585	A1586	A1587	A1588	G1589	C1590	U1591	U1592	C1593	C1594	A1595	A1596	A1597	A1598	A1599	A1600	A1601	G1602																																																																																																																																																																																																																																																																
U1473	A1474	U1475	A1476	C1477	U1478	A1479	G1480	A1481	U1482	A1483	U1484	U1485	A1486	G1487	G1488	A1489	U1490	C1491	A1492	A1493	G1494	G1495	G1496	U1500	C1501	G1502	C1503	A1504	U1505	A1509	A1512	U1513	U1514	U1515	A1516	C1517	C1518	G1519	G1520	A1523	C1524	G1527	C1528	C1529	U1530	U1531	A1532	A1533	A1534	A1535	A1536	A1537	A1538	A1539	A1540	A1541	A1542	A1543	A1544	A1545	A1546	A1547	A1548	A1549	A1550	A1551	A1552	A1553	A1554	A1555	A1556	A1557	A1558	A1559	A1560	A1561	A1562	A1563	A1564	A1565	A1566	A1567	A1568	A1569	A1570	A1571	A1572	A1573	A1574	A1575	A1576	A1577	A1578	A1579	A1580	A1581	A1582	A1583	A1584	A1585	A1586	A1587	A1588	A1589	A1590	A1591	A1592	A1593	A1594	A1595	A1596	A1597	A1598	A1599	A1600	A1601	G1602																																																																																																																																																																																																					
U1409	U1410	C1411	C1412	C1418	U1419	A1420	U1421	U1422	A1423	U1424	U1425	U1426	U1427	U1428	U1429	U1430	U1431	U1432	U1433	U1434	U1435	U1436	A1437	U1438	U1439	U1440	U1441	U1442	U1443	U1444	U1445	U1446	U1447	U1448	U1449	U1450	U1451	U1452	U1453	U1454	U1455	U1456	U1457	U1458	U1459	U1460	U1461	U1462	U1463	U1464	U1465	U1466	U1467	U1468	U1469	U1470	U1471	U1472	U1473	U1474	U1475	U1476	U1477	U1478	U1479	U1480	U1481	U1482	U1483	U1484	U1485	U1486	U1487	U1488	U1489	U1490	U1491	U1492	U1493	U1494	U1495	U1496	U1497	U1498	U1499	U1500	U1501	U1502	U1503	U1504	U1505	U1506	U1507	U1508	U1509	U1510	U1511	U1512	U1513	U1514	U1515	U1516	U1517	U1518	U1519	U1520	U1521	U1522	U1523	U1524	U1525	U1526	U1527	U1528	U1529	U1530	U1531	U1532	U1533	U1534	U1535	U1536	U1537	U1538	U1539	U1540	U1541	U1542	U1543	U1544	U1545	U1546	U1547	U1548	U1549	U1550	U1551	U1552	U1553	U1554	U1555	U1556	U1557	U1558	U1559	U1560	U1561	U1562	U1563	U1564	U1565	U1566	U1567	U1568	U1569	U1570	U1571	U1572	U1573	U1574	U1575	U1576	U1577	U1578	U1579	U1580	U1581	U1582	U1583	U1584	U1585	U1586	U1587	U1588	U1589	U1590	U1591	U1592	U1593	U1594	U1595	U1596	U1597	U1598	U1599	U1600	U1601	U1602																																																																																																																														
C1346	C1347	C1348	A1349	C1350	G1351	G1352	A1353	A1354	A1355	G1356	U1357	G1358	G1359	A1362	C1363	C1364	U1365	A1366	A1367	G1368	G1369	U1370	G1371	A1372	G1373	G1374	C1375	A1376	A1377	A1378	A1379	C1380	G1381	G1382	G1383	G1384	C1385	A1386	G1387	A1388	C1389	G1390	A1391	U1392	G1393	A1397	G1398	C1399	U1400	A1401	G1402	U1403	C1404	A1405	A1406	A1407	U1408	U1409	U1410	U1411	U1412	U1413	U1414	U1415	U1416	U1417	U1418	U1419	U1420	U1421	U1422	U1423	U1424	U1425	U1426	U1427	U1428	U1429	U1430	U1431	U1432	U1433	U1434	U1435	U1436	U1437	U1438	U1439	U1440	U1441	U1442	U1443	U1444	U1445	U1446	U1447	U1448	U1449	U1450	U1451	U1452	U1453	U1454	U1455	U1456	U1457	U1458	U1459	U1460	U1461	U1462	U1463	U1464	U1465	U1466	U1467	U1468	U1469	U1470	U1471	U1472	U1473	U1474	U1475	U1476	U1477	U1478	U1479	U1480	U1481	U1482	U1483	U1484	U1485	U1486	U1487	U1488	U1489	U1490	U1491	U1492	U1493	U1494	U1495	U1496	U1497	U1498	U1499	U1500	U1501	U1502	U1503	U1504	U1505	U1506	U1507	U1508	U1509	U1510	U1511	U1512	U1513	U1514	U1515	U1516	U1517	U1518	U1519	U1520	U1521	U1522	U1523	U1524	U1525	U1526	U1527	U1528	U1529	U1530	U1531	U1532	U1533	U1534	U1535	U1536	U1537	U1538	U1539	U1540	U1541	U1542	U1543	U1544	U1545	U1546	U1547	U1548	U1549	U1550	U1551	U1552	U1553	U1554	U1555	U1556	U1557	U1558	U1559	U1560	U1561	U1562	U1563	U1564	U1565	U1566	U1567	U1568	U1569	U1570	U1571	U1572	U1573	U1574	U1575	U1576	U1577	U1578	U1579	U1580	U1581	U1582	U1583	U1584	U1585	U1586	U1587	U1588	U1589	U1590	U1591	U1592	U1593	U1594	U1595	U1596	U1597	U1598	U1599	U1600	U1601	U1602																																																															
U1285	U1286	A1287	A1288	A1289	A1290	G1291	A1292	A1293	G1294	U1295	U1296	A1297	G1298	A1299	A1300	U1301	C1302	U1303	U1304	C1305	U1306	U1307	C1308	C1309	C1310	C1311	C1312	U1313	U1314	U1315	C1316	C1317	C1318	C1319	A1320	G1322	G1323	G1324	U1325	U1326	C1327	U1328	U1329	G1332	G1333	A1334	A1335	G1336	G1337	U1338	U1339	C1340	C1341	U1342	U1343	U1344	U1345	U1346	U1347	U1348	U1349	U1350	U1351	U1352	U1353	U1354	U1355	U1356	U1357	U1358	U1359	U1360	U1361	U1362	U1363	U1364	U1365	U1366	U1367	U1368	U1369	U1370	U1371	U1372	U1373	U1374	U1375	U1376	U1377	U1378	U1379	U1380	U1381	U1382	U1383	U1384	U1385	U1386	U1387	U1388	U1389	U1390	U1391	U1392	U1393	U1394	U1395	U1396	U1397	U1398	U1399	U1400	U1401	U1402	U1403	U1404	U1405	U1406	U1407	U1408	U1409	U1410	U1411	U1412	U1413	U1414	U1415	U1416	U1417	U1418	U1419	U1420	U1421	U1422	U1423	U1424	U1425	U1426	U1427	U1428	U1429	U1430	U1431	U1432	U1433	U1434	U1435	U1436	U1437	U1438	U1439	U1440	U1441	U1442	U1443	U1444	U1445	U1446	U1447	U1448	U1449	U1450	U1451	U1452	U1453	U1454	U1455	U1456	U1457	U1458	U1459	U1460	U1461	U1462	U1463	U1464	U1465	U1466	U1467	U1468	U1469	U1470	U1471	U1472	U1473	U1474	U1475	U1476	U1477	U1478	U1479	U1480	U1481	U1482	U1483	U1484	U1485	U1486	U1487	U1488	U1489	U1490	U1491	U1492	U1493	U1494	U1495	U1496	U1497	U1498	U1499	U1500	U1501	U1502	U1503	U1504	U1505	U1506	U1507	U1508	U1509	U1510	U1511	U1512	U1513	U1514	U1515	U1516	U1517	U1518	U1519	U1520	U1521	U1522	U1523	U1524	U1525	U1526	U1527	U1528	U1529	U1530	U1531	U1532	U1533	U1534	U1535	U1536	U1537	U1538	U1539	U1540	U1541	U1542	U1543	U1544	U1545	U1546	U1547	U1548	U1549	U1550	U1551	U1552	U1553	U1554	U1555	U1556	U1557	U1558	U1559	U1560	U1561	U1562	U1563	U1564	U1565	U1566	U1567	U1568	U1569	U1570	U1571	U1572	U1573	U1574	U1575	U1576	U1577	U1578	U1579	U1580	U1581	U1582	U1583	U1584	U1585	U1586	U1587	U1588	U1589	U1590	U1591	U1592	U1593	U1594	U1595	U1596	U1597	U1598	U1599	U1600	U1601	U1602
G1222	G1223	A1224	G1225	A1226	G1227	G1228	C1229	A1230	A1231	U1232	A1233	C1234	C1235	A1238	G1241	A1242	G1243	U1244	G1245	G1246	U1247	G1248	G1249	A1250	G1251	C1252	C1253	G1254	A1255	C1256	U1257	G1258	U1259	A1260	G1261	U1262	G1263	G1265	C1266	U1267	U1268	G1269	C1270	C1271	G1272	G1273	C1274	U1275	U1276	G1277	A1278	G1279	U1280	A1281	G1284	U1285	U1286	U1287	U1288	U1289	U1290	U1291	U1292	U1293	U1294	U1295	U1296	U1297	U1298	U1299	U1300	U1301	U1302	U1303	U1304	U1305	U1306	U1307	U1308	U1309	U1310	U1311	U1312	U1313	U1314	U1315	U1316	U1317	U1318	U1319	U1320	U1321	U1322	U1323	U1324	U1325	U1326	U1327	U1328	U1329	U1330	U1331	U1332	U1333	U1334	U1335	U1336	U1337	U1338	U1339	U1340	U1341	U1342	U1343	U1344	U1345	U1346	U1347	U1348	U1349	U1350	U1351	U1352	U1353	U1354	U1355	U1356	U1357	U1358	U1359	U1360	U1361	U1362	U1363	U1364	U1365	U1366	U1367	U1368	U1369	U1370	U1371	U1372	U1373	U1374	U1375	U1376	U1377	U1378	U1379	U1380	U1381	U1382	U1383	U1384	U1385	U1386	U1387	U1388	U1389	U1390	U1391	U1392	U1393	U1394	U1395	U1396	U1397	U1398	U1399	U1400	U1401	U1402	U1403	U1404	U1405	U1406	U1407	U1408	U1409	U1410	U1411	U1412	U1413	U1414	U1415	U1416	U1417	U1418	U1419	U1420	U1421	U1422	U1423	U1424	U1425	U1426	U1427	U1428	U1429	U1430	U1431	U1432	U1433	U1434	U1435	U1436	U1437	U1438	U1439	U1440	U1441	U1442	U1443	U1444	U1445	U1446	U1447	U1448	U1449	U1450	U1451	U1452	U1453	U1454	U1455	U1456	U1457	U1458	U1459	U1460	U1461	U1462	U1463	U1464	U1465	U1466	U1467	U1468	U1469	U1470	U1471	U1472	U1473	U1474	U1475	U1476	U1477	U1478	U1479	U1480	U1481	U1482	U1483	U1484	U1485	U1486	U1487	U1488	U1489	U1490	U1491	U1492	U1493	U14																																																	








• Molecule 2: 50S ribosomal protein L22



• Molecule 3: 50S ribosomal protein L32



## 4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	170.25Å 411.09Å 695.34Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	8.00 – 3.40 20.02 – 3.40	Depositor EDS
% Data completeness (in resolution range)	(Not available) (8.00-3.40) 88.0 (20.02-3.40)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.62 (at 3.36Å)	Xtrriage
Refinement program	CNS	Depositor
R, $R_{free}$	0.261 , 0.310 0.352 , 0.353	Depositor DCC
$R_{free}$ test set	14435 reflections (4.96%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	69.2	Xtrriage
Anisotropy	0.502	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.13 , 23.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.44$ , $\langle L^2 \rangle = 0.27$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.75	EDS
Total number of atoms	59581	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	42.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.19% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: TAO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	0	0.83	17/66440 (0.0%)	0.75	34/103628 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	0	0	47

The worst 5 of 17 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	0	1549	C	N1-C2	11.30	1.51	1.40
1	0	1549	C	N3-C4	9.79	1.40	1.33
1	0	929	A	N1-C2	8.60	1.42	1.34
1	0	1149	G	C6-O6	-8.38	1.16	1.24
1	0	1549	C	C2-O2	7.25	1.30	1.24

The worst 5 of 34 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	0	2590	U	P-O3'-C3'	-9.16	108.70	119.70
1	0	633	G	N3-C2-N2	7.30	125.01	119.90
1	0	2591	C	OP1-P-OP2	-6.77	109.45	119.60
1	0	2428	U	N1-C1'-C2'	6.61	122.60	114.00
1	0	459	A	N9-C1'-C2'	6.53	122.49	114.00

There are no chirality outliers.

5 of 47 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	0	211	U	Sidechain
1	0	343	A	Sidechain
1	0	470	U	Sidechain
1	0	491	A	Sidechain
1	0	82	G	Sidechain

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	0	59336	0	29907	3024	0
2	Q	130	0	0	0	0
3	Z	58	0	0	4	0
4	0	57	0	67	22	0
All	All	59581	0	29974	3039	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 34.

The worst 5 of 3039 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:0:2881:TAO:C31	4:0:2881:TAO:C26	1.82	1.56
4:0:2881:TAO:O18	4:0:2881:TAO:C24	1.65	1.41
1:0:2058:U:H1'	1:0:2576:G:H21	1.09	1.17
1:0:1458:A:H3'	1:0:1459:U:C5'	1.74	1.17
1:0:362:C:H2'	1:0:363:G:H4'	1.29	1.15

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

There are no protein backbone outliers to report in this entry.

### 5.3.2 Protein sidechains [i](#)

There are no protein residues with a non-rotameric sidechain to report in this entry.

### 5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	0	2755/2880 (95%)	523 (18%)	52 (1%)

5 of 523 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	0	13	A
1	0	35	G
1	0	45	C
1	0	48	A
1	0	49	U

5 of 52 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	0	1634	A
1	0	2005	U
1	0	2633	A
1	0	1651	U
1	0	1820	G

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	TAO	0	2881	-	59,60,60	4.30	35 (59%)	77,89,89	4.28	48 (62%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	TAO	0	2881	-	-	45/77/113/113	1/4/4/4

The worst 5 of 35 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	0	2881	TAO	C31-C26	11.80	1.82	1.55
4	0	2881	TAO	O11-C9	10.13	1.60	1.44
4	0	2881	TAO	O11-C15	9.06	1.55	1.35
4	0	2881	TAO	C31-C27	8.79	1.71	1.51
4	0	2881	TAO	O18-C24	8.52	1.65	1.41

The worst 5 of 48 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	0	2881	TAO	O23-C27-C31	11.74	137.34	111.56
4	0	2881	TAO	C16-C12-C17	-11.23	97.66	112.18
4	0	2881	TAO	C26-C31-C27	11.18	132.86	110.01
4	0	2881	TAO	O18-C14-C19	9.77	119.99	108.22
4	0	2881	TAO	C16-C12-C9	-8.26	96.58	111.40

There are no chirality outliers.

5 of 45 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	0	2881	TAO	C56-C55-O54-C51
4	0	2881	TAO	C31-C26-O30-C36
4	0	2881	TAO	C19-C26-O30-C36
4	0	2881	TAO	C31-C27-O23-C17

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
4	0	2881	TAO	O32-C27-O23-C17


All (1) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	0	2881	TAO	C10-C12-C14-C17-C19-C2-C26-C27-C3-C31-C4-C7-C9-O23

1 monomer is involved in 22 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	0	2881	TAO	22	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains

Unable to reproduce the depositors R factor - this section is therefore empty.


### 6.3 Carbohydrates

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.4 Ligands

Unable to reproduce the depositors R factor - this section is therefore empty.

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.5 Other polymers [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.