



# wwPDB X-ray Structure Validation Summary Report ⓘ

Sep 6, 2023 – 11:35 am BST

PDB ID : 8ONH  
Title : Variant Surface Glycoprotein VSG11wt-Oil  
Authors : Zeelen, J.P.; Stebbins, C.E.; Foti, K.; Gkeka, A.; Vlachou, E.P.  
Deposited on : 2023-04-03  
Resolution : 2.59 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.35  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.59 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	410	 77% 12% • 11%
1	B	410	 78% 10% • 11%
1	C	410	 74% 14% • 11%
1	D	410	 64% 13% • 22%
1	E	410	 54% 15% 30%

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	410	
1	G	410	
1	H	410	
1	I	410	
1	J	410	
1	K	410	
1	L	410	
1	M	410	
1	N	410	
1	O	410	
1	P	410	
1	Q	410	
1	R	410	
2	S	6	
2	Z	6	
3	T	5	
4	U	3	
5	V	3	
5	X	3	
5	Y	3	
6	W	5	
6	c	5	
7	a	5	
7	b	5	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	NAG	V	1	-	-	-	X
5	NAG	V	2	-	-	-	X



## 2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 43982 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Variant surface glycoprotein.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	366	Total 2749	C 1699	N 490	O 547	S 13	0	0	0
1	B	366	Total 2704	C 1665	N 480	O 546	S 13	0	0	0
1	C	366	Total 2721	C 1679	N 485	O 544	S 13	0	0	0
1	D	321	Total 2332	C 1436	N 417	O 466	S 13	0	0	0
1	E	285	Total 2046	C 1250	N 363	O 421	S 12	0	0	0
1	F	282	Total 2044	C 1246	N 363	O 422	S 13	0	0	0
1	G	365	Total 2704	C 1672	N 475	O 544	S 13	0	0	0
1	H	287	Total 2057	C 1260	N 363	O 422	S 12	0	0	0
1	I	343	Total 2461	C 1517	N 433	O 500	S 11	0	0	0
1	J	366	Total 2741	C 1692	N 489	O 547	S 13	0	0	0
1	K	365	Total 2698	C 1668	N 478	O 539	S 13	0	0	0
1	L	358	Total 2660	C 1644	N 470	O 533	S 13	0	0	0
1	M	287	Total 2079	C 1270	N 372	O 425	S 12	0	0	0
1	N	353	Total 2618	C 1608	N 471	O 526	S 13	0	0	0
1	O	301	Total 2172	C 1332	N 382	O 445	S 13	0	0	0
1	P	261	Total 1882	C 1147	N 335	O 387	S 13	0	0	0

*Continued on next page...*

Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	Q	272	Total	C	N	O	S	0	0	0
			1967	1200	350	405	12			
1	R	310	Total	C	N	O	S	0	0	0
			2215	1363	390	449	13			

- Molecule 2 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	S	6	Total	C	N	O	0	0	0
			72	40	2	30			
2	Z	6	Total	C	N	O	0	0	0
			72	40	2	30			

- Molecule 3 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	T	5	Total	C	N	O	0	0	0
			61	34	2	25			

- Molecule 4 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
4	U	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 5 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
5	V	3	39	22	2	15	0	0	0
5	X	3	39	22	2	15	0	0	0
5	Y	3	39	22	2	15	0	0	0

- Molecule 6 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
6	W	5	61	34	2	25	0	0	0
6	c	5	61	34	2	25	0	0	0


- Molecule 7 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
7	a	5	61	34	2	25	0	0	0
7	b	5	61	34	2	25	0	0	0

- Molecule 8 is alpha-D-glucopyranose (three-letter code: GLC) (formula: C<sub>6</sub>H<sub>12</sub>O<sub>6</sub>) (labeled

as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	1	Total C O 11 6 5	0	0
8	B	1	Total C O 11 6 5	0	0
8	C	1	Total C O 11 6 5	0	0
8	D	1	Total C O 11 6 5	0	0
8	E	1	Total C O 11 6 5	0	0
8	F	1	Total C O 11 6 5	0	0
8	H	1	Total C O 11 6 5	0	0
8	I	1	Total C O 11 6 5	0	0
8	J	1	Total C O 11 6 5	0	0
8	K	1	Total C O 11 6 5	0	0
8	L	1	Total C O 11 6 5	0	0
8	M	1	Total C O 11 6 5	0	0
8	N	1	Total C O 11 6 5	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	O	1	Total	C	O	0	0
			11	6	5		
8	P	1	Total	C	O	0	0
			11	6	5		
8	Q	1	Total	C	O	0	0
			11	6	5		
8	R	1	Total	C	O	0	0
			11	6	5		

- Molecule 9 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula:  $C_8H_{15}NO_6$ ) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
9	E	1	Total	C	N	O	0	0
			14	8	1	5		
9	O	1	Total	C	N	O	0	0
			14	8	1	5		
9	Q	1	Total	C	N	O	0	0
			14	8	1	5		
9	R	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	53	Total	O	0	0
			53	53		

Continued on next page...

*Continued from previous page...*


<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
10	B	43	Total 43	O 43	0	0
10	C	28	Total 28	O 28	0	0
10	D	19	Total 19	O 19	0	0
10	E	4	Total 4	O 4	0	0
10	F	12	Total 12	O 12	0	0
10	J	51	Total 51	O 51	0	0
10	K	13	Total 13	O 13	0	0
10	L	15	Total 15	O 15	0	0
10	M	20	Total 20	O 20	0	0
10	N	19	Total 19	O 19	0	0
10	P	2	Total 2	O 2	0	0
10	R	5	Total 5	O 5	0	0

### 3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Variant surface glycoprotein

Chain A: 





- Molecule 1: Variant surface glycoprotein

Chain B: 




- Molecule 1: Variant surface glycoprotein

Chain C: 







● Molecule 1: Variant surface glycoprotein




● Molecule 1: Variant surface glycoprotein




● Molecule 1: Variant surface glycoprotein








● Molecule 1: Variant surface glycoprotein




● Molecule 1: Variant surface glycoprotein




SER  
ASN  
GLU  
GLN  
GLY  
LYS


- Molecule 1: Variant surface glycoprotein




- Molecule 1: Variant surface glycoprotein





- Molecule 1: Variant surface glycoprotein







• Molecule 1: Variant surface glycoprotein




• Molecule 1: Variant surface glycoprotein




• Molecule 1: Variant surface glycoprotein






● Molecule 1: Variant surface glycoprotein




● Molecule 1: Variant surface glycoprotein




● Molecule 1: Variant surface glycoprotein







● Molecule 1: Variant surface glycoprotein



● Molecule 2: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



● Molecule 2: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T:  20% 20% 60%



- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U:  33% 67%



- Molecule 5: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain V:  100%



- Molecule 5: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain X:  33% 67%



- Molecule 5: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Y:  33% 67%



- Molecule 6: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain W:  60% 20% 20%





- Molecule 6: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose

nose

Chain c:  100%

MAG1  
MAG2  
BMA3  
MAN4  
MAN5

• Molecule 7: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain a:  80%  20%

MAG1  
MAG2  
BMA3  
MAN4  
MAN5

• Molecule 7: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain b:  100%

MAG1  
MAG2  
BMA3  
MAN4  
MAN5

## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	131.88Å 210.77Å 133.75Å 90.00° 104.54° 90.00°	Depositor
Resolution (Å)	48.81 – 2.59 48.81 – 2.59	Depositor EDS
% Data completeness (in resolution range)	99.4 (48.81-2.59) 98.9 (48.81-2.59)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.13 (at 2.58Å)	Xtrriage
Refinement program	PHENIX 1.19.2_4158	Depositor
R, $R_{free}$	0.229 , 0.270 0.228 , 0.269	Depositor DCC
$R_{free}$ test set	10865 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	66.6	Xtrriage
Anisotropy	0.191	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.28 , 58.3	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.008 for l,-k,h	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	43982	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	95.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.14% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, BMA, MAN, GLC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.27	0/2793	0.50	0/3795
1	B	0.27	0/2747	0.50	0/3744
1	C	0.26	0/2765	0.49	0/3761
1	D	0.28	0/2359	0.51	0/3196
1	E	0.27	0/2069	0.49	0/2810
1	F	0.26	0/2066	0.49	0/2801
1	G	0.25	0/2748	0.48	0/3742
1	H	0.26	0/2081	0.50	0/2830
1	I	0.25	0/2489	0.49	0/3386
1	J	0.28	0/2784	0.51	0/3782
1	K	0.26	0/2742	0.50	0/3736
1	L	0.26	0/2701	0.48	0/3672
1	M	0.26	0/2103	0.50	0/2855
1	N	0.27	0/2655	0.50	0/3602
1	O	0.26	0/2196	0.50	0/2980
1	P	0.26	0/1901	0.49	0/2575
1	Q	0.25	0/1987	0.49	0/2693
1	R	0.26	0/2239	0.49	0/3042
All	All	0.26	0/43425	0.49	0/59002

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2749	0	2710	26	0
1	B	2704	0	2604	26	0
1	C	2721	0	2649	35	0
1	D	2332	0	2294	32	0
1	E	2046	0	1988	33	0
1	F	2044	0	1976	31	0
1	G	2704	0	2628	56	0
1	H	2057	0	1991	48	0
1	I	2461	0	2319	68	0
1	J	2741	0	2703	41	0
1	K	2698	0	2616	25	0
1	L	2660	0	2593	21	0
1	M	2079	0	2013	25	0
1	N	2618	0	2540	37	0
1	O	2172	0	2098	41	0
1	P	1882	0	1822	19	0
1	Q	1967	0	1916	30	0
1	R	2215	0	2143	17	0
2	S	72	0	61	1	0
2	Z	72	0	61	0	0
3	T	61	0	52	3	0
4	U	39	0	34	2	0
5	V	39	0	34	0	0
5	X	39	0	34	1	0
5	Y	39	0	34	2	0
6	W	61	0	52	2	0
6	c	61	0	52	0	0
7	a	61	0	52	0	0
7	b	61	0	52	0	0
8	A	11	0	10	0	0
8	B	11	0	10	0	0
8	C	11	0	10	0	0
8	D	11	0	10	0	0
8	E	11	0	10	0	0
8	F	11	0	10	0	0
8	H	11	0	10	0	0
8	I	11	0	10	0	0
8	J	11	0	10	0	0
8	K	11	0	10	0	0
8	L	11	0	10	0	0
8	M	11	0	10	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
8	N	11	0	10	0	0
8	O	11	0	10	0	0
8	P	11	0	10	0	0
8	Q	11	0	10	0	0
8	R	11	0	10	0	0
9	E	14	0	13	0	0
9	O	14	0	13	0	0
9	Q	14	0	13	0	0
9	R	14	0	13	0	0
10	A	53	0	0	2	0
10	B	43	0	0	0	0
10	C	28	0	0	0	0
10	D	19	0	0	0	0
10	E	4	0	0	0	0
10	F	12	0	0	0	0
10	J	51	0	0	0	0
10	K	13	0	0	0	0
10	L	15	0	0	0	0
10	M	20	0	0	0	0
10	N	19	0	0	0	0
10	P	2	0	0	0	0
10	R	5	0	0	0	0
All	All	43982	0	42343	575	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 575 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:52:THR:HG21	1:J:360:HIS:HE2	1.38	0.87
1:C:127:LEU:HB3	1:C:133:ALA:HB2	1.63	0.80
1:B:92:LEU:HD21	1:B:97:LEU:HG	1.63	0.79
1:G:64:ILE:HG22	1:G:378:LEU:HD23	1.70	0.73
1:M:162:THR:HA	1:M:165:GLU:HG2	1.71	0.73

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	364/410 (89%)	351 (96%)	12 (3%)	1 (0%)	41	64
1	B	364/410 (89%)	340 (93%)	21 (6%)	3 (1%)	19	39
1	C	364/410 (89%)	341 (94%)	23 (6%)	0	100	100
1	D	313/410 (76%)	297 (95%)	15 (5%)	1 (0%)	41	64
1	E	281/410 (68%)	254 (90%)	26 (9%)	1 (0%)	34	57
1	F	274/410 (67%)	253 (92%)	21 (8%)	0	100	100
1	G	363/410 (88%)	326 (90%)	33 (9%)	4 (1%)	14	30
1	H	283/410 (69%)	255 (90%)	23 (8%)	5 (2%)	8	16
1	I	323/410 (79%)	287 (89%)	32 (10%)	4 (1%)	13	27
1	J	364/410 (89%)	349 (96%)	14 (4%)	1 (0%)	41	64
1	K	363/410 (88%)	345 (95%)	17 (5%)	1 (0%)	41	64
1	L	354/410 (86%)	340 (96%)	13 (4%)	1 (0%)	41	64
1	M	281/410 (68%)	268 (95%)	13 (5%)	0	100	100
1	N	347/410 (85%)	329 (95%)	18 (5%)	0	100	100
1	O	293/410 (72%)	265 (90%)	28 (10%)	0	100	100
1	P	253/410 (62%)	237 (94%)	16 (6%)	0	100	100
1	Q	266/410 (65%)	246 (92%)	19 (7%)	1 (0%)	34	57
1	R	300/410 (73%)	282 (94%)	16 (5%)	2 (1%)	22	43
All	All	5750/7380 (78%)	5365 (93%)	360 (6%)	25 (0%)	34	57

5 of 25 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	162	THR
1	D	70	THR
1	E	208	ASN
1	G	134	GLY

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	G	318	CYS

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	288/330 (87%)	275 (96%)	13 (4%)	27	52
1	B	278/330 (84%)	267 (96%)	11 (4%)	31	57
1	C	281/330 (85%)	272 (97%)	9 (3%)	39	65
1	D	237/330 (72%)	226 (95%)	11 (5%)	27	51
1	E	211/330 (64%)	201 (95%)	10 (5%)	26	50
1	F	212/330 (64%)	203 (96%)	9 (4%)	30	55
1	G	280/330 (85%)	265 (95%)	15 (5%)	22	44
1	H	211/330 (64%)	200 (95%)	11 (5%)	23	46
1	I	243/330 (74%)	218 (90%)	25 (10%)	7	13
1	J	287/330 (87%)	283 (99%)	4 (1%)	67	85
1	K	277/330 (84%)	268 (97%)	9 (3%)	39	65
1	L	275/330 (83%)	270 (98%)	5 (2%)	59	80
1	M	215/330 (65%)	210 (98%)	5 (2%)	50	75
1	N	269/330 (82%)	256 (95%)	13 (5%)	25	49
1	O	222/330 (67%)	205 (92%)	17 (8%)	13	25
1	P	196/330 (59%)	188 (96%)	8 (4%)	30	56
1	Q	205/330 (62%)	199 (97%)	6 (3%)	42	68
1	R	223/330 (68%)	217 (97%)	6 (3%)	44	71
All	All	4410/5940 (74%)	4223 (96%)	187 (4%)	30	55

5 of 187 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	J	238	THR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	N	127	LEU
1	K	120	ASP
1	L	286	SER
1	O	67	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 7 such sidechains are listed below:

Mol	Chain	Res	Type
1	N	106	HIS
1	N	371	GLN
1	P	182	GLN
1	O	278	ASN
1	I	136	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

49 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	NAG	S	1	1,2	14,14,15	0.43	0	17,19,21	0.59	0
2	NAG	S	2	2	14,14,15	0.36	0	17,19,21	0.58	0
2	BMA	S	3	2	11,11,12	0.39	0	15,15,17	0.78	1 (6%)
2	MAN	S	4	2	11,11,12	0.21	0	15,15,17	0.59	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	MAN	S	5	2	11,11,12	0.40	0	15,15,17	0.69	0
2	MAN	S	6	2	11,11,12	0.63	0	15,15,17	0.77	1 (6%)
3	NAG	T	1	1,3	14,14,15	0.53	0	17,19,21	1.03	2 (11%)
3	NAG	T	2	3	14,14,15	0.40	0	17,19,21	0.91	1 (5%)
3	BMA	T	3	3	11,11,12	0.25	0	15,15,17	0.87	1 (6%)
3	MAN	T	4	3	11,11,12	0.41	0	15,15,17	0.66	0
3	MAN	T	5	3	11,11,12	0.37	0	15,15,17	0.62	0
4	NAG	U	1	1,4	14,14,15	0.51	0	17,19,21	0.82	1 (5%)
4	NAG	U	2	4	14,14,15	0.39	0	17,19,21	0.86	1 (5%)
4	BMA	U	3	4	11,11,12	0.28	0	15,15,17	0.69	0
5	NAG	V	1	5,1	14,14,15	0.34	0	17,19,21	0.56	0
5	NAG	V	2	5	14,14,15	0.42	0	17,19,21	0.53	0
5	BMA	V	3	5	11,11,12	0.29	0	15,15,17	0.63	0
6	NAG	W	1	1,6	14,14,15	0.57	0	17,19,21	1.07	2 (11%)
6	NAG	W	2	6	14,14,15	0.40	0	17,19,21	0.77	0
6	BMA	W	3	6	11,11,12	0.35	0	15,15,17	0.71	0
6	MAN	W	4	6	11,11,12	0.32	0	15,15,17	0.64	0
6	MAN	W	5	6	11,11,12	0.39	0	15,15,17	0.68	0
5	NAG	X	1	5,1	14,14,15	0.37	0	17,19,21	0.58	0
5	NAG	X	2	5	14,14,15	0.35	0	17,19,21	0.65	0
5	BMA	X	3	5	11,11,12	0.29	0	15,15,17	0.60	0
5	NAG	Y	1	5,1	14,14,15	0.38	0	17,19,21	0.62	0
5	NAG	Y	2	5	14,14,15	0.35	0	17,19,21	0.66	0
5	BMA	Y	3	5	11,11,12	0.29	0	15,15,17	0.64	0
2	NAG	Z	1	1,2	14,14,15	0.36	0	17,19,21	0.67	0
2	NAG	Z	2	2	14,14,15	0.34	0	17,19,21	0.58	0
2	BMA	Z	3	2	11,11,12	0.37	0	15,15,17	0.66	0
2	MAN	Z	4	2	11,11,12	0.30	0	15,15,17	0.63	0
2	MAN	Z	5	2	11,11,12	0.33	0	15,15,17	0.62	0
2	MAN	Z	6	2	11,11,12	0.29	0	15,15,17	0.64	0
7	NAG	a	1	1,7	14,14,15	0.34	0	17,19,21	0.65	0
7	NAG	a	2	7	14,14,15	0.30	0	17,19,21	0.60	0
7	BMA	a	3	7	11,11,12	0.26	0	15,15,17	0.83	0
7	MAN	a	4	7	11,11,12	0.25	0	15,15,17	0.62	0
7	MAN	a	5	7	11,11,12	1.51	2 (18%)	15,15,17	0.89	1 (6%)
7	NAG	b	1	1,7	14,14,15	0.33	0	17,19,21	0.61	0
7	NAG	b	2	7	14,14,15	0.30	0	17,19,21	0.60	0
7	BMA	b	3	7	11,11,12	0.23	0	15,15,17	0.63	0
7	MAN	b	4	7	11,11,12	0.39	0	15,15,17	0.68	0
7	MAN	b	5	7	11,11,12	0.22	0	15,15,17	0.64	0
6	NAG	c	1	1,6	14,14,15	0.53	0	17,19,21	0.87	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	NAG	c	2	6	14,14,15	0.54	0	17,19,21	0.69	0
6	BMA	c	3	6	11,11,12	0.48	0	15,15,17	0.78	0
6	MAN	c	4	6	11,11,12	0.39	0	15,15,17	0.69	0
6	MAN	c	5	6	11,11,12	0.27	0	15,15,17	0.64	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	S	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	S	2	2	-	2/6/23/26	0/1/1/1
2	BMA	S	3	2	-	0/2/19/22	0/1/1/1
2	MAN	S	4	2	-	0/2/19/22	0/1/1/1
2	MAN	S	5	2	-	0/2/19/22	0/1/1/1
2	MAN	S	6	2	-	0/2/19/22	0/1/1/1
3	NAG	T	1	1,3	-	4/6/23/26	0/1/1/1
3	NAG	T	2	3	-	2/6/23/26	0/1/1/1
3	BMA	T	3	3	-	0/2/19/22	0/1/1/1
3	MAN	T	4	3	-	1/2/19/22	0/1/1/1
3	MAN	T	5	3	-	2/2/19/22	0/1/1/1
4	NAG	U	1	1,4	-	1/6/23/26	0/1/1/1
4	NAG	U	2	4	-	2/6/23/26	0/1/1/1
4	BMA	U	3	4	-	0/2/19/22	0/1/1/1
5	NAG	V	1	5,1	-	2/6/23/26	0/1/1/1
5	NAG	V	2	5	-	2/6/23/26	0/1/1/1
5	BMA	V	3	5	-	1/2/19/22	0/1/1/1
6	NAG	W	1	1,6	-	4/6/23/26	0/1/1/1
6	NAG	W	2	6	-	3/6/23/26	0/1/1/1
6	BMA	W	3	6	-	2/2/19/22	0/1/1/1
6	MAN	W	4	6	-	0/2/19/22	0/1/1/1
6	MAN	W	5	6	-	0/2/19/22	0/1/1/1
5	NAG	X	1	5,1	-	2/6/23/26	0/1/1/1
5	NAG	X	2	5	-	3/6/23/26	0/1/1/1
5	BMA	X	3	5	-	0/2/19/22	0/1/1/1
5	NAG	Y	1	5,1	-	2/6/23/26	0/1/1/1
5	NAG	Y	2	5	-	0/6/23/26	0/1/1/1
5	BMA	Y	3	5	-	0/2/19/22	0/1/1/1

Continued on next page...



Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	Z	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	Z	2	2	-	0/6/23/26	0/1/1/1
2	BMA	Z	3	2	-	0/2/19/22	0/1/1/1
2	MAN	Z	4	2	-	0/2/19/22	0/1/1/1
2	MAN	Z	5	2	-	1/2/19/22	0/1/1/1
2	MAN	Z	6	2	-	0/2/19/22	0/1/1/1
7	NAG	a	1	1,7	-	0/6/23/26	0/1/1/1
7	NAG	a	2	7	-	2/6/23/26	0/1/1/1
7	BMA	a	3	7	-	2/2/19/22	0/1/1/1
7	MAN	a	4	7	-	0/2/19/22	0/1/1/1
7	MAN	a	5	7	-	1/2/19/22	0/1/1/1
7	NAG	b	1	1,7	-	2/6/23/26	0/1/1/1
7	NAG	b	2	7	-	0/6/23/26	0/1/1/1
7	BMA	b	3	7	-	0/2/19/22	0/1/1/1
7	MAN	b	4	7	-	0/2/19/22	0/1/1/1
7	MAN	b	5	7	-	0/2/19/22	0/1/1/1
6	NAG	c	1	1,6	-	2/6/23/26	0/1/1/1
6	NAG	c	2	6	-	4/6/23/26	0/1/1/1
6	BMA	c	3	6	-	2/2/19/22	0/1/1/1
6	MAN	c	4	6	-	0/2/19/22	0/1/1/1
6	MAN	c	5	6	-	2/2/19/22	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	a	5	MAN	O5-C1	4.06	1.50	1.43
7	a	5	MAN	C1-C2	2.71	1.58	1.52

The worst 5 of 11 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	W	1	NAG	O5-C1-C2	-2.43	107.45	111.29
3	T	2	NAG	O5-C1-C2	-2.42	107.47	111.29
3	T	1	NAG	C3-C4-C5	2.35	114.43	110.24
7	a	5	MAN	C1-C2-C3	2.35	112.55	109.67
4	U	2	NAG	O5-C1-C2	-2.33	107.60	111.29

There are no chirality outliers.

5 of 55 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	Y	1	NAG	C8-C7-N2-C2
5	Y	1	NAG	O7-C7-N2-C2
6	W	1	NAG	C1-C2-N2-C7
6	W	1	NAG	C8-C7-N2-C2
6	W	1	NAG	O7-C7-N2-C2


There are no ring outliers.


13 monomers are involved in 11 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	X	2	NAG	1	0
4	U	1	NAG	1	0
5	Y	1	NAG	1	0
4	U	2	NAG	1	0
5	X	3	BMA	1	0
6	W	1	NAG	1	0
5	Y	3	BMA	1	0
3	T	1	NAG	1	0
3	T	5	MAN	1	0
3	T	3	BMA	1	0
6	W	3	BMA	1	0
2	S	3	BMA	1	0
3	T	2	NAG	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.

























## 5.6 Ligand geometry [i](#)

21 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
9	NAG	R	501	1	14,14,15	0.30	0	17,19,21	0.55	0
8	GLC	J	501	1	11,11,12	0.83	0	15,15,17	0.61	0
8	GLC	D	501	1	11,11,12	0.79	0	15,15,17	0.62	0
8	GLC	P	501	1	11,11,12	0.83	0	15,15,17	0.64	0
8	GLC	R	502	1	11,11,12	0.83	0	15,15,17	0.61	0
8	GLC	L	501	1	11,11,12	0.76	0	15,15,17	0.59	0
8	GLC	O	501	1	11,11,12	0.80	0	15,15,17	0.75	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
8	GLC	F	501	1	11,11,12	0.72	0	15,15,17	0.68	0
8	GLC	C	501	1	11,11,12	0.73	0	15,15,17	0.60	0
8	GLC	H	501	1	11,11,12	0.79	0	15,15,17	0.75	0
9	NAG	E	502	1	14,14,15	0.50	0	17,19,21	0.57	0
8	GLC	I	501	1	11,11,12	0.82	0	15,15,17	0.63	0
8	GLC	E	501	1	11,11,12	0.80	0	15,15,17	0.61	0
8	GLC	N	501	1	11,11,12	0.74	0	15,15,17	0.62	0
8	GLC	B	501	1	11,11,12	0.74	0	15,15,17	0.62	0
8	GLC	Q	502	1	11,11,12	0.82	0	15,15,17	0.57	0
9	NAG	O	502	1	14,14,15	0.28	0	17,19,21	0.60	0
9	NAG	Q	501	1	14,14,15	0.36	0	17,19,21	0.56	0
8	GLC	K	501	1	11,11,12	0.83	0	15,15,17	0.61	0
8	GLC	A	501	1	11,11,12	0.78	0	15,15,17	0.62	0
8	GLC	M	501	1	11,11,12	0.80	0	15,15,17	0.61	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	NAG	R	501	1	-	3/6/23/26	0/1/1/1
8	GLC	J	501	1	-	0/2/19/22	0/1/1/1
8	GLC	D	501	1	-	0/2/19/22	0/1/1/1
8	GLC	P	501	1	-	0/2/19/22	0/1/1/1
8	GLC	R	502	1	-	0/2/19/22	0/1/1/1
8	GLC	L	501	1	-	0/2/19/22	0/1/1/1
8	GLC	O	501	1	-	0/2/19/22	0/1/1/1
8	GLC	F	501	1	-	0/2/19/22	0/1/1/1
8	GLC	C	501	1	-	0/2/19/22	0/1/1/1
8	GLC	H	501	1	-	1/2/19/22	0/1/1/1
9	NAG	E	502	1	-	0/6/23/26	0/1/1/1
8	GLC	I	501	1	-	0/2/19/22	0/1/1/1
8	GLC	E	501	1	-	0/2/19/22	0/1/1/1
8	GLC	N	501	1	-	0/2/19/22	0/1/1/1
8	GLC	B	501	1	-	0/2/19/22	0/1/1/1
8	GLC	Q	502	1	-	0/2/19/22	0/1/1/1
9	NAG	O	502	1	-	3/6/23/26	0/1/1/1
9	NAG	Q	501	1	-	2/6/23/26	0/1/1/1
8	GLC	K	501	1	-	0/2/19/22	0/1/1/1
8	GLC	A	501	1	-	0/2/19/22	0/1/1/1
8	GLC	M	501	1	-	0/2/19/22	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.



5 of 9 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
9	O	502	NAG	C3-C2-N2-C7
9	O	502	NAG	C8-C7-N2-C2
9	O	502	NAG	O7-C7-N2-C2
9	R	501	NAG	C8-C7-N2-C2
9	R	501	NAG	O7-C7-N2-C2


There are no ring outliers.

No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





















































## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	366/410 (89%)	0.10	1 (0%) 94 93	44, 61, 99, 114	0
1	B	366/410 (89%)	0.25	9 (2%) 57 51	45, 67, 132, 155	0
1	C	366/410 (89%)	0.31	14 (3%) 40 33	46, 72, 143, 173	0
1	D	321/410 (78%)	0.51	33 (10%) 6 4	51, 72, 141, 161	0
1	E	285/410 (69%)	0.51	17 (5%) 21 16	61, 98, 140, 148	0
1	F	282/410 (68%)	0.47	28 (9%) 7 5	58, 86, 152, 181	0
1	G	365/410 (89%)	0.59	26 (7%) 16 11	77, 106, 141, 153	0
1	H	287/410 (70%)	0.79	37 (12%) 3 2	96, 123, 148, 155	0
1	I	343/410 (83%)	1.26	87 (25%) 0 0	90, 136, 167, 185	0
1	J	366/410 (89%)	0.15	10 (2%) 54 48	44, 60, 118, 128	0
1	K	365/410 (89%)	0.29	17 (4%) 31 25	55, 83, 132, 143	0
1	L	358/410 (87%)	0.17	14 (3%) 39 32	52, 74, 138, 163	0
1	M	287/410 (70%)	0.36	20 (6%) 16 12	52, 71, 157, 166	0
1	N	353/410 (86%)	0.58	48 (13%) 3 1	55, 91, 154, 172	0
1	O	301/410 (73%)	0.72	42 (13%) 2 1	79, 125, 153, 178	0
1	P	261/410 (63%)	0.41	17 (6%) 18 14	67, 90, 144, 160	0
1	Q	272/410 (66%)	0.64	31 (11%) 5 3	73, 100, 162, 169	0
1	R	310/410 (75%)	0.53	30 (9%) 7 5	62, 82, 160, 171	0
All	All	5854/7380 (79%)	0.47	481 (8%) 11 8	44, 91, 151, 185	0

The worst 5 of 481 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	137	PRO	7.5
1	D	154	ALA	6.9
1	E	381	ALA	6.9

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	Q	154	ALA	6.5
1	R	152	ALA	5.7

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	BMA	U	3	11/12	0.37	0.22	112,134,140,145	0
5	BMA	V	3	11/12	0.55	0.23	141,154,162,163	0
5	BMA	Y	3	11/12	0.59	0.28	140,148,153,154	0
5	BMA	X	3	11/12	0.62	0.35	158,166,170,173	0
4	NAG	U	2	14/15	0.66	0.22	91,117,137,142	0
6	MAN	c	5	11/12	0.68	0.20	139,144,149,149	0
5	NAG	V	1	14/15	0.72	0.44	134,157,160,162	0
6	MAN	W	4	11/12	0.73	0.26	95,102,110,113	0
5	NAG	V	2	14/15	0.73	0.41	144,157,161,162	0
7	MAN	b	4	11/12	0.75	0.21	132,141,146,148	0
7	BMA	a	3	11/12	0.78	0.16	122,127,134,137	0
5	NAG	X	2	14/15	0.80	0.37	151,160,163,163	0
4	NAG	U	1	14/15	0.80	0.20	78,104,117,119	0
5	NAG	X	1	14/15	0.80	0.41	149,154,160,161	0
7	MAN	a	4	11/12	0.80	0.18	124,134,137,138	0
7	BMA	b	3	11/12	0.80	0.22	135,139,140,141	0
6	NAG	W	2	14/15	0.80	0.26	81,93,101,102	0
3	MAN	T	5	11/12	0.81	0.46	122,128,133,134	0
5	NAG	Y	1	14/15	0.81	0.18	113,124,130,130	0
6	NAG	c	1	14/15	0.82	0.21	132,137,141,144	0
3	MAN	T	4	11/12	0.83	0.18	119,125,130,132	0
6	NAG	W	1	14/15	0.84	0.22	77,84,97,97	0
2	MAN	Z	5	11/12	0.85	0.16	102,102,102,102	0
5	NAG	Y	2	14/15	0.85	0.49	123,136,142,148	0
6	MAN	c	4	11/12	0.86	0.21	142,146,150,151	0
7	MAN	a	5	11/12	0.86	0.14	126,131,132,133	0

*Continued on next page...*






*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
6	NAG	c	2	14/15	0.86	0.34	129,138,151,157	0
6	BMA	c	3	11/12	0.86	0.21	137,141,145,147	0
3	BMA	T	3	11/12	0.87	0.15	111,118,126,127	0
3	NAG	T	1	14/15	0.87	0.18	91,97,106,108	0
7	NAG	b	2	14/15	0.87	0.15	113,124,135,144	0
7	NAG	a	2	14/15	0.87	0.21	104,113,123,129	0
3	NAG	T	2	14/15	0.87	0.20	87,101,109,121	0
2	MAN	S	5	11/12	0.88	0.15	103,109,117,121	0
6	BMA	W	3	11/12	0.88	0.17	95,99,103,104	0
2	BMA	S	3	11/12	0.88	0.13	73,87,92,93	0
2	NAG	Z	2	14/15	0.91	0.17	67,83,89,90	0
7	NAG	a	1	14/15	0.91	0.15	92,104,110,113	0
7	NAG	b	1	14/15	0.91	0.11	101,113,122,123	0
2	MAN	Z	6	11/12	0.93	0.13	78,79,86,92	0
6	MAN	W	5	11/12	0.93	0.20	93,98,106,108	0
2	MAN	Z	4	11/12	0.93	0.13	77,86,98,99	0
2	MAN	S	6	11/12	0.93	0.09	83,88,99,99	0
7	MAN	b	5	11/12	0.93	0.44	132,134,139,143	0
2	MAN	S	4	11/12	0.94	0.14	77,90,95,101	0
2	BMA	Z	3	11/12	0.94	0.12	74,83,86,93	0
2	NAG	Z	1	14/15	0.94	0.15	75,84,87,91	0
2	NAG	S	2	14/15	0.95	0.13	58,78,84,86	0
2	NAG	S	1	14/15	0.96	0.14	69,75,82,85	0




The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around Chain S:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around Chain Z:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain T:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around Chain U:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain V:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around Chain X:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around Chain Y:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around Chain W:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around Chain c:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
9	NAG	E	502	14/15	0.54	0.37	127,138,144,147	0
9	NAG	Q	501	14/15	0.56	0.39	152,161,166,168	0
8	GLC	I	501	11/12	0.60	0.34	156,161,168,168	0
9	NAG	R	501	14/15	0.70	0.38	160,164,169,172	0
9	NAG	O	502	14/15	0.77	0.21	120,140,144,144	0
8	GLC	O	501	11/12	0.86	0.18	103,115,118,122	0
8	GLC	Q	502	11/12	0.88	0.19	96,103,107,109	0
8	GLC	H	501	11/12	0.89	0.15	123,133,140,141	0
8	GLC	F	501	11/12	0.91	0.14	90,100,105,105	0
8	GLC	R	502	11/12	0.92	0.17	81,91,98,103	0
8	GLC	L	501	11/12	0.94	0.14	67,72,78,83	0


*Continued on next page...*



Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
8	GLC	N	501	11/12	0.94	0.12	84,86,92,93	0
8	GLC	E	501	11/12	0.94	0.11	90,93,98,104	0
8	GLC	P	501	11/12	0.95	0.12	83,90,94,96	0
8	GLC	K	501	11/12	0.96	0.10	65,74,78,78	0
8	GLC	A	501	11/12	0.96	0.11	49,59,71,71	0
8	GLC	M	501	11/12	0.96	0.15	74,80,86,94	0
8	GLC	D	501	11/12	0.96	0.12	73,79,83,84	0
8	GLC	C	501	11/12	0.97	0.16	58,61,65,68	0
8	GLC	B	501	11/12	0.97	0.12	54,59,66,71	0
8	GLC	J	501	11/12	0.97	0.11	56,60,66,68	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around NAG Q 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around GLC I 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around NAG R 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around NAG O 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around GLC O 501:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around GLC Q 502:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around GLC F 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)













**Electron density around GLC L 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around GLC N 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around GLC E 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around GLC P 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around GLC K 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

















**Electron density around GLC D 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around GLC C 501:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around GLC B 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.