



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 8, 2023 – 02:12 AM EDT

PDB ID : 1OX4
Title : TOWARDS UNDERSTANDING THE MECHANISM OF THE COMPLEX CYCLIZATION REACTION CATALYZED BY IMIDAZOLE GLYCEROPHOSPHATE SYNTHASE
Authors : Chaudhuri, B.N.; Smith, J.L.
Deposited on : 2003-04-01
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.35
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	555	 7% 77% 19% .
2	B	555	 4% 79% 18% ..

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 8572 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Imidazole glycerol phosphate synthase hisHF.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	534	4148	2640	694	799	15	0	0	0

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-3	GLY	-	cloning artifact	UNP P33734
A	-2	SER	-	cloning artifact	UNP P33734
A	-1	HIS	-	cloning artifact	UNP P33734

- Molecule 2 is a protein called Imidazole glycerol phosphate synthase hisHF.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	538	4194	2668	702	809	15	0	0	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-3	GLY	-	cloning artifact	UNP P33734
B	-2	SER	-	cloning artifact	UNP P33734
B	-1	HIS	-	cloning artifact	UNP P33734
B	83	CYD	CYS	modified residue	UNP P33734

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is NICKEL (II) ION (three-letter code: NI) (formula: Ni).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Ni	0	0
			1	1		
4	B	1	Total	Ni	0	0
			1	1		

- Molecule 5 is PYROPHOSPHATE 2- (three-letter code: POP) (formula: H₂O₇P₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total O P 9 7 2	0	0
5	B	1	Total O P 9 7 2	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	98	Total O 98 98	0	0
6	B	92	Total O 92 92	0	0


3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Imidazole glycerol phosphate synthase hisHF



- Molecule 2: Imidazole glycerol phosphate synthase hisHF



4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	98.50Å 112.00Å 115.30Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.50 73.96 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.8 (50.00-2.50) 99.7 (73.96-2.50)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	8.53 (at 2.48Å)	Xtrriage
Refinement program	CNS	Depositor
R, R_{free}	0.228 , 0.260 0.227 , 0.228	Depositor DCC
R_{free} test set	2256 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	35.5	Xtrriage
Anisotropy	0.583	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 43.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.27$	Xtrriage
Estimated twinning fraction	0.037 for -h,l,k	Xtrriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	8572	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.32% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CYD, NI, POP, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.36	0/4235	0.59	0/5729
2	B	0.37	0/4266	0.60	0/5770
All	All	0.37	0/8501	0.60	0/11499

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4148	0	4093	64	1
2	B	4194	0	4132	67	1
3	A	10	0	0	0	0
3	B	10	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	9	0	0	0	0
5	B	9	0	0	2	0
6	A	98	0	0	2	0
6	B	92	0	0	1	0
All	All	8572	0	8225	129	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (129) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:403:VAL:HG12	2:B:405:PRO:HD3	1.57	0.85
2:B:83:CYD:H32	2:B:84:VAL:HG22	1.58	0.85
1:A:403:VAL:HG12	1:A:405:PRO:HD3	1.57	0.84
1:A:278:LYS:HB2	1:A:279:PRO:HD3	1.72	0.70
2:B:278:LYS:HB2	2:B:279:PRO:HD3	1.75	0.69
2:B:21:ILE:HG22	2:B:26:TYR:HB2	1.79	0.65
1:A:21:ILE:HG22	1:A:26:TYR:HB2	1.81	0.63
2:B:83:CYD:H32	2:B:84:VAL:CG2	2.30	0.62
2:B:307:LEU:HD22	2:B:336:ILE:HD11	1.83	0.61
2:B:510:GLU:HG3	2:B:514:LYS:HD2	1.83	0.60
1:A:307:LEU:HD22	1:A:336:ILE:HD11	1.83	0.59
1:A:464:GLY:O	1:A:495:PRO:HD2	2.02	0.59
2:B:464:GLY:O	2:B:495:PRO:HD2	2.04	0.58
1:A:510:GLU:HG3	1:A:514:LYS:HD2	1.84	0.58
1:A:405:PRO:HB2	1:A:436:TYR:HB3	1.89	0.55
2:B:257:THR:HB	2:B:260:ASP:OD2	2.07	0.54
1:A:257:THR:HB	1:A:260:ASP:OD2	2.07	0.54
2:B:403:VAL:HG11	2:B:451:VAL:HG23	1.89	0.54
2:B:405:PRO:HB2	2:B:436:TYR:HB3	1.88	0.54
1:A:-3:GLY:HA3	2:B:425:TYR:CE2	2.43	0.53
1:A:499:SER:O	1:A:500:SER:HB2	2.06	0.53
2:B:146:VAL:HG13	2:B:146:VAL:O	2.08	0.53
1:A:146:VAL:O	1:A:146:VAL:HG13	2.09	0.53
2:B:231:TYR:HA	2:B:235:GLY:HA2	1.91	0.53
2:B:80:MET:HA	2:B:188:PHE:O	2.08	0.53
1:A:231:TYR:HA	1:A:235:GLY:HA2	1.91	0.53
2:B:18:THR:HG22	2:B:28:VAL:HG11	1.91	0.52
2:B:146:VAL:CG2	2:B:397:GLN:HB2	2.39	0.52
1:A:124:TRP:CE3	1:A:548:ARG:HD2	2.44	0.52
1:A:247:ARG:O	1:A:254:LEU:HA	2.09	0.52
2:B:70:ARG:O	2:B:74:GLU:HG3	2.09	0.52
1:A:70:ARG:O	1:A:74:GLU:HG3	2.09	0.52
2:B:499:SER:O	2:B:500:SER:HB2	2.08	0.52
1:A:521:LEU:C	1:A:521:LEU:HD23	2.30	0.52
2:B:245:ASP:HB3	2:B:299:ILE:HD11	1.92	0.52
2:B:291:ALA:HA	2:B:533:VAL:HG11	1.92	0.52
1:A:325:VAL:O	1:A:327:LEU:HD12	2.10	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:146:VAL:HG22	2:B:397:GLN:HB2	1.91	0.52
1:A:403:VAL:HG11	1:A:451:VAL:HG23	1.92	0.52
2:B:247:ARG:O	2:B:254:LEU:HA	2.10	0.52
1:A:245:ASP:HB3	1:A:299:ILE:HD11	1.92	0.51
2:B:285:LYS:O	2:B:289:GLN:HG3	2.10	0.51
1:A:169:ALA:HB3	1:A:181:ALA:HB3	1.93	0.51
2:B:169:ALA:HB3	2:B:181:ALA:HB3	1.93	0.51
1:A:285:LYS:O	1:A:289:GLN:HG3	2.11	0.51
2:B:371:ALA:O	2:B:374:TYR:HB3	2.12	0.50
1:A:18:THR:HG22	1:A:28:VAL:HG11	1.93	0.49
1:A:54:GLY:HA2	1:A:99:SER:OG	2.13	0.49
1:A:417:LYS:HE2	1:A:448:ASP:OD2	2.13	0.49
2:B:521:LEU:C	2:B:521:LEU:HD23	2.32	0.49
2:B:325:VAL:O	2:B:327:LEU:HD12	2.11	0.49
1:A:2:PRO:HB3	2:B:476:SER:HB2	1.95	0.49
2:B:451:VAL:HG12	6:B:1006:HOH:O	2.12	0.49
1:A:330:GLY:HA3	1:A:362:SER:HB3	1.95	0.48
1:A:371:ALA:O	1:A:374:TYR:HB3	2.13	0.48
2:B:248:THR:HG21	2:B:302:PHE:CD1	2.48	0.48
2:B:51:GLY:HA2	2:B:394:TYR:O	2.13	0.47
2:B:248:THR:HG21	2:B:302:PHE:CE1	2.49	0.47
1:A:164:ASP:HB3	1:A:166:TRP:HD1	1.79	0.47
2:B:417:LYS:HE2	2:B:448:ASP:OD2	2.15	0.47
1:A:417:LYS:HG3	1:A:418:ASN:N	2.30	0.47
2:B:164:ASP:HB3	2:B:166:TRP:HD1	1.80	0.47
2:B:303:ARG:HH11	2:B:303:ARG:HG3	1.79	0.47
1:A:540:LEU:HD22	1:A:545:LEU:HD12	1.97	0.47
1:A:291:ALA:HA	1:A:533:VAL:HG11	1.97	0.46
2:B:475:GLY:HA2	5:B:999:POP:O2	2.15	0.46
2:B:67:LYS:HB2	2:B:68:PRO:HD3	1.98	0.46
2:B:534:ASN:O	2:B:538:GLU:HG2	2.16	0.46
2:B:124:TRP:HB3	2:B:142:ARG:HB3	1.97	0.45
1:A:276:LEU:HD11	1:A:314:GLU:HG3	1.98	0.45
1:A:146:VAL:CG2	1:A:397:GLN:HB2	2.46	0.45
2:B:327:LEU:HD12	2:B:327:LEU:N	2.32	0.45
2:B:540:LEU:HD22	2:B:545:LEU:HD12	1.99	0.45
2:B:417:LYS:HG3	2:B:418:ASN:N	2.31	0.45
1:A:124:TRP:HB3	1:A:142:ARG:HB3	1.99	0.45
1:A:67:LYS:HB2	1:A:68:PRO:HD3	1.98	0.45
1:A:194:PRO:O	1:A:201:GLY:HA3	2.16	0.45
1:A:80:MET:HA	1:A:188:PHE:O	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:258:LYS:O	2:B:258:LYS:HG2	2.17	0.44
1:A:21:ILE:CG2	1:A:26:TYR:HB2	2.48	0.44
1:A:49:GLY:O	1:A:83:CYS:HB3	2.17	0.44
2:B:330:GLY:HA3	2:B:362:SER:HB3	1.99	0.44
1:A:327:LEU:HD12	1:A:327:LEU:N	2.33	0.43
2:B:524:GLY:HA3	5:B:999:POP:O1	2.18	0.43
1:A:117:LYS:HE3	1:A:173:TYR:O	2.18	0.43
1:A:436:TYR:CD2	1:A:484:LEU:HD13	2.54	0.43
1:A:484:LEU:O	1:A:488:VAL:HG23	2.18	0.43
1:A:258:LYS:O	1:A:258:LYS:HG2	2.17	0.43
2:B:436:TYR:CD2	2:B:484:LEU:HD13	2.54	0.43
1:A:402:SER:HA	1:A:467:LEU:HB3	2.00	0.43
1:A:66:GLU:HB3	6:A:1020:HOH:O	2.17	0.43
1:A:80:MET:HB2	1:A:208:PHE:CZ	2.54	0.43
2:B:21:ILE:CG2	2:B:26:TYR:HB2	2.48	0.43
1:A:120:PRO:HB3	1:A:148:SER:OG	2.19	0.43
2:B:83:CYD:HN11	2:B:397:GLN:HE22	1.66	0.43
2:B:124:TRP:CE3	2:B:548:ARG:HD2	2.54	0.43
1:A:213:SER:HB3	6:A:1027:HOH:O	2.20	0.42
1:A:534:ASN:O	1:A:538:GLU:HG2	2.20	0.42
1:A:255:VAL:HG12	1:A:278:LYS:HD2	2.00	0.42
1:A:330:GLY:CA	1:A:362:SER:HB3	2.49	0.42
2:B:120:PRO:HB3	2:B:148:SER:OG	2.20	0.42
2:B:255:VAL:HG12	2:B:278:LYS:HD2	2.02	0.42
1:A:65:PHE:C	1:A:68:PRO:HD2	2.40	0.42
2:B:410:VAL:HB	2:B:415:ASP:HB2	2.02	0.42
1:A:305:CYS:HA	1:A:306:PRO:HD3	1.73	0.41
2:B:65:PHE:C	2:B:68:PRO:HD2	2.40	0.41
1:A:7:ILE:HG13	1:A:45:LEU:HD11	2.01	0.41
1:A:50:VAL:HG12	1:A:51:GLY:N	2.35	0.41
1:A:248:THR:HG22	1:A:254:LEU:HD12	2.02	0.41
2:B:10:GLU:HA	2:B:355:ARG:HH12	1.85	0.41
2:B:194:PRO:O	2:B:201:GLY:HA3	2.19	0.41
2:B:484:LEU:O	2:B:488:VAL:HG23	2.19	0.41
2:B:22:GLU:HA	2:B:26:TYR:O	2.20	0.41
1:A:536:VAL:O	1:A:540:LEU:HG	2.20	0.41
2:B:248:THR:HG22	2:B:254:LEU:HD12	2.01	0.41
2:B:402:SER:HA	2:B:467:LEU:HB3	2.03	0.41
1:A:368:VAL:HG21	1:A:440:ILE:HG22	2.01	0.41
1:A:410:VAL:HB	1:A:415:ASP:HB2	2.03	0.41
2:B:368:VAL:HG21	2:B:440:ILE:HG22	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:83:CYS:O	1:A:87:GLN:HG3	2.20	0.41
1:A:257:THR:HG22	1:A:259:GLY:H	1.85	0.41
2:B:257:THR:HG22	2:B:259:GLY:H	1.85	0.41
2:B:536:VAL:O	2:B:540:LEU:HG	2.21	0.41
1:A:22:GLU:HA	1:A:26:TYR:O	2.21	0.40
2:B:133:LEU:HD23	2:B:133:LEU:HA	1.90	0.40
2:B:80:MET:HB2	2:B:208:PHE:CZ	2.57	0.40
1:A:238:ARG:HB3	1:A:512:PHE:CE2	2.57	0.40
2:B:83:CYD:HB2	2:B:84:VAL:H	1.63	0.40
2:B:439:THR:OG1	2:B:443:GLY:HA2	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:406:LYS:NZ	2:B:210:LYS:O[1_545]	2.19	0.01

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	528/555 (95%)	508 (96%)	18 (3%)	2 (0%)	34 54
2	B	533/555 (96%)	513 (96%)	19 (4%)	1 (0%)	47 68
All	All	1061/1110 (96%)	1021 (96%)	37 (4%)	3 (0%)	41 61

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	-2	SER
1	A	39	ILE
2	B	39	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	448/467 (96%)	440 (98%)	8 (2%)	59	81
2	B	451/466 (97%)	443 (98%)	8 (2%)	59	81
All	All	899/933 (96%)	883 (98%)	16 (2%)	59	81

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	37	PHE
1	A	55	HIS
1	A	100	THR
1	A	159	LYS
1	A	164	ASP
1	A	244	LEU
1	A	298	ASN
1	A	299	ILE
2	B	37	PHE
2	B	55	HIS
2	B	100	THR
2	B	159	LYS
2	B	164	ASP
2	B	244	LEU
2	B	298	ASN
2	B	299	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	298	ASN
2	B	298	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	CYD	B	83	2	13,15,16	1.34	1 (7%)	13,18,20	1.59	1 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CYD	B	83	2	-	6/15/17/19	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	83	CYD	O1-C2	4.04	1.28	1.21

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	83	CYD	CA-CB-SG	4.84	131.47	113.74

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	83	CYD	C-CA-CB-SG
2	B	83	CYD	C2-C1-SG-CB
2	B	83	CYD	C3-C4-C5-N1
2	B	83	CYD	C3-C4-C5-C6
2	B	83	CYD	C2-C3-C4-C5
2	B	83	CYD	N-CA-CB-SG

There are no ring outliers.

1 monomer is involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	83	CYD	4	0

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 2 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SO4	B	804	-	4,4,4	0.29	0	6,6,6	0.09	0
3	SO4	A	801	-	4,4,4	0.26	0	6,6,6	0.08	0
5	POP	A	998	-	6,8,8	1.32	0	13,13,13	1.87	5 (38%)
3	SO4	B	803	-	4,4,4	0.24	0	6,6,6	0.11	0
3	SO4	A	806	-	4,4,4	0.31	0	6,6,6	0.09	0
5	POP	B	999	-	6,8,8	1.42	0	13,13,13	1.91	5 (38%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	POP	A	998	-	-	3/6/6/6	-
5	POP	B	999	-	-	2/6/6/6	-

There are no bond length outliers.

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	998	POP	O5-P2-O	-3.78	91.95	104.64
5	B	999	POP	O5-P2-O	-3.56	92.69	104.64
5	A	998	POP	O-P2-O4	2.98	127.71	111.19
5	B	999	POP	P2-O-P1	2.93	142.87	132.83
5	B	999	POP	O-P2-O4	2.82	126.84	111.19
5	B	999	POP	O5-P2-O4	-2.73	100.00	110.68
5	A	998	POP	O5-P2-O4	-2.55	100.72	110.68
5	A	998	POP	P2-O-P1	2.48	141.33	132.83
5	B	999	POP	O6-P2-O4	2.47	120.34	110.68
5	A	998	POP	O6-P2-O4	2.43	120.20	110.68

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	998	POP	P2-O-P1-O2
5	A	998	POP	P2-O-P1-O3
5	B	999	POP	P2-O-P1-O3
5	B	999	POP	P2-O-P1-O1
5	A	998	POP	P2-O-P1-O1

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	999	POP	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	534/555 (96%)	0.32	39 (7%) 15 15	17, 36, 59, 81	0
2	B	537/555 (96%)	0.29	23 (4%) 35 38	18, 35, 59, 82	0
All	All	1071/1110 (96%)	0.30	62 (5%) 23 24	17, 35, 59, 82	0

All (62) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	339	VAL	6.1
2	B	302	PHE	6.1
2	B	251	GLN	5.7
2	B	303	ARG	5.0
1	A	342	THR	4.9
1	A	308	LYS	4.8
1	A	343	LYS	4.3
1	A	344	ILE	4.2
1	A	305	CYS	4.2
1	A	258	LYS	4.1
1	A	340	ASP	3.9
1	A	259	GLY	3.8
2	B	41	GLY	3.7
1	A	247	ARG	3.7
2	B	411	ASN	3.7
1	A	255	VAL	3.6
2	B	253	ASP	3.6
1	A	254	LEU	3.4
2	B	276	LEU	3.4
1	A	248	THR	3.4
1	A	257	THR	3.3
2	B	257	THR	3.2
2	B	1	MET	3.2
1	A	307	LEU	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	410	VAL	3.2
1	A	35	LYS	3.1
2	B	249	ASN	3.1
1	A	338	ASP	3.1
1	A	306	PRO	3.0
2	B	40	SER	3.0
2	B	260	ASP	3.0
2	B	254	LEU	3.0
2	B	412	SER	2.9
2	B	258	LYS	2.9
1	A	380	ARG	2.8
2	B	252	GLY	2.7
2	B	259	GLY	2.7
1	A	530	GLU	2.7
2	B	248	THR	2.6
2	B	432	LYS	2.6
1	A	337	VAL	2.5
1	A	249	ASN	2.5
1	A	278	LYS	2.3
1	A	406	LYS	2.3
1	A	67	LYS	2.3
1	A	345	PRO	2.3
1	A	299	ILE	2.3
1	A	277	GLY	2.3
1	A	300	THR	2.3
1	A	527	HIS	2.2
1	A	39	ILE	2.2
1	A	252	GLY	2.2
1	A	346	ALA	2.2
2	B	301	SER	2.1
1	A	10	GLU	2.1
1	A	9	VAL	2.1
1	A	220	SER	2.1
1	A	164	ASP	2.1
1	A	246	VAL	2.0
2	B	255	VAL	2.0
2	B	433	TYR	2.0
1	A	250	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	CYD	B	83	16/17	0.90	0.19	27,47,50,52	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	SO4	A	806	5/5	0.75	0.20	95,95,96,96	0
5	POP	A	998	9/9	0.81	0.23	98,98,99,99	0
5	POP	B	999	9/9	0.90	0.24	84,85,86,86	0
3	SO4	A	801	5/5	0.93	0.11	85,85,85,86	0
3	SO4	B	804	5/5	0.94	0.14	73,73,74,75	0
3	SO4	B	803	5/5	0.96	0.17	60,60,62,62	0
4	NI	A	902	1/1	0.99	0.09	33,33,33,33	0
4	NI	B	901	1/1	0.99	0.04	52,52,52,52	0

6.5 Other polymers [i](#)

There are no such residues in this entry.