

wwPDB X-ray Structure Validation Summary Report (i)

Jan 24, 2021 - 12:44 PM EST

PDB ID	:	2P0I
Title	:	Crystal structure of L-rhamnonate dehydratase from Gibberella zeae
Authors	:	Patskovsky, Y.; Toro, R.; Sauder, J.M.; Dickey, M.; Logan, C.; Gheyi, T.;
		Wasserman, S.R.; Smith, D.; Gerlt, J.; Burley, S.K.; Almo, S.C.; New York
		SGX Research Center for Structural Genomics (NYSGXRC)
Deposited on	:	2007-02-28
Resolution	:	2.10 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.16
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.16

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY\;DIFFRACTION$

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motria	Whole archive	Similar resolution		
	$(\# {\rm Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$		
R _{free}	130704	5197 (2.10-2.10)		
Clashscore	141614	5710 (2.10-2.10)		
Ramachandran outliers	138981	5647 (2.10-2.10)		
Sidechain outliers	138945	5648 (2.10-2.10)		
RSRZ outliers	127900	5083 (2.10-2.10)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain			
1	А	456	77%	9%	•	14%
1	В	456	3% 76%	9%	•	14%
1	С	456	6% 77%	8%	•	14%
1	D	456	8%	9%	•	14%
1	Е	456	6% 77%	9%		14%



Mol	Chain	Length	Quality of chain	
1	F	456	4% 77%	8% • 14%
1	G	456	4%	7% • 14%
1	Н	456	4% 80%	6% • 14%



2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 26261 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace			
1	Δ	393	Total	С	Ν	Ο	\mathbf{S}	Se	0	5	0	
1	11	000	3137	2038	522	565	6	6	0	0	0	
1	В	302	Total	\mathbf{C}	Ν	Ο	\mathbf{S}	Se	0	6	0	
1	D	002	3135	2038	523	562	6	6	0	0	0	
1	С	303	Total	\mathbf{C}	Ν	Ο	\mathbf{S}	Se	0	3	0	
	U	090	3121	2028	516	565	6	6	0	5	0	
1	Л	300	Total	\mathbf{C}	Ν	Ο	S	Se	0	Б	0	
		532	3123	2028	515	568	6	6	0		0	
1	F	303	Total	\mathbf{C}	Ν	Ο	S	Se	0) 6	0	
1	Ľ	090	3142	2044	520	566	6	6	0		0	
1	Б	202	Total	С	Ν	Ο	S	Se	0	4	0	
	Г	595	3126	2031	517	566	6	6	0	4	U	
1	С	202	Total	С	Ν	Ο	S	Se	0	6	0	
	G	595	3137	2037	518	570	6	6	0	0	0	
1	ц	202	Total	С	Ν	Ο	S	Se	0	6	0	
	п	১৬৩	3135	2040	517	566	6	6		U	U	

• Molecule 1 is a protein called L-rhamnonate dehydratase.

There are 128 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	0	SER	-	cloning artifact	UNP Q4HYS5
А	1	LEU	-	cloning artifact	UNP Q4HYS5
А	115	MSE	MET	modified residue	UNP Q4HYS5
А	120	MSE	MET	modified residue	UNP Q4HYS5
А	178	MSE	MET	modified residue	UNP Q4HYS5
А	219	MSE	MET	modified residue	UNP Q4HYS5
А	224	MSE	MET	modified residue	UNP Q4HYS5
А	299	MSE	MET	modified residue	UNP Q4HYS5
А	448	GLU	-	cloning artifact	UNP Q4HYS5
А	449	GLY	-	cloning artifact	UNP Q4HYS5
А	450	HIS	-	cloning artifact	UNP Q4HYS5
А	451	HIS	-	cloning artifact	UNP Q4HYS5
А	452	HIS	-	cloning artifact	UNP Q4HYS5



Chain	Residue	Modelled	Actual	Comment	Reference
А	453	HIS	-	cloning artifact	UNP Q4HYS5
А	454	HIS	_	cloning artifact	UNP Q4HYS5
А	455	HIS	-	cloning artifact	UNP Q4HYS5
В	0	SER	-	cloning artifact	UNP Q4HYS5
В	1	LEU	-	cloning artifact	UNP Q4HYS5
В	115	MSE	MET	modified residue	UNP Q4HYS5
В	120	MSE	MET	modified residue	UNP Q4HYS5
В	178	MSE	MET	modified residue	UNP Q4HYS5
В	219	MSE	MET	modified residue	UNP Q4HYS5
В	224	MSE	MET	modified residue	UNP Q4HYS5
В	299	MSE	MET	modified residue	UNP Q4HYS5
В	448	GLU	-	cloning artifact	UNP Q4HYS5
В	449	GLY	-	cloning artifact	UNP Q4HYS5
В	450	HIS	-	cloning artifact	UNP Q4HYS5
В	451	HIS	-	cloning artifact	UNP Q4HYS5
В	452	HIS	-	cloning artifact	UNP Q4HYS5
В	453	HIS	-	cloning artifact	UNP Q4HYS5
В	454	HIS	-	cloning artifact	UNP Q4HYS5
В	455	HIS	-	cloning artifact	UNP Q4HYS5
C	0	SER	-	cloning artifact	UNP Q4HYS5
C	1	LEU	-	cloning artifact	UNP Q4HYS5
C	115	MSE	MET	modified residue	UNP Q4HYS5
C	120	MSE	MET	modified residue	UNP Q4HYS5
C	178	MSE	MET	modified residue	UNP Q4HYS5
C	219	MSE	MET	modified residue	UNP Q4HYS5
C	224	MSE	MET	modified residue	UNP Q4HYS5
C	299	MSE	MET	modified residue	UNP Q4HYS5
C	448	GLU	-	cloning artifact	UNP Q4HYS5
C	449	GLY	-	cloning artifact	UNP Q4HYS5
C	450	HIS	-	cloning artifact	UNP Q4HYS5
С	451	HIS	-	cloning artifact	UNP Q4HYS5
C	452	HIS	-	cloning artifact	UNP Q4HYS5
C	453	HIS	-	cloning artifact	UNP Q4HYS5
C	454	HIS	-	cloning artifact	UNP Q4HYS5
C	455	HIS	-	cloning artifact	UNP Q4HYS5
D	0	SER	-	cloning artifact	UNP Q4HYS5
D	1	LEU	-	cloning artifact	UNP Q4HYS5
D	115	MSE	MET	modified residue	UNP Q4HYS5
D	120	MSE	MET	modified residue	UNP Q4HYS5
D	178	MSE	MET	modified residue	UNP Q4HYS5
D	219	MSE	MET	modified residue	UNP Q4HYS5
D	224	MSE	MET	modified residue	UNP Q4HYS5

Continued from previous page...



Chain	Residue	Modelled	Actual	Comment	Reference
D	299	MSE	MET	modified residue	UNP Q4HYS5
D	448	GLU	-	cloning artifact	UNP Q4HYS5
D	449	GLY	-	cloning artifact	UNP Q4HYS5
D	450	HIS	-	cloning artifact	UNP Q4HYS5
D	451	HIS	-	cloning artifact	UNP Q4HYS5
D	452	HIS	-	cloning artifact	UNP Q4HYS5
D	453	HIS	-	cloning artifact	UNP Q4HYS5
D	454	HIS	-	cloning artifact	UNP Q4HYS5
D	455	HIS	-	cloning artifact	UNP Q4HYS5
Е	0	SER	-	cloning artifact	UNP Q4HYS5
Е	1	LEU	-	cloning artifact	UNP Q4HYS5
Е	115	MSE	MET	modified residue	UNP Q4HYS5
Е	120	MSE	MET	modified residue	UNP Q4HYS5
Е	178	MSE	MET	modified residue	UNP Q4HYS5
Е	219	MSE	MET	modified residue	UNP Q4HYS5
Е	224	MSE	MET	modified residue	UNP Q4HYS5
Е	299	MSE	MET	modified residue	UNP Q4HYS5
Е	448	GLU	-	cloning artifact	UNP Q4HYS5
Е	449	GLY	-	cloning artifact	UNP Q4HYS5
Е	450	HIS	-	cloning artifact	UNP Q4HYS5
Е	451	HIS	-	cloning artifact	UNP Q4HYS5
Е	452	HIS	-	cloning artifact	UNP Q4HYS5
Е	453	HIS	-	cloning artifact	UNP Q4HYS5
Е	454	HIS	-	cloning artifact	UNP Q4HYS5
Е	455	HIS	-	cloning artifact	UNP Q4HYS5
F	0	SER	-	cloning artifact	UNP Q4HYS5
F	1	LEU	-	cloning artifact	UNP Q4HYS5
F	115	MSE	MET	modified residue	UNP Q4HYS5
F	120	MSE	MET	modified residue	UNP Q4HYS5
F	178	MSE	MET	modified residue	UNP Q4HYS5
F	219	MSE	MET	modified residue	UNP Q4HYS5
F	224	MSE	MET	modified residue	UNP Q4HYS5
F	299	MSE	MET	modified residue	UNP Q4HYS5
F	448	GLU	-	cloning artifact	UNP Q4HYS5
F	449	GLY	-	cloning artifact	UNP Q4HYS5
F	450	HIS	-	cloning artifact	UNP Q4HYS5
F	451	HIS	-	cloning artifact	UNP Q4HYS5
F	452	HIS	-	cloning artifact	UNP Q4HYS5
F	453	HIS	-	cloning artifact	UNP Q4HYS5
F	454	HIS	-	cloning artifact	UNP Q4HYS5
F	455	HIS	-	cloning artifact	UNP Q4HYS5
G	0	SER	-	cloning artifact	UNP Q4HYS5



Chain	Residue	Modelled	Actual	Comment	Reference
G	1	LEU	-	cloning artifact	UNP Q4HYS5
G	115	MSE	MET	modified residue	UNP Q4HYS5
G	120	MSE	MET	modified residue	UNP Q4HYS5
G	178	MSE	MET	modified residue	UNP Q4HYS5
G	219	MSE	MET	modified residue	UNP Q4HYS5
G	224	MSE	MET	modified residue	UNP Q4HYS5
G	299	MSE	MET	modified residue	UNP Q4HYS5
G	448	GLU	-	cloning artifact	UNP Q4HYS5
G	449	GLY	-	cloning artifact	UNP Q4HYS5
G	450	HIS	-	cloning artifact	UNP Q4HYS5
G	451	HIS	-	cloning artifact	UNP Q4HYS5
G	452	HIS	-	cloning artifact	UNP Q4HYS5
G	453	HIS	-	cloning artifact	UNP Q4HYS5
G	454	HIS	-	cloning artifact	UNP Q4HYS5
G	455	HIS	-	cloning artifact	UNP Q4HYS5
Н	0	SER	-	cloning artifact	UNP Q4HYS5
Н	1	LEU	-	cloning artifact	UNP Q4HYS5
Н	115	MSE	MET	modified residue	UNP Q4HYS5
Н	120	MSE	MET	modified residue	UNP Q4HYS5
Н	178	MSE	MET	modified residue	UNP Q4HYS5
Н	219	MSE	MET	modified residue	UNP Q4HYS5
Н	224	MSE	MET	modified residue	UNP Q4HYS5
Н	299	MSE	MET	modified residue	UNP Q4HYS5
Н	448	GLU	-	cloning artifact	UNP Q4HYS5
Н	449	GLY	-	cloning artifact	UNP Q4HYS5
Н	450	HIS	-	cloning artifact	UNP Q4HYS5
Н	451	HIS	-	cloning artifact	UNP Q4HYS5
H	452	HIS	-	cloning artifact	UNP Q4HYS5
Н	453	HIS	-	cloning artifact	UNP Q4HYS5
Н	454	HIS	-	cloning artifact	UNP Q4HYS5
Н	455	HIS	-	cloning artifact	UNP Q4HYS5





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	С	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	D	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	D	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	Ε	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	Ε	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	Е	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	F	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	Н	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	Н	1	$\begin{array}{c cc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 6 3 3 \end{array}$	0	0
3	А	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 6 3 3 \end{array}$	0	0
3	А	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 6 3 3 \end{array}$	0	0
3	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
3	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
3	D	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
3	D	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
3	Е	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
3	Е	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
3	F	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 6 3 3 \end{array}$	0	0
3	F	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 6 3 3 \end{array}$	0	0
3	F	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
3	F	1	$\begin{array}{c ccc} \hline Total & C & O \\ \hline 6 & 3 & 3 \end{array}$	0	0
3	G	1	$\begin{array}{c cc} \hline \text{Total} & \text{C} & \text{O} \\ \hline 6 & 3 & 3 \end{array}$	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	G	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
3	G	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 6 3 3 \end{array}$	0	0
3	G	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 6 3 3 \end{array}$	0	0
3	G	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 6 3 3 \end{array}$	0	0
3	Н	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 6 3 3 \end{array}$	0	0
3	Н	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0

• Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	146	Total O 146 146	0	0
4	В	151	Total O 151 151	0	0
4	С	126	Total O 126 126	0	0
4	D	128	Total O 128 128	0	0
4	Е	121	Total O 121 121	0	0
4	F	107	Total O 107 107	0	0
4	G	131	Total O 131 131	0	0
4	Н	115	Total O 115 115	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: L-rhamnonate dehydratase





• Molecule 1: L-rhamnonate dehydratase









4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants	201.40Å 201.13Å 82.40Å	Deperitor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
$\mathbf{Posolution} \left(\overset{\circ}{\mathbf{A}} \right)$	20.00 - 2.10	Depositor
Resolution (A)	34.02 - 2.10	EDS
% Data completeness	95.6 (20.00-2.10)	Depositor
(in resolution range)	95.5 (34.02-2.10)	EDS
R _{merge}	0.09	Depositor
R _{sym}	0.07	Depositor
$< I/\sigma(I) > 1$	$1.52 (at 2.10 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.3.0028	Depositor
B B.	0.190 , 0.256	Depositor
Λ, Λ_{free}	0.192 , 0.254	DCC
R_{free} test set	5687 reflections (3.04%)	wwPDB-VP
Wilson B-factor $(Å^2)$	36.6	Xtriage
Anisotropy	0.115	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.35 , 67.3	EDS
L-test for $twinning^2$	$< L >=0.48, < L^2>=0.31$	Xtriage
Estimated twinning fraction	0.028 for k,h,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	26261	wwPDB-VP
Average B, all atoms $(Å^2)$	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 7.78% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, $\mathrm{SO4}$

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Chain		Bond	Bond lengths		angles
IVIOI	Unam	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.42	0/3233	0.57	0/4387
1	В	0.43	0/3240	0.56	0/4395
1	С	0.44	0/3211	0.56	0/4359
1	D	0.40	0/3219	0.55	0/4370
1	Е	0.40	0/3238	0.56	0/4393
1	F	0.41	0/3219	0.56	0/4370
1	G	0.40	0/3233	0.56	0/4390
1	Н	0.40	0/3234	0.56	0/4389
All	All	0.41	0/25827	0.56	0/35053

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	С	0	1
1	D	0	1
1	Е	0	1
All	All	0	3

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	С	34	HIS	Peptide
1	D	2	SER	Peptide



Mol	Chain	Res	Type	Group
1	Ε	34	HIS	Peptide

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	3137	0	3109	19	0
1	В	3135	0	3116	28	0
1	С	3121	0	3082	19	0
1	D	3123	0	3076	13	0
1	Е	3142	0	3120	24	0
1	F	3126	0	3088	25	0
1	G	3137	0	3096	17	0
1	Н	3135	0	3111	11	0
2	А	5	0	0	0	0
2	В	10	0	0	0	0
2	С	5	0	0	0	0
2	D	10	0	0	0	0
2	Е	15	0	0	0	0
2	F	5	0	0	0	0
2	Н	10	0	0	0	0
3	А	24	0	32	5	0
3	В	6	0	8	2	0
3	D	12	0	16	1	0
3	Е	12	0	16	3	0
3	F	24	0	32	0	0
3	G	30	0	40	2	0
3	Н	12	0	16	2	0
4	А	146	0	0	0	0
4	В	151	0	0	0	0
4	С	126	0	0	1	0
4	D	128	0	0	0	0
4	Ε	121	0	0	1	0
4	F	107	0	0	0	0
4	G	131	0	0	0	0
4	Н	115	0	0	0	0
All	All	26261	0	24958	155	0



The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 155 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:163:LEU:HD23	1:G:334[A]:GLN:OE1	1.76	0.85
1:E:163:LEU:CD1	1:E:335:ILE:HD13	2.07	0.85
1:A:115:MSE:HE2	1:A:132:ILE:HG12	1.58	0.84
1:B:163:LEU:HD11	1:B:335:ILE:HD13	1.61	0.80
1:H:152:TYR:H	1:H:332:HIS:HD2	1.33	0.76

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	А	394/456~(86%)	379~(96%)	13 (3%)	2~(0%)	29 26
1	В	394/456~(86%)	386~(98%)	8 (2%)	0	100 100
1	С	392/456~(86%)	378~(96%)	13 (3%)	1 (0%)	41 41
1	D	393/456~(86%)	376~(96%)	15 (4%)	2(0%)	29 26
1	Е	395/456~(87%)	379~(96%)	14 (4%)	2~(0%)	29 26
1	F	393/456~(86%)	381~(97%)	11 (3%)	1 (0%)	41 41
1	G	395/456~(87%)	385~(98%)	10 (2%)	0	100 100
1	Н	395/456~(87%)	382 (97%)	13 (3%)	0	100 100
All	All	3151/3648~(86%)	3046 (97%)	97~(3%)	8 (0%)	47 41

5 of 8 Ramachandran outliers are listed below:

Mol	Chain	Res	Type		
1	Е	242	ASN		
Continued on work work					



Continued from previous page...

Mol	Chain	Res	Type
1	А	289[A]	ARG
1	А	289[B]	ARG
1	F	325	ALA
1	С	325	ALA

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	336/378~(89%)	317~(94%)	19 (6%)	20	18
1	В	337/378~(89%)	325~(96%)	12 (4%)	35	36
1	С	334/378~(88%)	311~(93%)	23~(7%)	15	12
1	D	335/378~(89%)	314 (94%)	21 (6%)	18	15
1	Ε	337/378~(89%)	324~(96%)	13~(4%)	32	33
1	F	335/378~(89%)	318~(95%)	17 (5%)	24	22
1	G	337/378~(89%)	315~(94%)	22~(6%)	17	14
1	Н	337/378~(89%)	322~(96%)	15 (4%)	27	27
All	All	2688/3024~(89%)	2546 (95%)	142 (5%)	24	20

5 of 142 residues with a non-rotameric side chain are listed below:

Mol	Chain	Res	Type
1	D	286	VAL
1	Е	196	GLU
1	Н	55	ARG
1	D	301	LEU
1	D	393	ARG

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 49 such side chains are listed below:

Mol	Chain	Res	Type
1	D	244	ASN
	a r	1	1



Continued from previous page...

Mol	Chain	Res	Type
1	Е	208	HIS
1	Н	244	ASN
1	D	343	GLN
1	Е	343	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

32 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Mol Type Chair		Chain Res	Tiple	B	Bond lengths			Bond angles		
with Type Ci	Unain	nes	Res Link	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2		
3	GOL	G	1320	-	$5,\!5,\!5$	0.37	0	$5,\!5,\!5$	0.53	0	
2	SO4	В	1212	-	4,4,4	0.13	0	6,6,6	0.12	0	
3	GOL	А	1314	-	$5,\!5,\!5$	0.36	0	$5,\!5,\!5$	0.24	0	
3	GOL	D	1310	-	$5,\!5,\!5$	0.79	0	$5,\!5,\!5$	0.54	0	
3	GOL	E	1301	-	$5,\!5,\!5$	0.47	0	$5,\!5,\!5$	0.45	0	
3	GOL	D	1306	-	$5,\!5,\!5$	0.30	0	$5,\!5,\!5$	0.39	0	
3	GOL	F	1312	-	$5,\!5,\!5$	0.41	0	$5,\!5,\!5$	0.28	0	
2	SO4	F	1210	-	4,4,4	0.15	0	$6,\!6,\!6$	0.09	0	
3	GOL	F	1317	-	$5,\!5,\!5$	0.34	0	$5,\!5,\!5$	0.45	0	
3	GOL	Н	1302	-	$5,\!5,\!5$	0.44	0	$5,\!5,\!5$	0.53	0	



Mal	Trune	Chain	Dec	T inl.	B	ond leng	gths	В	ond ang	gles
WIOI	туре	Unain	nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2
2	SO4	Н	1211	-	4,4,4	0.14	0	$6,\!6,\!6$	0.08	0
3	GOL	F	1319	-	$5,\!5,\!5$	0.34	0	$5,\!5,\!5$	0.31	0
3	GOL	G	1315	-	$5,\!5,\!5$	0.41	0	$5,\!5,\!5$	0.28	0
2	SO4	Е	1202	-	4,4,4	0.14	0	$6,\!6,\!6$	0.15	0
2	SO4	D	1206	-	4,4,4	0.15	0	$6,\!6,\!6$	0.07	0
3	GOL	G	1309	-	$5,\!5,\!5$	0.37	0	$5,\!5,\!5$	0.30	0
3	GOL	В	1308	-	$5,\!5,\!5$	0.37	0	$5,\!5,\!5$	0.40	0
2	SO4	Е	1208	-	4,4,4	0.45	0	$6,\!6,\!6$	0.38	0
3	GOL	А	1304	-	$5,\!5,\!5$	0.31	0	$5,\!5,\!5$	0.51	0
3	GOL	F	1313	-	$5,\!5,\!5$	0.35	0	$5,\!5,\!5$	0.30	0
3	GOL	Н	1311	_	$5,\!5,\!5$	0.39	0	$5,\!5,\!5$	0.29	0
3	GOL	Е	1305	-	$5,\!5,\!5$	0.41	0	$5,\!5,\!5$	0.48	0
2	SO4	С	1209	-	4,4,4	0.16	0	$6,\!6,\!6$	0.19	0
2	SO4	Е	1201	-	4,4,4	0.14	0	$6,\!6,\!6$	0.08	0
3	GOL	А	1303	-	$5,\!5,\!5$	0.44	0	$5,\!5,\!5$	0.22	0
3	GOL	G	1307	_	$5,\!5,\!5$	0.34	0	$5,\!5,\!5$	0.48	0
2	SO4	D	1207	-	4,4,4	0.14	0	$6,\!6,\!6$	0.10	0
2	SO4	Н	1203	-	4,4,4	0.16	0	$6,\!6,\!6$	0.07	0
3	GOL	G	1318	-	$5,\!5,\!5$	0.47	0	$5,\!5,\!5$	0.35	0
2	SO4	В	1205	-	4,4,4	0.22	0	$6,\!6,\!6$	0.16	0
2	SO4	А	1204	-	4,4,4	0.14	0	$6,\!6,\!6$	0.14	0
3	GOL	А	1316	-	$5,\!5,\!5$	0.39	0	$5,\!5,\!5$	0.47	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	G	1320	-	-	4/4/4/4	-
3	GOL	D	1306	-	-	2/4/4/4	-
3	GOL	G	1315	-	-	2/4/4/4	-
3	GOL	G	1309	-	-	4/4/4/4	-
3	GOL	Е	1301	-	-	4/4/4/4	-
3	GOL	А	1303	-	-	2/4/4/4	-
3	GOL	F	1312	-	-	2/4/4/4	-
3	GOL	G	1307	-	-	4/4/4/4	-
3	GOL	А	1314	-	-	2/4/4/4	-
3	GOL	G	1318	-	-	4/4/4/4	-
3	GOL	F	1317	-	-	1/4/4/4	-



2P0I
-I OI

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	Н	1302	-	-	0/4/4/4	-
3	GOL	А	1304	-	-	0/4/4/4	-
3	GOL	F	1313	-	-	2/4/4/4	-
3	GOL	В	1308	-	-	2/4/4/4	-
3	GOL	F	1319	-	-	4/4/4/4	-
3	GOL	Н	1311	-	-	2/4/4/4	-
3	GOL	D	1310	-	-	1/4/4/4	-
3	GOL	E	1305	-	-	2/4/4/4	-
3	GOL	А	1316	-	-	4/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 48 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	G	1320	GOL	C1-C2-C3-O3
3	Е	1301	GOL	O1-C1-C2-C3
3	Е	1301	GOL	C1-C2-C3-O3
3	D	1306	GOL	C1-C2-C3-O3
3	F	1312	GOL	C1-C2-C3-O3

There are no ring outliers.

9 monomers are involved in 15 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	Е	1301	GOL	2	0
3	D	1306	GOL	1	0
3	G	1309	GOL	1	0
3	В	1308	GOL	2	0
3	А	1304	GOL	2	0
3	Н	1311	GOL	2	0
3	Е	1305	GOL	1	0
3	A	1303	GOL	3	0
3	G	1318	GOL	1	0

5.7 Other polymers (i)

There are no such residues in this entry.



5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	387/456~(84%)	-0.04	19 (4%) 29 35	21, 35, 70, 116	0
1	В	386/456~(84%)	-0.09	12 (3%) 49 55	20, 37, 66, 109	0
1	С	387/456~(84%)	0.18	29 (7%) 14 18	21, 42, 77, 122	0
1	D	386/456~(84%)	0.22	37 (9%) 8 10	25, 45, 88, 113	0
1	E	387/456~(84%)	0.08	27 (6%) 16 20	23, 45, 80, 115	0
1	F	387/456~(84%)	0.07	19 (4%) 29 35	21, 44, 75, 113	0
1	G	387/456~(84%)	-0.05	16 (4%) 37 43	20, 41, 72, 105	0
1	Н	387/456~(84%)	0.04	20 (5%) 27 32	25, 43, 79, 119	0
All	All	3094/3648~(84%)	0.05	179 (5%) 23 28	20, 42, 77, 122	0

The worst 5 of 179 RSRZ outliers are listed below:

Mol	Chain	\mathbf{Res}	Type	RSRZ
1	В	37	ILE	8.1
1	F	37	ILE	7.4
1	А	37	ILE	6.6
1	Н	392	ALA	6.5
1	С	37	ILE	6.4

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.



6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
3	GOL	G	1309	6/6	0.64	0.25	67,78,84,86	0
3	GOL	G	1318	6/6	0.64	0.24	$55,\!60,\!65,\!69$	0
2	SO4	В	1205	5/5	0.67	0.27	50,77,85,103	0
3	GOL	F	1312	6/6	0.79	0.18	48,62,69,74	0
3	GOL	А	1316	6/6	0.80	0.28	46,58,63,71	0
3	GOL	G	1320	6/6	0.81	0.15	36,64,73,79	0
2	SO4	F	1210	5/5	0.81	0.23	85,106,111,113	0
3	GOL	F	1313	6/6	0.84	0.38	57,62,72,76	0
3	GOL	F	1319	6/6	0.86	0.19	48,58,65,66	0
2	SO4	Е	1208	5/5	0.88	0.13	120,122,123,127	0
2	SO4	В	1212	5/5	0.88	0.16	74,93,107,108	0
2	SO4	А	1204	5/5	0.88	0.23	66,85,93,99	0
2	SO4	D	1207	5/5	0.88	0.24	89,97,98,99	0
3	GOL	В	1308	6/6	0.89	0.17	46,54,61,70	0
3	GOL	D	1310	6/6	0.89	0.13	53,70,78,85	0
3	GOL	G	1315	6/6	0.91	0.14	60,61,63,75	0
2	SO4	Н	1211	5/5	0.91	0.16	103,105,110,111	0
2	SO4	С	1209	5/5	0.91	0.15	59,68,85,90	0
3	GOL	F	1317	6/6	0.91	0.12	43,55,68,68	0
3	GOL	Н	1311	6/6	0.92	0.13	44,51,57,60	0
2	SO4	D	1206	5/5	0.93	0.22	84,101,106,108	0
3	GOL	А	1303	6/6	0.94	0.15	33,34,45,46	0
3	GOL	D	1306	6/6	0.94	0.15	41,48,53,53	0
3	GOL	Н	1302	6/6	0.94	0.17	43,46,51,58	0
3	GOL	Е	1305	6/6	0.95	0.14	32,41,44,51	0
2	SO4	Е	1202	5/5	0.95	0.15	55,65,86,93	0
3	GOL	А	1314	6/6	0.96	0.25	21,45,53,58	0
3	GOL	Е	1301	6/6	0.97	0.13	$39,\!48,\!50,\!58$	0
3	GOL	G	1307	6/6	0.97	0.10	30, 38, 46, 47	0
3	GOL	А	1304	6/6	0.97	0.11	27,34,45,54	0
2	SO4	Н	1203	5/5	0.97	0.20	52,71,87,91	0
2	SO4	Е	1201	5/5	0.98	0.27	67,69,79,86	0

6.5 Other polymers (i)

There are no such residues in this entry.

