



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 13, 2024 – 11:03 AM EDT

PDB ID : 1P13  
Title : Crystal Structure of the Src SH2 Domain Complexed with Peptide (SD-pYANFK)  
Authors : Sonnenburg, E.D.; Bilwes, A.; Hunter, T.; Noel, J.P.  
Deposited on : 2003-04-11  
Resolution : 1.63 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtrriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.63 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	3268 (1.66-1.62)
Ramachandran outliers	138981	3215 (1.66-1.62)
Sidechain outliers	138945	3215 (1.66-1.62)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	102	79% (Green), 16% (Yellow), 5% (Orange)
1	B	102	73% (Green), 26% (Yellow), . (Orange)
2	C	7	43% (Green), 43% (Yellow), 14% (Orange)
2	D	7	43% (Green), 14% (Yellow), 43% (Orange)

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	PTR	C	3	-	-	X	-
2	PTR	D	3	-	-	X	-
3	CAC	B	352	-	-	X	-

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 2071 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Proto-oncogene tyrosine-protein kinase Src.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	102	Total 827	C 521	N 148	O 155	S 3	0	0	0
1	B	102	Total 827	C 521	N 148	O 155	S 3	0	0	0

- Molecule 2 is a protein called Peptide.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	P	S			
2	C	7	Total 64	C 38	N 9	O 15	P 1	S 1	0	0	0
2	D	7	Total 64	C 38	N 9	O 15	P 1	S 1	0	0	0

- Molecule 3 is CACODYLATE ION (three-letter code: CAC) (formula: C<sub>2</sub>H<sub>6</sub>AsO<sub>2</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	As	C	O	0	0
			4	1	2	1		
3	A	1	Total	As	C	O	0	0
			4	1	2	1		
3	B	1	Total	As	C	O	0	0
			4	1	2	1		
3	B	1	Total	As	C	O	0	0
			4	1	2	1		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	119	Total	O	0	0
			119	119		
4	B	117	Total	O	0	0
			117	117		
4	C	20	Total	O	0	0
			20	20		
4	D	17	Total	O	0	0
			17	17		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: Proto-oncogene tyrosine-protein kinase Src

Chain A:  79% 16% 5%



- Molecule 1: Proto-oncogene tyrosine-protein kinase Src

Chain B:  73% 26% 1%



- Molecule 2: Peptide

Chain C:  43% 43% 14%



- Molecule 2: Peptide

Chain D:  43% 14% 43%



## 4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	58.38Å 58.79Å 62.66Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	42.88 – 1.63	Depositor
% Data completeness (in resolution range)	99.3 (42.88-1.63)	Depositor
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.207 , 0.252	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	2071	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	23.0	wwPDB-VP

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PTR, CAC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.65	0/845	0.80	0/1137
1	B	0.69	0/845	0.83	0/1137
2	C	0.78	0/47	0.98	0/58
2	D	0.71	0/47	0.89	0/58
All	All	0.67	0/1784	0.83	0/2390

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	827	0	809	30	0
1	B	827	0	810	36	0
2	C	64	0	52	12	0
2	D	64	0	52	15	0
3	A	8	0	0	2	0
3	B	8	0	0	7	0
4	A	119	0	0	7	0
4	B	117	0	0	7	0
4	C	20	0	0	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	D	17	0	0	0	0
All	All	2071	0	1723	86	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 25.

All (86) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:219:LYS:HE2	4:B:499:HOH:O	1.56	1.02
2:C:2:ASP:C	2:C:3:PTR:N	2.16	0.99
1:A:160:GLU:HG2	1:A:257:VAL:HG11	1.45	0.97
1:B:251:CYS:SG	3:B:352:CAC:AS	2.83	0.96
1:B:205:ASP:HB2	1:B:208:LYS:HB2	1.48	0.95
2:D:3:PTR:C	2:D:4:ALA:N	2.35	0.89
1:A:177:ASN:ND2	1:A:179:GLU:HG2	1.90	0.87
2:D:2:ASP:CA	2:D:3:PTR:N	2.39	0.84
2:D:2:ASP:C	2:D:3:PTR:HN2	1.77	0.83
1:A:178:PRO:HD3	1:B:206:ASN:O	1.81	0.80
1:B:169:ARG:HG3	4:B:505:HOH:O	1.84	0.77
1:B:252:HIS:HE1	4:B:501:HOH:O	1.65	0.77
2:C:3:PTR:C	2:C:4:ALA:N	2.48	0.77
1:B:235:SER:HB2	1:B:237:GLN:HE21	1.50	0.76
1:B:190:SER:HA	3:B:399:CAC:C1	2.16	0.75
1:B:238:GLN:HB3	4:B:492:HOH:O	1.86	0.74
1:A:237:GLN:H	1:A:237:GLN:CD	1.90	0.74
1:A:173:ARG:NH1	4:A:470:HOH:O	2.20	0.74
1:A:192:THR:HG23	4:A:442:HOH:O	1.88	0.74
1:A:252:HIS:HD2	1:A:253:ARG:O	1.71	0.72
1:B:251:CYS:HG	3:B:352:CAC:AS	2.30	0.71
1:A:251:CYS:SG	3:A:351:CAC:O1	2.46	0.71
1:B:251:CYS:SG	3:B:352:CAC:O1	2.49	0.70
2:C:1:CYS:SG	2:C:2:ASP:N	2.66	0.69
2:D:3:PTR:HA	2:D:4:ALA:N	2.08	0.68
2:D:2:ASP:HA	2:D:3:PTR:N	2.08	0.67
1:A:177:ASN:HD21	1:A:179:GLU:HG2	1.59	0.67
1:B:180:ASN:OD1	1:B:259:PRO:OXT	2.14	0.66
1:A:259:PRO:HA	4:A:474:HOH:O	1.94	0.66
2:D:2:ASP:HA	2:D:3:PTR:HN2	1.60	0.65
2:D:2:ASP:CA	2:D:3:PTR:HN2	2.07	0.65
1:A:176:LEU:HD13	1:A:212:VAL:HG23	1.79	0.64

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:219:LYS:HE2	4:A:464:HOH:O	1.98	0.63
2:D:2:ASP:HB2	2:D:3:PTR:H	1.63	0.63
1:B:235:SER:HB2	1:B:237:GLN:NE2	2.13	0.63
1:B:205:ASP:O	1:B:209:GLY:N	2.29	0.62
1:A:177:ASN:HD22	1:A:179:GLU:H	1.47	0.62
2:C:3:PTR:O	2:C:4:ALA:CA	2.47	0.62
1:A:219:LYS:NZ	4:A:447:HOH:O	2.24	0.62
2:D:3:PTR:O	2:D:4:ALA:N	2.32	0.62
2:D:3:PTR:CA	2:D:4:ALA:N	2.63	0.61
2:D:2:ASP:CA	2:D:3:PTR:H	2.14	0.59
1:B:237:GLN:H	1:B:237:GLN:CD	2.08	0.57
2:D:2:ASP:CB	2:D:3:PTR:H	2.18	0.56
2:C:3:PTR:CD1	2:C:3:PTR:HN2	2.18	0.56
1:A:176:LEU:O	1:B:206:ASN:HB3	2.08	0.54
1:B:161:TRP:HA	1:B:257:VAL:HG13	1.90	0.54
2:C:3:PTR:HA	2:C:4:ALA:N	2.23	0.54
1:B:190:SER:CA	3:B:399:CAC:C1	2.87	0.53
1:B:203:ASP:OD2	1:B:213:LYS:NZ	2.33	0.53
2:D:2:ASP:C	2:D:3:PTR:H	2.06	0.53
1:A:177:ASN:HD22	1:A:177:ASN:C	2.13	0.52
1:A:177:ASN:ND2	1:A:179:GLU:H	2.07	0.52
1:B:251:CYS:SG	3:B:352:CAC:C2	2.97	0.52
1:A:168:ARG:HD2	2:D:3:PTR:O3P	2.09	0.52
1:B:252:HIS:HD2	1:B:253:ARG:O	1.93	0.52
1:A:204:PHE:HD1	1:A:210:LEU:HD13	1.75	0.51
2:C:2:ASP:O	2:C:3:PTR:N	2.44	0.51
2:C:2:ASP:C	2:C:3:PTR:H	2.10	0.51
1:B:235:SER:OG	1:B:237:GLN:HG2	2.10	0.51
1:A:178:PRO:HG2	1:B:207:ALA:HB2	1.93	0.50
1:A:176:LEU:HG	1:B:206:ASN:OD1	2.11	0.50
2:C:3:PTR:N	2:C:3:PTR:CD1	2.75	0.49
1:B:205:ASP:CB	1:B:208:LYS:HB2	2.31	0.49
1:A:177:ASN:HD22	1:A:178:PRO:N	2.11	0.49
2:D:1:CYS:HB3	2:D:2:ASP:H	1.59	0.47
1:B:256:ASN:CB	4:B:461:HOH:O	2.62	0.47
1:B:204:PHE:CE1	1:B:209:GLY:HA2	2.50	0.47
2:C:3:PTR:CA	2:C:4:ALA:N	2.77	0.46
1:A:237:GLN:CD	1:A:237:GLN:N	2.64	0.46
1:B:204:PHE:CE2	1:B:206:ASN:HA	2.51	0.46
1:B:161:TRP:CA	1:B:257:VAL:HG13	2.46	0.45
1:A:160:GLU:HG2	1:A:257:VAL:CG1	2.32	0.45

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:160:GLU:HB2	1:B:257:VAL:HG11	1.98	0.45
1:A:251:CYS:CB	3:A:351:CAC:AS	3.24	0.44
1:A:237:GLN:HG3	4:A:483:HOH:O	2.18	0.44
3:B:352:CAC:AS	4:B:508:HOH:O	2.97	0.43
1:B:179:GLU:O	1:B:179:GLU:HG3	2.18	0.42
1:A:237:GLN:CD	4:A:483:HOH:O	2.58	0.41
1:B:258:CYS:HA	1:B:259:PRO:C	2.40	0.41
1:A:178:PRO:HG2	1:B:207:ALA:CB	2.50	0.41
1:A:235:SER:OG	1:A:237:GLN:HG2	2.20	0.41
1:B:168:ARG:HD2	2:C:3:PTR:O3P	2.20	0.41
1:A:161:TRP:HB3	1:A:257:VAL:HG22	2.02	0.41
1:B:168:ARG:HB2	2:C:3:PTR:O3P	2.20	0.41
1:B:221:ASP:HA	4:B:486:HOH:O	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	100/102 (98%)	96 (96%)	4 (4%)	0	100	100
1	B	100/102 (98%)	97 (97%)	3 (3%)	0	100	100
2	C	2/7 (29%)	2 (100%)	0	0	100	100
2	D	2/7 (29%)	2 (100%)	0	0	100	100
All	All	204/218 (94%)	197 (97%)	7 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	90/90 (100%)	84 (93%)	6 (7%)	16	2
1	B	90/90 (100%)	88 (98%)	2 (2%)	52	25
2	C	5/5 (100%)	5 (100%)	0	100	100
2	D	5/5 (100%)	3 (60%)	2 (40%)	0	0
All	All	190/190 (100%)	180 (95%)	10 (5%)	22	4

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	176	LEU
1	A	177	ASN
1	A	192	THR
1	A	210	LEU
1	A	237	GLN
1	A	238	GLN
1	B	237	GLN
1	B	246	HIS
2	D	1	CYS
2	D	2	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	177	ASN
1	A	238	GLN
1	A	252	HIS
1	B	180	ASN
1	B	237	GLN
1	B	252	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	PTR	D	3	2	15,16,17	2.26	3 (20%)	19,22,24	1.60	4 (21%)
2	PTR	C	3	2	15,16,17	1.62	3 (20%)	19,22,24	2.02	4 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PTR	D	3	2	-	1/10/11/13	0/1/1/1
2	PTR	C	3	2	-	0/10/11/13	0/1/1/1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	3	PTR	P-OH	-7.15	1.48	1.59
2	C	3	PTR	P-OH	-4.46	1.52	1.59
2	D	3	PTR	CE1-CZ	2.60	1.43	1.38
2	C	3	PTR	CD1-CG	2.26	1.43	1.38
2	C	3	PTR	CE1-CZ	2.16	1.43	1.38
2	D	3	PTR	CE1-CD1	2.07	1.42	1.38

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	3	PTR	CG-CB-CA	-5.55	102.87	114.10

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	3	PTR	O3P-P-OH	-3.50	94.31	105.24
2	D	3	PTR	OH-CZ-CE1	3.26	128.94	119.23
2	C	3	PTR	OH-CZ-CE1	3.23	128.85	119.23
2	D	3	PTR	OH-CZ-CE2	-2.89	110.64	119.23
2	C	3	PTR	P-OH-CZ	2.63	132.17	123.75
2	C	3	PTR	OH-CZ-CE2	-2.59	111.53	119.23
2	D	3	PTR	P-OH-CZ	2.02	130.24	123.75

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	D	3	PTR	CZ-OH-P-O3P

There are no ring outliers.

2 monomers are involved in 25 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	3	PTR	14	0
2	C	3	PTR	11	0

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	CAC	B	399	1	0,3,4	-	-	0,3,6	-	-
3	CAC	A	351	1	0,3,4	-	-	0,3,6	-	-

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	CAC	A	398	1	0,3,4	-	-	0,3,6	-	-
3	CAC	B	352	-	0,3,4	-	-	0,3,6	-	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	399	CAC	2	0
3	A	351	CAC	2	0
3	B	352	CAC	5	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
2	C	2
2	D	2

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	C	3:PTR	C	4:ALA	N	2.48
1	D	3:PTR	C	4:ALA	N	2.35
1	C	2:ASP	C	3:PTR	N	2.16
1	D	2:ASP	C	3:PTR	N	2.03

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section is therefore empty.

### 6.3 Carbohydrates [i](#)

EDS was not executed - this section is therefore empty.

### 6.4 Ligands [i](#)

EDS was not executed - this section is therefore empty.

### 6.5 Other polymers [i](#)

EDS was not executed - this section is therefore empty.