



# Full wwPDB X-ray Structure Validation Report i

Oct 11, 2023 – 04:10 pm BST

PDB ID : 8P24  
Title : The crystal structure of the C-terminal domain of Mengla nucleoprotein  
Authors : Ferrero, D.S.; Tomas Gilabert, O.; Verdaguer, N.  
Deposited on : 2023-05-14  
Resolution : 3.73 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

The types of validation reports are described at  
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.35.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## X-RAY DIFFRACTION


The reported resolution of this entry is 3.73 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1001 (3.90-3.58)
Ramachandran outliers	138981	1027 (3.90-3.58)
Sidechain outliers	138945	1023 (3.90-3.58)
RSRZ outliers	127900	1006 (3.92-3.56)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain		
1	G	130	3%	48%	52%
1	H	130	8%	48%	52%
1	I	130	2%	48%	50%
1	J	130	3%	50%	49%
1	K	130	4%	49%	49%
1	L	130	2%	47%	51%
1	M	130	2%	50%	48%
1	N	130	3%	48%	49%
1	O	130	1%	48%	50%
1	P	130	5%	47%	52%
1	Q	130	3%	48%	50%
1	R	130	3%	47%	52%
1	S	130	3%	47%	52%
1	T	130	2%	48%	51%
1	U	130	6%	48%	51%
1	V	130	7%	51%	49%
1	W	130	8%	47%	52%
1	X	130	5%	48%	49%
1	Y	130	11%	50%	50%
1	Z	130	6%	49%	50%
1	a	130	5%	48%	51%
1	b	130	7%	48%	51%

## 2 Entry composition i

There is only 1 type of molecule in this entry. The entry contains 15048 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nucleoprotein.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O	S		
1	V	66	552	350	94	106	2	0	0
1	Z	65	543	345	92	104	2	0	0
1	Y	65	543	345	92	104	2	0	0
1	T	64	535	341	91	101	2	0	0
1	P	62	514	325	88	99	2	0	0
1	S	62	514	325	88	99	2	0	0
1	X	66	552	350	94	106	2	0	0
1	W	63	521	330	89	100	2	0	0
1	Q	65	543	345	92	104	2	0	0
1	R	63	521	330	89	100	2	0	0
1	U	64	535	341	91	101	2	0	0
1	a	64	535	341	91	101	2	0	0
1	O	65	543	345	92	104	2	0	0
1	A	66	552	350	94	106	2	0	0
1	E	65	543	345	92	104	2	0	0
1	L	64	535	341	91	101	2	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	K	66	Total	C	N	O	S	0	0	0
			552	350	94	106	2			
1	H	63	Total	C	N	O	S	0	0	0
			521	330	89	100	2			
1	B	64	Total	C	N	O	S	0	0	0
			535	341	91	101	2			
1	G	62	Total	C	N	O	S	0	0	0
			514	325	88	99	2			
1	C	64	Total	C	N	O	S	0	0	0
			535	341	91	101	2			
1	M	67	Total	C	N	O	S	0	0	0
			558	353	95	108	2			
1	N	66	Total	C	N	O	S	0	0	0
			552	350	94	106	2			
1	I	65	Total	C	N	O	S	0	0	0
			543	345	92	104	2			
1	D	64	Total	C	N	O	S	0	0	0
			535	341	91	101	2			
1	J	66	Total	C	N	O	S	0	0	0
			552	350	94	106	2			
1	F	64	Total	C	N	O	S	0	0	0
			535	341	91	101	2			
1	b	64	Total	C	N	O	S	0	0	0
			535	341	91	101	2			

There are 140 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
V	568	GLY	-	expression tag	UNP A0A1Q1NMU1
V	569	PRO	-	expression tag	UNP A0A1Q1NMU1
V	570	LEU	-	expression tag	UNP A0A1Q1NMU1
V	571	GLY	-	expression tag	UNP A0A1Q1NMU1
V	572	SER	-	expression tag	UNP A0A1Q1NMU1
Z	568	GLY	-	expression tag	UNP A0A1Q1NMU1
Z	569	PRO	-	expression tag	UNP A0A1Q1NMU1
Z	570	LEU	-	expression tag	UNP A0A1Q1NMU1
Z	571	GLY	-	expression tag	UNP A0A1Q1NMU1
Z	572	SER	-	expression tag	UNP A0A1Q1NMU1
Y	568	GLY	-	expression tag	UNP A0A1Q1NMU1
Y	569	PRO	-	expression tag	UNP A0A1Q1NMU1
Y	570	LEU	-	expression tag	UNP A0A1Q1NMU1
Y	571	GLY	-	expression tag	UNP A0A1Q1NMU1
Y	572	SER	-	expression tag	UNP A0A1Q1NMU1

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
T	568	GLY	-	expression tag	UNP A0A1Q1NMU1
T	569	PRO	-	expression tag	UNP A0A1Q1NMU1
T	570	LEU	-	expression tag	UNP A0A1Q1NMU1
T	571	GLY	-	expression tag	UNP A0A1Q1NMU1
T	572	SER	-	expression tag	UNP A0A1Q1NMU1
P	568	GLY	-	expression tag	UNP A0A1Q1NMU1
P	569	PRO	-	expression tag	UNP A0A1Q1NMU1
P	570	LEU	-	expression tag	UNP A0A1Q1NMU1
P	571	GLY	-	expression tag	UNP A0A1Q1NMU1
P	572	SER	-	expression tag	UNP A0A1Q1NMU1
S	568	GLY	-	expression tag	UNP A0A1Q1NMU1
S	569	PRO	-	expression tag	UNP A0A1Q1NMU1
S	570	LEU	-	expression tag	UNP A0A1Q1NMU1
S	571	GLY	-	expression tag	UNP A0A1Q1NMU1
S	572	SER	-	expression tag	UNP A0A1Q1NMU1
X	568	GLY	-	expression tag	UNP A0A1Q1NMU1
X	569	PRO	-	expression tag	UNP A0A1Q1NMU1
X	570	LEU	-	expression tag	UNP A0A1Q1NMU1
X	571	GLY	-	expression tag	UNP A0A1Q1NMU1
X	572	SER	-	expression tag	UNP A0A1Q1NMU1
W	568	GLY	-	expression tag	UNP A0A1Q1NMU1
W	569	PRO	-	expression tag	UNP A0A1Q1NMU1
W	570	LEU	-	expression tag	UNP A0A1Q1NMU1
W	571	GLY	-	expression tag	UNP A0A1Q1NMU1
W	572	SER	-	expression tag	UNP A0A1Q1NMU1
Q	568	GLY	-	expression tag	UNP A0A1Q1NMU1
Q	569	PRO	-	expression tag	UNP A0A1Q1NMU1
Q	570	LEU	-	expression tag	UNP A0A1Q1NMU1
Q	571	GLY	-	expression tag	UNP A0A1Q1NMU1
Q	572	SER	-	expression tag	UNP A0A1Q1NMU1
R	568	GLY	-	expression tag	UNP A0A1Q1NMU1
R	569	PRO	-	expression tag	UNP A0A1Q1NMU1
R	570	LEU	-	expression tag	UNP A0A1Q1NMU1
R	571	GLY	-	expression tag	UNP A0A1Q1NMU1
R	572	SER	-	expression tag	UNP A0A1Q1NMU1
U	568	GLY	-	expression tag	UNP A0A1Q1NMU1
U	569	PRO	-	expression tag	UNP A0A1Q1NMU1
U	570	LEU	-	expression tag	UNP A0A1Q1NMU1
U	571	GLY	-	expression tag	UNP A0A1Q1NMU1
U	572	SER	-	expression tag	UNP A0A1Q1NMU1
a	568	GLY	-	expression tag	UNP A0A1Q1NMU1
a	569	PRO	-	expression tag	UNP A0A1Q1NMU1

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
a	570	LEU	-	expression tag	UNP A0A1Q1NMU1
a	571	GLY	-	expression tag	UNP A0A1Q1NMU1
a	572	SER	-	expression tag	UNP A0A1Q1NMU1
O	568	GLY	-	expression tag	UNP A0A1Q1NMU1
O	569	PRO	-	expression tag	UNP A0A1Q1NMU1
O	570	LEU	-	expression tag	UNP A0A1Q1NMU1
O	571	GLY	-	expression tag	UNP A0A1Q1NMU1
O	572	SER	-	expression tag	UNP A0A1Q1NMU1
A	568	GLY	-	expression tag	UNP A0A1Q1NMU1
A	569	PRO	-	expression tag	UNP A0A1Q1NMU1
A	570	LEU	-	expression tag	UNP A0A1Q1NMU1
A	571	GLY	-	expression tag	UNP A0A1Q1NMU1
A	572	SER	-	expression tag	UNP A0A1Q1NMU1
E	568	GLY	-	expression tag	UNP A0A1Q1NMU1
E	569	PRO	-	expression tag	UNP A0A1Q1NMU1
E	570	LEU	-	expression tag	UNP A0A1Q1NMU1
E	571	GLY	-	expression tag	UNP A0A1Q1NMU1
E	572	SER	-	expression tag	UNP A0A1Q1NMU1
L	568	GLY	-	expression tag	UNP A0A1Q1NMU1
L	569	PRO	-	expression tag	UNP A0A1Q1NMU1
L	570	LEU	-	expression tag	UNP A0A1Q1NMU1
L	571	GLY	-	expression tag	UNP A0A1Q1NMU1
L	572	SER	-	expression tag	UNP A0A1Q1NMU1
K	568	GLY	-	expression tag	UNP A0A1Q1NMU1
K	569	PRO	-	expression tag	UNP A0A1Q1NMU1
K	570	LEU	-	expression tag	UNP A0A1Q1NMU1
K	571	GLY	-	expression tag	UNP A0A1Q1NMU1
K	572	SER	-	expression tag	UNP A0A1Q1NMU1
H	568	GLY	-	expression tag	UNP A0A1Q1NMU1
H	569	PRO	-	expression tag	UNP A0A1Q1NMU1
H	570	LEU	-	expression tag	UNP A0A1Q1NMU1
H	571	GLY	-	expression tag	UNP A0A1Q1NMU1
H	572	SER	-	expression tag	UNP A0A1Q1NMU1
B	568	GLY	-	expression tag	UNP A0A1Q1NMU1
B	569	PRO	-	expression tag	UNP A0A1Q1NMU1
B	570	LEU	-	expression tag	UNP A0A1Q1NMU1
B	571	GLY	-	expression tag	UNP A0A1Q1NMU1
B	572	SER	-	expression tag	UNP A0A1Q1NMU1
G	568	GLY	-	expression tag	UNP A0A1Q1NMU1
G	569	PRO	-	expression tag	UNP A0A1Q1NMU1
G	570	LEU	-	expression tag	UNP A0A1Q1NMU1
G	571	GLY	-	expression tag	UNP A0A1Q1NMU1

*Continued on next page...*


*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
G	572	SER	-	expression tag	UNP A0A1Q1NMU1
C	568	GLY	-	expression tag	UNP A0A1Q1NMU1
C	569	PRO	-	expression tag	UNP A0A1Q1NMU1
C	570	LEU	-	expression tag	UNP A0A1Q1NMU1
C	571	GLY	-	expression tag	UNP A0A1Q1NMU1
C	572	SER	-	expression tag	UNP A0A1Q1NMU1
M	568	GLY	-	expression tag	UNP A0A1Q1NMU1
M	569	PRO	-	expression tag	UNP A0A1Q1NMU1
M	570	LEU	-	expression tag	UNP A0A1Q1NMU1
M	571	GLY	-	expression tag	UNP A0A1Q1NMU1
M	572	SER	-	expression tag	UNP A0A1Q1NMU1
N	568	GLY	-	expression tag	UNP A0A1Q1NMU1
N	569	PRO	-	expression tag	UNP A0A1Q1NMU1
N	570	LEU	-	expression tag	UNP A0A1Q1NMU1
N	571	GLY	-	expression tag	UNP A0A1Q1NMU1
N	572	SER	-	expression tag	UNP A0A1Q1NMU1
I	568	GLY	-	expression tag	UNP A0A1Q1NMU1
I	569	PRO	-	expression tag	UNP A0A1Q1NMU1
I	570	LEU	-	expression tag	UNP A0A1Q1NMU1
I	571	GLY	-	expression tag	UNP A0A1Q1NMU1
I	572	SER	-	expression tag	UNP A0A1Q1NMU1
D	568	GLY	-	expression tag	UNP A0A1Q1NMU1
D	569	PRO	-	expression tag	UNP A0A1Q1NMU1
D	570	LEU	-	expression tag	UNP A0A1Q1NMU1
D	571	GLY	-	expression tag	UNP A0A1Q1NMU1
D	572	SER	-	expression tag	UNP A0A1Q1NMU1
J	568	GLY	-	expression tag	UNP A0A1Q1NMU1
J	569	PRO	-	expression tag	UNP A0A1Q1NMU1
J	570	LEU	-	expression tag	UNP A0A1Q1NMU1
J	571	GLY	-	expression tag	UNP A0A1Q1NMU1
J	572	SER	-	expression tag	UNP A0A1Q1NMU1
F	568	GLY	-	expression tag	UNP A0A1Q1NMU1
F	569	PRO	-	expression tag	UNP A0A1Q1NMU1
F	570	LEU	-	expression tag	UNP A0A1Q1NMU1
F	571	GLY	-	expression tag	UNP A0A1Q1NMU1
F	572	SER	-	expression tag	UNP A0A1Q1NMU1
b	568	GLY	-	expression tag	UNP A0A1Q1NMU1
b	569	PRO	-	expression tag	UNP A0A1Q1NMU1
b	570	LEU	-	expression tag	UNP A0A1Q1NMU1
b	571	GLY	-	expression tag	UNP A0A1Q1NMU1
b	572	SER	-	expression tag	UNP A0A1Q1NMU1


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Nucleoprotein




- Molecule 1: Nucleoprotein




- Molecule 1: Nucleoprotein




- Molecule 1: Nucleoprotein




- Molecule 1: Nucleoprotein




- Molecule 1: Nucleoprotein




- Molecule 1: Nucleoprotein




- Molecule 1: Nucleoprotein




- Molecule 1: Nucleoprotein




- Molecule 1: Nucleoprotein




- Molecule 1: Nucleoprotein




- Molecule 1: Nucleoprotein




- Molecule 1: Nucleoprotein




- Molecule 1: Nucleoprotein




### • Molecule 1: Nucleoprotein




- Molecule 1: Nucleoprotein




- Molecule 1: Nucleoprotein




- Molecule 1: Nucleoprotein




- Molecule 1: Nucleoprotein




- Molecule 1: Nucleoprotein




- Molecule 1: Nucleoprotein




- Molecule 1: Nucleoprotein




- Molecule 1: Nucleoprotein




- Molecule 1: Nucleoprotein





- Molecule 1: Nucleoprotein




- Molecule 1: Nucleoprotein



- Molecule 1: Nucleoprotein



- Molecule 1: Nucleoprotein



## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	56.75 Å    162.94 Å    175.36 Å 90.00°    99.15°    90.00°	Depositor
Resolution (Å)	173.13 – 3.73 173.13 – 3.73	Depositor EDS
% Data completeness (in resolution range)	25.1 (173.13-3.73) 25.0 (173.13-3.73)	Depositor EDS
$R_{merge}$	0.13	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^1$	1.07 (at 3.78 Å)	Xtriage
Refinement program	REFMAC dev_4788, PHENIX dev_4788	Depositor
$R$ , $R_{free}$	0.248 , 0.265 0.265 , 0.266	Depositor DCC
$R_{free}$ test set	435 reflections (5.29%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	108.2	Xtriage
Anisotropy	0.349	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 78.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.44$ , $\langle L^2 \rangle = 0.27$	Xtriage
Estimated twinning fraction	0.149 for h,-k,-h-l	Xtriage
$F_o, F_c$ correlation	0.89	EDS
Total number of atoms	15048	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	115.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.18% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.24	0/567	0.47	0/770
1	B	0.25	0/550	0.49	0/747
1	C	0.24	0/550	0.48	0/747
1	D	0.24	0/550	0.46	0/747
1	E	0.25	0/558	0.51	0/758
1	F	0.24	0/550	0.50	0/747
1	G	0.24	0/526	0.48	0/712
1	H	0.26	0/534	0.50	0/723
1	I	0.26	0/558	0.46	0/758
1	J	0.25	0/567	0.49	0/770
1	K	0.31	0/567	0.54	0/770
1	L	0.28	0/550	0.60	1/747 (0.1%)
1	M	0.26	0/573	0.49	0/778
1	N	0.25	0/567	0.49	0/770
1	O	0.27	0/558	0.53	0/758
1	P	0.24	0/526	0.49	0/712
1	Q	0.25	0/558	0.50	0/758
1	R	0.26	0/534	0.51	0/723
1	S	0.27	0/526	0.48	0/712
1	T	0.24	0/550	0.48	0/747
1	U	0.24	0/550	0.50	0/747
1	V	0.24	0/567	0.48	0/770
1	W	0.29	0/534	0.48	0/723
1	X	0.26	0/567	0.53	1/770 (0.1%)
1	Y	0.24	0/558	0.49	0/758
1	Z	0.25	0/558	0.46	0/758
1	a	0.29	0/550	0.53	0/747
1	b	0.26	0/550	0.50	0/747
All	All	0.26	0/15453	0.50	2/20974 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	K	0	2
1	L	0	2
1	W	0	2
All	All	0	6

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	L	637	ARG	N-CA-C	-9.51	85.32	111.00
1	X	697	LEU	CA-CB-CG	5.61	128.21	115.30

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	K	636	ARG	Sidechain
1	K	637	ARG	Sidechain
1	L	636	ARG	Sidechain
1	L	637	ARG	Sidechain
1	W	636	ARG	Sidechain
1	W	637	ARG	Sidechain

## 5.2 Too-close contacts [\(i\)](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	64/130 (49%)	60 (94%)	4 (6%)	0	100 100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	B	62/130 (48%)	58 (94%)	4 (6%)	0	100 100
1	C	62/130 (48%)	56 (90%)	6 (10%)	0	100 100
1	D	62/130 (48%)	59 (95%)	3 (5%)	0	100 100
1	E	63/130 (48%)	60 (95%)	3 (5%)	0	100 100
1	F	62/130 (48%)	59 (95%)	3 (5%)	0	100 100
1	G	60/130 (46%)	53 (88%)	7 (12%)	0	100 100
1	H	61/130 (47%)	59 (97%)	2 (3%)	0	100 100
1	I	63/130 (48%)	60 (95%)	3 (5%)	0	100 100
1	J	64/130 (49%)	61 (95%)	3 (5%)	0	100 100
1	K	64/130 (49%)	61 (95%)	3 (5%)	0	100 100
1	L	62/130 (48%)	59 (95%)	3 (5%)	0	100 100
1	M	65/130 (50%)	59 (91%)	6 (9%)	0	100 100
1	N	64/130 (49%)	62 (97%)	2 (3%)	0	100 100
1	O	63/130 (48%)	59 (94%)	4 (6%)	0	100 100
1	P	60/130 (46%)	56 (93%)	4 (7%)	0	100 100
1	Q	63/130 (48%)	58 (92%)	5 (8%)	0	100 100
1	R	61/130 (47%)	53 (87%)	8 (13%)	0	100 100
1	S	60/130 (46%)	57 (95%)	3 (5%)	0	100 100
1	T	62/130 (48%)	59 (95%)	3 (5%)	0	100 100
1	U	62/130 (48%)	58 (94%)	4 (6%)	0	100 100
1	V	64/130 (49%)	59 (92%)	5 (8%)	0	100 100
1	W	61/130 (47%)	56 (92%)	5 (8%)	0	100 100
1	X	64/130 (49%)	59 (92%)	4 (6%)	1 (2%)	9 44
1	Y	63/130 (48%)	57 (90%)	6 (10%)	0	100 100
1	Z	63/130 (48%)	60 (95%)	3 (5%)	0	100 100
1	a	62/130 (48%)	59 (95%)	3 (5%)	0	100 100
1	b	62/130 (48%)	59 (95%)	3 (5%)	0	100 100
All	All	1748/3640 (48%)	1635 (94%)	112 (6%)	1 (0%)	51 83

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	X	635	PRO

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	62/114 (54%)	61 (98%)	1 (2%)	62 79
1	B	60/114 (53%)	58 (97%)	2 (3%)	38 64
1	C	60/114 (53%)	60 (100%)	0	100 100
1	D	60/114 (53%)	59 (98%)	1 (2%)	60 79
1	E	61/114 (54%)	61 (100%)	0	100 100
1	F	60/114 (53%)	59 (98%)	1 (2%)	60 79
1	G	58/114 (51%)	58 (100%)	0	100 100
1	H	59/114 (52%)	59 (100%)	0	100 100
1	I	61/114 (54%)	59 (97%)	2 (3%)	38 64
1	J	62/114 (54%)	61 (98%)	1 (2%)	62 79
1	K	62/114 (54%)	62 (100%)	0	100 100
1	L	60/114 (53%)	59 (98%)	1 (2%)	60 79
1	M	63/114 (55%)	61 (97%)	2 (3%)	39 64
1	N	62/114 (54%)	60 (97%)	2 (3%)	39 64
1	O	61/114 (54%)	60 (98%)	1 (2%)	62 79
1	P	58/114 (51%)	57 (98%)	1 (2%)	60 79
1	Q	61/114 (54%)	59 (97%)	2 (3%)	38 64
1	R	59/114 (52%)	57 (97%)	2 (3%)	37 64
1	S	58/114 (51%)	57 (98%)	1 (2%)	60 79
1	T	60/114 (53%)	59 (98%)	1 (2%)	60 79
1	U	60/114 (53%)	59 (98%)	1 (2%)	60 79
1	V	62/114 (54%)	62 (100%)	0	100 100
1	W	59/114 (52%)	59 (100%)	0	100 100
1	X	62/114 (54%)	61 (98%)	1 (2%)	62 79
1	Y	61/114 (54%)	61 (100%)	0	100 100
1	Z	61/114 (54%)	60 (98%)	1 (2%)	62 79

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	a	60/114 (53%)	59 (98%)	1 (2%)	60 79
1	b	60/114 (53%)	58 (97%)	2 (3%)	38 64
All	All	1692/3192 (53%)	1665 (98%)	27 (2%)	62 79

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	Z	636	ARG
1	T	678	LEU
1	P	639	LYS
1	S	678	LEU
1	X	634	TRP
1	Q	646	PHE
1	Q	678	LEU
1	R	646	PHE
1	R	678	LEU
1	U	678	LEU
1	a	678	LEU
1	O	678	LEU
1	A	678	LEU
1	L	646	PHE
1	B	655	ARG
1	B	678	LEU
1	M	637	ARG
1	M	678	LEU
1	N	673	LEU
1	N	678	LEU
1	I	634	TRP
1	I	678	LEU
1	D	678	LEU
1	J	678	LEU
1	F	678	LEU
1	b	655	ARG
1	b	678	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	V	696	ASN
1	S	696	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	W	659	GLN
1	E	696	ASN
1	G	659	GLN
1	J	659	GLN
1	b	659	GLN

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

### 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [\(i\)](#)

### 6.1 Protein, DNA and RNA chains [\(i\)](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	66/130 (50%)	0.48	4 (6%) 21 17	80, 120, 151, 167	0
1	B	64/130 (49%)	0.77	8 (12%) 3 4	95, 137, 169, 181	0
1	C	64/130 (49%)	0.44	5 (7%) 13 11	82, 113, 135, 141	0
1	D	64/130 (49%)	0.54	5 (7%) 13 11	77, 108, 129, 137	0
1	E	65/130 (50%)	0.96	11 (16%) 1 1	122, 146, 169, 204	0
1	F	64/130 (49%)	0.69	6 (9%) 8 7	116, 136, 164, 175	0
1	G	62/130 (47%)	0.53	4 (6%) 18 14	102, 123, 139, 148	0
1	H	63/130 (48%)	0.72	10 (15%) 1 2	96, 127, 142, 152	0
1	I	65/130 (50%)	0.38	2 (3%) 49 40	74, 100, 137, 186	0
1	J	66/130 (50%)	0.63	4 (6%) 21 17	82, 111, 149, 174	0
1	K	66/130 (50%)	0.43	5 (7%) 13 11	30, 82, 122, 129	0
1	L	64/130 (49%)	0.33	3 (4%) 31 27	60, 83, 106, 132	0
1	M	67/130 (51%)	0.46	2 (2%) 50 41	71, 96, 127, 192	0
1	N	66/130 (50%)	0.59	4 (6%) 21 17	56, 73, 139, 186	0
1	O	65/130 (50%)	0.43	1 (1%) 73 68	63, 85, 125, 157	0
1	P	62/130 (47%)	0.58	7 (11%) 5 5	58, 92, 143, 157	0
1	Q	65/130 (50%)	0.48	4 (6%) 20 16	62, 103, 147, 165	0
1	R	63/130 (48%)	0.56	4 (6%) 20 15	70, 99, 123, 134	0
1	S	62/130 (47%)	0.58	4 (6%) 18 14	89, 121, 151, 173	0
1	T	64/130 (49%)	0.52	2 (3%) 49 40	90, 119, 136, 143	0
1	U	64/130 (49%)	0.71	8 (12%) 3 4	94, 130, 155, 178	0
1	V	66/130 (50%)	0.75	9 (13%) 3 3	98, 131, 151, 159	0
1	W	63/130 (48%)	0.67	10 (15%) 1 2	95, 130, 154, 166	0
1	X	66/130 (50%)	0.68	7 (10%) 6 5	86, 116, 135, 179	0

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	Y	65/130 (50%)	1.05	14 (21%) 0 0	90, 137, 186, 196	0
1	Z	65/130 (50%)	0.63	8 (12%) 4 4	80, 119, 147, 158	0
1	a	64/130 (49%)	0.58	7 (10%) 5 5	62, 92, 132, 162	0
1	b	64/130 (49%)	0.67	9 (14%) 2 3	96, 134, 160, 177	0
All	All	1804/3640 (49%)	0.60	167 (9%) 8 7	30, 116, 157, 204	0

All (167) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	Y	633	ASP	12.4
1	X	632	GLN	11.0
1	H	694	ALA	5.8
1	E	633	ASP	5.6
1	B	697	LEU	4.1
1	B	634	TRP	4.0
1	Z	694	ALA	3.9
1	W	694	ALA	3.9
1	N	632	GLN	3.9
1	Y	645	GLU	3.8
1	W	649	PRO	3.6
1	X	697	LEU	3.6
1	F	679	SER	3.5
1	E	669	TYR	3.5
1	E	697	LEU	3.4
1	b	649	PRO	3.4
1	U	648	PHE	3.4
1	U	697	LEU	3.4
1	U	653	LEU	3.3
1	b	646	PHE	3.3
1	V	672	PRO	3.3
1	P	646	PHE	3.3
1	U	649	PRO	3.2
1	D	646	PHE	3.2
1	B	652	LEU	3.2
1	F	635	PRO	3.1
1	A	649	PRO	3.1
1	K	646	PHE	3.1
1	Z	687	PHE	3.1
1	Y	648	PHE	3.1
1	J	648	PHE	3.1
1	F	695	PHE	3.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	S	644	ARG	3.0
1	U	679	SER	3.0
1	a	648	PHE	3.0
1	E	646	PHE	3.0
1	B	675	ALA	2.9
1	H	661	LEU	2.9
1	Z	695	PHE	2.9
1	Y	672	PRO	2.8
1	P	652	LEU	2.8
1	b	652	LEU	2.8
1	N	644	ARG	2.8
1	J	679	SER	2.8
1	A	646	PHE	2.8
1	D	697	LEU	2.8
1	K	649	PRO	2.8
1	Z	675	ALA	2.7
1	W	661	LEU	2.7
1	H	697	LEU	2.7
1	R	687	PHE	2.7
1	A	697	LEU	2.7
1	U	695	PHE	2.7
1	X	661	LEU	2.7
1	J	697	LEU	2.7
1	S	697	LEU	2.7
1	X	675	ALA	2.7
1	G	653	LEU	2.6
1	W	675	ALA	2.6
1	X	653	LEU	2.6
1	N	646	PHE	2.6
1	C	638	VAL	2.6
1	E	648	PHE	2.6
1	G	697	LEU	2.6
1	E	665	LEU	2.6
1	Z	633	ASP	2.6
1	M	633	ASP	2.6
1	C	695	PHE	2.6
1	V	641	ASN	2.5
1	Y	694	ALA	2.5
1	S	679	SER	2.5
1	V	644	ARG	2.5
1	V	697	LEU	2.5
1	L	675	ALA	2.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	W	653	LEU	2.5
1	Y	675	ALA	2.5
1	L	697	LEU	2.5
1	M	672	PRO	2.5
1	F	650	THR	2.5
1	a	695	PHE	2.5
1	B	646	PHE	2.5
1	X	662	LEU	2.5
1	H	666	VAL	2.5
1	V	649	PRO	2.5
1	b	675	ALA	2.5
1	Z	662	LEU	2.5
1	W	697	LEU	2.5
1	Q	648	PHE	2.5
1	H	691	LYS	2.4
1	E	694	ALA	2.4
1	B	665	LEU	2.4
1	R	691	LYS	2.4
1	Z	697	LEU	2.4
1	K	652	LEU	2.4
1	R	679	SER	2.4
1	a	669	TYR	2.4
1	F	653	LEU	2.4
1	P	662	LEU	2.4
1	V	648	PHE	2.3
1	a	635	PRO	2.3
1	T	652	LEU	2.3
1	U	694	ALA	2.3
1	E	675	ALA	2.3
1	Y	641	ASN	2.3
1	b	695	PHE	2.3
1	X	687	PHE	2.3
1	Q	697	LEU	2.3
1	b	661	LEU	2.3
1	W	648	PHE	2.3
1	W	695	PHE	2.3
1	F	637	ARG	2.3
1	S	648	PHE	2.3
1	K	644	ARG	2.3
1	U	675	ALA	2.3
1	D	679	SER	2.3
1	H	653	LEU	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	W	652	LEU	2.3
1	V	676	THR	2.2
1	Y	652	LEU	2.2
1	a	697	LEU	2.2
1	b	635	PRO	2.2
1	b	697	LEU	2.2
1	J	675	ALA	2.2
1	V	646	PHE	2.2
1	H	695	PHE	2.2
1	L	661	LEU	2.2
1	b	662	LEU	2.2
1	Y	661	LEU	2.2
1	P	661	LEU	2.2
1	O	697	LEU	2.2
1	A	661	LEU	2.2
1	D	675	ALA	2.2
1	Y	653	LEU	2.2
1	I	636	ARG	2.2
1	G	652	LEU	2.2
1	H	652	LEU	2.2
1	Y	649	PRO	2.2
1	H	690	ARG	2.1
1	B	648	PHE	2.1
1	G	695	PHE	2.1
1	C	648	PHE	2.1
1	I	637	ARG	2.1
1	T	697	LEU	2.1
1	Y	697	LEU	2.1
1	a	644	ARG	2.1
1	E	638	VAL	2.1
1	R	675	ALA	2.1
1	a	665	LEU	2.1
1	B	672	PRO	2.1
1	K	695	PHE	2.1
1	Y	634	TRP	2.1
1	P	675	ALA	2.1
1	Z	661	LEU	2.1
1	P	697	LEU	2.0
1	N	697	LEU	2.0
1	Y	637	ARG	2.0
1	Q	637	ARG	2.0
1	H	665	LEU	2.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	639	LYS	2.0
1	V	690	ARG	2.0
1	D	672	PRO	2.0
1	C	653	LEU	2.0
1	E	662	LEU	2.0
1	P	644	ARG	2.0
1	W	650	THR	2.0
1	Q	661	LEU	2.0
1	E	637	ARG	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [\(i\)](#)

There are no ligands in this entry.

## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.