



wwPDB EM Validation Summary Report ⓘ

Nov 9, 2022 – 04:46 PM EST

PDB ID : 6P5K
EMDB ID : EMD-20257
Title : Structure of a mammalian 80S ribosome in complex with the Israeli Acute Paralysis Virus IRES (Class 3)
Authors : Acosta-Reyes, F.J.; Neupane, R.; Frank, J.; Fernandez, I.S.
Deposited on : 2019-05-30
Resolution : 3.10 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	5	3594	
2	7	119	
3	8	156	
4	AA	257	
5	AB	403	
6	AC	392	
7	AD	297	
8	AE	291	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	AF	249	 88% 10%
10	AG	242	 90% 7%
11	AH	192	 95%
12	AI	214	 94%
13	AJ	178	 94%
14	AL	211	 91% 5%
15	AM	198	 69% 30%
16	AN	204	 97%
17	AO	203	 96%
18	AP	184	 80% 17%
19	AQ	188	 90% 10%
20	AR	196	 85% 7% 8%
21	AS	176	 91% 9%
22	AT	160	 96%
23	AU	128	 75% 23%
24	AV	140	 88% 8%
25	AW	157	 40% 60%
26	AX	156	 75% 24%
27	AY	145	 89% 8%
28	AZ	136	 98%
29	Aa	148	 97%
30	Ab	226	 44% 54%
31	Ac	115	 83% 15%
32	Ad	125	 83% 14%
33	Ae	135	 93% 5%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	Af	110	91% 7% ..
35	Ag	126	90% 10%
36	Ah	123	97% ..
37	Ai	105	94% ..
38	Aj	97	86% 11%
39	Ak	70	90% 9% .
40	Al	51	98% .
41	Am	52	96% .
42	An	25	96% .
43	Ao	106	95% ..
44	Ap	92	97% ..
45	Ar	137	89% 9%
46	AK	217	88% 9% .
47	2	1869	66% 24% 9%
48	B	295	73% 26%
49	C	264	78% 19%
50	D	255	84% 13%
51	E	281	78% 19%
52	F	263	97% .
53	G	204	88% 9%
54	H	249	94% 5%
55	I	194	94% 5%
56	J	207	98% .
57	K	194	92% 5%
58	L	149	64% 36%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
59	M	158	15% 88% 9%
60	N	132	85% 87% 11%
61	O	151	20% 97% ..
62	P	151	15% 89% 10%
63	Q	145	24% 74% 8% 18%
64	R	172	22% 81% 17%
65	S	135	48% 97% ..
66	T	152	30% 93% 5%
67	U	145	23% 95% ..
68	V	119	52% 82% 16%
69	W	83	14% 94% 6%
70	X	130	. 98% ..
71	Y	143	6% 95% ..
72	Z	134	25% 90% 7%
73	a	125	24% 58% 40%
74	b	115	10% 83% 15%
75	c	84	29% 99% .
76	d	69	29% 88% 10%
77	e	56	23% 98% .
78	f	133	12% 41% 58%
79	g	156	41% 42% 56%
80	h	317	65% 97% ..
81	1	253	51% 36% 45% 19%

2 Entry composition

There are 81 unique types of molecules in this entry. The entry contains 215976 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 28S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
1	5	3594	77074	34325	14116	25039	3594	0	0

- Molecule 2 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
2	7	119	2538	1132	454	834	118	0	0

- Molecule 3 is a RNA chain called 5.8S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
3	8	151	3208	1432	564	1062	150	0	0

- Molecule 4 is a protein called uL2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	AA	248	1895	1186	389	314	6	0	0

- Molecule 5 is a protein called uL3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	AB	394	3172	2020	597	542	13	0	0

- Molecule 6 is a protein called uL4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	AC	362	2883	1812	577	480	14	0	0

- Molecule 7 is a protein called uL18.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	AD	293	2391	1512	438	427	14	0	0

- Molecule 8 is a protein called eL6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	AE	216	1729	1115	329	282	3	0	0

- Molecule 9 is a protein called uL30.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	AF	225	1875	1205	358	303	9	0	0

- Molecule 10 is a protein called eL8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	AG	225	1819	1161	351	303	4	0	0

- Molecule 11 is a protein called uL6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	AH	190	1516	954	284	272	6	0	0

- Molecule 12 is a protein called uL16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	AI	205	1664	1056	321	274	13	0	0

- Molecule 13 is a protein called uL11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	AJ	170	1362	861	254	241	6	0	0

- Molecule 14 is a protein called eL13.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	AL	201	Total	C	N	O	S	0	0
			1627	1020	341	262	4		

- Molecule 15 is a protein called L14e.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	AM	138	Total	C	N	O	S	0	0
			1137	727	221	182	7		

- Molecule 16 is a protein called eL15.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	AN	203	Total	C	N	O	S	0	0
			1701	1072	359	266	4		

- Molecule 17 is a protein called uL13.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	AO	199	Total	C	N	O	S	0	0
			1631	1052	319	255	5		

- Molecule 18 is a protein called uL22.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	AP	153	Total	C	N	O	S	0	0
			1242	777	241	215	9		

- Molecule 19 is a protein called eL18.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	AQ	187	Total	C	N	O	S	0	0
			1526	964	306	252	4		

- Molecule 20 is a protein called eL19.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	AR	180	Total	C	N	O	S	0	0
			1503	931	324	238	10		

- Molecule 21 is a protein called eL20.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	AS	176	1457	928	283	235	11	0	0

- Molecule 22 is a protein called eL21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	AT	159	1298	823	252	217	6	0	0

- Molecule 23 is a protein called eL22.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	AU	99	818	520	146	150	2	0	0

- Molecule 24 is a protein called uL14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	AV	129	969	613	182	169	5	0	0

- Molecule 25 is a protein called eL24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	AW	63	528	337	103	85	3	0	0

- Molecule 26 is a protein called eL23.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
26	AX	118	967	618	181	167	1	0	0

- Molecule 27 is a protein called uL24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	AY	134	1115	700	226	186	3	0	0

- Molecule 28 is a protein called eL27.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	AZ	135	1107	714	208	182	3	0	0

- Molecule 29 is a protein called uL15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	Aa	147	1162	734	239	185	4	0	0

- Molecule 30 is a protein called eL29.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	Ab	104	848	527	189	129	3	0	0

- Molecule 31 is a protein called eL30.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	Ac	98	761	481	134	140	6	0	0

- Molecule 32 is a protein called eL31.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
32	Ad	107	888	560	171	155	2	0	0

- Molecule 33 is a protein called eL32.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
33	Ae	128	1053	667	216	165	5	0	0

- Molecule 34 is a protein called eL33.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
34	Af	109	876	555	174	143	4	0	0

- Molecule 35 is a protein called eL34.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	Ag	114	Total	C	N	O	S	0	0
			906	566	187	147	6		

- Molecule 36 is a protein called eL35.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	Ah	122	Total	C	N	O	S	0	0
			1013	640	204	168	1		

- Molecule 37 is a protein called eL36.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	Ai	102	Total	C	N	O	S	0	0
			830	520	176	129	5		

- Molecule 38 is a protein called eL37.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	Aj	86	Total	C	N	O	S	0	0
			705	434	155	111	5		

- Molecule 39 is a protein called eL38.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	Ak	69	Total	C	N	O	S	0	0
			569	366	101	99	3		

- Molecule 40 is a protein called eL39.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	Al	50	Total	C	N	O	S	0	0
			447	286	96	64	1		

- Molecule 41 is a protein called eL40.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	Am	52	Total	C	N	O	S	0	0
			429	266	90	67	6		

- Molecule 42 is a protein called eL41.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
42	An	25	239	145	64	27	3	0	0

- Molecule 43 is a protein called eL42.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
43	Ao	104	851	533	174	138	6	0	0

- Molecule 44 is a protein called eL43.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
44	Ap	91	708	445	136	120	7	0	0

- Molecule 45 is a protein called eL28.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
45	Ar	124	994	616	205	167	6	0	0

- Molecule 46 is a protein called uL1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
46	AK	212	1705	1091	306	300	8	0	0

- Molecule 47 is a RNA chain called 18S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
47	2	1697	36229	16171	6507	11855	1696	0	0

- Molecule 48 is a protein called uS2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
48	B	217	1706	1085	295	317	9	0	0

- Molecule 49 is a protein called eS1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
49	C	213	1729	1098	309	308	14	0	0

- Molecule 50 is a protein called uS5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
50	D	221	1712	1107	296	299	10	0	0

- Molecule 51 is a protein called uS3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
51	E	228	1768	1126	318	316	8	0	0

- Molecule 52 is a protein called eS4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
52	F	262	2073	1323	384	357	9	0	0

- Molecule 53 is a protein called uS7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
53	G	185	1471	921	277	266	7	0	0

- Molecule 54 is a protein called eS6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
54	H	237	1923	1200	387	329	7	0	0

- Molecule 55 is a protein called eS7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
55	I	185	1488	952	271	264	1	0	0

- Molecule 56 is a protein called eS8.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	J	206	Total	C	N	O	S	0	0
			1686	1058	332	291	5		

- Molecule 57 is a protein called uS4.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	K	185	Total	C	N	O	S	0	0
			1525	969	306	248	2		

- Molecule 58 is a protein called eS10.

Mol	Chain	Residues	Atoms					AltConf	Trace
58	L	96	Total	C	N	O	S	0	0
			810	530	143	131	6		

- Molecule 59 is a protein called uS17.

Mol	Chain	Residues	Atoms					AltConf	Trace
59	M	143	Total	C	N	O	S	0	0
			1175	749	222	198	6		

- Molecule 60 is a protein called eS12.

Mol	Chain	Residues	Atoms					AltConf	Trace
60	N	117	Total	C	N	O	S	0	0
			908	570	161	169	8		

- Molecule 61 is a protein called uS15.

Mol	Chain	Residues	Atoms					AltConf	Trace
61	O	149	Total	C	N	O	S	0	0
			1202	770	228	203	1		

- Molecule 62 is a protein called uS11.

Mol	Chain	Residues	Atoms					AltConf	Trace
62	P	136	Total	C	N	O	S	0	0
			1016	621	199	190	6		

- Molecule 63 is a protein called uS19.

Mol	Chain	Residues	Atoms					AltConf	Trace
63	Q	119	Total	C	N	O	S	0	0
			990	630	186	167	7		

- Molecule 64 is a protein called uS9.

Mol	Chain	Residues	Atoms					AltConf	Trace
64	R	142	Total	C	N	O	S	0	0
			1128	717	213	195	3		

- Molecule 65 is a protein called eS17.

Mol	Chain	Residues	Atoms					AltConf	Trace
65	S	132	Total	C	N	O	S	0	0
			1068	670	199	195	4		

- Molecule 66 is a protein called uS13.

Mol	Chain	Residues	Atoms					AltConf	Trace
66	T	144	Total	C	N	O	S	0	0
			1190	746	241	202	1		

- Molecule 67 is a protein called eS19.

Mol	Chain	Residues	Atoms					AltConf	Trace
67	U	141	Total	C	N	O	S	0	0
			1097	688	211	195	3		

- Molecule 68 is a protein called uS10.

Mol	Chain	Residues	Atoms					AltConf	Trace
68	V	100	Total	C	N	O	S	0	0
			795	498	152	141	4		

- Molecule 69 is a protein called eS21.

Mol	Chain	Residues	Atoms					AltConf	Trace
69	W	83	Total	C	N	O	S	0	0
			630	387	118	120	5		

- Molecule 70 is a protein called uS8.

Mol	Chain	Residues	Atoms					AltConf	Trace
70	X	129	Total	C	N	O	S	0	0
			1034	659	193	176	6		

- Molecule 71 is a protein called uS12.

Mol	Chain	Residues	Atoms					AltConf	Trace
71	Y	141	Total	C	N	O	S	0	0
			1098	693	219	183	3		

- Molecule 72 is a protein called eS24.

Mol	Chain	Residues	Atoms					AltConf	Trace
72	Z	124	Total	C	N	O	S	0	0
			1011	640	198	168	5		

- Molecule 73 is a protein called eS25.

Mol	Chain	Residues	Atoms					AltConf	Trace
73	a	75	Total	C	N	O	S	0	0
			598	382	111	104	1		

- Molecule 74 is a protein called eS26.

Mol	Chain	Residues	Atoms					AltConf	Trace
74	b	98	Total	C	N	O	S	0	0
			778	485	158	129	6		

- Molecule 75 is a protein called eS27.

Mol	Chain	Residues	Atoms					AltConf	Trace
75	c	83	Total	C	N	O	S	0	0
			651	408	121	115	7		

- Molecule 76 is a protein called eS28.

Mol	Chain	Residues	Atoms					AltConf	Trace
76	d	62	Total	C	N	O	S	0	0
			488	297	97	92	2		

- Molecule 77 is a protein called eS29.

Mol	Chain	Residues	Atoms					AltConf	Trace
77	e	55	Total	C	N	O	S	0	0
			459	286	94	74	5		

- Molecule 78 is a protein called eS30.

Mol	Chain	Residues	Atoms					AltConf	Trace
78	f	56	Total	C	N	O	S	0	0
			447	276	98	72	1		

- Molecule 79 is a protein called eS31.

Mol	Chain	Residues	Atoms					AltConf	Trace
79	g	68	Total	C	N	O	S	0	0
			555	351	103	94	7		

- Molecule 80 is a protein called RACK1.

Mol	Chain	Residues	Atoms					AltConf	Trace
80	h	313	Total	C	N	O	S	0	0
			2436	1535	424	465	12		


- Molecule 81 is a RNA chain called IAPV-IRES.


Mol	Chain	Residues	Atoms					AltConf	Trace
81	1	205	Total	C	N	O	P	0	0
			4366	1951	775	1435	205		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: 28S rRNA









• Molecule 2: 5S rRNA



• Molecule 3: 5.8S rRNA




• Molecule 4: uL2




• Molecule 5: uL3







• Molecule 11: uL6





• Molecule 12: uL16





• Molecule 13: uL11



• Molecule 14: eL13



• Molecule 15: L14e





• Molecule 16: eL15




• Molecule 17: uL13





• Molecule 18: uL22




• Molecule 19: eL18




• Molecule 20: eL19




• Molecule 21: eL20




• Molecule 22: eL21





• Molecule 23: eL22








• Molecule 24: uL14





• Molecule 25: eL24




• Molecule 26: eL23




• Molecule 27: uL24




• Molecule 28: eL27




• Molecule 29: uL15




• Molecule 30: eL29




• Molecule 31: eL30




• Molecule 32: eL31




• Molecule 33: eL32




• Molecule 34: eL33



• Molecule 35: eL34





• Molecule 36: eL35




• Molecule 37: eL36




• Molecule 38: eL37



• Molecule 39: eL38




• Molecule 40: eL39




• Molecule 41: eL40




• Molecule 42: eL41





• Molecule 43: eL42




• Molecule 44: eL43




• Molecule 45: eL28






• Molecule 46: uL1







• Molecule 47: 18S rRNA














• Molecule 48: uS2




• Molecule 49: eS1




• Molecule 50: uS5




• Molecule 51: uS3








• Molecule 52: eS4




• Molecule 53: uS7




• Molecule 54: eS6




• Molecule 55: eS7




• Molecule 56: eS8





• Molecule 57: uS4





• Molecule 58: eS10




• Molecule 59: uS17





• Molecule 60: eS12





• Molecule 61: uS15




• Molecule 62: uS11




• Molecule 63: uS19




• Molecule 64: uS9







• Molecule 65: eS17




• Molecule 66: uS13



• Molecule 67: eS19




• Molecule 68: uS10








• Molecule 69: eS21





• Molecule 70: uS8





• Molecule 71: uS12




• Molecule 72: eS24




• Molecule 73: eS25




• Molecule 74: eS26



• Molecule 80: RACK1



• Molecule 81: IAPV-IRES



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	68697	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TECNAI F30	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	42.09	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	31000	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.283	Depositor
Minimum map value	-0.162	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.009	Depositor
Recommended contour level	0.028	Depositor
Map size (Å)	443.88, 443.88, 443.88	wwPDB
Map dimensions	360, 360, 360	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.233, 1.233, 1.233	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	5	0.21	0/86215	0.69	11/134459 (0.0%)
2	7	0.19	0/2836	0.66	0/4421
3	8	0.21	0/3581	0.69	0/5577
4	AA	0.66	0/1933	0.83	0/2592
5	AB	0.66	0/3240	0.80	0/4339
6	AC	0.66	0/2937	0.80	0/3946
7	AD	0.66	0/2437	0.78	0/3264
8	AE	0.67	0/1762	0.81	0/2362
9	AF	0.66	0/1911	0.79	0/2549
10	AG	0.67	0/1850	0.81	0/2491
11	AH	0.69	0/1535	0.82	0/2063
12	AI	0.66	0/1702	0.79	0/2272
13	AJ	0.68	0/1385	0.81	0/1852
14	AL	0.66	0/1658	0.83	0/2219
15	AM	0.67	0/1158	0.80	0/1547
16	AN	0.65	0/1746	0.82	0/2338
17	AO	0.66	0/1663	0.80	0/2223
18	AP	0.66	0/1268	0.79	0/1700
19	AQ	0.65	0/1557	0.81	0/2086
20	AR	0.66	0/1519	0.79	0/2006
21	AS	0.65	0/1498	0.80	0/2012
22	AT	0.65	0/1326	0.80	0/1770
23	AU	0.68	0/832	0.79	0/1116
24	AV	0.69	0/983	0.82	0/1319
25	AW	0.66	0/541	0.77	0/720
26	AX	0.65	0/984	0.76	0/1323
27	AY	0.67	0/1132	0.81	0/1504
28	AZ	0.66	0/1130	0.82	0/1507
29	Aa	0.66	0/1191	0.80	0/1590
30	Ab	0.67	0/861	0.83	0/1138
31	Ac	0.69	0/771	0.79	0/1034
32	Ad	0.66	0/903	0.82	0/1216
33	Ae	0.66	0/1071	0.80	0/1429
34	Af	0.65	0/895	0.82	0/1198

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
35	Ag	0.68	0/916	0.85	0/1220
36	Ah	0.67	0/1021	0.81	0/1348
37	Ai	0.68	0/841	0.82	0/1112
38	Aj	0.66	0/720	0.85	0/952
39	Ak	0.66	0/575	0.79	0/759
40	Al	0.64	0/459	0.81	0/608
41	Am	0.66	0/435	0.83	0/575
42	An	0.63	0/240	0.88	0/305
43	Ao	0.66	0/864	0.81	0/1140
44	Ap	0.69	0/718	0.81	0/953
45	Ar	0.68	0/1010	0.83	0/1354
46	AK	0.69	0/1733	0.81	0/2324
47	2	0.21	0/40509	0.69	7/63128 (0.0%)
48	B	0.67	0/1744	0.78	0/2371
49	C	0.68	0/1756	0.80	0/2350
50	D	0.68	0/1748	0.79	0/2362
51	E	0.69	0/1796	0.80	0/2417
52	F	0.67	0/2115	0.79	0/2843
53	G	0.69	0/1492	0.79	0/2005
54	H	0.68	0/1946	0.84	0/2590
55	I	0.69	0/1510	0.77	0/2022
56	J	0.67	0/1715	0.80	0/2287
57	K	0.68	0/1550	0.82	0/2069
58	L	0.66	0/834	0.77	0/1125
59	M	0.67	0/1195	0.81	0/1597
60	N	0.71	0/918	0.79	0/1233
61	O	0.68	0/1226	0.79	0/1649
62	P	0.69	0/1029	0.84	0/1380
63	Q	0.67	0/1009	0.81	0/1346
64	R	0.69	0/1146	0.83	0/1534
65	S	0.69	0/1082	0.78	0/1452
66	T	0.68	0/1208	0.82	0/1618
67	U	0.69	0/1115	0.82	0/1493
68	V	0.69	0/805	0.80	0/1081
69	W	0.71	0/638	0.82	0/855
70	X	0.68	0/1051	0.80	0/1406
71	Y	0.68	0/1116	0.83	0/1490
72	Z	0.68	0/1028	0.81	0/1366
73	a	0.69	0/604	0.79	0/810
74	b	0.68	0/791	0.81	0/1062
75	c	0.68	0/665	0.78	0/891
76	d	0.70	0/490	0.81	0/656
77	e	0.68	0/470	0.76	0/623

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
78	f	0.69	0/451	0.83	0/592
79	g	0.68	0/567	0.83	0/753
80	h	0.69	0/2493	0.80	0/3394
81	1	0.24	0/4881	0.73	1/7604 (0.0%)
All	All	0.46	0/232236	0.73	19/341286 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
5	AB	0	3
7	AD	0	1
8	AE	0	1
14	AL	0	1
18	AP	0	1
34	Af	0	2
46	AK	0	3
51	E	0	1
65	S	0	1
71	Y	0	1
All	All	0	15

There are no bond length outliers.

The worst 5 of 19 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	5	928	A	C2'-C3'-O3'	6.33	123.82	113.70
1	5	1455	G	C2'-C3'-O3'	5.93	123.19	113.70
1	5	4884	G	C2'-C3'-O3'	5.90	123.14	113.70
1	5	4180	G	C2'-C3'-O3'	5.77	122.92	113.70
47	2	1137	U	C2'-C3'-O3'	5.46	122.44	113.70

There are no chirality outliers.

5 of 15 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
5	AB	16	PHE	Peptide
5	AB	258	HIS	Peptide
5	AB	351	LEU	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
7	AD	36	LEU	Peptide
8	AE	188	PRO	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	AA	246/257 (96%)	223 (91%)	20 (8%)	3 (1%)	13	44
5	AB	392/403 (97%)	357 (91%)	33 (8%)	2 (0%)	29	64
6	AC	360/392 (92%)	334 (93%)	22 (6%)	4 (1%)	14	46
7	AD	291/297 (98%)	275 (94%)	15 (5%)	1 (0%)	41	73
8	AE	208/291 (72%)	188 (90%)	20 (10%)	0	100	100
9	AF	223/249 (90%)	209 (94%)	13 (6%)	1 (0%)	34	69
10	AG	221/242 (91%)	206 (93%)	14 (6%)	1 (0%)	29	64
11	AH	188/192 (98%)	175 (93%)	12 (6%)	1 (0%)	29	64
12	AI	201/214 (94%)	181 (90%)	20 (10%)	0	100	100
13	AJ	168/178 (94%)	158 (94%)	8 (5%)	2 (1%)	13	44
14	AL	199/211 (94%)	190 (96%)	7 (4%)	2 (1%)	15	49
15	AM	136/198 (69%)	128 (94%)	7 (5%)	1 (1%)	22	57
16	AN	201/204 (98%)	183 (91%)	16 (8%)	2 (1%)	15	49
17	AO	197/203 (97%)	188 (95%)	9 (5%)	0	100	100
18	AP	151/184 (82%)	146 (97%)	5 (3%)	0	100	100
19	AQ	185/188 (98%)	172 (93%)	13 (7%)	0	100	100
20	AR	178/196 (91%)	170 (96%)	8 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
21	AS	174/176 (99%)	158 (91%)	14 (8%)	2 (1%)	14	46
22	AT	157/160 (98%)	144 (92%)	11 (7%)	2 (1%)	12	42
23	AU	97/128 (76%)	87 (90%)	10 (10%)	0	100	100
24	AV	127/140 (91%)	115 (91%)	11 (9%)	1 (1%)	19	54
25	AW	61/157 (39%)	59 (97%)	2 (3%)	0	100	100
26	AX	116/156 (74%)	106 (91%)	10 (9%)	0	100	100
27	AY	132/145 (91%)	123 (93%)	9 (7%)	0	100	100
28	AZ	133/136 (98%)	124 (93%)	9 (7%)	0	100	100
29	Aa	145/148 (98%)	129 (89%)	15 (10%)	1 (1%)	22	57
30	Ab	100/226 (44%)	92 (92%)	6 (6%)	2 (2%)	7	31
31	Ac	96/115 (84%)	91 (95%)	5 (5%)	0	100	100
32	Ad	105/125 (84%)	98 (93%)	6 (6%)	1 (1%)	15	49
33	Ae	126/135 (93%)	119 (94%)	7 (6%)	0	100	100
34	Af	107/110 (97%)	99 (92%)	6 (6%)	2 (2%)	8	33
35	Ag	112/126 (89%)	109 (97%)	3 (3%)	0	100	100
36	Ah	120/123 (98%)	115 (96%)	5 (4%)	0	100	100
37	Ai	100/105 (95%)	93 (93%)	7 (7%)	0	100	100
38	Aj	84/97 (87%)	77 (92%)	6 (7%)	1 (1%)	13	44
39	Ak	67/70 (96%)	61 (91%)	3 (4%)	3 (4%)	2	15
40	Al	48/51 (94%)	42 (88%)	6 (12%)	0	100	100
41	Am	50/52 (96%)	48 (96%)	2 (4%)	0	100	100
42	An	23/25 (92%)	23 (100%)	0	0	100	100
43	Ao	102/106 (96%)	97 (95%)	5 (5%)	0	100	100
44	Ap	89/92 (97%)	84 (94%)	5 (6%)	0	100	100
45	Ar	122/137 (89%)	113 (93%)	9 (7%)	0	100	100
46	AK	210/217 (97%)	168 (80%)	36 (17%)	6 (3%)	4	24
48	B	215/295 (73%)	198 (92%)	17 (8%)	0	100	100
49	C	211/264 (80%)	193 (92%)	16 (8%)	2 (1%)	17	52
50	D	219/255 (86%)	204 (93%)	14 (6%)	1 (0%)	29	64
51	E	226/281 (80%)	203 (90%)	21 (9%)	2 (1%)	17	52
52	F	260/263 (99%)	233 (90%)	26 (10%)	1 (0%)	34	69

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
53	G	181/204 (89%)	164 (91%)	13 (7%)	4 (2%)	6	29
54	H	235/249 (94%)	213 (91%)	21 (9%)	1 (0%)	34	69
55	I	181/194 (93%)	166 (92%)	14 (8%)	1 (1%)	25	59
56	J	204/207 (99%)	185 (91%)	16 (8%)	3 (2%)	10	39
57	K	183/194 (94%)	167 (91%)	15 (8%)	1 (0%)	29	64
58	L	94/149 (63%)	84 (89%)	10 (11%)	0	100	100
59	M	139/158 (88%)	125 (90%)	13 (9%)	1 (1%)	22	57
60	N	115/132 (87%)	96 (84%)	19 (16%)	0	100	100
61	O	147/151 (97%)	134 (91%)	11 (8%)	2 (1%)	11	40
62	P	134/151 (89%)	123 (92%)	11 (8%)	0	100	100
63	Q	117/145 (81%)	98 (84%)	16 (14%)	3 (3%)	5	26
64	R	140/172 (81%)	126 (90%)	14 (10%)	0	100	100
65	S	130/135 (96%)	119 (92%)	11 (8%)	0	100	100
66	T	142/152 (93%)	127 (89%)	14 (10%)	1 (1%)	22	57
67	U	139/145 (96%)	126 (91%)	12 (9%)	1 (1%)	22	57
68	V	98/119 (82%)	89 (91%)	9 (9%)	0	100	100
69	W	81/83 (98%)	76 (94%)	5 (6%)	0	100	100
70	X	127/130 (98%)	119 (94%)	7 (6%)	1 (1%)	19	54
71	Y	139/143 (97%)	126 (91%)	10 (7%)	3 (2%)	6	29
72	Z	122/134 (91%)	110 (90%)	12 (10%)	0	100	100
73	a	73/125 (58%)	65 (89%)	8 (11%)	0	100	100
74	b	96/115 (84%)	82 (85%)	13 (14%)	1 (1%)	15	49
75	c	81/84 (96%)	74 (91%)	7 (9%)	0	100	100
76	d	60/69 (87%)	57 (95%)	2 (3%)	1 (2%)	9	36
77	e	53/56 (95%)	50 (94%)	3 (6%)	0	100	100
78	f	54/133 (41%)	49 (91%)	5 (9%)	0	100	100
79	g	66/156 (42%)	54 (82%)	11 (17%)	1 (2%)	10	39
80	h	311/317 (98%)	262 (84%)	49 (16%)	0	100	100
All	All	11321/12917 (88%)	10354 (92%)	895 (8%)	72 (1%)	29	59

5 of 72 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
22	AT	80	VAL
46	AK	140	HIS
6	AC	126	SER
9	AF	196	VAL
14	AL	6	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
4	AA	189/199 (95%)	169 (89%)	20 (11%)	6 26
5	AB	342/348 (98%)	330 (96%)	12 (4%)	36 68
6	AC	302/323 (94%)	284 (94%)	18 (6%)	19 49
7	AD	247/250 (99%)	244 (99%)	3 (1%)	71 88
8	AE	190/251 (76%)	183 (96%)	7 (4%)	34 66
9	AF	196/218 (90%)	191 (97%)	5 (3%)	46 74
10	AG	194/208 (93%)	189 (97%)	5 (3%)	46 74
11	AH	169/171 (99%)	162 (96%)	7 (4%)	30 64
12	AI	175/181 (97%)	172 (98%)	3 (2%)	60 83
13	AJ	143/149 (96%)	142 (99%)	1 (1%)	84 93
14	AL	167/176 (95%)	161 (96%)	6 (4%)	35 67
15	AM	117/151 (78%)	116 (99%)	1 (1%)	78 91
16	AN	171/172 (99%)	166 (97%)	5 (3%)	42 72
17	AO	171/173 (99%)	166 (97%)	5 (3%)	42 72
18	AP	134/163 (82%)	130 (97%)	4 (3%)	41 71
19	AQ	166/167 (99%)	148 (89%)	18 (11%)	6 25
20	AR	159/175 (91%)	146 (92%)	13 (8%)	11 38
21	AS	155/155 (100%)	142 (92%)	13 (8%)	11 38
22	AT	139/140 (99%)	135 (97%)	4 (3%)	42 72
23	AU	91/116 (78%)	88 (97%)	3 (3%)	38 69

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
24	AV	100/107 (94%)	95 (95%)	5 (5%)	24	57
25	AW	55/126 (44%)	55 (100%)	0	100	100
26	AX	106/134 (79%)	105 (99%)	1 (1%)	78	91
27	AY	124/135 (92%)	119 (96%)	5 (4%)	31	65
28	AZ	117/118 (99%)	115 (98%)	2 (2%)	60	83
29	Aa	119/120 (99%)	116 (98%)	3 (2%)	47	75
30	Ab	84/172 (49%)	82 (98%)	2 (2%)	49	76
31	Ac	84/98 (86%)	82 (98%)	2 (2%)	49	76
32	Ad	98/110 (89%)	96 (98%)	2 (2%)	55	80
33	Ae	114/121 (94%)	111 (97%)	3 (3%)	46	74
34	Af	88/89 (99%)	82 (93%)	6 (7%)	16	45
35	Ag	98/106 (92%)	97 (99%)	1 (1%)	76	90
36	Ah	109/110 (99%)	106 (97%)	3 (3%)	43	73
37	Ai	86/89 (97%)	83 (96%)	3 (4%)	36	68
38	Aj	73/80 (91%)	71 (97%)	2 (3%)	44	74
39	Ak	64/65 (98%)	61 (95%)	3 (5%)	26	59
40	Al	47/48 (98%)	47 (100%)	0	100	100
41	Am	48/48 (100%)	46 (96%)	2 (4%)	30	62
42	An	24/24 (100%)	23 (96%)	1 (4%)	30	62
43	Ao	92/94 (98%)	89 (97%)	3 (3%)	38	69
44	Ap	74/75 (99%)	72 (97%)	2 (3%)	44	74
45	Ar	108/121 (89%)	106 (98%)	2 (2%)	57	81
46	AK	190/196 (97%)	179 (94%)	11 (6%)	20	51
48	B	180/245 (74%)	178 (99%)	2 (1%)	73	89
49	C	194/231 (84%)	189 (97%)	5 (3%)	46	74
50	D	186/205 (91%)	181 (97%)	5 (3%)	44	74
51	E	190/232 (82%)	184 (97%)	6 (3%)	39	69
52	F	223/225 (99%)	216 (97%)	7 (3%)	40	70
53	G	158/170 (93%)	157 (99%)	1 (1%)	86	94
54	H	207/218 (95%)	206 (100%)	1 (0%)	88	94
55	I	165/174 (95%)	163 (99%)	2 (1%)	71	88

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
56	J	178/179 (99%)	177 (99%)	1 (1%)	86	94
57	K	161/168 (96%)	156 (97%)	5 (3%)	40	70
58	L	87/125 (70%)	86 (99%)	1 (1%)	73	89
59	M	130/142 (92%)	127 (98%)	3 (2%)	50	77
60	N	99/108 (92%)	97 (98%)	2 (2%)	55	80
61	O	130/131 (99%)	129 (99%)	1 (1%)	81	92
62	P	106/119 (89%)	105 (99%)	1 (1%)	78	91
63	Q	108/130 (83%)	100 (93%)	8 (7%)	13	42
64	R	117/140 (84%)	114 (97%)	3 (3%)	46	74
65	S	119/121 (98%)	119 (100%)	0	100	100
66	T	125/132 (95%)	123 (98%)	2 (2%)	62	84
67	U	111/116 (96%)	109 (98%)	2 (2%)	59	82
68	V	92/107 (86%)	89 (97%)	3 (3%)	38	69
69	W	68/68 (100%)	63 (93%)	5 (7%)	13	42
70	X	112/113 (99%)	111 (99%)	1 (1%)	78	91
71	Y	113/114 (99%)	112 (99%)	1 (1%)	78	91
72	Z	107/115 (93%)	104 (97%)	3 (3%)	43	73
73	a	66/103 (64%)	63 (96%)	3 (4%)	27	60
74	b	86/99 (87%)	84 (98%)	2 (2%)	50	77
75	c	75/76 (99%)	75 (100%)	0	100	100
76	d	55/62 (89%)	55 (100%)	0	100	100
77	e	48/49 (98%)	48 (100%)	0	100	100
78	f	46/106 (43%)	44 (96%)	2 (4%)	29	62
79	g	61/140 (44%)	60 (98%)	1 (2%)	62	84
80	h	272/275 (99%)	268 (98%)	4 (2%)	65	85
All	All	9894/11010 (90%)	9594 (97%)	300 (3%)	44	71

5 of 300 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
51	E	94	ARG
72	Z	101	LYS
52	F	155	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
63	Q	13	ARG
17	AO	194	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 91 such sidechains are listed below:

Mol	Chain	Res	Type
52	F	232	ASN
63	Q	53	GLN
53	G	114	ASN
56	J	99	ASN
67	U	83	GLN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	5	3569/3594 (99%)	960 (26%)	74 (2%)
2	7	118/119 (99%)	15 (12%)	1 (0%)
3	8	149/156 (95%)	36 (24%)	4 (2%)
47	2	1685/1869 (90%)	456 (27%)	31 (1%)
81	1	204/253 (80%)	110 (53%)	9 (4%)
All	All	5725/5991 (95%)	1577 (27%)	119 (2%)

5 of 1577 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	5	6	C
1	5	9	C
1	5	10	A
1	5	12	A
1	5	13	U

5 of 119 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	5	3938	G
81	1	6456	U
1	5	4925	U
47	2	1744	G
81	1	6609	A

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	5	25

The worst 5 of 25 chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	5	2113:G	O3'	2258:C	P	40.49
1	5	1252:C	O3'	1271:G	P	36.06
1	5	1219:G	O3'	1233:G	P	21.64
1	5	1405:C	O3'	1409:G	P	19.72
1	5	1696:C	O3'	1720:C	P	19.06


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-20257. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 180




Y Index: 180




Z Index: 180


6.2.2 Raw map



X Index: 180



Y Index: 180




Z Index: 180


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 206




Y Index: 188




Z Index: 195


6.3.2 Raw map



X Index: 206



Y Index: 148




Z Index: 188

The images above show the largest variance slices of the map in three orthogonal directions.


6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.028. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.5 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.5.1 emd_20257_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 1368 nm³; this corresponds to an approximate mass of 1236 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.323 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.323 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.10	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.82	6.49	3.94

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.82 differs from the reported value 3.1 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-20257 and PDB model 6P5K. Per-residue inclusion information can be found in section 3 on page 18.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.028 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.028).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 77% of all backbone atoms, 73% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary





















































































The table lists the average atom inclusion at the recommended contour level (0.028) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7322	 0.4740
1	 0.3667	 0.2380
2	 0.7495	 0.4560
5	 0.8293	 0.5090
7	 0.9165	 0.5580
8	 0.8669	 0.5390
AA	 0.8019	 0.5400
AB	 0.7868	 0.5290
AC	 0.7985	 0.5300
AD	 0.7469	 0.4940
AE	 0.7409	 0.4970
AF	 0.8021	 0.5370
AG	 0.7150	 0.4770
AH	 0.7334	 0.5080
AI	 0.7670	 0.5140
AJ	 0.6904	 0.4700
AK	 0.1925	 0.2040
AL	 0.7588	 0.5140
AM	 0.7671	 0.5110
AN	 0.8426	 0.5600
AO	 0.7997	 0.5380
AP	 0.8068	 0.5400
AQ	 0.7927	 0.5350
AR	 0.7000	 0.4780
AS	 0.8161	 0.5390
AT	 0.7466	 0.5100
AU	 0.6253	 0.4340
AV	 0.7635	 0.5370
AW	 0.7525	 0.5140
AX	 0.7723	 0.5130
AY	 0.7801	 0.5230
AZ	 0.7335	 0.4830
Aa	 0.8342	 0.5530
Ab	 0.6209	 0.4590
Ac	 0.6761	 0.4740













Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
Ad	 0.7188	 0.4950
Ae	 0.7994	 0.5520
Af	 0.8468	 0.5560
Ag	 0.7434	 0.5190
Ah	 0.7375	 0.5030
Ai	 0.7173	 0.4900
Aj	 0.8140	 0.5400
Ak	 0.6404	 0.4510
Al	 0.7588	 0.5140
Am	 0.7855	 0.5140
An	 0.6789	 0.4940
Ao	 0.7455	 0.5180
Ap	 0.7427	 0.5240
Ar	 0.8025	 0.5360
B	 0.5931	 0.4180
C	 0.5580	 0.4120
D	 0.6536	 0.4600
E	 0.4220	 0.3500
F	 0.6102	 0.4340
G	 0.5545	 0.4030
H	 0.4733	 0.3650
I	 0.4531	 0.3670
J	 0.5501	 0.4000
K	 0.5986	 0.4060
L	 0.3329	 0.2990
M	 0.6175	 0.4660
N	 0.0872	 0.2100
O	 0.5952	 0.4430
P	 0.5998	 0.4500
Q	 0.5094	 0.3410
R	 0.5330	 0.3880
S	 0.4393	 0.3670
T	 0.5424	 0.4020
U	 0.5567	 0.4000
V	 0.3398	 0.3450
W	 0.5893	 0.4140
X	 0.6881	 0.4770
Y	 0.6993	 0.4890
Z	 0.5413	 0.3860
a	 0.4700	 0.3400
b	 0.6698	 0.4720
c	 0.5352	 0.4090

Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
d	 0.5021	 0.3770
e	 0.5805	 0.4220
f	 0.5070	 0.3720
g	 0.1185	 0.2190
h	 0.3396	 0.2780