

Full wwPDB X-ray Structure Validation Report (i)

Oct 4, 2023 – 02:50 PM EDT

PDB ID	:	6PAW
Title	:	Crystal structure of DAPK2 S308A Calcium/Calmodulin complex
Authors	:	Simon, B.; Wilmanns, M.
Deposited on	:	2019-06-12
Resolution	:	2.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.35.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motria	Whole archive	Similar resolution
Metric	$(\# {\rm Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$
R_{free}	130704	3104 (3.00-2.92)
Clashscore	141614	3462(3.00-2.92)
Ramachandran outliers	138981	3340 (3.00-2.92)
Sidechain outliers	138945	3343 (3.00-2.92)
RSRZ outliers	127900	2986 (3.00-2.92)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
			2%	_
1	А	323	86%	12% •
			4%	
1	В	323	85%	13% •
			4%	
1	Ε	323	77% 1	17% 6%
			3%	
1	F	323	87%	10% •
			6%	
2	С	149	46% 7% 47%	



Mol	Chain	Length			Quality o	f chain		
2	D	149	9%		87%		10%	·
2	G	149	7%	34%	11%	55%		_
2	Н	149	4%	32%	5%	64%		



6PAW

2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 12988 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
1	Δ	216	Total	С	Ν	0	\mathbf{S}	0	0	0
	A	310	2580	1653	443	479	5	0	0	U
1	р	216	Total	С	Ν	0	S	0	0	0
	D	510	2580	1653	443	479	5	0	0	0
1	F	E 305	Total	С	Ν	0	S	0	0	0
			2495	1598	429	464	4			0
1	1 F	E 914	Total	С	Ν	0	S	0	0	0
	314	2565	1643	441	476	5	0	0	U	

• Molecule 1 is a protein called Death-associated protein kinase 2.

There are 28 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	-2	GLY	-	expression tag	UNP Q9UIK4
А	-1	HIS	-	expression tag	UNP Q9UIK4
А	0	MET	-	expression tag	UNP Q9UIK4
А	1	SER	-	expression tag	UNP Q9UIK4
А	231	SER	ALA	variant	UNP Q9UIK4
А	243	HIS	GLN	variant	UNP Q9UIK4
А	308	ALA	SER	engineered mutation	UNP Q9UIK4
В	-2	GLY	-	expression tag	UNP Q9UIK4
В	-1	HIS	-	expression tag	UNP Q9UIK4
В	0	MET	-	expression tag	UNP Q9UIK4
В	1	SER	-	expression tag	UNP Q9UIK4
В	231	SER	ALA	variant	UNP Q9UIK4
В	243	HIS	GLN	variant	UNP Q9UIK4
В	308	ALA	SER	engineered mutation	UNP Q9UIK4
Е	-2	GLY	-	expression tag	UNP Q9UIK4
Е	-1	HIS	-	expression tag	UNP Q9UIK4
Е	0	MET	-	expression tag	UNP Q9UIK4
Е	1	SER	-	expression tag	UNP Q9UIK4
Е	231	SER	ALA	variant	UNP Q9UIK4
Е	243	HIS	GLN	variant	UNP Q9UIK4
Е	308	ALA	SER	engineered mutation	UNP Q9UIK4



Chain	Residue	Modelled	Actual	Comment	Reference
F	-2	GLY	-	expression tag	UNP Q9UIK4
F	-1	HIS	-	expression tag	UNP Q9UIK4
F	0	MET	-	expression tag	UNP Q9UIK4
F	1	SER	-	expression tag	UNP Q9UIK4
F	231	SER	ALA	variant	UNP Q9UIK4
F	243	HIS	GLN	variant	UNP Q9UIK4
F	308	ALA	SER	engineered mutation	UNP Q9UIK4

• Molecule 2 is a protein called Calmodulin-1.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
2	D	145	Total C N O S 1143 702 184 248 9	0	0	0
2	G	67	Total C N O S 537 327 88 118 4	0	0	0
2	Н	54	Total C N O S 441 267 73 97 4	0	0	0
2	С	79	Total C N O S 638 391 105 135 7	0	0	0

• Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	D	4	Total Ca 4 4	0	0
3	G	2	Total Ca 2 2	0	0
3	Н	1	Total Ca 1 1	0	0
3	С	2	Total Ca 2 2	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Death-associated protein kinase 2

 \bullet Molecule 1: Death-associated protein kinase 2







4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	89.44Å 95.88Å 263.30Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Bosolution (Å)	131.65 - 2.95	Depositor
Resolution (A)	131.65 - 2.95	EDS
% Data completeness	64.4 (131.65-2.95)	Depositor
(in resolution range)	64.4 (131.65-2.95)	EDS
R_{merge}	0.28	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.59 (at 2.96 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.14_3260	Depositor
R R.	0.249 , 0.288	Depositor
n, n_{free}	0.250 , 0.289	DCC
R_{free} test set	1575 reflections (5.04%)	wwPDB-VP
Wilson B-factor $(Å^2)$	59.1	Xtriage
Anisotropy	0.062	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.32 , 8.6	EDS
L-test for twinning ²	$ < L >=0.47, < L^2>=0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.86	EDS
Total number of atoms	12988	wwPDB-VP
Average B, all atoms $(Å^2)$	57.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.59% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles		
	Unam	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.24	0/2631	0.41	0/3549	
1	В	0.24	0/2631	0.42	0/3549	
1	Е	0.24	0/2544	0.41	0/3430	
1	F	0.27	0/2616	0.42	0/3528	
2	С	0.24	0/644	0.41	0/860	
2	D	0.25	0/1155	0.42	0/1550	
2	G	0.24	0/541	0.38	0/724	
2	Н	0.24	0/443	0.38	0/591	
All	All	0.25	0/13205	0.41	0/17781	

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2580	0	2598	25	0
1	В	2580	0	2598	27	0
1	Е	2495	0	2512	36	0
1	F	2565	0	2580	22	0
2	С	638	0	600	6	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	1143	0	1076	11	0
2	G	537	0	491	12	0
2	Н	441	0	405	6	0
3	С	2	0	0	0	0
3	D	4	0	0	0	0
3	G	2	0	0	0	0
3	Н	1	0	0	0	0
All	All	12988	0	12860	130	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (130) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:F:199:ASP:O	1:F:203:ILE:HG12	1.91	0.70
1:E:87:THR:HG22	1:E:88:ASP:OD1	1.94	0.67
1:F:140:LEU:HD13	1:F:203:ILE:HD11	1.77	0.67
1:F:273:PRO:HB3	1:F:282:GLN:NE2	2.11	0.66
2:G:86:ILE:HG21	2:G:143:VAL:HG22	1.81	0.63
1:A:47:ARG:HD2	1:A:52:SER:HA	1.80	0.63
1:E:277:PRO:HB3	1:E:282:GLN:HG3	1.81	0.62
1:F:240:PHE:HA	1:F:292:ASN:HD22	1.67	0.60
1:E:47:ARG:HD3	1:E:51:ALA:HA	1.86	0.58
1:E:86:ARG:NH1	2:G:83:GLU:OE1	2.36	0.58
1:B:298:LYS:O	1:B:301:VAL:HG22	2.03	0.58
2:C:86:ILE:HD13	2:C:143:VAL:HG23	1.85	0.58
2:C:138:ASN:OD1	2:C:139:TYR:N	2.36	0.57
1:F:302:ARG:HG2	2:G:145:MET:HE1	1.85	0.57
2:D:101:ILE:HB	2:D:137:VAL:HB	1.86	0.57
1:E:257:VAL:HG21	1:E:262:LYS:HG3	1.86	0.57
1:A:9:VAL:HG21	1:A:90:VAL:HG21	1.87	0.56
1:A:211:LEU:HD12	1:A:252:ILE:HD11	1.88	0.56
1:F:68:LEU:HB3	1:F:79:LEU:HB2	1.87	0.56
1:A:29:LYS:NZ	1:A:38:GLU:OE1	2.32	0.55
1:A:307:LEU:HD22	2:D:15:GLU:HB3	1.89	0.55
1:F:295:ASN:HA	1:F:298:LYS:HD3	1.89	0.54
2:G:139:TYR:O	2:G:143:VAL:HG23	2.07	0.54
1:A:108:LYS:O	1:A:293:LEU:HD21	2.07	0.54
1:E:220:ASP:O	1:F:47:ARG:NH2	2.40	0.54
2:H:106:LEU:HD12	2:H:122:VAL:HG13	1.88	0.54



	h i o	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:67:ILE:HG23	1:B:135:ILE:HD13	1.90	0.53
2:G:88:GLU:OE1	2:G:91:ARG:NH2	2.39	0.53
1:B:284:MET:SD	1:B:287:ARG:NH2	2.81	0.53
1:E:257:VAL:HB	1:E:262:LYS:HE3	1.91	0.53
1:A:311:ILE:HG13	2:D:19:LEU:HD23	1.90	0.53
1:A:68:LEU:HB3	1:A:79:LEU:HB2	1.91	0.52
1:F:86:ARG:NH1	2:H:83:GLU:OE2	2.43	0.52
1:A:71:VAL:HG11	1:A:76:VAL:HG11	1.92	0.52
1:B:9:VAL:HG21	1:B:90:VAL:HG21	1.92	0.52
1:E:259:GLU:HB2	1:E:262:LYS:HG2	1.91	0.52
2:G:108:HIS:O	2:G:111:THR:OG1	2.28	0.52
1:A:69:ARG:HG3	1:A:79:LEU:HD23	1.92	0.51
1:A:293:LEU:HG	1:A:297:ARG:CD	2.41	0.51
1:A:111:LEU:O	1:A:291:VAL:HG23	2.11	0.51
1:F:67:ILE:HG23	1:F:135:ILE:HD13	1.92	0.51
1:F:4:PHE:CE1	1:F:65:VAL:HG21	2.46	0.51
1:B:300:TYR:CZ	1:B:304:ARG:HD2	2.47	0.50
1:F:278:VAL:N	1:F:282:GLN:OE1	2.36	0.50
2:G:126:ILE:O	2:G:130:ASP:N	2.45	0.49
1:B:19:LEU:HG	1:B:29:LYS:HG3	1.94	0.49
1:E:29:LYS:NZ	1:E:38:GLU:OE1	2.33	0.49
1:E:67:ILE:HD11	1:E:167:GLU:HG3	1.94	0.49
1:A:247:LEU:HD11	1:A:282:GLN:HB2	1.95	0.49
1:B:298:LYS:O	1:B:301:VAL:CG2	2.61	0.49
1:E:18:GLU:HA	1:E:28:LYS:HG2	1.94	0.49
1:E:297:ARG:NH2	2:H:121:GLU:OE2	2.46	0.48
1:E:188:ILE:HG12	1:E:194:LEU:HD21	1.96	0.48
2:D:19:LEU:HD21	2:D:113:LEU:HB3	1.96	0.48
1:B:211:LEU:HD12	1:B:252:ILE:HD11	1.96	0.48
1:E:147:LEU:HD22	1:E:155:PRO:HB2	1.95	0.48
1:B:47:ARG:HD2	1:B:52:SER:H	1.78	0.48
1:E:136:ALA:HB2	1:E:196:LEU:HD23	1.95	0.48
1:B:297:ARG:O	1:B:301:VAL:HG22	2.14	0.47
1:B:175:LYS:HA	1:B:194:LEU:HD13	1.96	0.47
1:E:173:GLU:HG3	1:E:193:PRO:HB3	1.96	0.47
1:E:285:VAL:HA	1:E:288:GLU:HG2	1.97	0.47
1:A:86:ARG:HG3	1:A:87:THR:HG23	1.96	0.47
1:B:62:GLU:HA	1:B:65:VAL:HG22	1.96	0.47
1:E:9:VAL:HG21	1:E:90:VAL:HG21	1.97	0.47
1:F:120:ILE:O	1:F:124:LEU:HG	2.15	0.47
1:A:127:VAL:HG21	1:A:203:ILE:HD11	1.97	0.46



	to de pagem	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:F:301:VAL:HG23	2:G:128:GLU:HG2	1.97	0.46
1:E:58:ARG:NH1	1:E:84:GLU:OE2	2.48	0.46
1:A:67:ILE:HD11	1:A:167:GLU:HG3	1.98	0.46
1:F:117:THR:HG21	1:F:286:ARG:HD2	1.96	0.46
1:B:113:GLU:HB2	1:B:286:ARG:O	2.16	0.46
2:G:110:MET:HG2	2:G:113:LEU:HD12	1.97	0.46
2:G:110:MET:HA	2:G:113:LEU:HB2	1.97	0.46
1:B:120:ILE:O	1:B:124:LEU:HG	2.16	0.45
2:D:143:VAL:O	2:D:147:THR:N	2.48	0.45
1:E:247:LEU:HD11	1:E:282:GLN:HB2	1.98	0.45
1:F:250:ASP:OD1	1:F:254:LYS:NZ	2.49	0.45
2:C:121:GLU:O	2:C:124:GLU:HG2	2.16	0.45
2:G:111:THR:HG22	2:G:117:LEU:HD22	1.97	0.45
2:H:117:LEU:HD12	2:H:117:LEU:HA	1.83	0.45
2:C:117:LEU:HD23	2:C:117:LEU:H	1.80	0.45
1:B:197:GLU:HB3	1:B:263:ARG:HD2	1.98	0.45
1:B:267:GLN:HG3	1:B:271:ARG:HH11	1.82	0.44
1:E:127:VAL:HG21	1:E:203:ILE:HD11	1.98	0.44
2:D:121:GLU:O	2:D:124:GLU:HG2	2.17	0.44
1:E:117:THR:HG21	1:E:286:ARG:HD2	1.98	0.44
1:F:9:VAL:HG21	1:F:90:VAL:HG21	1.99	0.44
1:B:192:GLU:O	1:B:194:LEU:HD12	2.18	0.44
2:D:58:ALA:N	2:D:68:GLU:OE1	2.48	0.43
1:E:61:ILE:HG21	1:E:89:VAL:HG11	1.98	0.43
1:F:74:HIS:O	1:F:156:HIS:NE2	2.50	0.43
1:A:34:SER:HB2	1:E:121:LYS:HD3	1.99	0.43
1:A:211:LEU:HA	1:A:291:VAL:HG13	1.99	0.43
1:B:25:ALA:HA	1:B:43:PHE:O	2.18	0.43
1:B:4:PHE:CE1	1:B:65:VAL:HG21	2.53	0.43
1:A:138:PHE:HB3	1:A:178:PHE:CE1	2.53	0.43
2:D:117:LEU:HD23	2:D:117:LEU:H	1.84	0.43
1:F:292:ASN:OD1	1:F:294:GLU:HG2	2.19	0.43
1:A:300:TYR:O	1:A:304:ARG:HG3	2.19	0.42
1:B:111:LEU:HD23	1:B:111:LEU:HA	1.89	0.42
1:B:219:GLY:H	1:B:225:THR:HB	1.84	0.42
1:E:180:THR:O	1:E:184:VAL:HG13	2.20	0.42
1:E:259:GLU:HB2	1:E:262:LYS:HE2	2.01	0.42
1:E:304:ARG:NH1	2:H:125:MET:SD	2.92	0.42
1:E:79:LEU:HA	1:E:93:LEU:HD23	2.01	0.42
1:F:4:PHE:HE1	1:F:65:VAL:HG21	1.84	0.42
1:A:220:ASP:O	1:B:47:ARG:NH2	2.53	0.42



A + am 1	A + 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
2:D:86:ILE:HG21	2:D:143:VAL:HG12	2.01	0.41
1:E:192:GLU:O	1:E:194:LEU:HD12	2.20	0.41
1:E:221:THR:HG23	1:E:224:GLU:H	1.85	0.41
1:A:8:LYS:HB3	1:A:8:LYS:HE2	1.79	0.41
1:A:191:TYR:CE2	1:B:230:THR:HG21	2.55	0.41
1:E:230:THR:HG21	1:F:191:TYR:HE2	1.85	0.41
1:E:120:ILE:O	1:E:124:LEU:HG	2.19	0.41
2:C:102:SER:HA	2:C:136:GLN:HG3	2.01	0.41
1:E:192:GLU:HB3	1:E:193:PRO:HD2	2.03	0.41
1:F:273:PRO:HB3	1:F:282:GLN:HE22	1.86	0.41
1:E:61:ILE:HD13	1:E:89:VAL:HG11	2.03	0.41
2:D:118:THR:OG1	2:D:119:ASP:N	2.54	0.41
1:B:212:SER:HB3	1:B:241:PHE:CZ	2.56	0.41
1:B:314:LEU:HA	2:C:76:LYS:HD3	2.02	0.41
1:E:212:SER:HB2	1:E:240:PHE:HB3	2.03	0.41
2:G:107:ARG:O	2:G:111:THR:HG23	2.21	0.41
2:H:107:ARG:HB3	2:H:122:VAL:HG21	2.02	0.41
1:A:304:ARG:HH22	2:D:117:LEU:HD13	1.86	0.40
1:B:23:GLN:O	1:B:24:PHE:HD1	2.04	0.40
1:B:47:ARG:HD2	1:B:52:SER:N	2.36	0.40
1:A:120:ILE:O	1:A:124:LEU:HG	2.20	0.40
1:E:96:VAL:HG13	1:E:148:LEU:HD12	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	314/323~(97%)	302 (96%)	12 (4%)	0	100	100
1	В	314/323~(97%)	306 (98%)	8 (2%)	0	100	100
1	Е	303/323~(94%)	292 (96%)	11 (4%)	0	100	100



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	F	312/323~(97%)	302~(97%)	10 (3%)	0	100 100
2	С	77/149~(52%)	77~(100%)	0	0	100 100
2	D	143/149~(96%)	139~(97%)	4(3%)	0	100 100
2	G	63/149~(42%)	62~(98%)	1 (2%)	0	100 100
2	Н	50/149~(34%)	49~(98%)	1 (2%)	0	100 100
All	All	1576/1888~(84%)	1529 (97%)	47 (3%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	285/291~(98%)	285 (100%)	0	100 100
1	В	285/291~(98%)	284 (100%)	1 (0%)	91 96
1	Ε	274/291~(94%)	274 (100%)	0	100 100
1	F	283/291~(97%)	283 (100%)	0	100 100
2	С	69/127~(54%)	69~(100%)	0	100 100
2	D	124/127~(98%)	124 (100%)	0	100 100
2	G	58/127~(46%)	58 (100%)	0	100 100
2	Н	48/127~(38%)	48 (100%)	0	100 100
All	All	$142\overline{6/1672} \ (85\%)$	$14\overline{25}\ (100\%)$	1 (0%)	93 98

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	В	296	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.



5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 9 ligands modelled in this entry, 9 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	316/323~(97%)	0.27	7 (2%) 62 45	20, 42, 69, 105	0
1	В	316/323~(97%)	0.43	14 (4%) 34 21	23, 49, 86, 124	0
1	Е	305/323~(94%)	0.39	12 (3%) 39 25	23, 45, 89, 111	0
1	F	314/323~(97%)	0.31	11 (3%) 44 29	27, 49, 89, 111	0
2	С	79/149~(53%)	0.60	9 (11%) 5 3	69, 88, 120, 123	0
2	D	145/149~(97%)	0.51	13 (8%) 9 5	35, 58, 95, 125	0
2	G	67/149~(44%)	0.89	11 (16%) 1 1	74, 102, 124, 130	0
2	Н	54/149~(36%)	0.53	6 (11%) 5 3	82, 100, 120, 122	0
All	All	1596/1888~(84%)	0.40	83 (5%) 27 17	20, 50, 105, 130	0

All (83) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	312	VAL	8.4
1	Е	48	GLN	5.4
1	F	15	ILE	5.3
1	В	50	ARG	4.9
2	Н	106	LEU	4.8
2	С	93	PHE	4.5
1	F	315	CYS	4.2
1	F	311	ILE	4.2
2	G	109	VAL	4.0
1	В	41	ALA	3.9
2	G	95	LYS	3.8
2	D	7	GLU	3.8
2	G	122	VAL	3.6
1	Е	15	ILE	3.5
2	D	5	LEU	3.5
2	С	73	MET	3.5



Mol	Chain	Res	Type	RSRZ
1	В	23	GLN	3.5
2	G	110	MET	3.5
2	D	149	LYS	3.4
2	С	113	LEU	3.4
1	В	291	VAL	3.4
2	G	93	PHE	3.3
2	Н	107	ARG	3.2
2	Н	131	ILE	3.1
2	D	69	PHE	3.1
2	G	147	THR	3.1
1	Е	23	GLN	3.1
1	В	151	ASN	2.9
1	Е	303	ARG	2.9
2	С	74	ALA	2.9
1	А	174	PHE	2.9
2	С	77	MET	2.8
1	Е	291	VAL	2.8
2	С	101	ILE	2.8
1	F	278	VAL	2.8
1	А	50	ARG	2.8
1	В	19	LEU	2.7
1	В	48	GLN	2.7
1	F	51	ALA	2.7
1	Е	293	LEU	2.6
2	D	89	ALA	2.6
1	В	21	SER	2.6
2	G	108	HIS	2.6
1	F	316	ASN	2.6
2	Н	89	ALA	2.5
1	Е	304	ARG	2.5
1	В	309	PHE	2.5
2	G	107	ARG	2.4
1	F	111	LEU	2.4
2	D	8	GLU	2.4
2	С	75	ARG	2.4
1	А	48	GLN	2.3
2	D	42	GLN	2.3
2	D	14	LYS	2.3
1	А	309	PHE	2.3
1	В	44	ILE	2.3
1	В	111	LEU	2.3
1	F	54	ARG	2.2



Mol	Chain	Res	Type	RSRZ
1	В	26	ILE	2.2
2	G	111 THR		2.2
1	F	243	HIS	2.2
1	В	40	ALA	2.2
2	D	66	PHE	2.2
2	С	122	VAL	2.2
1	А	109	GLU	2.2
2	Н	144	GLN	2.2
2	D	116	LYS	2.2
1	А	53	ARG	2.2
2	G	81	ASP	2.2
2	G	113	LEU	2.1
1	В	234	TYR	2.1
1	Е	17	GLU	2.1
2	С	78	LYS	2.1
1	Е	307	LEU	2.1
2	D	73	MET	2.1
1	Е	300	TYR	2.1
1	F	24	PHE	2.1
2	Н	113	LEU	2.1
1	A	210	LEU	2.0
1	Е	19	LEU	2.0
2	D	20	PHE	2.0
1	Е	127	VAL	2.0
2	D	9	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.



Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
3	CA	С	201	1/1	0.78	0.11	113,113,113,113	0
3	CA	С	202	1/1	0.92	0.12	89,89,89,89	0
3	CA	G	201	1/1	0.93	0.15	95,95,95,95	0
3	CA	Н	201	1/1	0.93	0.08	110,110,110,110	0
3	CA	G	202	1/1	0.97	0.09	90,90,90,90	0
3	CA	D	204	1/1	0.98	0.18	31,31,31,31	0
3	CA	D	202	1/1	0.98	0.14	58, 58, 58, 58	0
3	CA	D	203	1/1	0.98	0.13	52,52,52,52	0
3	CA	D	201	1/1	0.99	0.10	59, 59, 59, 59	0

6.5 Other polymers (i)

There are no such residues in this entry.

