

Full wwPDB X-ray Structure Validation Report (i)

Oct 3, 2023 – 08:28 AM EDT

PDB ID	:	6PCO
Title	:	Mechanism for regulation of DNA binding of Bordetella bronchiseptica BpsR
		by 6-hydroxynicotinic acid
Authors	:	Booth, W.T.; Davis, R.R.; Deora, R.; Hollis, T.
Deposited on	:	2019-06-17
Resolution	:	2.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	FAILED
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	FAILED
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)		
Validation Pipeline (wwPDB-VP)	:	2.35.1
EDS Percentile statistics Ideal geometry (proteins)	: : :	FAILED 20191225.v01 (using entries in the PDB archive December 25th 2019) Engh & Huber (2001) Parkinson et al. (1996)

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\hbox{-}RAY\,DIFFRACTION$

The reported resolution of this entry is 2.75 Å.

There are no overall percentile quality scores available for this entry.

MolProbity and EDS failed to run properly - the sequence quality summary graphics cannot be shown.



6PCO

2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 3526 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	I	Atoms			ZeroOcc	AltConf	Trace
1	А	139	Total C	Ν	0	\mathbf{S}	0	0	0
	Л	139	1055 - 66	7 190	194	4	0	0	0
1	В	135	Total C	Ν	Ο	\mathbf{S}	0	0	0
	I D	155	1022 64	8 184	186	4	0		
1	С	132	Total C	Ν	Ο	\mathbf{S}	0	0	0
		132	977 61	8 174	181	4	0	0	U
1	1 D	62	Total (C N	Ο	S	0	0	0
			456 2	81 90	84	1			U

• Molecule 1 is a protein called MarR-family transcriptional regulator.

There are 136 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	-33	MET	-	initiating methionine	UNP A0A0H3LTT0
А	-32	GLY	-	expression tag	UNP A0A0H3LTT0
A	-31	HIS	-	expression tag	UNP A0A0H3LTT0
А	-30	HIS	-	expression tag	UNP A0A0H3LTT0
А	-29	HIS	-	expression tag	UNP A0A0H3LTT0
A	-28	HIS	-	expression tag	UNP A0A0H3LTT0
А	-27	HIS	-	expression tag	UNP A0A0H3LTT0
А	-26	HIS	-	expression tag	UNP A0A0H3LTT0
А	-25	HIS	-	expression tag	UNP A0A0H3LTT0
А	-24	HIS	-	expression tag	UNP A0A0H3LTT0
А	-23	HIS	-	expression tag	UNP A0A0H3LTT0
А	-22	HIS	-	expression tag	UNP A0A0H3LTT0
А	-21	SER	-	expression tag	UNP A0A0H3LTT0
А	-20	SER	-	expression tag	UNP A0A0H3LTT0
A	-19	GLY	-	expression tag	UNP A0A0H3LTT0
А	-18	HIS	-	expression tag	UNP A0A0H3LTT0
А	-17	ILE	-	expression tag	UNP A0A0H3LTT0
А	-16	ASP	-	expression tag	UNP A0A0H3LTT0
А	-15	ASP	-	expression tag	UNP A0A0H3LTT0
А	-14	ASP	-	expression tag	UNP A0A0H3LTT0
А	-13	ASP	-	expression tag	UNP A0A0H3LTT0

Continued on next page...



Chain	Residue	vious page Modelled	Actual	Comment	Reference
A	-12	LYS	-	expression tag	UNP A0A0H3LTT0
A	-12	HIS	_	expression tag	UNP A0A0H3LTT0
A	-10	THR	_	expression tag	UNP A0A0H3LTT0
A	-9	SER	_	expression tag	UNP A0A0H3LTT0
A	-8	LEU	_	expression tag	UNP A0A0H3LTT0
A	-7	GLU	_	expression tag	UNP A0A0H3LTT0
A	-6	VAL	_	expression tag	UNP A0A0H3LTT0
A	-5	LEU		expression tag	UNP A0A0H3LTT0
A	-4	PHE	_	expression tag	UNP A0A0H3LTT0
A		GLN		expression tag	UNP A0A0H3LTT0
A	-3	GLY	_	expression tag	UNP A0A0H3LTT0
A	-1	PRO	_	expression tag	UNP A0A0H3LTT0
A	0	HIS	-	expression tag	UNP A0A0H3LTT0
B	-33	MET	-	initiating methionine	UNP A0A0H3LTT0
B	-33	GLY	-	expression tag	UNP A0A0H3LTT0
B	-32	HIS	_	expression tag	UNP A0A0H3LTT0
B	-30	HIS	_	expression tag	UNP A0A0H3LTT0
B	-29	HIS	_	expression tag	UNP A0A0H3LTT0
B	-23	HIS		expression tag	UNP A0A0H3LTT0
B	-28	HIS	-	expression tag	UNP A0A0H3LTT0
B	-21	HIS		expression tag	UNP A0A0H3LTT0
B	-20	HIS	-	expression tag	UNP A0A0H3LTT0
B	-23	HIS	-	expression tag	UNP A0A0H3LTT0
B	-24	HIS	-	expression tag	UNP A0A0H3LTT0
B	-23	HIS	-	expression tag	UNP A0A0H3LTT0
B	-22	SER	-	expression tag	UNP A0A0H3LTT0
B	-21	SER	-	expression tag	UNP A0A0H3LTT0
B	-20	GLY	-	1 0	UNP A0A0H3LTT0
B	-19	HIS	-	expression tag	UNP A0A0H3LTT0
B	-18	ILE	-	expression tag	UNP A0A0H3LTT0
B	-17	ASP	-	expression tag expression tag	UNP A0A0H3LTT0
B	-10 -15	ASP	-	expression tag	UNP A0A0H3LTT0
B	-15	ASP	-	expression tag	UNP A0A0H3LTT0
B	-14 -13	ASP	-	expression tag	UNP A0A0H3LTT0
B	-15 -12	LYS	-	1 0	UNP A0A0H3LTT0
B	-12	HIS	-	expression tag expression tag	UNP A0A0H3LTT0
B	-11 -10	THR	-	expression tag	UNP A0A0H3LTT0
		SER	-		UNP A0A0H3LTT0
B B	-9 -8	LEU	-	expression tag	UNP A0A0H3LTT0
B	-8 -7	GLU	-	expression tag	UNP A0A0H3LTT0
B	-7	VAL	-	expression tag	UNP A0A0H3LTT0
	-0 -5		-	expression tag	
В	6-	LEU	-	expression tag	UNP A0A0H3LTT0

Continued from previous page...

Continued on next page...



Chain	Residue	vious page Modelled	Actual	Comment	Reference
В	-4	PHE	_	expression tag	UNP A0A0H3LTT0
В	-3	GLN	_	expression tag	UNP A0A0H3LTT0
В	-2	GLY	_	expression tag	UNP A0A0H3LTT0
В	-1	PRO	-	expression tag	UNP A0A0H3LTT0
В	0	HIS	-	expression tag	UNP A0A0H3LTT0
С	-33	MET	-	initiating methionine	UNP A0A0H3LTT0
С	-32	GLY	-	expression tag	UNP A0A0H3LTT0
С	-31	HIS	-	expression tag	UNP A0A0H3LTT0
С	-30	HIS	-	expression tag	UNP A0A0H3LTT0
С	-29	HIS	_	expression tag	UNP A0A0H3LTT0
С	-28	HIS	-	expression tag	UNP A0A0H3LTT0
С	-27	HIS	-	expression tag	UNP A0A0H3LTT0
С	-26	HIS	-	expression tag	UNP A0A0H3LTT0
С	-25	HIS	-	expression tag	UNP A0A0H3LTT0
С	-24	HIS	-	expression tag	UNP A0A0H3LTT0
С	-23	HIS	-	expression tag	UNP A0A0H3LTT0
С	-22	HIS	_	expression tag	UNP A0A0H3LTT0
С	-21	SER	-	expression tag	UNP A0A0H3LTT0
С	-20	SER	-	expression tag	UNP A0A0H3LTT0
С	-19	GLY	-	expression tag	UNP A0A0H3LTT0
С	-18	HIS	_	expression tag	UNP A0A0H3LTT0
С	-17	ILE	_	expression tag	UNP A0A0H3LTT0
С	-16	ASP	-	expression tag	UNP A0A0H3LTT0
С	-15	ASP	_	expression tag	UNP A0A0H3LTT0
С	-14	ASP	-	expression tag	UNP A0A0H3LTT0
С	-13	ASP	-	expression tag	UNP A0A0H3LTT0
С	-12	LYS	_	expression tag	UNP A0A0H3LTT0
С	-11	HIS	-	expression tag	UNP A0A0H3LTT0
С	-10	THR	_	expression tag	UNP A0A0H3LTT0
С	-9	SER	-	expression tag	UNP A0A0H3LTT0
С	-8	LEU	_	expression tag	UNP A0A0H3LTT0
С	-7	GLU	_	expression tag	UNP A0A0H3LTT0
С	-6	VAL	-	expression tag	UNP A0A0H3LTT0
С	-5	LEU	_	expression tag	UNP A0A0H3LTT0
С	-4	PHE	-	expression tag	UNP A0A0H3LTT0
С	-3	GLN	-	expression tag	UNP A0A0H3LTT0
С	-2	GLY	-	expression tag	UNP A0A0H3LTT0
С	-1	PRO	-	expression tag	UNP A0A0H3LTT0
С	0	HIS	-	expression tag	UNP A0A0H3LTT0
D	-33	MET	-	initiating methionine	UNP A0A0H3LTT0
D	-32	GLY	-	expression tag	UNP A0A0H3LTT0
D	-31	HIS	_	expression tag	UNP A0A0H3LTT0

Continued from previous page...

Continued on next page...




Chain	Residue	Modelled	Actual	Comment	Reference
D	-30	HIS	-	expression tag	UNP A0A0H3LTT0
D	-29	HIS	-	expression tag	UNP A0A0H3LTT0
D	-28	HIS	-	expression tag	UNP A0A0H3LTT0
D	-27	HIS	-	expression tag	UNP A0A0H3LTT0
D	-26	HIS	-	expression tag	UNP A0A0H3LTT0
D	-25	HIS	-	expression tag	UNP A0A0H3LTT0
D	-24	HIS	-	expression tag	UNP A0A0H3LTT0
D	-23	HIS	-	expression tag	UNP A0A0H3LTT0
D	-22	HIS	-	expression tag	UNP A0A0H3LTT0
D	-21	SER	-	expression tag	UNP A0A0H3LTT0
D	-20	SER	-	expression tag	UNP A0A0H3LTT0
D	-19	GLY	-	expression tag	UNP A0A0H3LTT0
D	-18	HIS	-	expression tag	UNP A0A0H3LTT0
D	-17	ILE	-	expression tag	UNP A0A0H3LTT0
D	-16	ASP	-	expression tag	UNP A0A0H3LTT0
D	-15	ASP	-	expression tag	UNP A0A0H3LTT0
D	-14	ASP	-	expression tag	UNP A0A0H3LTT0
D	-13	ASP	-	expression tag	UNP A0A0H3LTT0
D	-12	LYS	-	expression tag	UNP A0A0H3LTT0
D	-11	HIS	-	expression tag	UNP A0A0H3LTT0
D	-10	THR	-	expression tag	UNP A0A0H3LTT0
D	-9	SER	-	expression tag	UNP A0A0H3LTT0
D	-8	LEU	-	expression tag	UNP A0A0H3LTT0
D	-7	GLU	-	expression tag	UNP A0A0H3LTT0
D	-6	VAL	-	expression tag	UNP A0A0H3LTT0
D	-5	LEU	-	expression tag	UNP A0A0H3LTT0
D	-4	PHE	-	expression tag	UNP A0A0H3LTT0
D	-3	GLN	-	expression tag	UNP A0A0H3LTT0
D	-2	GLY	-	expression tag	UNP A0A0H3LTT0
D	-1	PRO	-	expression tag	UNP A0A0H3LTT0
D	0	HIS	-	expression tag	UNP A0A0H3LTT0

Continued from previous page...

• Molecule 2 is 1,4-BUTANEDIOL (three-letter code: BU1) (formula: $C_4H_{10}O_2$).





Mol	Chain	Residues	Atom	s	ZeroOcc	AltConf
2	А	1	Total C 6 4	O 2	0	0

• Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	3	Total O 3 3	0	0
3	В	2	Total O 2 2	0	0
3	С	4	Total O 4 4	0	0
3	D	1	Total O 1 1	0	0

MolProbity and EDS failed to run properly - this section is therefore empty.



3 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	71.87Å 90.52Å 103.05Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Resolution (Å)	34.03 - 2.75	Depositor
% Data completeness	96.4 (34.03-2.75)	Depositor
(in resolution range)		-
R _{merge}	0.06	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$3.13 (at 2.65 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.8.0230	Depositor
R, R_{free}	0.231 , 0.301	Depositor
Wilson B-factor ($Å^2$)	74.9	Xtriage
Anisotropy	0.051	Xtriage
L-test for twinning ²	$ < L >=0.51, < L^2>=0.35$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	3526	wwPDB-VP
Average B, all atoms $(Å^2)$	77.0	wwPDB-VP

EDS failed to run properly - this section is therefore incomplete.

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 5.26% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

4 Model quality (i)

4.1 Standard geometry (i)

MolProbity failed to run properly - this section is therefore empty.

4.2 Too-close contacts (i)

MolProbity failed to run properly - this section is therefore empty.

4.3 Torsion angles (i)

4.3.1 Protein backbone (i)

MolProbity failed to run properly - this section is therefore empty.

4.3.2 Protein sidechains (i)

MolProbity failed to run properly - this section is therefore empty.

4.3.3 RNA (i)

MolProbity failed to run properly - this section is therefore empty.

4.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

4.5 Carbohydrates (i)

There are no monosaccharides in this entry.

4.6 Ligand geometry (i)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond



length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Tuno	Chain	Dog	Link Bond lengths				Bond angles		
	Mol Type Chain Res		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2		
2	BU1	А	201	-	$5,\!5,\!5$	0.62	0	4,4,4	0.43	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mo	l Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BU1	А	201	-	-	2/3/3/3	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	А	201	BU1	C2-C3-C4-O6
2	А	201	BU1	O5-C1-C2-C3

There are no ring outliers.

No monomer is involved in short contacts.

4.7 Other polymers (i)

There are no such residues in this entry.

4.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



5 Fit of model and data (i)

5.1 Protein, DNA and RNA chains (i)

EDS failed to run properly - this section is therefore empty.

5.2 Non-standard residues in protein, DNA, RNA chains (i)

EDS failed to run properly - this section is therefore empty.

5.3 Carbohydrates (i)

EDS failed to run properly - this section is therefore empty.

5.4 Ligands (i)

EDS failed to run properly - this section is therefore empty.

5.5 Other polymers (i)

EDS failed to run properly - this section is therefore empty.

