

wwPDB X-ray Structure Validation Summary Report (i)

Oct 3, 2023 – 08:28 AM EDT

:	6PCO
:	Mechanism for regulation of DNA binding of Bordetella bronchiseptica BpsR
	by 6-hydroxynicotinic acid
:	Booth, W.T.; Davis, R.R.; Deora, R.; Hollis, T.
:	2019-06-17
:	2.75 Å(reported)
	::

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

:	FAILED
:	1.8.5 (274361), CSD as541be (2020)
:	1.13
:	FAILED
:	20191225.v01 (using entries in the PDB archive December 25th 2019)
:	Engh & Huber (2001)
:	Parkinson et al. (1996)
:	2.35.1
	::

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\hbox{-}RAY\,DIFFRACTION$

The reported resolution of this entry is 2.75 Å.

There are no overall percentile quality scores available for this entry.

MolProbity and EDS failed to run properly - the sequence quality summary graphics cannot be shown.



6PCO

2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 3526 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		Ato	oms			ZeroOcc	AltConf	Trace
1	1 1	120	Total	С	Ν	Ο	\mathbf{S}	0	0	0
	A	159	1055 6	667	190	194	4	0		U
1	р	125	Total	С	Ν	0	S	0	0	0
	I D	155	1022 6	648	184	186	4	0	0	0
1	C	120	Total	С	Ν	0	S	0	0	0
	132	977 6	618	174	181	4	0	0	U	
1 D		62	Total	С	Ν	0	S	0	0	0
	02	456	281	90	84	1	0	U		

• Molecule 1 is a protein called MarR-family transcriptional regulator.

There are 136 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	-33	MET	-	initiating methionine	UNP A0A0H3LTT0
А	-32	GLY	-	expression tag	UNP A0A0H3LTT0
А	-31	HIS	-	expression tag	UNP A0A0H3LTT0
А	-30	HIS	-	expression tag	UNP A0A0H3LTT0
А	-29	HIS	-	expression tag	UNP A0A0H3LTT0
А	-28	HIS	-	expression tag	UNP A0A0H3LTT0
А	-27	HIS	-	expression tag	UNP A0A0H3LTT0
А	-26	HIS	-	expression tag	UNP A0A0H3LTT0
А	-25	HIS	-	expression tag	UNP A0A0H3LTT0
А	-24	HIS	-	expression tag	UNP A0A0H3LTT0
A	-23	HIS	-	expression tag	UNP A0A0H3LTT0
А	-22	HIS	-	expression tag	UNP A0A0H3LTT0
А	-21	SER	-	expression tag	UNP A0A0H3LTT0
А	-20	SER	-	expression tag	UNP A0A0H3LTT0
А	-19	GLY	-	expression tag	UNP A0A0H3LTT0
A	-18	HIS	-	expression tag	UNP A0A0H3LTT0
А	-17	ILE	-	expression tag	UNP A0A0H3LTT0
A	-16	ASP	-	expression tag	UNP A0A0H3LTT0
A	-15	ASP	-	expression tag	UNP A0A0H3LTT0
А	-14	ASP	-	expression tag	UNP A0A0H3LTT0
А	-13	ASP	-	expression tag	UNP A0A0H3LTT0

Continued on next page...



6PC0	С
UL UV	

Chain	Residue	Modelled	Actual	Comment	Reference
A	-12	LYS	_	expression tag	UNP A0A0H3LTT0
A	-11	HIS	_	expression tag	UNP A0A0H3LTT0
A	-10	THR	_	expression tag	UNP A0A0H3LTT0
A	-9	SER	_	expression tag	UNP A0A0H3LTT0
A	-8	LEU	_	expression tag	UNP A0A0H3LTT0
A	-7	GLU	_	expression tag	UNP A0A0H3LTT0
A	-6	VAL	-	expression tag	UNP A0A0H3LTT0
A	-5	LEU	-	expression tag	UNP A0A0H3LTT0
A	-4	PHE	-	expression tag	UNP A0A0H3LTT0
A	-3	GLN	_	expression tag	UNP A0A0H3LTT0
A	-2	GLY	_	expression tag	UNP A0A0H3LTT0
А	-1	PRO	-	expression tag	UNP A0A0H3LTT0
А	0	HIS	-	expression tag	UNP A0A0H3LTT0
В	-33	MET	-	initiating methionine	UNP A0A0H3LTT0
В	-32	GLY	-	expression tag	UNP A0A0H3LTT0
В	-31	HIS	-	expression tag	UNP A0A0H3LTT0
В	-30	HIS	-	expression tag	UNP A0A0H3LTT0
В	-29	HIS	-	expression tag	UNP A0A0H3LTT0
В	-28	HIS	_	expression tag	UNP A0A0H3LTT0
В	-27	HIS	-	expression tag	UNP A0A0H3LTT0
В	-26	HIS	-	expression tag	UNP A0A0H3LTT0
В	-25	HIS	-	expression tag	UNP A0A0H3LTT0
В	-24	HIS	-	expression tag	UNP A0A0H3LTT0
В	-23	HIS	-	expression tag	UNP A0A0H3LTT0
В	-22	HIS	-	expression tag	UNP A0A0H3LTT0
В	-21	SER	-	expression tag	UNP A0A0H3LTT0
В	-20	SER	-	expression tag	UNP A0A0H3LTT0
В	-19	GLY	-	expression tag	UNP A0A0H3LTT0
В	-18	HIS	-	expression tag	UNP A0A0H3LTT0
В	-17	ILE	-	expression tag	UNP A0A0H3LTT0
В	-16	ASP	-	expression tag	UNP A0A0H3LTT0
В	-15	ASP	-	expression tag	UNP A0A0H3LTT0
В	-14	ASP	-	expression tag	UNP A0A0H3LTT0
B	-13	ASP	-	expression tag	UNP A0A0H3LTT0
B	-12	LYS	-	expression tag	UNP A0A0H3LTT0
В	-11	HIS	-	expression tag	UNP A0A0H3LTT0
В	-10	THR	-	expression tag	UNP A0A0H3LTT0
B	-9	SER	-	expression tag	UNP A0A0H3LTT0
В	-8	LEU	-	expression tag	UNP A0A0H3LTT0
B	-7	GLU	-	expression tag	UNP A0A0H3LTT0
В	-6	VAL	-	expression tag	UNP A0A0H3LTT0
В	-5	LEU	-	expression tag	UNP A0A0H3LTT0

Continued from previous page...

Continued on next page...



Chain	Residue	Modelled	Actual	Comment	Reference
В	-4	PHE	-	expression tag	UNP A0A0H3LTT0
В	-3	GLN	-	expression tag	UNP A0A0H3LTT0
В	-2	GLY	-	expression tag	UNP A0A0H3LTT0
В	-1	PRO	-	expression tag	UNP A0A0H3LTT0
В	0	HIS	-	expression tag	UNP A0A0H3LTT0
С	-33	MET	-	initiating methionine	UNP A0A0H3LTT0
С	-32	GLY	-	expression tag	UNP A0A0H3LTT0
С	-31	HIS	-	expression tag	UNP A0A0H3LTT0
С	-30	HIS	-	expression tag	UNP A0A0H3LTT0
С	-29	HIS	_	expression tag	UNP A0A0H3LTT0
С	-28	HIS	-	expression tag	UNP A0A0H3LTT0
С	-27	HIS	-	expression tag	UNP A0A0H3LTT0
С	-26	HIS	-	expression tag	UNP A0A0H3LTT0
С	-25	HIS	_	expression tag	UNP A0A0H3LTT0
С	-24	HIS	-	expression tag	UNP A0A0H3LTT0
С	-23	HIS	-	expression tag	UNP A0A0H3LTT0
С	-22	HIS	-	expression tag	UNP A0A0H3LTT0
С	-21	SER	-	expression tag	UNP A0A0H3LTT0
С	-20	SER	-	expression tag	UNP A0A0H3LTT0
С	-19	GLY	-	expression tag	UNP A0A0H3LTT0
С	-18	HIS	-	expression tag	UNP A0A0H3LTT0
С	-17	ILE	-	expression tag	UNP A0A0H3LTT0
С	-16	ASP	-	expression tag	UNP A0A0H3LTT0
С	-15	ASP	-	expression tag	UNP A0A0H3LTT0
С	-14	ASP	-	expression tag	UNP A0A0H3LTT0
С	-13	ASP	-	expression tag	UNP A0A0H3LTT0
С	-12	LYS	-	expression tag	UNP A0A0H3LTT0
С	-11	HIS	-	expression tag	UNP A0A0H3LTT0
С	-10	THR	-	expression tag	UNP A0A0H3LTT0
С	-9	SER	-	expression tag	UNP A0A0H3LTT0
С	-8	LEU	-	expression tag	UNP A0A0H3LTT0
С	-7	GLU	-	expression tag	UNP A0A0H3LTT0
С	-6	VAL	-	expression tag	UNP A0A0H3LTT0
С	-5	LEU	-	expression tag	UNP A0A0H3LTT0
С	-4	PHE	-	expression tag	UNP A0A0H3LTT0
C	-3	GLN	-	expression tag	UNP A0A0H3LTT0
С	-2	GLY	-	expression tag	UNP A0A0H3LTT0
С	-1	PRO	-	expression tag	UNP A0A0H3LTT0
C	0	HIS	-	expression tag	UNP A0A0H3LTT0
D	-33	MET	-	initiating methionine	UNP A0A0H3LTT0
D	-32	GLY	-	expression tag	UNP A0A0H3LTT0
D	-31	HIS	-	expression tag	UNP A0A0H3LTT0

Continued from previous page...

Continued on next page...



Chain	Residue	Modelled	Actual	Comment	Reference
D	-30	HIS	-	expression tag	UNP A0A0H3LTT0
D	-29	HIS	-	expression tag	UNP A0A0H3LTT0
D	-28	HIS	-	expression tag	UNP A0A0H3LTT0
D	-27	HIS	-	expression tag	UNP A0A0H3LTT0
D	-26	HIS	_	expression tag	UNP A0A0H3LTT0
D	-25	HIS	-	expression tag	UNP A0A0H3LTT0
D	-24	HIS	-	expression tag	UNP A0A0H3LTT0
D	-23	HIS	-	expression tag	UNP A0A0H3LTT0
D	-22	HIS	-	expression tag	UNP A0A0H3LTT0
D	-21	SER	_	expression tag	UNP A0A0H3LTT0
D	-20	SER	-	expression tag	UNP A0A0H3LTT0
D	-19	GLY	_	expression tag	UNP A0A0H3LTT0
D	-18	HIS	-	expression tag	UNP A0A0H3LTT0
D	-17	ILE	-	expression tag	UNP A0A0H3LTT0
D	-16	ASP	-	expression tag	UNP A0A0H3LTT0
D	-15	ASP	-	expression tag	UNP A0A0H3LTT0
D	-14	ASP	-	expression tag	UNP A0A0H3LTT0
D	-13	ASP	-	expression tag	UNP A0A0H3LTT0
D	-12	LYS	-	expression tag	UNP A0A0H3LTT0
D	-11	HIS	-	expression tag	UNP A0A0H3LTT0
D	-10	THR	-	expression tag	UNP A0A0H3LTT0
D	-9	SER	-	expression tag	UNP A0A0H3LTT0
D	-8	LEU	-	expression tag	UNP A0A0H3LTT0
D	-7	GLU	-	expression tag	UNP A0A0H3LTT0
D	-6	VAL	-	expression tag	UNP A0A0H3LTT0
D	-5	LEU	-	expression tag	UNP A0A0H3LTT0
D	-4	PHE	-	expression tag	UNP A0A0H3LTT0
D	-3	GLN	-	expression tag	UNP A0A0H3LTT0
D	-2	GLY	-	expression tag	UNP A0A0H3LTT0
D	-1	PRO	-	expression tag	UNP A0A0H3LTT0
D	0	HIS	-	expression tag	UNP A0A0H3LTT0

Continued from previous page...

• Molecule 2 is 1,4-BUTANEDIOL (three-letter code: BU1) (formula: $C_4H_{10}O_2$).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	А	1	Total 6	С 4	O 2	0	0

• Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	3	Total O 3 3	0	0
3	В	2	Total O 2 2	0	0
3	С	4	Total O 4 4	0	0
3	D	1	Total O 1 1	0	0

MolProbity and EDS failed to run properly - this section is therefore empty.



3 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	71.87Å 90.52 Å 103.05 Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Resolution (Å)	34.03 - 2.75	Depositor
% Data completeness	96 4 (34 03-2 75)	Depositor
(in resolution range)	30.4 (04.00 2.10)	Берозног
R _{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$3.13 (at 2.65 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.8.0230	Depositor
R, R_{free}	0.231 , 0.301	Depositor
Wilson B-factor $(Å^2)$	74.9	Xtriage
Anisotropy	0.051	Xtriage
L-test for twinning ²	$ < L >=0.51, < L^2>=0.35$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	3526	wwPDB-VP
Average B, all atoms $(Å^2)$	77.0	wwPDB-VP

EDS failed to run properly - this section is therefore incomplete.

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 5.26% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

4 Model quality (i)

4.1 Standard geometry (i)

MolProbity failed to run properly - this section is therefore empty.

4.2 Too-close contacts (i)

MolProbity failed to run properly - this section is therefore empty.

4.3 Torsion angles (i)

4.3.1 Protein backbone (i)

MolProbity failed to run properly - this section is therefore empty.

4.3.2 Protein sidechains (i)

MolProbity failed to run properly - this section is therefore empty.

4.3.3 RNA (i)

MolProbity failed to run properly - this section is therefore empty.

4.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

4.5 Carbohydrates (i)

There are no monosaccharides in this entry.

4.6 Ligand geometry (i)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond



length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
2	BU1	А	201	-	$5,\!5,\!5$	0.62	0	4,4,4	0.43	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BU1	А	201	-	-	2/3/3/3	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	А	201	BU1	C2-C3-C4-O6
2	А	201	BU1	O5-C1-C2-C3

There are no ring outliers.

No monomer is involved in short contacts.

4.7 Other polymers (i)

There are no such residues in this entry.

4.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



5 Fit of model and data (i)

5.1 Protein, DNA and RNA chains (i)

EDS failed to run properly - this section is therefore empty.

5.2 Non-standard residues in protein, DNA, RNA chains (i)

EDS failed to run properly - this section is therefore empty.

5.3 Carbohydrates (i)

EDS failed to run properly - this section is therefore empty.

5.4 Ligands (i)

EDS failed to run properly - this section is therefore empty.

5.5 Other polymers (i)

EDS failed to run properly - this section is therefore empty.

