



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 23, 2024 – 02:18 AM EDT

PDB ID : 4PFA
Title : Crystal structure of M. tuberculosis in complex with BTO - covalent adduct
Authors : Neres, J.; Panda, M.; Cole, S.
Deposited on : 2014-04-28
Resolution : 2.56 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.37.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.56 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1279 (2.58-2.54)
Clashscore	141614	1327 (2.58-2.54)
Ramachandran outliers	138981	1312 (2.58-2.54)
Sidechain outliers	138945	1312 (2.58-2.54)
RSRZ outliers	127900	1269 (2.58-2.54)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	480	 2% 72% 15% 11%
1	B	480	 6% 64% 21% 13%

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 6672 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Probable decaprenylphosphoryl-beta-D-ribose oxidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	427	3299	2098	583	608	10	0	2	0
1	B	416	3215	2041	570	594	10	0	2	0

There are 38 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-18	GLY	-	expression tag	UNP P9WJF1
A	-17	SER	-	expression tag	UNP P9WJF1
A	-16	SER	-	expression tag	UNP P9WJF1
A	-15	HIS	-	expression tag	UNP P9WJF1
A	-14	HIS	-	expression tag	UNP P9WJF1
A	-13	HIS	-	expression tag	UNP P9WJF1
A	-12	HIS	-	expression tag	UNP P9WJF1
A	-11	HIS	-	expression tag	UNP P9WJF1
A	-10	HIS	-	expression tag	UNP P9WJF1
A	-9	SER	-	expression tag	UNP P9WJF1
A	-8	SER	-	expression tag	UNP P9WJF1
A	-7	GLY	-	expression tag	UNP P9WJF1
A	-6	LEU	-	expression tag	UNP P9WJF1
A	-5	VAL	-	expression tag	UNP P9WJF1
A	-4	PRO	-	expression tag	UNP P9WJF1
A	-3	ARG	-	expression tag	UNP P9WJF1
A	-2	GLY	-	expression tag	UNP P9WJF1
A	-1	SER	-	expression tag	UNP P9WJF1
A	0	HIS	-	expression tag	UNP P9WJF1
B	-18	GLY	-	expression tag	UNP P9WJF1
B	-17	SER	-	expression tag	UNP P9WJF1
B	-16	SER	-	expression tag	UNP P9WJF1
B	-15	HIS	-	expression tag	UNP P9WJF1
B	-14	HIS	-	expression tag	UNP P9WJF1
B	-13	HIS	-	expression tag	UNP P9WJF1

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-12	HIS	-	expression tag	UNP P9WJF1
B	-11	HIS	-	expression tag	UNP P9WJF1
B	-10	HIS	-	expression tag	UNP P9WJF1
B	-9	SER	-	expression tag	UNP P9WJF1
B	-8	SER	-	expression tag	UNP P9WJF1
B	-7	GLY	-	expression tag	UNP P9WJF1
B	-6	LEU	-	expression tag	UNP P9WJF1
B	-5	VAL	-	expression tag	UNP P9WJF1
B	-4	PRO	-	expression tag	UNP P9WJF1
B	-3	ARG	-	expression tag	UNP P9WJF1
B	-2	GLY	-	expression tag	UNP P9WJF1
B	-1	SER	-	expression tag	UNP P9WJF1
B	0	HIS	-	expression tag	UNP P9WJF1

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			P
2	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 3 is 7-(hydroxyamino)-N-(pyridin-3-ylmethyl)-5-(trifluoromethyl)-1,3-benzothiazole-2-carboxamide 3-oxide (three-letter code: N77) (formula: $C_{15}H_{11}F_3N_4O_3S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	F	N	O			S
3	A	1	26	15	3	4	3	1	0	0
3	B	1	26	15	3	4	3	1	0	0

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	72.86Å 82.01Å 81.15Å 90.00° 100.77° 90.00°	Depositor
Resolution (Å)	48.91 – 2.56 48.91 – 2.56	Depositor EDS
% Data completeness (in resolution range)	97.5 (48.91-2.56) 97.6 (48.91-2.56)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.09 (at 2.54Å)	Xtrriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.257 , 0.307 0.256 , 0.305	Depositor DCC
R_{free} test set	1512 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å ²)	49.3	Xtrriage
Anisotropy	0.382	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 28.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	6672	wwPDB-VP
Average B, all atoms (Å ²)	64.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.39% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FAD, N77

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.46	1/3383 (0.0%)	0.53	0/4592
1	B	0.49	1/3296 (0.0%)	0.53	0/4472
All	All	0.47	2/6679 (0.0%)	0.53	0/9064

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	16	TRP	CD2-CE2	5.14	1.47	1.41
1	B	172	TRP	CD2-CE2	5.04	1.47	1.41

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3299	0	3273	47	0
1	B	3215	0	3187	65	0
2	A	53	0	31	0	0
2	B	53	0	31	0	0
3	A	26	0	10	0	0
3	B	26	0	10	0	0
All	All	6672	0	6542	112	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (112) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:298:ARG:HG2	1:B:298:ARG:HH11	1.11	1.15
1:B:441:ARG:HH11	1:B:441:ARG:HG2	1.19	1.04
1:B:22:SER:HB2	1:B:67:GLY:HA3	1.57	0.86
1:B:298:ARG:HG2	1:B:298:ARG:NH1	1.86	0.86
1:B:335:TYR:HB3	1:B:388:VAL:HG23	1.60	0.83
1:B:13:LEU:HD23	1:B:65:GLN:HB3	1.68	0.75
1:A:52:ILE:HG13	1:A:452:SER:HB3	1.68	0.74
1:B:424:ALA:O	1:B:428:HIS:HD2	1.72	0.73
1:B:220:SER:HB2	1:B:247:ARG:HH12	1.55	0.71
1:B:66:ASN:ND2	1:B:451:ALA:O	2.24	0.70
1:A:314:TYR:O	1:A:316:PRO:HD2	1.92	0.69
1:B:49:ARG:HG3	1:B:68:GLY:O	1.93	0.69
1:B:441:ARG:HG2	1:B:441:ARG:NH1	1.96	0.69
1:B:252:THR:H	1:B:255:GLN:HE21	1.40	0.68
1:B:375:ALA:HB3	1:B:378:SER:HB2	1.76	0.66
1:B:372:ARG:NH2	1:B:375:ALA:O	2.29	0.65
1:A:200:ILE:HD11	1:A:255:GLN:HB3	1.80	0.64
1:A:18:ARG:O	1:A:18:ARG:HG3	1.99	0.63
1:A:456:ARG:HA	1:A:461:LEU:HD11	1.83	0.61
1:A:99:ASP:O	1:A:103:LYS:HG2	2.03	0.59
1:B:456:ARG:HA	1:B:461:LEU:HD11	1.87	0.57
1:A:252:THR:H	1:A:255:GLN:HE21	1.54	0.56
1:A:13:LEU:HD23	1:A:65:GLN:HB3	1.87	0.56
1:A:22:SER:OG	1:A:67:GLY:CA	2.54	0.55
1:B:424:ALA:O	1:B:428:HIS:CD2	2.56	0.55
1:B:180:LEU:O	1:B:441:ARG:NH1	2.40	0.54
1:A:441:ARG:CG	1:A:441:ARG:HH11	2.21	0.54
1:B:50:GLY:HA3	1:B:451:ALA:HB3	1.88	0.54
1:B:51:ALA:HA	1:B:70:LEU:O	2.08	0.53
1:B:334[A]:GLN:CG	1:B:418:LYS:HD3	2.38	0.53
1:A:14:THR:HG23	1:A:19:THR:O	2.07	0.53
1:B:334[A]:GLN:HG3	1:B:418:LYS:HD3	1.92	0.52
1:B:83:ILE:HG12	1:B:90:VAL:HG12	1.93	0.51
1:B:220:SER:CB	1:B:247:ARG:HH12	2.23	0.50
1:B:33:GLU:O	1:B:37:LYS:HG2	2.11	0.50
1:A:364:ASN:HA	1:A:387:CYS:O	2.11	0.50
1:B:396:LEU:O	1:B:400:VAL:HG22	2.12	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:83:ILE:HG12	1:A:90:VAL:HG12	1.93	0.49
1:A:364:ASN:ND2	1:A:388:VAL:HG12	2.28	0.49
1:B:102:MET:CE	1:B:119:ARG:HD2	2.42	0.49
1:A:314:TYR:C	1:A:316:PRO:HD2	2.33	0.49
1:A:334[A]:GLN:CG	1:A:418:LYS:HD2	2.43	0.49
1:A:441:ARG:HE	1:A:461:LEU:HA	1.78	0.48
1:B:13:LEU:H	1:B:13:LEU:HD13	1.77	0.48
1:B:52:ILE:HB	1:B:451:ALA:O	2.14	0.48
1:B:206:THR:HB	1:B:211:GLU:HB3	1.94	0.48
1:A:220:SER:HB2	1:A:247:ARG:HH12	1.78	0.48
1:B:22:SER:HB2	1:B:67:GLY:CA	2.35	0.48
1:B:29:THR:HG21	1:B:34:MET:HB3	1.95	0.48
1:B:102:MET:HE1	1:B:310:LEU:HD21	1.95	0.48
1:B:347:PHE:O	1:B:350:ILE:HG22	2.14	0.48
1:A:268:ASP:N	1:A:268:ASP:OD1	2.46	0.48
1:B:408:LEU:HD11	1:B:429:ALA:HB3	1.96	0.48
1:A:196:THR:HG21	1:A:256:LEU:HD23	1.96	0.48
1:A:442:ARG:O	1:A:446:PRO:HG3	2.14	0.47
1:B:347:PHE:O	1:B:351:ILE:HG12	2.13	0.47
1:B:258:ALA:HA	1:B:261:ARG:HD3	1.95	0.47
1:B:334[A]:GLN:HE21	1:B:418:LYS:HD3	1.79	0.47
1:A:252:THR:H	1:A:255:GLN:NE2	2.11	0.47
1:B:53:ALA:HB2	1:B:183:ILE:HG12	1.97	0.46
1:B:99:ASP:O	1:B:103:LYS:HG2	2.15	0.46
1:B:12:ARG:CZ	1:B:21:PRO:HG3	2.45	0.46
1:A:92:ILE:HG13	1:A:123:VAL:HG21	1.97	0.45
1:B:196:THR:HG21	1:B:256:LEU:HD23	1.98	0.45
1:A:335:TYR:HB3	1:A:388:VAL:HG23	1.99	0.45
1:B:49:ARG:CG	1:B:68:GLY:O	2.62	0.45
1:A:53:ALA:HB2	1:A:183:ILE:HG12	1.99	0.45
1:A:372:ARG:HB3	1:A:381:ILE:HA	1.98	0.45
1:B:92:ILE:N	1:B:92:ILE:HD13	2.32	0.45
1:B:441:ARG:NH1	1:B:441:ARG:CG	2.71	0.44
1:B:134:LYS:HB3	1:B:226:TYR:HD1	1.82	0.44
1:A:198:TYR:HB2	1:A:256:LEU:HD21	2.00	0.44
1:A:252:THR:OG1	1:A:255:GLN:HG3	2.18	0.44
1:B:51:ALA:O	1:B:450:PHE:HA	2.18	0.44
1:B:150:ASP:OD1	1:B:160:HIS:ND1	2.48	0.44
1:A:231:PHE:CE2	1:A:386:ILE:HD12	2.53	0.44
1:A:334[A]:GLN:HG2	1:A:418:LYS:HD2	1.99	0.43
1:A:258:ALA:HA	1:A:261:ARG:HB2	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:375:ALA:HB3	1:A:378:SER:HB2	1.99	0.43
1:B:28:ARG:NH1	1:B:76:PRO:HD3	2.33	0.43
1:A:314:TYR:C	1:A:316:PRO:CD	2.86	0.43
1:B:12:ARG:NH2	1:B:21:PRO:HG3	2.33	0.43
1:B:231:PHE:CE2	1:B:364:ASN:HB3	2.53	0.43
1:A:102:MET:HE1	1:A:310:LEU:HD21	2.01	0.43
1:A:106:LEU:HD22	1:A:197:ALA:HB2	2.01	0.43
1:A:14:THR:HG22	1:A:15:GLY:N	2.33	0.43
1:B:96:VAL:O	1:B:123:VAL:HG23	2.19	0.43
1:B:371:PRO:HA	1:B:382:PRO:HG3	2.01	0.43
1:A:116:PRO:HG2	1:A:118:THR:O	2.18	0.42
1:A:200:ILE:HG23	1:A:305:GLY:HA2	2.01	0.42
1:B:75:THR:N	1:B:76:PRO:HD2	2.35	0.42
1:A:315:HIS:O	1:A:316:PRO:C	2.58	0.42
1:B:200:ILE:HG23	1:B:305:GLY:HA2	2.01	0.42
1:B:12:ARG:HG2	1:B:21:PRO:HB2	2.02	0.42
1:B:92:ILE:HD13	1:B:92:ILE:H	1.84	0.41
1:A:343:ALA:HB1	1:A:346:GLU:CG	2.50	0.41
1:B:434:VAL:O	1:B:438:ILE:HG13	2.21	0.41
1:B:343:ALA:HB1	1:B:346:GLU:CG	2.50	0.41
1:A:441:ARG:CG	1:A:441:ARG:NH1	2.81	0.41
1:B:102:MET:SD	1:B:310:LEU:CD2	3.09	0.41
1:A:334[A]:GLN:HE21	1:A:334[A]:GLN:HB2	1.59	0.41
1:A:18:ARG:HB3	1:A:330:ALA:HA	2.01	0.41
1:A:75:THR:N	1:A:76:PRO:HD2	2.36	0.41
1:A:366:PHE:CD2	1:A:366:PHE:C	2.95	0.41
1:B:66:ASN:ND2	1:B:451:ALA:C	2.73	0.41
1:B:92:ILE:HG13	1:B:123:VAL:HG21	2.02	0.41
1:B:298:ARG:NH1	1:B:298:ARG:CG	2.66	0.41
1:A:147:ARG:HA	1:A:147:ARG:HD3	1.93	0.40
1:B:408:LEU:HD11	1:B:429:ALA:CB	2.51	0.40
1:B:9:THR:O	1:B:26:VAL:HB	2.21	0.40
1:A:259:LYS:HG3	1:A:260:LEU:HD13	2.01	0.40
1:B:162:THR:OG1	1:B:165:GLY:HA3	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	423/480 (88%)	409 (97%)	13 (3%)	1 (0%)	47	58
1	B	412/480 (86%)	399 (97%)	13 (3%)	0	100	100
All	All	835/960 (87%)	808 (97%)	26 (3%)	1 (0%)	51	65

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	315	HIS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	343/384 (89%)	319 (93%)	24 (7%)	15	19
1	B	335/384 (87%)	305 (91%)	30 (9%)	9	11
All	All	678/768 (88%)	624 (92%)	54 (8%)	12	15

All (54) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	13	LEU
1	A	27	LEU
1	A	33	GLU
1	A	34	MET
1	A	52	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	92	ILE
1	A	202	ASP
1	A	254	GLU
1	A	259	LYS
1	A	261	ARG
1	A	263	GLU
1	A	304	ARG
1	A	309	ASN
1	A	311	THR
1	A	314	TYR
1	A	334[A]	GLN
1	A	334[B]	GLN
1	A	377	LEU
1	A	405	ARG
1	A	413	ARG
1	A	421	ARG
1	A	441	ARG
1	A	447	LEU
1	A	461	LEU
1	B	11	THR
1	B	13	LEU
1	B	14	THR
1	B	18	ARG
1	B	27	LEU
1	B	41	ARG
1	B	65	GLN
1	B	87	THR
1	B	92	ILE
1	B	100	GLN
1	B	134	LYS
1	B	166	GLU
1	B	253	VAL
1	B	259	LYS
1	B	268	ASP
1	B	295	LEU
1	B	298	ARG
1	B	314	TYR
1	B	333	LEU
1	B	344	VAL
1	B	377	LEU
1	B	394	ASP
1	B	398	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	413	ARG
1	B	421	ARG
1	B	422	THR
1	B	423	THR
1	B	436	GLU
1	B	441	ARG
1	B	461	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	81	HIS
1	A	178	ASN
1	A	255	GLN
1	A	336	GLN
1	A	364	ASN
1	A	385	ASN
1	B	81	HIS
1	B	255	GLN
1	B	336	GLN
1	B	364	ASN
1	B	374	GLN
1	B	385	ASN
1	B	428	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FAD	A	501	-	53,58,58	1.35	6 (11%)	68,89,89	1.29	9 (13%)
3	N77	B	502	1	21,28,28	2.53	2 (9%)	26,41,41	1.68	4 (15%)
3	N77	A	502	1	21,28,28	2.50	2 (9%)	26,41,41	2.14	7 (26%)
2	FAD	B	501	-	53,58,58	1.35	7 (13%)	68,89,89	1.28	9 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	A	501	-	-	6/30/50/50	0/6/6/6
3	N77	B	502	1	-	0/11/17/17	0/3/3/3
3	N77	A	502	1	-	1/11/17/17	0/3/3/3
2	FAD	B	501	-	-	5/30/50/50	0/6/6/6

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	502	N77	O58-N20	-10.60	1.24	1.38
3	A	502	N77	O58-N20	-10.45	1.24	1.38
2	B	501	FAD	C9A-C5X	5.37	1.50	1.41
2	A	501	FAD	C9A-C5X	5.37	1.50	1.41
3	A	502	N77	C16-C15	3.89	1.49	1.42
3	B	502	N77	C16-C15	3.75	1.49	1.42
2	B	501	FAD	C8-C7	3.67	1.50	1.40
2	A	501	FAD	C8-C7	3.65	1.50	1.40
2	B	501	FAD	C5A-C4A	2.52	1.47	1.40
2	A	501	FAD	C5A-C4A	2.50	1.47	1.40
2	A	501	FAD	C4X-N5	2.49	1.35	1.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	501	FAD	C4X-N5	2.46	1.35	1.30
2	A	501	FAD	C4-N3	-2.33	1.34	1.38
2	B	501	FAD	C4-N3	-2.25	1.34	1.38
2	B	501	FAD	C10-N10	2.18	1.42	1.37
2	A	501	FAD	C10-N10	2.07	1.41	1.37
2	B	501	FAD	C5X-N5	-2.03	1.35	1.39

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	502	N77	C8-N1-C7	5.23	134.19	121.81
3	A	502	N77	C40-C8-N1	4.31	122.28	113.05
3	A	502	N77	C15-C16-N3	4.10	121.04	116.50
3	B	502	N77	C40-C8-N1	4.04	121.70	113.05
2	A	501	FAD	N3A-C2A-N1A	-3.58	123.08	128.68
3	A	502	N77	C4-C5-C15	-3.51	117.57	120.51
2	B	501	FAD	N3A-C2A-N1A	-3.42	123.33	128.68
3	B	502	N77	C4-C5-C15	-3.42	117.65	120.51
3	B	502	N77	C15-C16-N3	3.04	119.87	116.50
3	A	502	N77	C43-N44-C45	3.02	122.08	116.85
3	B	502	N77	C43-N44-C45	2.93	121.92	116.85
2	B	501	FAD	C4X-C10-N1	-2.93	117.94	124.73
2	A	501	FAD	C4X-C10-N1	-2.91	117.99	124.73
2	B	501	FAD	C4A-C5A-N7A	-2.81	106.47	109.40
2	A	501	FAD	C4-C4X-N5	2.65	122.00	118.23
2	A	501	FAD	P-O3P-PA	-2.61	123.86	132.83
2	B	501	FAD	P-O3P-PA	-2.59	123.95	132.83
2	B	501	FAD	C4-C4X-N5	2.56	121.88	118.23
2	B	501	FAD	C10-N1-C2	2.51	121.92	116.90
2	A	501	FAD	C10-N1-C2	2.49	121.88	116.90
2	A	501	FAD	O4-C4-C4X	-2.42	120.19	126.60
3	A	502	N77	C8-C40-C41	-2.36	116.01	120.91
2	A	501	FAD	C4A-C5A-N7A	-2.34	106.96	109.40
2	B	501	FAD	O4-C4-C4X	-2.28	120.56	126.60
2	A	501	FAD	C4X-C4-N3	2.25	118.91	113.19
2	B	501	FAD	C4X-C4-N3	2.16	118.67	113.19
3	A	502	N77	C40-C45-N44	-2.16	119.50	123.72
2	A	501	FAD	C4X-C10-N10	2.01	119.42	116.48
2	B	501	FAD	C4X-C10-N10	2.00	119.40	116.48

There are no chirality outliers.


All (12) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	501	FAD	N10-C1'-C2'-O2'
3	A	502	N77	C40-C8-N1-C7
2	B	501	FAD	C2'-C3'-C4'-O4'
2	B	501	FAD	C2'-C3'-C4'-C5'
2	A	501	FAD	PA-O3P-P-O1P
2	A	501	FAD	N10-C1'-C2'-C3'
2	A	501	FAD	C2'-C3'-C4'-O4'
2	A	501	FAD	PA-O3P-P-O2P
2	B	501	FAD	PA-O3P-P-O2P
2	B	501	FAD	O3'-C3'-C4'-O4'
2	A	501	FAD	C2'-C3'-C4'-C5'
2	B	501	FAD	PA-O3P-P-O1P


There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	427/480 (88%)	0.34	12 (2%) 53 62	34, 56, 91, 113	0
1	B	416/480 (86%)	0.55	29 (6%) 16 21	41, 63, 103, 126	0
All	All	843/960 (87%)	0.44	41 (4%) 29 37	34, 59, 97, 126	0

All (41) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	35	ILE	6.3
1	B	19	THR	5.1
1	A	47	GLY	5.1
1	A	17	GLY	5.0
1	B	17	GLY	4.7
1	B	9	THR	3.9
1	A	315	HIS	3.8
1	A	12	ARG	3.8
1	B	13	LEU	3.7
1	A	230[A]	TRP	3.6
1	B	18	ARG	3.4
1	B	458	LEU	3.3
1	B	46	GLY	3.3
1	B	230[A]	TRP	3.1
1	B	12	ARG	3.1
1	A	18	ARG	3.0
1	A	45	SER	3.0
1	B	362	PHE	3.0
1	B	8	THR	3.0
1	B	14	THR	2.9
1	A	13	LEU	2.9
1	B	16	TRP	2.8
1	B	22	SER	2.7
1	A	461	LEU	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	297	TYR	2.7
1	B	60	TYR	2.5
1	B	11	THR	2.5
1	B	447	LEU	2.4
1	B	420	SER	2.4
1	B	460	LEU	2.4
1	A	9	THR	2.3
1	B	313	PHE	2.3
1	B	42	VAL	2.3
1	A	362	PHE	2.2
1	B	315	HIS	2.2
1	B	24	ALA	2.2
1	A	270	PRO	2.1
1	B	72	ILE	2.1
1	B	314	TYR	2.1
1	B	71	VAL	2.0
1	B	461	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	N77	A	502	26/26	0.88	0.27	74,87,105,107	0
3	N77	B	502	26/26	0.90	0.25	74,83,115,116	0
2	FAD	B	501	53/53	0.94	0.16	48,53,56,58	0
2	FAD	A	501	53/53	0.96	0.16	39,42,49,50	0




The following is a graphical depiction of the model fit to experimental electron density of all

instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around N77 B 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FAD B 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.