



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 15, 2022 – 01:38 pm BST

PDB ID : 7PG5
Title : Crystal Structure of PI3Kalpha
Authors : Gong, G.; Pinotsis, N.; Williams, R.L.; Vanhaesebroeck, B.
Deposited on : 2021-08-13
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at <http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.29
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0267
CCP4 : 7.1.010 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.29


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1068	
2	B	287	

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 10787 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Phosphatidylinositol 4,5-bisphosphate 3-kinase catalytic subunit alpha isoform.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	1028	8411	5377	1447	1520	67	0	4	0


There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	232	LYS	MET	engineered mutation	UNP P42336
A	233	LYS	LEU	engineered mutation	UNP P42336

- Molecule 2 is a protein called Phosphatidylinositol 3-kinase regulatory subunit alpha.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	266	2208	1381	392	430	5	0	0	0

- Molecule 3 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O P 5 4 1	0	0
3	A	1	Total O P 5 4 1	0	0

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 6 3 3	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	143	Total O 143 143	0	0
5	B	9	Total O 9 9	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Phosphatidylinositol 4,5-bisphosphate 3-kinase catalytic subunit alpha isoform



- Molecule 2: Phosphatidylinositol 3-kinase regulatory subunit alpha



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	105.43Å 105.24Å 136.09Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	57.17 – 2.20 136.09 – 2.20	Depositor EDS
% Data completeness (in resolution range)	99.9 (57.17-2.20) 100.0 (136.09-2.20)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.36 (at 2.20Å)	Xtrriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.196 , 0.246 0.200 , 0.245	Depositor DCC
R_{free} test set	3986 reflections (5.15%)	wwPDB-VP
Wilson B-factor (Å ²)	51.2	Xtrriage
Anisotropy	0.117	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	(Not available) , (Not available)	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.014 for k,h,-l	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	10787	wwPDB-VP
Average B, all atoms (Å ²)	66.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.42% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.45	0/8601	0.57	2/11627 (0.0%)
2	B	0.42	1/2245 (0.0%)	0.55	1/3016 (0.0%)
All	All	0.44	1/10846 (0.0%)	0.56	3/14643 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	411	GLU	CB-CG	5.99	1.63	1.52

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	748	LEU	CA-CB-CG	-6.51	100.33	115.30
2	B	425	LEU	CA-CB-CG	5.25	127.38	115.30
1	A	15	LEU	CB-CG-CD1	-5.13	102.27	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8411	0	8388	89	0
2	B	2208	0	2138	44	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	10	0	0	1	0
4	A	6	0	8	0	0
5	A	143	0	0	9	0
5	B	9	0	0	1	0
All	All	10787	0	10534	127	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (127) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:625:ASP:OD1	5:A:1201:HOH:O	1.82	0.98
1:A:888:GLU:O	5:A:1202:HOH:O	1.93	0.85
1:A:729:LYS:O	5:A:1203:HOH:O	1.98	0.80
2:B:558:GLU:OE1	5:B:601:HOH:O	1.99	0.78
1:A:453:GLU:OE2	2:B:574:ARG:NH2	2.19	0.75
1:A:223:GLU:OE1	5:A:1204:HOH:O	2.05	0.74
1:A:975:ARG:NH1	5:A:1207:HOH:O	2.19	0.73
2:B:534:ARG:NH1	2:B:537:GLU:OE2	2.21	0.73
1:A:322:THR:HG23	1:A:323:SER:H	1.53	0.71
1:A:1055:MET:HB3	1:A:1060:HIS:HA	1.73	0.70
1:A:741[A]:ARG:NH2	1:A:743:ASP:OD2	2.26	0.69
1:A:444:ASN:ND2	1:A:468:LYS:HA	2.06	0.69
1:A:236:SER:OG	1:A:240:LYS:NZ	2.28	0.67
1:A:892:ALA:O	5:A:1205:HOH:O	2.11	0.66
1:A:497:ASN:OD1	1:A:497:ASN:N	2.28	0.65
2:B:583:TRP:CZ3	2:B:587:LYS:HG3	2.33	0.64
1:A:142:ASN:ND2	5:A:1211:HOH:O	2.31	0.63
1:A:941:LYS:HD2	1:A:945:PHE:HE2	1.63	0.63
2:B:328:LEU:HD13	2:B:401:VAL:HB	1.80	0.63
1:A:15:LEU:HD11	1:A:738:GLN:NE2	2.14	0.62
2:B:540:ASP:OD2	2:B:544:ARG:NH1	2.33	0.62
1:A:807:LEU:HD12	1:A:846:GLY:HA3	1.82	0.61
1:A:916:ARG:HB3	1:A:921:ILE:HD11	1.83	0.60
2:B:494:PHE:HB3	2:B:535:ILE:HG12	1.85	0.58
1:A:180:HIS:HD1	1:A:828:GLY:HA2	1.69	0.58
1:A:917:HIS:CE1	1:A:919:SER:HB2	2.40	0.57
2:B:413:LEU:HB2	2:B:423:LYS:H	1.70	0.57
1:A:712:LEU:HD21	1:A:748:LEU:HD21	1.86	0.56
2:B:331:ALA:O	2:B:430:LYS:NZ	2.38	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1062:ILE:H	1:A:1062:ILE:HD12	1.71	0.56
1:A:138:ASP:OD1	1:A:141:ARG:NH2	2.36	0.56
1:A:236:SER:O	1:A:240:LYS:HG2	2.07	0.55
1:A:715:LEU:HD21	1:A:735:LEU:HD12	1.89	0.55
1:A:155:ASP:OD1	1:A:158:SER:OG	2.21	0.55
1:A:944:LYS:O	2:B:577:ARG:NH1	2.39	0.55
1:A:76:GLU:OE2	1:A:93:ARG:NH1	2.40	0.54
1:A:596:GLU:HG2	1:A:997:LEU:HD13	1.90	0.54
1:A:741[A]:ARG:HH21	1:A:743:ASP:CG	2.10	0.54
1:A:180:HIS:ND1	1:A:828:GLY:HA2	2.23	0.54
1:A:15:LEU:HD11	1:A:738:GLN:HE22	1.73	0.54
1:A:325:LYS:HE2	1:A:482:SER:HB3	1.91	0.53
1:A:444:ASN:HD22	1:A:468:LYS:HA	1.72	0.53
2:B:434:ASP:OD1	2:B:583:TRP:NE1	2.40	0.53
1:A:941:LYS:HD2	1:A:945:PHE:CE2	2.42	0.53
1:A:444:ASN:ND2	1:A:468:LYS:HD3	2.25	0.52
1:A:734:PHE:O	1:A:738:GLN:HG2	2.10	0.52
1:A:348:ILE:HD12	1:A:348:ILE:H	1.74	0.52
1:A:620:GLU:OE2	5:A:1206:HOH:O	2.19	0.52
2:B:393:SER:HB3	2:B:395:PRO:HD2	1.91	0.52
2:B:392:PHE:CE1	2:B:404:LEU:HD21	2.45	0.52
1:A:323:SER:O	1:A:482:SER:OG	2.26	0.52
1:A:788:ILE:HG23	1:A:789:MET:HG2	1.90	0.52
2:B:398:PHE:HZ	2:B:407:HIS:CD2	2.28	0.52
1:A:267:LEU:HG	1:A:273:ILE:HG13	1.92	0.51
1:A:38:ARG:HH12	1:A:741[A]:ARG:HE	1.59	0.51
2:B:509:ILE:HG13	2:B:510:GLU:N	2.26	0.50
2:B:445:VAL:HG21	2:B:583:TRP:CZ3	2.46	0.50
1:A:19:ARG:NH1	1:A:35:GLU:OE2	2.44	0.50
1:A:544:THR:HG21	2:B:382:LYS:HB2	1.93	0.50
1:A:213:HIS:HB2	1:A:268:SER:HB3	1.93	0.49
1:A:335:ARG:HG2	1:A:386:TRP:CE3	2.48	0.49
2:B:413:LEU:HB2	2:B:423:LYS:HA	1.95	0.49
2:B:445:VAL:HG21	2:B:583:TRP:CE3	2.48	0.49
1:A:555:ARG:NH2	1:A:582:GLN:OE1	2.46	0.48
1:A:937:PHE:CD1	1:A:938:LEU:HG	2.48	0.48
2:B:567:LYS:O	2:B:571:ILE:HG12	2.14	0.48
1:A:542:GLU:HB3	2:B:380:LEU:HD13	1.96	0.48
2:B:562:ARG:O	2:B:566:ILE:HG23	2.13	0.48
2:B:469:GLU:OE1	2:B:472:ARG:NH2	2.46	0.48
1:A:43:ILE:HG13	1:A:85:GLU:O	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:934:PHE:O	1:A:936:HIS:N	2.47	0.47
1:A:349:ARG:O	1:A:412:ARG:NH2	2.37	0.47
1:A:352:ASP:O	1:A:353:LYS:HG2	2.14	0.47
1:A:450:HIS:HB2	2:B:467:TYR:CZ	2.50	0.47
1:A:621:LYS:HB3	1:A:622:TYR:CD1	2.50	0.47
1:A:640:LYS:HG2	1:A:680:VAL:HG11	1.98	0.46
1:A:180:HIS:CD2	1:A:830:ASP:HB2	2.50	0.46
2:B:459:LYS:HG2	2:B:570:LEU:HD13	1.97	0.46
1:A:6:SER:HB3	1:A:14:HIS:CE1	2.51	0.46
1:A:916:ARG:HD2	1:A:931:HIS:ND1	2.31	0.46
2:B:559:ILE:O	2:B:563:MET:HG3	2.17	0.45
1:A:739:MET:HA	1:A:744:PHE:CD1	2.52	0.45
1:A:765:ARG:NH2	1:A:796:ASN:OD1	2.49	0.45
2:B:354:THR:HA	2:B:426:TYR:O	2.17	0.45
1:A:95:PHE:CD2	1:A:96:GLN:HG2	2.52	0.44
2:B:387:ASP:OD1	2:B:388:GLY:N	2.47	0.44
1:A:565:LEU:HB3	1:A:566:PRO:HD3	2.00	0.44
1:A:540:LEU:HB2	1:A:1023:ARG:HD2	1.98	0.44
1:A:221:ILE:HD13	1:A:250:TYR:HB2	2.00	0.44
2:B:413:LEU:HB2	2:B:423:LYS:N	2.33	0.44
1:A:238:GLN:O	1:A:242:CYS:N	2.47	0.44
1:A:678:LYS:HA	1:A:678:LYS:HD2	1.85	0.43
1:A:981:GLN:OE1	1:A:1051:TRP:HA	2.18	0.43
1:A:740:ARG:HE	1:A:740:ARG:HB2	1.58	0.43
1:A:42:LEU:HD21	1:A:92:LEU:HD11	2.01	0.43
1:A:860:ILE:HA	3:A:1101:PO4:O2	2.19	0.43
1:A:226:ARG:NE	5:A:1204:HOH:O	2.18	0.43
2:B:467:TYR:HD1	2:B:563:MET:HE1	1.84	0.43
1:A:617[B]:ARG:HH11	1:A:617[B]:ARG:HG2	1.84	0.43
2:B:441:ASN:OD1	2:B:441:ASN:N	2.46	0.42
1:A:294:TYR:HA	1:A:297:LEU:HD12	2.00	0.42
2:B:534:ARG:HA	2:B:534:ARG:HD2	1.78	0.42
2:B:389:LYS:HA	2:B:398:PHE:O	2.19	0.42
1:A:123:MET:HA	1:A:124:PRO:HD3	1.97	0.42
1:A:418:GLU:HB3	2:B:568:PRO:HB2	2.01	0.42
2:B:555:GLU:O	2:B:559:ILE:HG13	2.19	0.42
1:A:573:LYS:HD3	1:A:579:GLU:OE1	2.20	0.42
1:A:392:TYR:CG	1:A:394:PRO:HD2	2.55	0.41
1:A:444:ASN:HD21	1:A:468:LYS:HD3	1.85	0.41
2:B:488:ASN:OD1	2:B:542:ARG:NH1	2.50	0.41
2:B:386:ARG:HB2	2:B:396:LEU:CD1	2.51	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:322:THR:HG23	1:A:323:SER:N	2.30	0.41
1:A:594:LYS:HA	1:A:594:LYS:HD3	1.98	0.41
2:B:413:LEU:CB	2:B:423:LYS:H	2.34	0.41
2:B:502:GLU:O	2:B:506:LYS:HG3	2.21	0.41
1:A:8:GLY:HA3	1:A:14:HIS:HA	2.02	0.41
1:A:980:PHE:O	1:A:983:MET:HB2	2.20	0.41
1:A:159:PRO:HG2	1:A:294:TYR:CD2	2.56	0.41
1:A:424:TRP:CE2	1:A:446:TRP:HB2	2.55	0.41
1:A:486:PHE:CG	1:A:487:PRO:HD2	2.55	0.41
1:A:950:GLU:OE2	1:A:1024:LYS:HE3	2.20	0.41
2:B:432:GLN:O	2:B:435:GLN:HG2	2.20	0.41
2:B:398:PHE:HD2	2:B:403:GLU:HB3	1.86	0.41
2:B:372:LEU:HD12	2:B:373:ARG:N	2.37	0.40
2:B:521:ILE:O	2:B:525:MET:HG3	2.21	0.40
2:B:586:GLN:HG3	2:B:590:ARG:HH21	1.85	0.40
1:A:237:GLU:O	1:A:241:LEU:HB2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	1024/1068 (96%)	993 (97%)	29 (3%)	2 (0%)	47 55
2	B	264/287 (92%)	254 (96%)	9 (3%)	1 (0%)	34 37
All	All	1288/1355 (95%)	1247 (97%)	38 (3%)	3 (0%)	47 55

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	935	GLY
2	B	387	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	4	ARG

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	936/974 (96%)	920 (98%)	16 (2%)	60 74
2	B	235/266 (88%)	233 (99%)	2 (1%)	78 88
All	All	1171/1240 (94%)	1153 (98%)	18 (2%)	65 78

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	173	SER
1	A	237	GLU
1	A	244	LEU
1	A	251	ILE
1	A	310	ARG
1	A	417	GLU
1	A	478	ASP
1	A	587	VAL
1	A	626	ASP
1	A	748	LEU
1	A	809	GLN
1	A	829	LEU
1	A	881	LEU
1	A	937	PHE
1	A	969	GLN
1	A	978	GLU
2	B	393	SER
2	B	404	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	247	GLN
1	A	738	GLN
1	A	825	GLN
1	A	1033	GLN
2	B	407	HIS
2	B	432	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	PO4	A	1102	-	4,4,4	0.59	0	6,6,6	0.42	0
3	PO4	A	1101	-	4,4,4	1.02	0	6,6,6	0.58	0
4	GOL	A	1103	-	5,5,5	0.70	0	5,5,5	2.26	3 (60%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	A	1103	-	-	0/4/4/4	-

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	1103	GOL	O2-C2-C3	-3.23	94.91	109.12
4	A	1103	GOL	O3-C3-C2	-2.40	98.72	110.20
4	A	1103	GOL	O1-C1-C2	-2.21	99.62	110.20

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1101	PO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	1028/1068 (96%)	0.03	32 (3%) 49 47	33, 60, 91, 124	0
2	B	266/287 (92%)	0.44	27 (10%) 6 6	48, 77, 120, 130	0
All	All	1294/1355 (95%)	0.12	59 (4%) 32 31	33, 64, 104, 130	0

All (59) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	420	LEU	11.0
1	A	234	LEU	7.1
1	A	313	THR	6.9
2	B	422	VAL	6.4
1	A	1057	TRP	5.9
1	A	523	LEU	5.8
2	B	365	HIS	5.6
1	A	312	SER	5.6
2	B	417	ASN	5.6
2	B	418	PRO	5.5
2	B	421	ASP	5.4
1	A	231	SER	5.3
2	B	436	VAL	5.2
1	A	235	SER	5.2
1	A	238	GLN	5.2
1	A	241	LEU	4.9
2	B	437	VAL	4.8
2	B	419	LYS	4.5
2	B	415	GLN	4.5
2	B	414	ALA	4.5
1	A	941	LYS	4.4
1	A	311	ILE	4.3
1	A	947	TYR	4.3
1	A	233	LYS	4.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	1065	HIS	4.0
1	A	246	TYR	3.7
2	B	416	TYR	3.6
2	B	591	GLN	3.6
2	B	435	GLN	3.6
1	A	1055	MET	3.5
2	B	434	ASP	3.4
1	A	939	ASP	3.2
2	B	394	ASP	3.1
2	B	440	ASP	3.0
1	A	230	ARG	3.0
2	B	388	GLY	3.0
2	B	583	TRP	2.8
2	B	412	SER	2.8
1	A	499	SER	2.8
2	B	438	LYS	2.7
1	A	1053	THR	2.7
1	A	1054	LYS	2.7
1	A	5	PRO	2.7
1	A	1064	GLN	2.7
2	B	423	LYS	2.5
1	A	936	HIS	2.5
1	A	864	GLY	2.4
1	A	943	LYS	2.4
2	B	426	TYR	2.4
2	B	590	ARG	2.4
1	A	239	LEU	2.4
2	B	432	GLN	2.3
2	B	413	LEU	2.3
1	A	940[A]	HIS	2.2
1	A	242	CYS	2.1
2	B	398	PHE	2.1
1	A	299	MET	2.1
1	A	411	GLY	2.0
1	A	955	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	GOL	A	1103	6/6	0.81	0.43	66,72,79,79	6
3	PO4	A	1101	5/5	0.89	0.23	77,82,83,85	5
3	PO4	A	1102	5/5	0.90	0.35	72,73,83,90	5

6.5 Other polymers [i](#)

There are no such residues in this entry.