



wwPDB EM Validation Summary Report ⓘ

Oct 8, 2022 – 04:23 pm BST

PDB ID : 7PIC
EMDB ID : EMD-13436
Title : 70S ribosome with P/E-site tRNA in spectinomycin-treated *Mycoplasma pneumoniae* cells
Authors : Xue, L.; Lenz, S.; Rappsilber, J.; Mahamid, J.
Deposited on : 2021-08-19
Resolution : 9.10 Å (reported)
Based on initial models : 7OOD, 7OOC, 4V7C

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 9.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	48	
2	1	59	
3	2	37	
4	A	294	
5	B	273	
6	C	205	
7	D	219	
8	E	215	





















Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	F	155	15% 99%
10	G	142	13% 99%
11	H	132	13% 96%
12	I	108	17% 94% 6%
13	J	121	11% 93% 6%
14	K	139	10% 95%
15	L	124	23% 94% 5%
16	M	61	11% 97%
17	N	86	• 97%
18	O	94	7% 85% 15%
19	P	85	7% 94%
20	Q	104	• 62% 38%
21	R	87	13% 97%
22	S	87	• 89% 11%
23	T	60	• 88% 12%
24	a	287	7% 99%
25	b	287	11% 80% 20%
26	c	212	5% 99%
27	d	180	16% 97%
28	e	184	16% 96%
29	f	149	45% 95%
30	g	161	16% 67% 9% 24%
31	h	137	42% 93% 7%
32	i	146	5% 98%
33	j	122	14% 99%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	k	151	 7% 97%
35	l	139	 7% 96%
36	m	124	 8% 95%
37	n	116	 11% 96%
38	o	119	 7% 97%
39	p	127	 90% 10%
40	q	100	 97%
41	r	159	 86% 13%
42	s	237	 38% 61%
43	t	111	 14% 100%
44	u	104	 8% 83% 17%
45	v	65	 6% 97%
46	w	111	 89% 10%
47	x	97	 45% 55%
48	y	57	 5% 91% 7%
49	z	53	 94% 6%
50	3	2907	 66% 32%
51	4	108	 58% 39%
52	5	1520	 69% 29%
53	8	76	 62% 37%

2 Entry composition

There are 53 unique types of molecules in this entry. The entry contains 144500 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	0	47	380	236	81	61	2	0	0

- Molecule 2 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	1	59	477	300	99	77	1	0	0

- Molecule 3 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	2	37	304	189	65	46	4	0	0

- Molecule 4 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	A	240	1921	1226	334	352	9	0	0

- Molecule 5 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	B	215	1698	1073	313	307	5	0	0

- Molecule 6 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	C	203	1660	1051	314	290	5	0	0

- Molecule 7 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	D	153	1173	742	226	202	3	0	0

- Molecule 8 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	E	167	1362	857	240	263	2	0	0

- Molecule 9 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	F	154	1246	785	239	216	6	0	0

- Molecule 10 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	G	141	1110	723	193	192	2	0	0

- Molecule 11 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	H	128	1028	655	191	181	1	0	0

- Molecule 12 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	I	101	809	523	142	143	1	0	0

- Molecule 13 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	J	114	829	514	153	156	6	0	0

- Molecule 14 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	K	136	1076	680	213	181	2	0	0

- Molecule 15 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	L	118	951	594	191	166		0	0

- Molecule 16 is a protein called 30S ribosomal protein S14 type Z.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	M	60	474	302	96	72	4	0	0

- Molecule 17 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	N	83	673	428	125	120		0	0

- Molecule 18 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	O	80	646	414	119	111	2	0	0

- Molecule 19 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	P	83	675	425	135	115		0	0

- Molecule 20 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	Q	65	535	342	103	86	4	0	0

- Molecule 21 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	R	84	Total	C	N	O	S	0	0
			682	435	127	118	2		

- Molecule 22 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	S	77	Total	C	N	O	S	0	0
			629	383	135	111			

- Molecule 23 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	T	53	Total	C	N	O	S	0	0
			471	295	103	72	1		

- Molecule 24 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	a	285	Total	C	N	O	S	0	0
			2225	1385	437	397	6		

- Molecule 25 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	b	229	Total	C	N	O	S	0	0
			1762	1119	318	318	7		

- Molecule 26 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	c	210	Total	C	N	O	S	0	0
			1644	1047	297	297	3		

- Molecule 27 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	d	175	Total	C	N	O	S	0	0
			1388	893	245	246	4		

- Molecule 28 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms				AltConf	Trace
28	e	176	Total	C	N	O	0	0
			1396	899	247	250		

- Molecule 29 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	f	145	Total	C	N	O	S	0	0
			1182	763	206	210	3		

- Molecule 30 is a protein called 50S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	g	123	Total	C	N	O	S	0	0
			936	599	160	174	3		

- Molecule 31 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	h	128	Total	C	N	O	S	0	0
			959	616	160	177	6		

- Molecule 32 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	i	144	Total	C	N	O	S	0	0
			1164	737	213	209	5		

- Molecule 33 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	j	122	Total	C	N	O	S	0	0
			944	595	178	167	4		

- Molecule 34 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms				AltConf	Trace
34	k	148	Total	C	N	O	0	0
			1153	731	226	196		

- Molecule 35 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
35	l	136	1079	694	196	182	7	0	0

- Molecule 36 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
36	m	119	958	609	175	171	3	0	0

- Molecule 37 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
37	n	112	889	557	175	155	2	0	0

- Molecule 38 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
38	o	115	938	592	180	165	1	0	0

- Molecule 39 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
39	p	114	947	603	188	154	2	0	0

- Molecule 40 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
40	q	99	811	525	148	134	4	0	0

- Molecule 41 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
41	r	139	1068	663	207	191	7	0	0

- Molecule 42 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	s	92	Total	C	N	O	S	0	0
			720	475	122	122	1		

- Molecule 43 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	t	111	Total	C	N	O	S	0	0
			872	550	166	153	3		

- Molecule 44 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	u	86	Total	C	N	O	S	0	0
			657	409	130	117	1		

- Molecule 45 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	v	63	Total	C	N	O	S	0	0
			513	317	108	87	1		

- Molecule 46 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms				AltConf	Trace
46	w	100	Total	C	N	O	0	0
			818	517	153	148		

- Molecule 47 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	x	44	Total	C	N	O	S	0	0
			344	221	55	64	4		

- Molecule 48 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	y	56	Total	C	N	O	S	0	0
			452	274	98	75	5		

- Molecule 49 is a protein called 50S ribosomal protein L33 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	z	50	Total	C	N	O	S	0	0
			408	255	81	68	4		

- Molecule 50 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	3	2878	Total	C	N	O	P	0	0
			61664	27558	11236	19995	2875		

- Molecule 51 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	4	105	Total	C	N	O	P	0	0
			2239	1003	409	724	103		

- Molecule 52 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	5	1493	Total	C	N	O	P	0	0
			31943	14279	5792	10382	1490		

- Molecule 53 is a RNA chain called tRNA-Phe.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	8	76	Total	C	N	O	P	0	0
			1618	723	289	531	75		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 50S ribosomal protein L34

Chain 0:  98%



- Molecule 2: 50S ribosomal protein L35

Chain 1:  97%





- Molecule 3: 50S ribosomal protein L36

Chain 2:  100%


There are no outlier residues recorded for this chain.


- Molecule 4: 30S ribosomal protein S2

Chain A:  13% 81% 18%




- Molecule 5: 30S ribosomal protein S3

Chain B:  11% 78% 21%





• Molecule 6: 30S ribosomal protein S4




• Molecule 7: 30S ribosomal protein S5




• Molecule 8: 30S ribosomal protein S6




• Molecule 9: 30S ribosomal protein S7





• Molecule 10: 30S ribosomal protein S8




• Molecule 11: 30S ribosomal protein S9




• Molecule 12: 30S ribosomal protein S10





• Molecule 13: 30S ribosomal protein S11




• Molecule 14: 30S ribosomal protein S12




• Molecule 15: 30S ribosomal protein S13





• Molecule 16: 30S ribosomal protein S14 type Z





• Molecule 17: 30S ribosomal protein S15




- Molecule 18: 30S ribosomal protein S16




- Molecule 19: 30S ribosomal protein S17





- Molecule 20: 30S ribosomal protein S18





- Molecule 21: 30S ribosomal protein S19



- Molecule 22: 30S ribosomal protein S20




- Molecule 23: 30S ribosomal protein S21





- Molecule 24: 50S ribosomal protein L2







• Molecule 25: 50S ribosomal protein L3




• Molecule 26: 50S ribosomal protein L4






• Molecule 27: 50S ribosomal protein L5




• Molecule 28: 50S ribosomal protein L6




• Molecule 29: 50S ribosomal protein L9




• Molecule 30: 50S ribosomal protein L10




- Molecule 31: 50S ribosomal protein L11




- Molecule 32: 50S ribosomal protein L13




- Molecule 33: 50S ribosomal protein L14




- Molecule 34: 50S ribosomal protein L15




- Molecule 35: 50S ribosomal protein L16




- Molecule 36: 50S ribosomal protein L17




- Molecule 37: 50S ribosomal protein L18




- Molecule 38: 50S ribosomal protein L19




- Molecule 39: 50S ribosomal protein L20



- Molecule 40: 50S ribosomal protein L21



- Molecule 41: 50S ribosomal protein L22



- Molecule 42: 50S ribosomal protein L23




U2799	G2646	G2543	A2438	G2312	G2076	C1972	U1827	G1706	G1694	U1354	G1253
A2805	A2647	A2550	A2442	U2313	U2083	A1976	A1828	U1707	C1599	C1355	G1257
A2806	G2653	G2551	A2443	G2314	A2084	A1977	A1829	G1708	A1600	G1356	U1260
A2807	G2656	U2555	U2449	G2315	G2085	U1978	G1835	C1709	A1502	U1357	U1264
A2808	A2662	G2561	G2453	U2327	G2100	G1982	G1842	U1715	G1507	U1360	G1265
A2809	G2663	U2562	A2456	A2330	C2108	U1983	A1715	A1716	G1508	U1368	G1266
A2810	U2664	U2563	U2457	G2331	A2109	A1984	A1855	U1727	U1509	U1369	U1267
G2811	G2669	G2564	A2458	U2332	U2110	U1989	G1856	U1728	A1510	G1370	U1268
U2812	U2669	U2565	U2459	U2333	U2111	U1990	A1873	A1729	A1515	U1372	A1274
A2813	G2681	C2566	G2472	U2334	U2112	C1997	A1878	G1730	C1518	U1380	U1279
G2814	A2477	U2570	A2477	G2342	U2113	U1998	G1876	G1733	A1519	U1380	A1283
G2815	C2483	U2574	C2483	A2343	C2114	G1999	C1877	U1733	A1393	A1284	U1285
C2822	A2484	G2575	A2484	A2344	A2115	U2000	A1879	G1741	U1522	U1286	U1287
A2823	U2487	G2578	U2487	C2350	U2118	G2003	G1880	U1748	U1529	U1418	A1292
A2824	C2488	A2578	C2488	U2351	G2005	G2004	U1890	A1749	A1534	U1422	U1293
A2825	G2492	U2581	G2492	G2352	C2006	C2006	A1891	A1752	U1534	U1423	U1293
G2826	G2493	G2582	G2493	A2353	U2007	A2008	A1907	U1752	A1541	U1424	U1297
A2827	G2494	U2583	G2494	A2354	A2009	U2009	A1908	G1763	G1542	U1425	U1298
U2830	G2495	G2584	G2495	C2355	A2010	A2010	A1908	U1764	U1546	C1426	A1301
U2831	A2362	U2585	A2362	U2356	G2011	G2011	G1913	G1765	A1431	A1444	G1302
A2832	U2365	U2586	U2365	G2365	A2012	A2012	G1914	A1766	A1558	U1445	A1314
A2833	U2366	G2587	G2366	G2366	C2013	C2013	G1914	A1767	A1559	G1446	U1316
A2834	G2370	G2588	G2370	G2370	A2013	A2013	A1920	A1768	U1549	A1447	C1317
A2835	U2373	U2589	U2373	G2373	G2028	G2028	C1921	A1769	A1435	C1456	A1322
A2836	G2379	G2594	G2379	G2379	U2029	U2029	U1922	A1770	A1436	A1457	A1323
A2837	A2382	G2595	A2382	G2382	A2030	A2030	A1926	C1771	A1437	A1458	A1324
A2838	G2391	G2596	G2391	G2391	A2037	A2037	A1931	G1772	U1557	G1463	C1326
A2839	U2392	G2597	U2392	U2392	A2038	A2038	C1931	A1780	A1558	G1327	G1327
A2840	C2393	U2500	C2393	C2393	G2039	G2039	A1934	A1781	A1559	U1466	A1328
A2841	G2397	G2501	G2397	G2397	A2040	A2040	A1936	U1782	U1571	U1467	U1330
A2842	C2410	U2502	C2410	C2410	C2041	C2041	G1937	U1786	G1574	C1470	G1331
A2843	C2411	U2503	C2411	C2411	G2046	G2046	U1936	A1787	A1577	U1394	U1394
A2844	A2415	U2504	A2415	A2415	U2047	U2047	G1937	A1788	A1584	U1480	U1341
A2845	G2418	G2505	G2418	G2418	G2050	G2050	A1943	A1789	U1586	U1481	C1342
A2846	U2418	U2506	U2418	U2418	A2055	A2055	A1944	U1790	U1587	U1482	C1342
A2847	C2428	G2507	C2428	C2428	A2056	A2056	A1945	A1791	A1484	G1483	G1483
A2848	U2431	U2508	U2431	U2431	A2056	A2056	U1947	A1794	U1588	G1484	A1350
A2849	C2432	G2509	C2432	C2432	G2059	G2059	U1950	A1798	A1588	A1485	G1351
A2850	A2433	U2510	A2433	A2433	C2062	C2062	A1951	A1798	A1589	U1486	G1352
A2851	A2434	U2511	A2434	A2434	G2063	G2063	G1952	A1807	U1577	U1487	G1353
A2852	C2435	U2512	C2435	C2435	U2066	U2066	G1956	C1808	A1479	A1479	U1353
A2853	U2437	G2513	U2437	U2437	A2067	A2067	A1961	U1815	A1480	A1480	U1341
A2854	G2437	U2514	G2437	G2437	G2068	G2068	A1962	A1816	U1584	U1481	U1341
A2855	A2526	U2515	A2526	A2526	A2069	A2069	U1963	U1820	U1586	U1482	C1342
A2856	U2526	G2516	U2526	U2526	C2070	C2070	C1970	G1821	U1587	G1483	C1342
A2857	C2633	A2517	C2633	C2633	U2075	U2075	G1971	G1822	U1588	G1484	A1350
A2858	U2527	U2518	U2527	U2527	U2075	U2075	U1970	A1822	A1589	A1485	G1351
A2859	G2633	U2519	G2633	G2633	U2075	U2075	G1971	G1822	U1589	U1486	G1352
A2860	U2527	U2520	U2527	U2527	U2075	U2075	U1970	G1822	U1589	U1487	G1353
A2861	G2633	G2521	G2633	G2633	U2075	U2075	U1970	G1822	U1589	U1487	G1353
A2862	U2527	U2522	U2527	U2527	U2075	U2075	U1970	G1822	U1589	U1487	G1353
A2863	G2633	U2523	G2633	G2633	U2075	U2075	U1970	G1822	U1589	U1487	G1353
A2864	U2527	U2524	U2527	U2527	U2075	U2075	U1970	G1822	U1589	U1487	G1353
A2865	G2633	G2525	G2633	G2633	U2075	U2075	U1970	G1822	U1589	U1487	G1353
A2866	U2527	U2525	U2527	U2527	U2075	U2075	U1970	G1822	U1589	U1487	G1353
A2867	G2633	G2526	G2633	G2633	U2075	U2075	U1970	G1822	U1589	U1487	G1353
A2868	U2527	U2526	U2527	U2527	U2075	U2075	U1970	G1822	U1589	U1487	G1353
A2869	G2633	G2527	G2633	G2633	U2075	U2075	U1970	G1822	U1589	U1487	G1353
A2870	U2527	U2527	U2527	U2527	U2075	U2075	U1970	G1822	U1589	U1487	G1353
A2871	G2633	G2528	G2633	G2633	U2075	U2075	U1970	G1822	U1589	U1487	G1353
A2872	U2527	U2528	U2527	U2527	U2075	U2075	U1970	G1822	U1589	U1487	G1353
A2873	G2633	G2529	G2633	G2633	U2075	U2075	U1970	G1822	U1589	U1487	G1353
A2874	U2527	U2529	U2527	U2527	U2075	U2075	U1970	G1822	U1589	U1487	G1353
A2875	G2633	G2530	G2633	G2633	U2075	U2075	U1970	G1822	U1589	U1487	G1353
A2876	U2527	U2531	U2527	U2527	U2075	U2075	U1970	G1822	U1589	U1487	G1353
A2877	G2633	G2532	G2633	G2633	U2075	U2075	U1970	G1822	U1589	U1487	G1353
A2878	U2527	U2533	U2527	U2527	U2075	U2075	U1970	G1822	U1589	U1487	G1353
A2879	G2633	G2534	G2633	G2633	U2075	U2075	U1970	G1822	U1589	U1487	G1353
A2880	U2527	U2535	U2527	U2527	U2075	U2075	U1970	G1822	U1589	U1487	G1353
A2881	G2633	G2536	G2633	G2633	U2075	U2075	U1970	G1822	U1589	U1487	G1353
A2882	U2527	U2537	U2527	U2527	U2075	U2075	U1970	G1822	U1589	U1487	G1353
A2883	G2633	G2538	G2633	G2633	U2075	U2075	U1970	G1822	U1589	U1487	G1353
A2884	U2527	U2539	U2527	U2527	U2075	U2075	U1970	G1822	U1589	U1487	G1353
A2885	G2633	G2540	G2633	G2633	U2075	U2075	U1970	G1822	U1589	U1487	G1353
A2886	U2527	U2541	U2527	U2527	U2075	U2075	U1970	G1822	U1589	U1487	G1353
A2887	G2633	G2542	G2633	G2633	U2075	U2075	U1970	G1822	U1589	U1487	G1353
A2888	U2527	U2543	U2527	U2527	U2075	U2075	U1970	G1822	U1589	U1487	G1353
A2889	G2633	G2544	G2633	G2633	U2075	U2075	U1970	G1822	U1589	U1487	G1353
A2890	U2527	U2545	U2527	U2527	U2075	U2075	U1970	G1822	U1589	U1487	G1353
A2891	G2633	G2546	G2633	G2633	U2075	U2075	U1970	G1822	U1589	U1487	G1353
A2892	U2527	U2547	U2527	U2527	U2075	U2075	U1970	G1822	U1589	U1487	G1353
A2893	G2633	G2548	G2633	G2633	U2075	U2075	U1970	G1822	U1589	U1487	G1353
A2894	U2527	U2549	U2527	U2527	U2075	U2075	U1970	G1822	U1589	U1487	G1353
A2895	G2633	G2550	G2633	G2633	U2075	U2075	U1970	G1822	U1589	U1487	G1353
A2896	U2527	U2551	U2527	U2527	U2075	U2075	U1970	G1822	U1589	U1487	G1353
A2897	G2633	G2552	G2633	G2633	U2075	U2075	U1970	G1822	U1589	U1487	G1353
A2898	U2527	U2553	U2527	U2527	U2075	U2075	U1970	G1822	U1589	U1487	G1353
A2899	G2633	G2554	G2633	G2633	U2075	U2075	U1970	G1822	U1589	U1487	G1353
A2900	U2527	U2555	U2527	U2527	U2075	U2075	U1970	G1822	U1589	U1487	G1353



• Molecule 51: 5S ribosomal RNA




• Molecule 52: 16S ribosomal RNA





• Molecule 53: tRNA-Phe



4 Experimental information

Property	Value	Source
EM reconstruction method	SUBTOMOGRAM AVERAGING	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of subtomograms used	721	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	3.2	Depositor
Minimum defocus (nm)	1500	Depositor
Maximum defocus (nm)	3750	Depositor
Magnification	81000	Depositor
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	1.735	Depositor
Minimum map value	-0.678	Depositor
Average map value	0.024	Depositor
Map value standard deviation	0.122	Depositor
Recommended contour level	0.37	Depositor
Map size (Å)	435.328, 435.328, 435.328	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.7005, 1.7005, 1.7005	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	0	0.23	0/383	0.38	0/504
2	1	0.24	0/484	0.43	0/637
3	2	0.22	0/306	0.46	0/401
4	A	0.24	0/1954	0.42	0/2642
5	B	0.24	0/1721	0.47	0/2323
6	C	0.24	0/1691	0.44	0/2267
7	D	0.24	0/1188	0.47	0/1593
8	E	0.25	0/1384	0.44	0/1867
9	F	0.23	0/1266	0.43	0/1700
10	G	0.24	0/1126	0.47	0/1517
11	H	0.24	0/1044	0.48	0/1395
12	I	0.23	0/820	0.49	0/1103
13	J	0.24	0/844	0.42	0/1136
14	K	0.28	0/1094	0.52	0/1468
15	L	0.23	0/962	0.44	0/1289
16	M	0.25	0/483	0.45	0/643
17	N	0.23	0/679	0.44	0/907
18	O	0.23	0/659	0.42	0/885
19	P	0.24	0/684	0.46	0/913
20	Q	0.24	0/545	0.44	0/730
21	R	0.24	0/698	0.45	0/936
22	S	0.23	0/631	0.38	0/838
23	T	0.23	0/475	0.41	0/621
24	a	0.23	0/2267	0.44	0/3044
25	b	0.26	0/1795	0.49	0/2412
26	c	0.25	0/1671	0.45	0/2246
27	d	0.24	0/1409	0.45	0/1894
28	e	0.25	0/1420	0.45	0/1912
29	f	0.25	0/1205	0.52	2/1616 (0.1%)
30	g	3.79	6/944 (0.6%)	0.62	0/1260
31	h	0.25	0/968	0.45	0/1298
32	i	0.23	0/1186	0.43	0/1592
33	j	0.24	0/953	0.46	0/1275
34	k	0.24	0/1170	0.46	0/1559

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
35	l	0.24	0/1104	0.46	0/1481
36	m	0.24	0/973	0.46	0/1309
37	n	0.23	0/897	0.45	0/1198
38	o	0.24	0/948	0.45	0/1262
39	p	0.23	0/961	0.37	0/1278
40	q	0.23	0/828	0.48	0/1111
41	r	0.25	0/1077	0.46	0/1441
42	s	0.24	0/732	0.50	0/988
43	t	0.24	0/879	0.45	0/1165
44	u	0.24	0/665	0.48	0/884
45	v	0.23	0/519	0.45	0/695
46	w	0.22	0/826	0.43	0/1104
47	x	0.26	0/353	0.43	0/474
48	y	0.28	0/457	0.50	0/601
49	z	0.24	0/412	0.44	0/547
50	3	0.20	0/69073	0.80	50/107710 (0.0%)
51	4	0.19	0/2505	0.80	2/3902 (0.1%)
52	5	0.19	0/35768	0.80	38/55764 (0.1%)
53	8	0.18	0/1808	0.78	1/2817 (0.0%)
All	All	0.36	6/156894 (0.0%)	0.72	93/234154 (0.0%)

The worst 5 of 6 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
30	g	112	TYR	CD2-CE2	65.91	2.38	1.39
30	g	112	TYR	CD1-CE1	65.03	2.36	1.39
30	g	112	TYR	CE1-CZ	39.32	1.89	1.38
30	g	112	TYR	CE2-CZ	38.36	1.88	1.38
30	g	112	TYR	CG-CD2	31.20	1.79	1.39

The worst 5 of 93 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
52	5	808	C	C2-N1-C1'	9.02	128.73	118.80
52	5	264	C	N3-C2-O2	-8.70	115.81	121.90
50	3	2567	C	N3-C2-O2	-8.66	115.84	121.90
52	5	843	C	N3-C2-O2	-8.29	116.09	121.90
50	3	2428	C	N3-C2-O2	-8.06	116.26	121.90

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	45/48 (94%)	43 (96%)	2 (4%)	0	100	100
2	1	57/59 (97%)	52 (91%)	5 (9%)	0	100	100
3	2	35/37 (95%)	33 (94%)	2 (6%)	0	100	100
4	A	238/294 (81%)	225 (94%)	13 (6%)	0	100	100
5	B	213/273 (78%)	200 (94%)	13 (6%)	0	100	100
6	C	201/205 (98%)	188 (94%)	13 (6%)	0	100	100
7	D	151/219 (69%)	150 (99%)	1 (1%)	0	100	100
8	E	165/215 (77%)	148 (90%)	17 (10%)	0	100	100
9	F	152/155 (98%)	136 (90%)	16 (10%)	0	100	100
10	G	139/142 (98%)	126 (91%)	13 (9%)	0	100	100
11	H	126/132 (96%)	111 (88%)	15 (12%)	0	100	100
12	I	99/108 (92%)	90 (91%)	9 (9%)	0	100	100
13	J	112/121 (93%)	109 (97%)	3 (3%)	0	100	100
14	K	134/139 (96%)	124 (92%)	9 (7%)	1 (1%)	22	63
15	L	116/124 (94%)	102 (88%)	14 (12%)	0	100	100
16	M	58/61 (95%)	55 (95%)	3 (5%)	0	100	100
17	N	81/86 (94%)	80 (99%)	1 (1%)	0	100	100
18	O	78/94 (83%)	76 (97%)	2 (3%)	0	100	100
19	P	81/85 (95%)	79 (98%)	2 (2%)	0	100	100
20	Q	63/104 (61%)	55 (87%)	8 (13%)	0	100	100
21	R	82/87 (94%)	74 (90%)	8 (10%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
22	S	75/87 (86%)	74 (99%)	1 (1%)	0	100	100
23	T	51/60 (85%)	50 (98%)	1 (2%)	0	100	100
24	a	283/287 (99%)	264 (93%)	19 (7%)	0	100	100
25	b	227/287 (79%)	208 (92%)	19 (8%)	0	100	100
26	c	208/212 (98%)	192 (92%)	16 (8%)	0	100	100
27	d	173/180 (96%)	159 (92%)	14 (8%)	0	100	100
28	e	174/184 (95%)	161 (92%)	13 (8%)	0	100	100
29	f	143/149 (96%)	130 (91%)	13 (9%)	0	100	100
30	g	119/161 (74%)	100 (84%)	16 (13%)	3 (2%)	5	32
31	h	126/137 (92%)	120 (95%)	6 (5%)	0	100	100
32	i	142/146 (97%)	133 (94%)	9 (6%)	0	100	100
33	j	120/122 (98%)	114 (95%)	6 (5%)	0	100	100
34	k	146/151 (97%)	140 (96%)	6 (4%)	0	100	100
35	l	134/139 (96%)	127 (95%)	7 (5%)	0	100	100
36	m	117/124 (94%)	115 (98%)	2 (2%)	0	100	100
37	n	108/116 (93%)	102 (94%)	6 (6%)	0	100	100
38	o	113/119 (95%)	110 (97%)	3 (3%)	0	100	100
39	p	112/127 (88%)	110 (98%)	2 (2%)	0	100	100
40	q	97/100 (97%)	85 (88%)	12 (12%)	0	100	100
41	r	137/159 (86%)	128 (93%)	9 (7%)	0	100	100
42	s	90/237 (38%)	88 (98%)	2 (2%)	0	100	100
43	t	109/111 (98%)	101 (93%)	8 (7%)	0	100	100
44	u	84/104 (81%)	78 (93%)	6 (7%)	0	100	100
45	v	61/65 (94%)	56 (92%)	5 (8%)	0	100	100
46	w	96/111 (86%)	92 (96%)	4 (4%)	0	100	100
47	x	42/97 (43%)	42 (100%)	0	0	100	100
48	y	54/57 (95%)	50 (93%)	3 (6%)	1 (2%)	8	38
49	z	48/53 (91%)	45 (94%)	3 (6%)	0	100	100
All	All	5815/6670 (87%)	5430 (93%)	380 (6%)	5 (0%)	54	86

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
14	K	122	LYS
30	g	86	VAL
30	g	30	THR
48	y	51	LEU
30	g	88	GLU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	40/41 (98%)	40 (100%)	0	100	100
2	1	51/51 (100%)	49 (96%)	2 (4%)	32	56
3	2	35/35 (100%)	35 (100%)	0	100	100
4	A	212/262 (81%)	211 (100%)	1 (0%)	88	93
5	B	180/232 (78%)	178 (99%)	2 (1%)	73	84
6	C	181/183 (99%)	178 (98%)	3 (2%)	60	78
7	D	123/178 (69%)	121 (98%)	2 (2%)	62	79
8	E	150/196 (76%)	148 (99%)	2 (1%)	69	81
9	F	131/132 (99%)	130 (99%)	1 (1%)	81	89
10	G	123/124 (99%)	122 (99%)	1 (1%)	81	89
11	H	111/115 (96%)	110 (99%)	1 (1%)	78	87
12	I	95/99 (96%)	95 (100%)	0	100	100
13	J	91/97 (94%)	90 (99%)	1 (1%)	73	84
14	K	117/120 (98%)	113 (97%)	4 (3%)	37	60
15	L	100/105 (95%)	98 (98%)	2 (2%)	55	74
16	M	47/48 (98%)	46 (98%)	1 (2%)	53	72
17	N	76/78 (97%)	76 (100%)	0	100	100
18	O	69/82 (84%)	69 (100%)	0	100	100
19	P	73/75 (97%)	70 (96%)	3 (4%)	30	55
20	Q	56/94 (60%)	56 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
21	R	74/77 (96%)	74 (100%)	0	100	100
22	S	70/77 (91%)	70 (100%)	0	100	100
23	T	49/56 (88%)	49 (100%)	0	100	100
24	a	241/243 (99%)	240 (100%)	1 (0%)	91	94
25	b	186/233 (80%)	186 (100%)	0	100	100
26	c	182/184 (99%)	182 (100%)	0	100	100
27	d	150/154 (97%)	150 (100%)	0	100	100
28	e	153/159 (96%)	153 (100%)	0	100	100
29	f	131/134 (98%)	130 (99%)	1 (1%)	81	89
30	g	99/129 (77%)	88 (89%)	11 (11%)	6	22
31	h	102/110 (93%)	101 (99%)	1 (1%)	76	86
32	i	126/128 (98%)	125 (99%)	1 (1%)	81	89
33	j	103/103 (100%)	102 (99%)	1 (1%)	76	86
34	k	123/126 (98%)	122 (99%)	1 (1%)	81	89
35	l	113/115 (98%)	111 (98%)	2 (2%)	59	77
36	m	105/109 (96%)	104 (99%)	1 (1%)	76	86
37	n	96/99 (97%)	95 (99%)	1 (1%)	76	86
38	o	101/105 (96%)	101 (100%)	0	100	100
39	p	100/108 (93%)	100 (100%)	0	100	100
40	q	90/91 (99%)	88 (98%)	2 (2%)	52	71
41	r	116/132 (88%)	114 (98%)	2 (2%)	60	78
42	s	82/208 (39%)	80 (98%)	2 (2%)	49	69
43	t	96/96 (100%)	96 (100%)	0	100	100
44	u	69/85 (81%)	69 (100%)	0	100	100
45	v	58/60 (97%)	58 (100%)	0	100	100
46	w	87/98 (89%)	86 (99%)	1 (1%)	73	84
47	x	41/86 (48%)	41 (100%)	0	100	100
48	y	48/49 (98%)	45 (94%)	3 (6%)	18	43
49	z	47/50 (94%)	47 (100%)	0	100	100
All	All	5099/5751 (89%)	5042 (99%)	57 (1%)	74	84

5 of 57 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
30	g	5	LYS
48	y	48	TYR
30	g	47	ASN
48	y	47	MET
41	r	9	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 23 such sidechains are listed below:

Mol	Chain	Res	Type
29	f	61	ASN
40	q	62	HIS
36	m	59	ASN
42	s	19	ASN
11	H	77	GLN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
50	3	2875/2907 (98%)	910 (31%)	32 (1%)
51	4	103/108 (95%)	40 (38%)	3 (2%)
52	5	1490/1520 (98%)	432 (28%)	7 (0%)
53	8	75/76 (98%)	29 (38%)	1 (1%)
All	All	4543/4611 (98%)	1411 (31%)	43 (0%)

5 of 1411 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
50	3	13	C
50	3	14	U
50	3	15	A
50	3	27	U
50	3	29	G

5 of 43 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
50	3	2764	U
52	5	425	G
50	3	2800	U
51	4	10	C
52	5	533	A

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-13436. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 128




Y Index: 128




Z Index: 128


6.2.2 Raw map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 104




Y Index: 121




Z Index: 120


6.3.2 Raw map



X Index: 119



Y Index: 123




Z Index: 135

The images above show the largest variance slices of the map in three orthogonal directions.


6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.37. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.5 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.5.1 emd_13436_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 2444 nm³; this corresponds to an approximate mass of 2208 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.110 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.110 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	9.10	-	-
Author-provided FSC curve	8.98	15.02	9.28
Unmasked-calculated*	14.79	23.36	16.23

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 14.79 differs from the reported value 9.1 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-13436 and PDB model 7PIC. Per-residue inclusion information can be found in section 3 on page 13.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.37 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.37).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 92% of all backbone atoms, 90% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary







































The table lists the average atom inclusion at the recommended contour level (0.37) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8956	 0.1540
0	 0.8877	 0.1410
1	 0.8798	 0.1460
2	 0.8615	 0.1380
3	 0.9624	 0.1630
4	 0.9594	 0.1660
5	 0.9594	 0.1600
8	 0.9258	 0.1540
A	 0.7232	 0.1560
B	 0.7192	 0.1470
C	 0.7548	 0.1380
D	 0.7197	 0.1320
E	 0.6549	 0.1600
F	 0.7165	 0.1250
G	 0.7076	 0.1340
H	 0.7512	 0.1090
I	 0.6918	 0.1070
J	 0.8103	 0.1200
K	 0.7797	 0.1290
L	 0.6590	 0.1230
M	 0.7319	 0.0930
N	 0.8082	 0.1760
O	 0.8156	 0.1390
P	 0.8311	 0.1370
Q	 0.7888	 0.1510
R	 0.7493	 0.1180
S	 0.8541	 0.1650
T	 0.7946	 0.1630
a	 0.8220	 0.1250
b	 0.7788	 0.1260
c	 0.8145	 0.1580
d	 0.6959	 0.1340
e	 0.7035	 0.1430
f	 0.4629	 0.1430
g	 0.6562	 0.1110



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
h	 0.4995	 0.1010
i	 0.8256	 0.1460
j	 0.7000	 0.1400
k	 0.8447	 0.1380
l	 0.8180	 0.1290
m	 0.8130	 0.1330
n	 0.7774	 0.1330
o	 0.7936	 0.1460
p	 0.8667	 0.1470
q	 0.8160	 0.1510
r	 0.8627	 0.1420
s	 0.7870	 0.1480
t	 0.7305	 0.1420
u	 0.8313	 0.1130
v	 0.8545	 0.1390
w	 0.8365	 0.1880
x	 0.7434	 0.1860
y	 0.7972	 0.1160
z	 0.8589	 0.1700