



wwPDB EM Validation Summary Report ⓘ

Aug 8, 2024 – 02:32 pm BST

PDB ID : 8PJ5
EMDB ID : EMD-17700
Title : Structure of human 48S translation initiation complex after eIF2 release prior
60S subunit joining (48S-5)
Authors : Petrychenko, V.; Yi, S.-H.; Liedtke, D.; Peng, B.Z.; Rodnina, M.V.; Fischer,
N.
Deposited on : 2023-06-22
Resolution : 2.90 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev92
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	1220	
2	1	814	
3	2	325	
4	3	218	
5	4	357	
6	5	564	
7	6	374	
8	7	255	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	8	352	27% 90% 10%
10	9	25	12% 96% 10%
11	A	1869	71% 22% 6%
12	B	158	89% 10%
13	C	263	97% 10%
14	D	194	91% 9%
15	E	143	98% 10%
16	F	59	100%
17	G	194	91% 9%
18	H	84	96% 10%
19	I	151	99% 10%
20	J	130	99% 10%
21	K	83	98% 10%
22	L	293	75% 25%
23	M	135	96% 10%
24	N	295	70% 30%
25	O	264	80% 20%
26	P	151	87% 12%
27	Q	115	86% 14%
28	R	208	95% 5%
29	S	249	92% 8%
30	T	133	93% 6%
31	V	204	93% 7%
32	Y	146	96% 10%
33	Z	243	93% 7%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	a	165	60% 40%
35	b	145	90% 10%
36	c	317	99%
37	d	145	97%
38	e	125	66% 34%
39	f	152	98%
40	h	119	87% 13%
41	i	56	89% 11%
42	k	156	46% 54%
43	m	132	7% 92% 8%
44	n	69	93% 7%
45	o	320	5% 24% 76%
46	q	144	81% 19%
47	u	1382	11% 51% 49%
48	v	445	8% 86% 14%
49	w	75	69% 29%
50	x	548	8% 76% 23%
51	y	913	58% 42%

2 Entry composition

There are 54 unique types of molecules in this entry. The entry contains 113033 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Eukaryotic translation initiation factor 5B.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	0	622	4928	3141	851	914	22	0	0

- Molecule 2 is a protein called Eukaryotic translation initiation factor 3 subunit B.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	1	588	3258	1986	633	634	5	0	0

- Molecule 3 is a protein called Eukaryotic translation initiation factor 3 subunit I.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
3	2	304	1493	885	304	304	0	0

- Molecule 4 is a protein called Eukaryotic translation initiation factor 3 subunit K.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
4	3	213	1057	631	213	213	0	0

- Molecule 5 is a protein called Eukaryotic translation initiation factor 3 subunit F.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
5	4	257	1272	757	257	258	0	0

- Molecule 6 is a protein called Eukaryotic translation initiation factor 3 subunit L.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
6	5	319	1581	943	319	319	0	0

- Molecule 7 is a protein called Eukaryotic translation initiation factor 3 subunit M.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	6	350	1917	1159	376	380	2	0	0

- Molecule 8 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
8	7	56	1300	584	245	410	61	5	0

- Molecule 9 is a protein called Eukaryotic translation initiation factor 3 subunit H.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
9	8	317	1571	936	317	318	0	0

- Molecule 10 is a protein called 60S ribosomal protein L41.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	9	24	230	139	62	26	3	0	0

- Molecule 11 is a RNA chain called 18S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
11	A	1754	37429	16718	6714	12244	1753	0	0

- Molecule 12 is a protein called 40S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	B	142	1166	743	218	199	6	0	0

- Molecule 13 is a protein called 40S ribosomal protein S4, X isoform.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	C	256	2035	1302	378	347	8	0	0

- Molecule 14 is a protein called 40S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	D	177	Total	C	N	O	S	0	0
			1477	941	295	239	2		

- Molecule 15 is a protein called 40S ribosomal protein S23.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	E	140	Total	C	N	O	S	0	0
			1087	687	215	182	3		

- Molecule 16 is a protein called 40S ribosomal protein S30.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	F	59	Total	C	N	O	S	0	0
			461	285	100	75	1		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	125	PRO	LYS	conflict	UNP P62861
F	126	GLY	LYS	conflict	UNP P62861

- Molecule 17 is a protein called 40S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	G	177	Total	C	N	O	S	0	0
			1430	917	260	252	1		

- Molecule 18 is a protein called 40S ribosomal protein S27.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	H	81	Total	C	N	O	S	0	0
			631	397	116	111	7		

- Molecule 19 is a protein called 40S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	I	150	Total	C	N	O	S	0	0
			1208	773	229	205	1		

- Molecule 20 is a protein called 40S ribosomal protein S15a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	J	129	1034	659	193	176	6	0	0

- Molecule 21 is a protein called 40S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	K	81	617	380	114	118	5	0	0

- Molecule 22 is a protein called 40S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	L	220	1707	1104	292	301	10	0	0

- Molecule 23 is a protein called 40S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	M	131	1064	668	198	194	4	0	0

- Molecule 24 is a protein called 40S ribosomal protein SA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	N	207	1633	1040	288	297	8	0	0

- Molecule 25 is a protein called 40S ribosomal protein S3a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	O	211	1715	1088	307	306	14	0	0

- Molecule 26 is a protein called 40S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
26	P	133	997	610	196	185	6	0	0

- Molecule 27 is a protein called 40S ribosomal protein S26.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	Q	99	Total	C	N	O	S	0	0
			792	492	165	130	5		

- Molecule 28 is a protein called 40S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	R	198	Total	C	N	O	S	0	0
			1627	1021	322	279	5		

- Molecule 29 is a protein called 40S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	S	230	Total	C	N	O	S	0	0
			1862	1164	371	320	7		

- Molecule 30 is a protein called 40S ribosomal protein S24.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	T	125	Total	C	N	O	S	0	0
			1015	642	199	169	5		

- Molecule 31 is a protein called 40S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	V	189	Total	C	N	O	S	0	0
			1495	934	284	270	7		

- Molecule 32 is a protein called 40S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	Y	141	Total	C	N	O	S	0	0
			1124	715	212	194	3		

- Molecule 33 is a protein called 40S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	Z	227	Total	C	N	O	S	0	0
			1765	1125	317	315	8		

- Molecule 34 is a protein called 40S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
34	a	99	834	544	149	135	6	0	0

- Molecule 35 is a protein called 40S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
35	b	131	1072	682	201	182	7	0	0

- Molecule 36 is a protein called Receptor of activated protein C kinase 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
36	c	313	2436	1535	424	465	12	0	0

- Molecule 37 is a protein called 40S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
37	d	142	1105	692	213	197	3	0	0

- Molecule 38 is a protein called 40S ribosomal protein S25.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
38	e	82	658	426	121	110	1	0	0

- Molecule 39 is a protein called 40S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
39	f	149	1227	770	249	207	1	0	0

- Molecule 40 is a protein called 40S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
40	h	103	817	511	155	147	4	0	0

- Molecule 41 is a protein called 40S ribosomal protein S29.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	i	50	Total	C	N	O	S	0	0
			419	262	85	67	5		

- Molecule 42 is a protein called Ubiquitin.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	k	71	Total	C	N	O	S	0	0
			581	367	109	98	7		

- Molecule 43 is a protein called 40S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	m	122	Total	C	N	O	S	0	0
			950	596	168	177	9		

- Molecule 44 is a protein called 40S ribosomal protein S28.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	n	64	Total	C	N	O	S	0	0
			506	308	102	94	2		

- Molecule 45 is a protein called Eukaryotic translation initiation factor 3 subunit G.

Mol	Chain	Residues	Atoms				AltConf	Trace
45	o	77	Total	C	N	O	0	0
			616	389	111	116		

- Molecule 46 is a protein called Eukaryotic translation initiation factor 1A, X-chromosomal.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	q	117	Total	C	N	O	S	1	0
			951	590	183	174	4		

- Molecule 47 is a protein called Eukaryotic translation initiation factor 3 subunit A.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	u	706	Total	C	N	O	S	1	0
			5383	3379	982	999	23		

- Molecule 48 is a protein called Eukaryotic translation initiation factor 3 subunit E.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	v	384	Total	C	N	O	S	0	0
			2635	1657	477	489	12		

- Molecule 49 is a RNA chain called Initiator Met-tRNA-i.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	w	75	Total	C	N	O	P	0	0
			1604	717	298	515	74		

- Molecule 50 is a protein called Eukaryotic translation initiation factor 3 subunit D.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	x	421	Total	C	N	O	S	0	0
			2831	1746	521	555	9		

- Molecule 51 is a protein called Eukaryotic translation initiation factor 3 subunit C.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	y	531	Total	C	N	O	S	0	0
			4305	2711	764	797	33		

- Molecule 52 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
52	0	1	Total	Mg	0
			1	1	
52	A	87	Total	Mg	0
			87	87	
52	P	1	Total	Mg	0
			1	1	
52	S	1	Total	Mg	0
			1	1	
52	f	1	Total	Mg	0
			1	1	


- Molecule 53 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula: C₁₀H₁₆N₅O₁₄P₃).





Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
53	0	1	32	10	5	14	3	0

- Molecule 54 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
			Total	Zn	
54	Q	1	1	1	0
54	k	1	1	1	0




● Molecule 3: Eukaryotic translation initiation factor 3 subunit I







• Molecule 4: Eukaryotic translation initiation factor 3 subunit K




• Molecule 5: Eukaryotic translation initiation factor 3 subunit F




• Molecule 6: Eukaryotic translation initiation factor 3 subunit L







- Molecule 10: 60S ribosomal protein L41




- Molecule 11: 18S rRNA








• Molecule 12: 40S ribosomal protein S11




• Molecule 13: 40S ribosomal protein S4, X isoform




• Molecule 14: 40S ribosomal protein S9




• Molecule 15: 40S ribosomal protein S23




- Molecule 16: 40S ribosomal protein S30




- Molecule 17: 40S ribosomal protein S7




- Molecule 18: 40S ribosomal protein S27




- Molecule 19: 40S ribosomal protein S13



- Molecule 20: 40S ribosomal protein S15a





- Molecule 21: 40S ribosomal protein S21



- Molecule 22: 40S ribosomal protein S2









• Molecule 23: 40S ribosomal protein S17





• Molecule 24: 40S ribosomal protein SA





• Molecule 25: 40S ribosomal protein S3a



• Molecule 26: 40S ribosomal protein S14




• Molecule 27: 40S ribosomal protein S26




• Molecule 28: 40S ribosomal protein S8







• Molecule 29: 40S ribosomal protein S6




• Molecule 30: 40S ribosomal protein S24




• Molecule 31: 40S ribosomal protein S5




• Molecule 32: 40S ribosomal protein S16



• Molecule 33: 40S ribosomal protein S3




• Molecule 34: 40S ribosomal protein S10




- Molecule 35: 40S ribosomal protein S15

Chain b:  90% 10%




- Molecule 36: Receptor of activated protein C kinase 1

Chain c:  99%




- Molecule 37: 40S ribosomal protein S19

Chain d:  97%




- Molecule 38: 40S ribosomal protein S25

Chain e:  66% 34%




- Molecule 39: 40S ribosomal protein S18

Chain f:  98%





- Molecule 40: 40S ribosomal protein S20

Chain h:  87% 13%




- Molecule 41: 40S ribosomal protein S29


Chain i:  89% 11%



- Molecule 47: Eukaryotic translation initiation factor 3 subunit A



- Molecule 48: Eukaryotic translation initiation factor 3 subunit E



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	238019	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	45	Depositor
Minimum defocus (nm)	200	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	59000	Depositor
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	26.872	Depositor
Minimum map value	-7.142	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	1.000	Depositor
Recommended contour level	3.0	Depositor
Map size (Å)	417.74402, 417.74402, 417.74402	wwPDB
Map dimensions	432, 432, 432	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.96700007, 0.96700007, 0.96700007	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: PSU, OMC, B8N, UR3, A2M, OMG, 5MU, 6MZ, JMH, MA6, MG, OMU, 5MC, ZN, GTP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	0	0.27	0/5010	0.55	0/6754
2	1	0.25	0/3279	0.52	0/4534
3	2	0.26	0/1491	0.48	0/2068
4	3	0.23	0/1055	0.37	0/1469
5	4	0.24	0/1269	0.42	0/1762
6	5	0.23	0/1575	0.35	0/2187
7	6	0.24	0/1926	0.44	0/2669
8	7	0.22	0/1456	0.78	1/2265 (0.0%)
9	8	0.24	0/1569	0.41	0/2183
10	9	0.27	0/231	0.77	0/294
11	A	0.30	0/41130	0.93	104/64100 (0.2%)
12	B	0.27	0/1186	0.54	0/1585
13	C	0.26	0/2077	0.59	1/2796 (0.0%)
14	D	0.27	0/1502	0.62	1/2008 (0.0%)
15	E	0.27	0/1105	0.56	0/1476
16	F	0.26	0/468	0.60	0/618
17	G	0.27	0/1451	0.61	1/1942 (0.1%)
18	H	0.27	0/644	0.55	0/864
19	I	0.26	0/1232	0.56	0/1656
20	J	0.27	0/1051	0.57	0/1406
21	K	0.30	0/623	0.63	0/833
22	L	0.29	0/1743	0.56	0/2354
23	M	0.29	0/1078	0.65	2/1447 (0.1%)
24	N	0.28	0/1670	0.53	0/2271
25	O	0.28	0/1742	0.55	0/2330
26	P	0.30	0/1010	0.68	1/1353 (0.1%)
27	Q	0.29	0/805	0.59	0/1079
28	R	0.27	0/1654	0.56	0/2203
29	S	0.26	0/1885	0.58	0/2510
30	T	0.29	0/1032	0.59	0/1371
31	V	0.28	0/1516	0.61	0/2037
32	Y	0.30	0/1142	0.62	1/1528 (0.1%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	Z	0.29	0/1793	0.58	1/2414 (0.0%)
34	a	0.27	0/859	0.53	0/1159
35	b	0.28	0/1094	0.56	0/1464
36	c	0.27	0/2493	0.58	0/3394
37	d	0.28	0/1123	0.60	1/1504 (0.1%)
38	e	0.28	0/666	0.54	0/889
39	f	0.26	0/1245	0.60	0/1665
40	h	0.28	0/827	0.66	0/1110
41	i	0.26	0/429	0.55	0/568
42	k	0.29	0/593	0.69	0/786
43	m	0.29	0/960	0.62	0/1286
44	n	0.34	0/508	0.67	0/680
45	o	0.26	0/628	0.58	0/846
46	q	0.29	0/965	0.67	1/1282 (0.1%)
47	u	0.27	0/5475	0.57	1/7432 (0.0%)
48	v	0.27	0/2672	0.56	0/3647
49	w	0.30	0/1795	0.98	3/2798 (0.1%)
50	x	0.26	0/2874	0.53	0/3925
51	y	0.27	0/4380	0.57	0/5911
All	All	0.28	0/117986	0.73	119/168712 (0.1%)

There are no bond length outliers.

The worst 5 of 119 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	A	1453	C	N1-C2-O2	9.40	124.54	118.90
11	A	501	C	N1-C2-O2	9.15	124.39	118.90
11	A	1453	C	C2-N1-C1'	9.12	128.83	118.80
11	A	501	C	C2-N1-C1'	8.78	128.45	118.80
11	A	888	U	C2-N1-C1'	8.40	127.79	117.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	620/1220 (51%)	593 (96%)	27 (4%)	0	100	100
2	1	584/814 (72%)	551 (94%)	33 (6%)	0	100	100
3	2	300/325 (92%)	296 (99%)	4 (1%)	0	100	100
4	3	209/218 (96%)	204 (98%)	5 (2%)	0	100	100
5	4	251/357 (70%)	235 (94%)	16 (6%)	0	100	100
6	5	307/564 (54%)	293 (95%)	14 (5%)	0	100	100
7	6	348/374 (93%)	322 (92%)	26 (8%)	0	100	100
9	8	313/352 (89%)	286 (91%)	27 (9%)	0	100	100
10	9	22/25 (88%)	22 (100%)	0	0	100	100
12	B	138/158 (87%)	137 (99%)	1 (1%)	0	100	100
13	C	254/263 (97%)	249 (98%)	5 (2%)	0	100	100
14	D	175/194 (90%)	173 (99%)	2 (1%)	0	100	100
15	E	138/143 (96%)	132 (96%)	6 (4%)	0	100	100
16	F	57/59 (97%)	52 (91%)	5 (9%)	0	100	100
17	G	171/194 (88%)	166 (97%)	5 (3%)	0	100	100
18	H	79/84 (94%)	74 (94%)	5 (6%)	0	100	100
19	I	148/151 (98%)	147 (99%)	1 (1%)	0	100	100
20	J	127/130 (98%)	124 (98%)	3 (2%)	0	100	100
21	K	79/83 (95%)	73 (92%)	6 (8%)	0	100	100
22	L	218/293 (74%)	215 (99%)	3 (1%)	0	100	100
23	M	129/135 (96%)	123 (95%)	6 (5%)	0	100	100
24	N	205/295 (70%)	199 (97%)	6 (3%)	0	100	100
25	O	209/264 (79%)	205 (98%)	4 (2%)	0	100	100
26	P	131/151 (87%)	124 (95%)	7 (5%)	0	100	100
27	Q	97/115 (84%)	95 (98%)	2 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
28	R	194/208 (93%)	190 (98%)	4 (2%)	0	100	100
29	S	228/249 (92%)	223 (98%)	5 (2%)	0	100	100
30	T	123/133 (92%)	122 (99%)	1 (1%)	0	100	100
31	V	187/204 (92%)	178 (95%)	9 (5%)	0	100	100
32	Y	139/146 (95%)	134 (96%)	5 (4%)	0	100	100
33	Z	225/243 (93%)	221 (98%)	4 (2%)	0	100	100
34	a	97/165 (59%)	93 (96%)	4 (4%)	0	100	100
35	b	129/145 (89%)	126 (98%)	3 (2%)	0	100	100
36	c	311/317 (98%)	291 (94%)	20 (6%)	0	100	100
37	d	140/145 (97%)	135 (96%)	5 (4%)	0	100	100
38	e	80/125 (64%)	76 (95%)	4 (5%)	0	100	100
39	f	147/152 (97%)	136 (92%)	11 (8%)	0	100	100
40	h	101/119 (85%)	95 (94%)	6 (6%)	0	100	100
41	i	48/56 (86%)	48 (100%)	0	0	100	100
42	k	69/156 (44%)	60 (87%)	9 (13%)	0	100	100
43	m	120/132 (91%)	113 (94%)	7 (6%)	0	100	100
44	n	62/69 (90%)	56 (90%)	6 (10%)	0	100	100
45	o	75/320 (23%)	71 (95%)	4 (5%)	0	100	100
46	q	116/144 (81%)	110 (95%)	6 (5%)	0	100	100
47	u	705/1382 (51%)	666 (94%)	39 (6%)	0	100	100
48	v	380/445 (85%)	363 (96%)	17 (4%)	0	100	100
50	x	415/548 (76%)	391 (94%)	24 (6%)	0	100	100
51	y	527/913 (58%)	506 (96%)	21 (4%)	0	100	100
All	All	9927/13477 (74%)	9494 (96%)	433 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	547/1081 (51%)	547 (100%)	0	100	100
2	1	97/702 (14%)	97 (100%)	0	100	100
7	6	49/335 (15%)	49 (100%)	0	100	100
10	9	23/24 (96%)	23 (100%)	0	100	100
12	B	129/142 (91%)	128 (99%)	1 (1%)	81	94
13	C	220/225 (98%)	220 (100%)	0	100	100
14	D	158/168 (94%)	158 (100%)	0	100	100
15	E	112/115 (97%)	112 (100%)	0	100	100
16	F	47/47 (100%)	47 (100%)	0	100	100
17	G	159/174 (91%)	159 (100%)	0	100	100
18	H	73/76 (96%)	73 (100%)	0	100	100
19	I	130/131 (99%)	130 (100%)	0	100	100
20	J	112/113 (99%)	112 (100%)	0	100	100
21	K	65/67 (97%)	65 (100%)	0	100	100
22	L	186/225 (83%)	186 (100%)	0	100	100
23	M	119/122 (98%)	119 (100%)	0	100	100
24	N	173/243 (71%)	173 (100%)	0	100	100
25	O	192/231 (83%)	192 (100%)	0	100	100
26	P	104/119 (87%)	104 (100%)	0	100	100
27	Q	86/98 (88%)	86 (100%)	0	100	100
28	R	172/180 (96%)	172 (100%)	0	100	100
29	S	200/218 (92%)	199 (100%)	1 (0%)	88	96
30	T	107/115 (93%)	106 (99%)	1 (1%)	78	93
31	V	159/170 (94%)	159 (100%)	0	100	100
32	Y	117/121 (97%)	117 (100%)	0	100	100
33	Z	190/202 (94%)	190 (100%)	0	100	100
34	a	90/136 (66%)	90 (100%)	0	100	100
35	b	117/130 (90%)	117 (100%)	0	100	100
36	c	272/275 (99%)	272 (100%)	0	100	100
37	d	112/115 (97%)	112 (100%)	0	100	100
38	e	72/103 (70%)	72 (100%)	0	100	100
39	f	129/132 (98%)	129 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
40	h	94/107 (88%)	94 (100%)	0	100	100
41	i	44/49 (90%)	44 (100%)	0	100	100
42	k	64/140 (46%)	64 (100%)	0	100	100
43	m	104/108 (96%)	104 (100%)	0	100	100
44	n	57/62 (92%)	57 (100%)	0	100	100
45	o	64/277 (23%)	63 (98%)	1 (2%)	62	86
46	q	100/123 (81%)	100 (100%)	0	100	100
47	u	528/1259 (42%)	526 (100%)	2 (0%)	91	97
48	v	206/406 (51%)	205 (100%)	1 (0%)	88	96
50	x	206/494 (42%)	204 (99%)	2 (1%)	76	92
51	y	473/811 (58%)	473 (100%)	0	100	100
All	All	6458/10171 (64%)	6449 (100%)	9 (0%)	93	98

5 of 9 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
50	x	87	ARG
50	x	362	ARG
45	o	260	ARG
47	u	169	ARG
47	u	353	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
39	f	85	ASN
39	f	97	GLN
40	h	81	GLN
44	n	29	GLN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
11	A	1741/1869 (93%)	376 (21%)	8 (0%)
49	w	74/75 (98%)	21 (28%)	0
8	7	50/255 (19%)	33 (66%)	2 (4%)

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
All	All	1865/2199 (84%)	430 (23%)	10 (0%)

5 of 430 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
8	7	-32	A
8	7	-31	C
8	7	-30	A
8	7	-28	C
8	7	-27	A

5 of 10 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
11	A	731	G
11	A	797	C
11	A	1600	G
11	A	291	G
11	A	368	U

5.4 Non-standard residues in protein, DNA, RNA chains

29 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
11	PSU	A	612	11	18,21,22	1.02	1 (5%)	22,30,33	1.71	5 (22%)
11	MA6	A	1850	11	18,26,27	1.34	3 (16%)	19,38,41	3.14	2 (10%)
11	OMU	A	121	11	19,22,23	3.01	6 (31%)	26,31,34	1.60	5 (19%)
11	MA6	A	1851	11	18,26,27	1.35	3 (16%)	19,38,41	3.22	2 (10%)
11	PSU	A	823	11	18,21,22	1.10	1 (5%)	22,30,33	1.69	4 (18%)
11	A2M	A	27	52,11	18,25,26	4.31	9 (50%)	18,36,39	3.81	4 (22%)
11	OMG	A	644	11	18,26,27	1.14	2 (11%)	19,38,41	0.84	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
11	OMG	A	509	52,11	18,26,27	1.14	2 (11%)	19,38,41	0.86	1 (5%)
11	A2M	A	1031	11	18,25,26	4.37	9 (50%)	18,36,39	3.83	4 (22%)
11	PSU	A	1081	11	18,21,22	1.06	1 (5%)	22,30,33	1.75	4 (18%)
11	JMH	A	1219	52,11	18,22,23	2.92	5 (27%)	21,32,35	1.71	4 (19%)
11	5MU	A	814	11	19,22,23	0.42	0	28,32,35	0.82	1 (3%)
11	PSU	A	1243	11	18,21,22	1.08	1 (5%)	22,30,33	1.77	4 (18%)
11	OMC	A	1703	52,11	19,22,23	0.54	0	26,31,34	0.72	1 (3%)
11	A2M	A	1678	11	18,25,26	4.37	8 (44%)	18,36,39	3.87	4 (22%)
11	PSU	A	822	11	18,21,22	1.05	1 (5%)	22,30,33	1.76	5 (22%)
11	OMU	A	116	11	19,22,23	3.02	6 (31%)	26,31,34	1.58	4 (15%)
11	UR3	A	1830	11	19,22,23	2.83	8 (42%)	26,32,35	1.57	4 (15%)
11	OMC	A	174	52,11	19,22,23	0.53	0	26,31,34	0.66	0
11	A2M	A	484	11	18,25,26	4.26	9 (50%)	18,36,39	3.87	5 (27%)
11	OMC	A	517	11	19,22,23	0.55	0	26,31,34	0.77	1 (3%)
11	PSU	A	119	11	18,21,22	1.02	1 (5%)	22,30,33	1.56	4 (18%)
11	A2M	A	668	52,11	18,25,26	4.24	9 (50%)	18,36,39	3.82	5 (27%)
11	A2M	A	166	11	18,25,26	4.37	8 (44%)	18,36,39	3.83	4 (22%)
11	B8N	A	1248	11	24,29,30	3.04	7 (29%)	29,42,45	1.79	5 (17%)
11	5MC	A	1374	11	18,22,23	0.56	0	26,32,35	0.68	0
11	OMG	A	683	11	18,26,27	1.15	2 (11%)	19,38,41	0.88	1 (5%)
11	A2M	A	159	11	18,25,26	4.29	8 (44%)	18,36,39	3.91	4 (22%)
11	6MZ	A	1832	52,11	18,25,26	1.77	3 (16%)	16,36,39	2.15	4 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
11	PSU	A	612	11	-	0/7/25/26	0/2/2/2
11	MA6	A	1850	11	-	0/7/29/30	0/3/3/3
11	OMU	A	121	11	-	1/9/27/28	0/2/2/2
11	MA6	A	1851	11	-	3/7/29/30	0/3/3/3
11	PSU	A	823	11	-	0/7/25/26	0/2/2/2
11	A2M	A	27	52,11	-	2/5/27/28	0/3/3/3
11	OMG	A	644	11	-	1/5/27/28	0/3/3/3
11	OMG	A	509	52,11	-	2/5/27/28	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
11	A2M	A	1031	11	-	1/5/27/28	0/3/3/3
11	PSU	A	1081	11	-	1/7/25/26	0/2/2/2
11	JMH	A	1219	52,11	-	1/7/25/26	0/2/2/2
11	5MU	A	814	11	-	0/7/25/26	0/2/2/2
11	PSU	A	1243	11	-	2/7/25/26	0/2/2/2
11	OMC	A	1703	52,11	-	0/9/27/28	0/2/2/2
11	A2M	A	1678	11	-	1/5/27/28	0/3/3/3
11	PSU	A	822	11	-	2/7/25/26	0/2/2/2
11	OMU	A	116	11	-	1/9/27/28	0/2/2/2
11	UR3	A	1830	11	-	2/7/25/26	0/2/2/2
11	OMC	A	174	52,11	-	0/9/27/28	0/2/2/2
11	A2M	A	484	11	-	1/5/27/28	0/3/3/3
11	OMC	A	517	11	-	0/9/27/28	0/2/2/2
11	PSU	A	119	11	-	0/7/25/26	0/2/2/2
11	A2M	A	668	52,11	-	3/5/27/28	0/3/3/3
11	A2M	A	166	11	-	0/5/27/28	0/3/3/3
11	B8N	A	1248	11	-	6/16/34/35	0/2/2/2
11	5MC	A	1374	11	-	0/7/25/26	0/2/2/2
11	OMG	A	683	11	-	2/5/27/28	0/3/3/3
11	A2M	A	159	11	-	3/5/27/28	0/3/3/3
11	6MZ	A	1832	52,11	-	2/5/27/28	0/3/3/3

The worst 5 of 113 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	A	166	A2M	C3'-C2'	-12.81	1.24	1.52
11	A	1031	A2M	C3'-C2'	-12.80	1.24	1.52
11	A	1678	A2M	C3'-C2'	-12.74	1.24	1.52
11	A	27	A2M	C3'-C2'	-12.66	1.24	1.52
11	A	159	A2M	C3'-C2'	-12.49	1.25	1.52

The worst 5 of 92 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	A	1851	MA6	N1-C6-N6	-12.57	103.83	117.06
11	A	1850	MA6	N1-C6-N6	-12.33	104.08	117.06
11	A	159	A2M	C1'-N9-C4	10.84	145.69	126.64
11	A	1678	A2M	C1'-N9-C4	10.72	145.48	126.64
11	A	484	A2M	C1'-N9-C4	10.48	145.06	126.64

There are no chirality outliers.

5 of 37 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
11	A	27	A2M	C1'-C2'-O2'-CM'
11	A	116	OMU	C1'-C2'-O2'-CM2
11	A	121	OMU	C1'-C2'-O2'-CM2
11	A	159	A2M	C1'-C2'-O2'-CM'
11	A	484	A2M	C1'-C2'-O2'-CM'

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 94 ligands modelled in this entry, 93 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
53	GTP	0	1302	52	26,34,34	1.13	2 (7%)	32,54,54	1.51	6 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
53	GTP	0	1302	52	-	5/18/38/38	0/3/3/3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
53	0	1302	GTP	C5-C6	-4.05	1.39	1.47
53	0	1302	GTP	C2-N3	2.17	1.38	1.33

The worst 5 of 6 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
53	0	1302	GTP	PB-O3B-PG	-3.75	119.97	132.83
53	0	1302	GTP	C5-C6-N1	3.12	119.47	113.95
53	0	1302	GTP	C3'-C2'-C1'	2.98	105.46	100.98
53	0	1302	GTP	C8-N7-C5	2.98	108.66	102.99
53	0	1302	GTP	C2-N1-C6	-2.81	119.92	125.10

There are no chirality outliers.


All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
53	0	1302	GTP	PB-O3A-PA-O1A
53	0	1302	GTP	PG-O3B-PB-O2B
53	0	1302	GTP	O4'-C4'-C5'-O5'
53	0	1302	GTP	C5'-O5'-PA-O3A
53	0	1302	GTP	PG-O3B-PB-O1B

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-17700. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 216




Y Index: 216




Z Index: 216


6.2.2 Raw map



X Index: 180



Y Index: 180




Z Index: 180


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 176




Y Index: 259




Z Index: 210


6.3.2 Raw map



X Index: 147



Y Index: 216




Z Index: 175


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 3.0. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_17700_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 1292 nm³; this corresponds to an approximate mass of 1167 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.345 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.345 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.90	-	-
Author-provided FSC curve	2.94	3.38	2.98
Unmasked-calculated*	3.13	4.01	3.20

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-17700 and PDB model 8PJ5. Per-residue inclusion information can be found in section 3 on page 14.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 3.0 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (3.0).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 87% of all backbone atoms, 86% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary



































The table lists the average atom inclusion at the recommended contour level (3.0) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8580	 0.4370
0	 0.8160	 0.3900
1	 0.2300	 0.1250
2	 0.0000	 0.0810
3	 0.6210	 0.1340
4	 0.7700	 0.1600
5	 0.7550	 0.1450
6	 0.7550	 0.1630
7	 0.6480	 0.2570
8	 0.6660	 0.1550
9	 0.8660	 0.5070
A	 0.9680	 0.5180
B	 0.9480	 0.5560
C	 0.9540	 0.5540
D	 0.9310	 0.5420
E	 0.9480	 0.5580
F	 0.8610	 0.5050
G	 0.8570	 0.4660
H	 0.9110	 0.5190
I	 0.9260	 0.5370
J	 0.9510	 0.5600
K	 0.9190	 0.5250
L	 0.9100	 0.5470
M	 0.8670	 0.5120
N	 0.9380	 0.5440
O	 0.9280	 0.5270
P	 0.9150	 0.5250
Q	 0.9300	 0.5430
R	 0.9570	 0.5250
S	 0.9460	 0.4950
T	 0.9430	 0.5270
V	 0.9240	 0.5360
Y	 0.9670	 0.5570
Z	 0.8790	 0.5170
a	 0.9360	 0.5160



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
b	 0.9380	 0.5370
c	 0.9230	 0.4990
d	 0.9560	 0.5470
e	 0.8760	 0.5080
f	 0.9140	 0.5130
h	 0.9110	 0.4910
i	 0.9580	 0.5670
k	 0.8590	 0.3870
m	 0.8110	 0.3500
n	 0.8540	 0.4940
o	 0.6480	 0.3030
q	 0.8250	 0.5010
u	 0.6850	 0.2860
v	 0.7430	 0.1900
w	 0.9360	 0.3200
x	 0.7740	 0.3550
y	 0.7960	 0.3640