



Full wwPDB EM Validation Report ⓘ

Jul 7, 2024 – 12:11 pm BST

PDB ID : 7PKT
EMDB ID : EMD-13480
Title : Large subunit of the Chlamydomonas reinhardtii mitoribosome
Authors : Waltz, F.; Soufari, H.; Hashem, Y.
Deposited on : 2021-08-26
Resolution : 3.00 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev92
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	a	383	
2	b	417	
3	c	427	
4	d	216	
5	f	304	
6	i	277	
7	j	120	
8	k	337	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	l	270	
10	m	183	
11	n	312	
12	o	115	
13	p	370	
14	q	377	
15	r	226	
16	s	309	
17	t	366	
18	u	173	
19	v	153	
20	w	127	
21	x	214	
22	y	123	
23	z	59	
24	A	280	
25	B	151	
26	e	207	
27	D	172	
28	E	112	
29	F	141	
30	G	259	
31	I	132	
32	J	134	
33	K	249	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	L	206	6% 67% 33%
35	C	36	100% 100%
36	M	876	26% 49% 51%
37	N	455	43% 61% 38%
38	O	688	56% 84% 15%
39	P	530	16% 82% 17%
40	Q	820	39% 60% 39%
41	R	653	40% 57% 42%
42	S	334	34% 72% 27%
43	X	31	26% 100%
44	Y	172	85% 87% 13%
45	Z	49	43% 100%
46	1	162	22% 67% 28% 5%
47	2	86	6% 71% 27%
48	0	75	49% 49% 45% 5%
49	3	184	82% 15%
50	4	118	8% 75% 24%
51	5	149	79% 52% 42% 5%
52	6	136	70% 25% 5%
53	7	578	41% 67% 29%
54	8	413	55% 59% 34% 7%

2 Entry composition [i](#)

There are 57 unique types of molecules in this entry. The entry contains 103129 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ribosomal_L2_C domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	a	263	Total	C	N	O	S	0	0
			1993	1238	398	354	3		

- Molecule 2 is a protein called uL3m.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	b	304	Total	C	N	O	S	0	0
			2325	1481	430	403	11		

- Molecule 3 is a protein called uL4m.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	c	318	Total	C	N	O	S	0	0
			2497	1571	491	431	4		

- Molecule 4 is a protein called uL5m.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	d	184	Total	C	N	O	S	0	0
			1382	885	242	249	6		

- Molecule 5 is a protein called 50S ribosomal protein L9, chloroplastic.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	f	60	Total	C	N	O	S	0	0
			464	289	92	81	2		

- Molecule 6 is a protein called Mitochondrial ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	i	152	Total	C	N	O	S	0	0
			1234	788	230	213	3		

- Molecule 7 is a protein called uL14m.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	j	120	941	604	173	161	3	0	0

- Molecule 8 is a protein called Ribosomal_L18e/L15P domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	k	210	1620	1018	311	286	5	0	0

- Molecule 9 is a protein called Ribosomal_L16 domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	l	136	1079	689	209	176	5	0	0

- Molecule 10 is a protein called Mitochondrial ribosomal protein L17,bL17m.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	m	177	1459	911	297	248	3	0	0

- Molecule 11 is a protein called Mitochondrial ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	n	173	1406	897	262	240	7	0	0

- Molecule 12 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	o	110	890	561	180	145	4	0	0

- Molecule 13 is a protein called bL21m.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	p	204	1606	1022	301	281	2	0	0

- Molecule 14 is a protein called uL22m.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	q	161	Total	C	N	O	S	0	0
			1270	795	246	221	8		

- Molecule 15 is a protein called Mitochondrial ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	r	158	Total	C	N	O	S	0	0
			1335	847	256	227	5		

- Molecule 16 is a protein called KOW domain-containing protein,uL24m.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	s	210	Total	C	N	O	S	0	0
			1565	983	284	294	4		

- Molecule 17 is a protein called Ribosomal_TL5_C domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	t	192	Total	C	N	O	S	0	0
			1489	942	282	257	8		

- Molecule 18 is a protein called bL27m.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	u	133	Total	C	N	O	S	0	0
			1007	633	194	177	3		

- Molecule 19 is a protein called bL28m.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	v	120	Total	C	N	O	S	0	0
			997	627	196	171	3		

- Molecule 20 is a protein called uL29m.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	w	120	Total	C	N	O	S	0	0
			974	611	185	173	5		

- Molecule 21 is a protein called Ribosomal_L30 domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	x	167	Total	C	N	O	S	0	0
			1397	882	279	232	4		

- Molecule 22 is a protein called bL32m.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	y	71	Total	C	N	O	S	0	0
			542	335	105	97	5		

- Molecule 23 is a protein called Mitochondrial ribosomal protein L33.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	z	53	Total	C	N	O	S	0	0
			439	290	77	71	1		

- Molecule 24 is a protein called bL34m.

Mol	Chain	Residues	Atoms				AltConf	Trace
24	A	50	Total	C	N	O	0	0
			427	259	100	68		

- Molecule 25 is a protein called bL35m.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	B	128	Total	C	N	O	S	0	0
			1058	664	218	175	1		

- Molecule 26 is a protein called Plastid ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	e	164	Total	C	N	O	S	0	0
			1238	785	223	226	4		

- Molecule 27 is a protein called mL40.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	D	94	Total	C	N	O	S	0	0
			740	467	135	134	4		

- Molecule 28 is a protein called mL41.

Mol	Chain	Residues	Atoms				AltConf	Trace
28	E	79	Total	C	N	O	0	0
			636	409	119	108		

- Molecule 29 is a protein called mL43.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	F	129	Total	C	N	O	S	0	0
			1036	650	199	182	5		

- Molecule 30 is a protein called Mitochondrial ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	G	199	Total	C	N	O	S	0	0
			1482	924	268	286	4		

- Molecule 31 is a protein called mL63/57/60.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	I	97	Total	C	N	O	S	0	0
			780	490	152	133	5		

- Molecule 32 is a protein called mL59/64.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	J	114	Total	C	N	O	S	0	0
			842	529	156	154	3		

- Molecule 33 is a protein called mL80.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	K	195	Total	C	N	O	S	0	0
			1571	987	305	276	3		

- Molecule 34 is a protein called mL87.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	L	137	Total	C	N	O	S	0	0
			1167	735	234	195	3		

- Molecule 35 is a protein called bL36m.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
35	C	36	180	108	36	36	0	0

- Molecule 36 is a protein called mL113.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
36	M	430	3152	1965	617	561	9	0	0

- Molecule 37 is a protein called mL114.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
37	N	283	2116	1337	397	377	5	0	0

- Molecule 38 is a protein called mL115.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
38	O	584	4260	2671	792	778	19	0	0

- Molecule 39 is a protein called mL116.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
39	P	438	3151	1979	602	564	6	0	0

- Molecule 40 is a protein called mL117.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
40	Q	498	3073	1893	581	587	12	0	0

- Molecule 41 is a protein called mL118.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
41	R	376	2594	1616	511	461	6	0	0

- Molecule 42 is a protein called mL119.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
42	S	244	1967	1211	376	362	18	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
S	257	THR	GLY	conflict	UNP A0A2K3D424

- Molecule 43 is a protein called Unk1.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
43	X	31	155	93	31	31	0	0

- Molecule 44 is a protein called PPR*.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
44	Y	149	745	447	149	149	0	0

- Molecule 45 is a protein called Unk2.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
45	Z	49	245	147	49	49	0	0

- Molecule 46 is a RNA chain called L1 rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
46	1	162	3440	1541	607	1130	162	0	0

- Molecule 47 is a RNA chain called L2a rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
47	2	86	1821	816	311	608	86	0	0

- Molecule 48 is a RNA chain called L3a rRNA (5S).

Mol	Chain	Residues	Atoms					AltConf	Trace
48	0	75	Total	C	N	O	P	0	0
			1592	713	280	524	75		

- Molecule 49 is a RNA chain called L3b rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	3	184	Total	C	N	O	P	0	0
			3933	1757	709	1283	184		

- Molecule 50 is a RNA chain called L4 rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	4	118	Total	C	N	O	P	0	0
			2538	1135	478	807	118		

- Molecule 51 is a RNA chain called L5 rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	5	149	Total	C	N	O	P	0	0
			3156	1412	545	1050	149		

- Molecule 52 is a RNA chain called L6 rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	6	136	Total	C	N	O	P	0	0
			2913	1306	542	929	136		

- Molecule 53 is a RNA chain called L7 rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	7	578	Total	C	N	O	P	0	0
			12344	5521	2237	4008	578		

- Molecule 54 is a RNA chain called L8 rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	8	413	Total	C	N	O	P	0	0
			8792	3931	1558	2890	413		


- Molecule 55 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	AltConf
55	y	1	Total Zn 1 1	0


- Molecule 56 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	AltConf
56	Q	1	Total Mg 1 1	0
56	1	6	Total Mg 6 6	0
56	2	7	Total Mg 7 7	0
56	0	1	Total Mg 1 1	0
56	3	12	Total Mg 12 12	0
56	4	8	Total Mg 8 8	0
56	5	3	Total Mg 3 3	0
56	6	6	Total Mg 6 6	0
56	7	18	Total Mg 18 18	0
56	8	7	Total Mg 7 7	0



- Molecule 57 is FE2/S2 (INORGANIC) CLUSTER (three-letter code: FES) (formula: Fe₂S₂).





Mol	Chain	Residues	Atoms			AltConf
			Total	Fe	S	
57	S	1	4	2	2	0




• Molecule 3: uL4m




• Molecule 4: uL5m







• Molecule 5: 50S ribosomal protein L9, chloroplastic









• Molecule 9: Ribosomal_L16 domain-containing protein



• Molecule 10: Mitochondrial ribosomal protein L17,bL17m




• Molecule 11: Mitochondrial ribosomal protein L19





• Molecule 12: 50S ribosomal protein L20







- Molecule 20: uL29m




- Molecule 21: Ribosomal_L30 domain-containing protein




- Molecule 22: bL32m



- Molecule 23: Mitochondrial ribosomal protein L33




- Molecule 24: bL34m



THR	LEU	THR	ALA	GLY	ARG	ARG	ARG	GLY	ASP	GLN	ALA	PRO	THR	GLN	GLY	GLY	GLY	ALA	GLY	GLY	LEU	THR	ALA	ALA	ALA	ALA	GLN	HIS	ASP	ASP	GLY	GLY	VAL	THR	TRP	ASP	LEU	ARG	ARG	VAL	VAL	SER	PHE	ASP	VAL	THR	GLU	TRP	ALA	ALA
ALA	HIS	ARG	GLY	ARG	ARG	GLN	PRO	GLN	GLN	ALA	GLN	PRO	LEU	GLN	LEU	SER	PHE	HIS	GLN	VAL	GLY	GLY	PRO	ARG	ALA	ALA	ALA	GLN	HIS	ASP	PRO	MET	ASP	HIS	SER	LEU	GLY	LEU	GLY	VAL	THR	LEU	GLY	LEU	VAL	THR	TRP	ALA	ALA	


MET
 HIS
 VAL
 LEU
 GLY
 ALA
 PRO
 ARG
 PRO
 ARG
 THR
 GLN
 HIS
 ASP
 GLN
 ALA
 PRO
 LEU
 THR
 GLN
 GLY
 VAL
 ASN
 P22
 D28
 K32
 E53
 A38
 R115
 G116
 R117
 V118
 E119
 R120
 P121
 R122
 D128
 M129
 D130
 H131
 T132
 T133
 Q143
 P144
 P145
 N146
 R147
 Q148
 R149
 LEU
 ARG

• Molecule 25: bL35m



MET	PRO	TRP	THR	LEU	ARG	ALA	HIS	THR	PRO	PRO	ARG	GLN	PRO	THR	GLN	ALA	ALA	ALA	PRO	ARG	LEU	PRO	VAL	VAL	ASN	P22	D28	K32	E53	A38	R115	G116	R117	V118	E119	R120	P121	R122	D128	M129	D130	H131	T132	T133	Q143	P144	P145	N146	R147	Q148	R149	LEU	ARG
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----

• Molecule 26: Plastid ribosomal protein L6



MET	LEU	THR	THR	ARG	VAL	LYS	PRO	PHE	ARG	ALA	ALA	ALA	VAL	VAL	ARG	SER	SER	ARG	ARG	CYS	VAL	VAL	ALA	LYS	ASP	SER	ARG	ILE	GLY	ARG	A32	P33	I34	T35	V36	P37	K38	G39	V40	T41	V42	T43	L44	E45	G46	Q47	L48	V49	R50	V51	K52	G53	P54	N55	G56	F57	L58	E59	Q60	T61	L62	S63	P64	L65	V66	R67	T68	E69	Q70	A71	D72	G73	K74	L75	K76	L77	F78	K79	L80	A81	D82	D83	R84	W85	A86	R87	S88	R89	H90	G91	L92	N93	R94	S95	L96	L97	V98	N99	S100	V101	V102	G103	V104	S105	S106	G107	F108	E109	K110	R111	M112	E113	M114	V115	G116	T117	Y119	R120	A121	A122	V123	A124	K125	K126	D127	L128	L129	L130	M131	V132	G133	S134	S135	K136	P137	R138	V139	L140	A141	I142	P143	E144	G145	L146	K147	V148	V149	V150	E151	K152	M153	L154	T155	L156	V157	I158	S159	G160	A161	D162	K163	V164	K165	V166	G167	D168	F169	C170	A171	T172	I173	R174	R175	Q176	R177	P178	P179	E180
P181	Y182	K183	G184	K185	G186	I187	R188	Y189	A190	G191	E192	V193	I194	K195	LEU	LYS	GLU	GLY	LYS	GLY	ALA	ALA	GLY	GLY	LYS	LYS	GLY	GLY	E28	E29	N30	A31	R32	V33	K34	A35	N36	V37	A38	N39	L40	Q41	P42	P43	A44	P45	A46	E47	A48	T49	P50	L51	T52	P53	A54	E55	Q56	A57	L58	E59	D60																																																																																																																					


• Molecule 27: mL40





MET	ALA	GLY	PHE	THR	LYS	ALA	THR	SER	THR	LYS	GLY	ALA	ALA	MET	LYS	ARG	ASN	LYS	LYS	GLY	ALA	ALA	SER	GLY	G25	V26	D27	E28	E29	N30	A31	R32	V33	K34	A35	N36	V37	A38	N39	L40	Q41	P42	P43	A44	P45	A46	E47	A48	T49	P50	L51	T52	P53	A54	E55	Q56	A57	L58	E59	D60	G61	L62	Q63	Q64	Q65	R66	V67	R68	E69	H70	Q71	A72	M73	ALA	ALA	ALA	V74	K75	D76	R77	M78	T79	R80	F81	R82	L83	ALA	ALA	ALA	Q85	R86	A87	L88	R89	A90	L91	P92	E93	R94	L95	R96	W97	L98	A99	M100	Q101	P102	D103	H104	T105	L106	P107	P108	L109	M110	R111	K112	F113	L114	F115	D116	S117	F118	PRO	ALA	
ALA	TYR	ARG	ASP	THR	PRO	ALA	GLY	LYS	THR	ALA	SER	GLY	ALA	ALA	SER	LYS	ASN	LYS	GLY	ALA	ALA	GLY	GLY	ALA	GLY	G25	V26	D27	E28	E29	N30	A31	R32	V33	K34	A35	N36	V37	A38	N39	L40	Q41	P42	P43	A44	P45	A46	E47	A48	T49	P50	L51	T52	P53	A54	E55	Q56	A57	L58	E59	D60	G61	L62	Q63	Q64	Q65	R66	V67	R68	E69	H70	Q71	A72	M73	ALA	ALA	ALA	V74	K75	D76	R77	M78	T79	R80	F81	R82	L83	ALA	ALA	ALA	Q85	R86	A87	L88	R89	A90	L91	P92	E93	R94	L95	R96	W97	L98	A99	M100	Q101	P102	D103	H104	T105	L106	P107	P108	L109	M110	R111	K112	F113	L114	F115	D116	S117	F118	PRO	ALA

• Molecule 28: mL41












• Molecule 29: mL43





• Molecule 30: Mitochondrial ribosomal protein L17




• Molecule 31: mL63/57/60





• Molecule 32: mL59/64







• Molecule 33: mL80




• Molecule 34: mL87




• Molecule 35: bL36m






• Molecule 36: mL113






• Molecule 37: mL114








• Molecule 47: L2a rRNA





• Molecule 48: L3a rRNA (5S)





• Molecule 49: L3b rRNA




• Molecule 50: L4 rRNA




• Molecule 51: L5 rRNA







• Molecule 52: L6 rRNA




• Molecule 53: L7 rRNA



• Molecule 54: L8 rRNA





4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	101291	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TALOS ARCTICA	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	45	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.092	Depositor
Minimum map value	-0.045	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.003	Depositor
Recommended contour level	0.014	Depositor
Map size (Å)	432.0, 432.0, 432.0	wwPDB
Map dimensions	480, 480, 480	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.9, 0.9, 0.9	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: MG, FES, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	a	0.61	0/2039	0.73	1/2766 (0.0%)
2	b	0.59	0/2397	0.75	1/3264 (0.0%)
3	c	0.60	0/2492	0.76	1/3374 (0.0%)
4	d	0.64	0/1410	0.78	0/1918
5	f	0.63	0/471	0.82	0/633
6	i	0.32	0/1266	0.65	2/1711 (0.1%)
7	j	0.63	0/959	0.77	1/1284 (0.1%)
8	k	0.58	0/1655	0.76	0/2237
9	l	0.60	0/1098	0.71	0/1474
10	m	0.60	0/1488	0.79	1/2009 (0.0%)
11	n	0.60	0/1440	0.87	4/1954 (0.2%)
12	o	0.36	0/905	0.64	0/1211
13	p	0.58	0/1640	0.83	2/2231 (0.1%)
14	q	0.38	0/1300	0.67	0/1754
15	r	0.36	0/1370	0.69	1/1854 (0.1%)
16	s	0.61	0/1442	0.76	0/1958
17	t	0.63	0/1517	0.79	0/2057
18	u	0.59	0/994	0.75	1/1342 (0.1%)
19	v	0.30	0/1017	0.68	0/1372
20	w	0.58	0/992	0.71	0/1339
21	x	0.39	1/1434 (0.1%)	0.65	0/1933
22	y	0.63	0/555	0.81	0/748
23	z	0.35	0/449	0.78	0/600
24	A	0.34	0/433	0.73	0/575
25	B	0.57	0/1094	0.74	0/1481
26	e	0.64	0/1254	0.75	0/1692
27	D	0.29	0/757	0.69	1/1030 (0.1%)
28	E	0.57	0/650	0.71	0/877
29	F	0.36	0/1058	0.68	0/1428
30	G	0.60	0/1509	0.68	0/2054
31	I	0.33	0/795	0.73	2/1069 (0.2%)
32	J	0.60	0/769	0.78	0/1039

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	K	0.58	0/1615	0.72	0/2192
34	L	0.35	0/1205	0.63	0/1630
36	M	0.58	0/3027	0.70	0/4123
37	N	0.64	1/2163 (0.0%)	0.77	2/2937 (0.1%)
38	O	0.31	0/3974	0.71	2/5407 (0.0%)
39	P	0.31	0/3195	0.73	3/4362 (0.1%)
40	Q	3.55	6/1969 (0.3%)	0.74	2/2668 (0.1%)
41	R	0.31	0/2184	0.72	1/2967 (0.0%)
42	S	0.35	0/1947	0.74	1/2603 (0.0%)
46	1	0.59	0/3844	1.29	61/5979 (1.0%)
47	2	0.60	0/2034	0.99	4/3164 (0.1%)
48	0	0.44	0/1779	1.28	18/2768 (0.7%)
49	3	0.58	0/4401	1.10	17/6859 (0.2%)
50	4	0.64	0/2846	1.16	24/4437 (0.5%)
51	5	0.44	0/3522	1.24	36/5477 (0.7%)
52	6	0.66	0/3266	1.16	29/5088 (0.6%)
53	7	0.45	0/13815	1.12	110/21523 (0.5%)
54	8	0.43	0/9830	1.21	117/15312 (0.8%)
All	All	0.70	8/105265 (0.0%)	0.96	445/151764 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
8	k	0	1
13	p	0	1
19	v	0	1
23	z	0	1
29	F	0	1
33	K	0	2
38	O	0	2
40	Q	0	2
42	S	0	1
All	All	0	12

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
40	Q	556	ARG	CZ-NH2	151.26	3.29	1.33
40	Q	608	HIS	CG-CD2	22.03	1.73	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
40	Q	608	HIS	CG-ND1	20.18	1.83	1.38
40	Q	608	HIS	CD2-NE2	18.87	1.81	1.42
40	Q	608	HIS	CE1-NE2	15.09	1.67	1.32
40	Q	608	HIS	ND1-CE1	13.16	1.67	1.34
37	N	355	PRO	N-CD	-8.63	1.35	1.47
21	x	149	VAL	C-N	5.12	1.45	1.34

All (445) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
54	8	450	C	N1-C2-O2	13.02	126.71	118.90
40	Q	556	ARG	NE-CZ-NH1	-12.68	113.96	120.30
54	8	450	C	C2-N1-C1'	12.01	132.01	118.80
54	8	325	U	C2-N1-C1'	11.43	131.42	117.70
49	3	175	C	N1-C2-O2	11.37	125.72	118.90
46	1	157	U	C2-N1-C1'	11.30	131.26	117.70
54	8	325	U	N1-C2-O2	11.23	130.66	122.80
46	1	179	U	C2-N1-C1'	11.00	130.90	117.70
53	7	57	C	N1-C2-O2	10.97	125.48	118.90
46	1	157	U	N1-C2-O2	10.42	130.09	122.80
50	4	55	C	N1-C2-O2	10.28	125.07	118.90
54	8	450	C	N3-C2-O2	-10.16	114.79	121.90
54	8	326	U	C2-N1-C1'	10.11	129.83	117.70
53	7	57	C	N3-C2-O2	-10.10	114.83	121.90
50	4	36	U	N3-C2-O2	-10.09	115.14	122.20
53	7	57	C	C2-N1-C1'	10.09	129.90	118.80
51	5	99	U	C2-N1-C1'	10.06	129.78	117.70
54	8	325	U	N3-C2-O2	-10.03	115.18	122.20
49	3	175	C	C2-N1-C1'	10.01	129.81	118.80
46	1	179	U	N3-C2-O2	-9.99	115.21	122.20
46	1	179	U	N1-C2-O2	9.77	129.64	122.80
54	8	326	U	N3-C2-O2	-9.75	115.37	122.20
54	8	262	U	N3-C2-O2	-9.73	115.39	122.20
51	5	99	U	N1-C2-O2	9.68	129.58	122.80
52	6	112	U	C2-N1-C1'	9.68	129.31	117.70
54	8	326	U	N1-C2-O2	9.68	129.57	122.80
49	3	176	U	N1-C2-O2	9.52	129.46	122.80
46	1	157	U	N3-C2-O2	-9.45	115.59	122.20
53	7	525	C	N1-C2-O2	9.43	124.56	118.90
46	1	106	C	N1-C2-O2	9.40	124.54	118.90
46	1	106	C	C2-N1-C1'	9.35	129.08	118.80
49	3	176	U	C2-N1-C1'	9.31	128.87	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
50	4	55	C	C2-N1-C1'	9.31	129.04	118.80
46	1	170	U	N1-C2-O2	9.25	129.27	122.80
53	7	79	C	N1-C2-O2	9.22	124.43	118.90
46	1	170	U	C2-N1-C1'	9.18	128.72	117.70
54	8	343	U	C2-N1-C1'	9.17	128.70	117.70
46	1	170	U	N3-C2-O2	-9.13	115.81	122.20
49	3	175	C	N3-C2-O2	-9.04	115.57	121.90
53	7	527	U	N3-C2-O2	-8.95	115.94	122.20
52	6	32	U	N3-C2-O2	-8.94	115.94	122.20
53	7	527	U	N1-C2-O2	8.90	129.03	122.80
46	1	91	C	N1-C2-O2	8.87	124.22	118.90
51	5	99	U	N3-C2-O2	-8.82	116.03	122.20
52	6	112	U	N1-C2-O2	8.79	128.96	122.80
54	8	451	C	N1-C2-O2	8.79	124.18	118.90
53	7	644	C	C2-N1-C1'	8.78	128.46	118.80
46	1	87	C	C2-N1-C1'	8.78	128.46	118.80
50	4	36	U	N1-C2-O2	8.76	128.93	122.80
54	8	343	U	N1-C2-O2	8.66	128.86	122.80
54	8	377	C	N1-C2-O2	8.64	124.08	118.90
54	8	450	C	C6-N1-C1'	-8.60	110.48	120.80
53	7	418	U	C2-N1-C1'	8.59	128.01	117.70
53	7	644	C	N1-C2-O2	8.54	124.03	118.90
52	6	32	U	N1-C2-O2	8.48	128.73	122.80
52	6	113	U	N3-C2-O2	-8.47	116.27	122.20
50	4	55	C	N3-C2-O2	-8.46	115.97	121.90
51	5	158	U	C2-N1-C1'	8.45	127.83	117.70
54	8	203	U	N3-C2-O2	-8.43	116.30	122.20
46	1	87	C	N1-C2-O2	8.38	123.93	118.90
54	8	151	U	C2-N1-C1'	8.31	127.67	117.70
53	7	210	U	C2-N1-C1'	8.23	127.57	117.70
49	3	176	U	N3-C2-O2	-8.21	116.45	122.20
11	n	157	LYS	N-CA-CB	8.20	125.35	110.60
54	8	343	U	N3-C2-O2	-8.19	116.47	122.20
52	6	112	U	N3-C2-O2	-8.16	116.49	122.20
53	7	86	C	N1-C2-O2	8.09	123.75	118.90
54	8	192	U	C2-N1-C1'	8.04	127.34	117.70
53	7	210	U	N1-C2-O2	8.01	128.41	122.80
50	4	8	U	N3-C2-O2	-7.99	116.61	122.20
53	7	210	U	N3-C2-O2	-7.93	116.65	122.20
52	6	32	U	C2-N1-C1'	7.93	127.22	117.70
53	7	57	C	C6-N1-C2	-7.93	117.13	120.30
54	8	223	U	N1-C2-O2	7.87	128.31	122.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
50	4	33	U	C2-N1-C1'	7.83	127.10	117.70
51	5	158	U	N1-C2-O2	7.80	128.26	122.80
53	7	86	C	C2-N1-C1'	7.78	127.36	118.80
52	6	113	U	N1-C2-O2	7.78	128.25	122.80
54	8	262	U	C6-N1-C2	-7.73	116.36	121.00
53	7	525	C	N3-C2-O2	-7.71	116.51	121.90
50	4	36	U	C2-N1-C1'	7.67	126.90	117.70
53	7	525	C	C2-N1-C1'	7.65	127.21	118.80
48	0	48	C	C6-N1-C2	-7.63	117.25	120.30
53	7	267	U	C2-N1-C1'	7.61	126.83	117.70
54	8	203	U	N1-C2-O2	7.61	128.12	122.80
54	8	325	U	C6-N1-C1'	-7.61	110.55	121.20
54	8	451	C	N3-C2-O2	-7.60	116.58	121.90
51	5	160	U	N1-C2-O2	7.59	128.11	122.80
54	8	94	U	C2-N1-C1'	7.58	126.80	117.70
54	8	451	C	C2-N1-C1'	7.57	127.12	118.80
46	1	157	U	C6-N1-C1'	-7.56	110.61	121.20
53	7	418	U	N3-C2-O2	-7.56	116.91	122.20
50	4	33	U	N3-C2-O2	-7.49	116.96	122.20
46	1	91	C	N3-C2-O2	-7.48	116.66	121.90
53	7	79	C	N3-C2-O2	-7.48	116.67	121.90
46	1	91	C	C2-N1-C1'	7.47	127.01	118.80
46	1	106	C	N3-C2-O2	-7.46	116.68	121.90
53	7	649	C	C2-N1-C1'	7.42	126.96	118.80
54	8	194	G	C4-N9-C1'	7.42	136.14	126.50
46	1	11	U	C2-N1-C1'	7.40	126.58	117.70
51	5	160	U	C2-N1-C1'	7.36	126.53	117.70
54	8	207	U	C2-N1-C1'	7.35	126.52	117.70
54	8	194	G	N3-C4-C5	-7.34	124.93	128.60
54	8	97	C	C2-N1-C1'	7.33	126.86	118.80
54	8	377	C	C2-N1-C1'	7.29	126.82	118.80
54	8	110	C	C2-N1-C1'	7.29	126.81	118.80
53	7	418	U	N1-C2-O2	7.29	127.90	122.80
53	7	79	C	C2-N1-C1'	7.28	126.81	118.80
50	4	11	C	C2-N1-C1'	7.28	126.80	118.80
54	8	151	U	N1-C2-O2	7.26	127.88	122.80
50	4	61	U	C2-N1-C1'	7.24	126.39	117.70
54	8	194	G	N3-C4-N9	7.21	130.32	126.00
53	7	644	C	N3-C2-O2	-7.20	116.86	121.90
54	8	377	C	N3-C2-O2	-7.17	116.88	121.90
53	7	582	C	C2-N1-C1'	7.16	126.67	118.80
46	1	11	U	N3-C2-O2	-7.10	117.23	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
54	8	482	C	C6-N1-C2	-7.09	117.46	120.30
51	5	158	U	N3-C2-O2	-7.06	117.26	122.20
49	3	175	C	C6-N1-C1'	-7.05	112.33	120.80
52	6	29	C	N3-C2-O2	-7.05	116.96	121.90
13	p	266	PRO	CA-N-CD	-7.04	101.65	111.50
53	7	649	C	N1-C2-O2	7.03	123.12	118.90
53	7	289	U	N3-C2-O2	-7.02	117.29	122.20
54	8	208	U	N3-C2-O2	-7.01	117.29	122.20
54	8	223	U	N3-C2-O2	-7.00	117.30	122.20
53	7	527	U	C2-N1-C1'	6.99	126.09	117.70
54	8	262	U	N1-C2-N3	6.98	119.09	114.90
54	8	450	C	C6-N1-C2	-6.98	117.51	120.30
53	7	267	U	N1-C2-O2	6.97	127.68	122.80
50	4	33	U	N1-C2-O2	6.95	127.66	122.80
46	1	179	U	C6-N1-C1'	-6.93	111.50	121.20
50	4	61	U	N1-C2-O2	6.91	127.64	122.80
53	7	51	U	N3-C2-O2	-6.91	117.36	122.20
52	6	49	A	N7-C8-N9	6.90	117.25	113.80
6	i	76	ASP	CB-CG-OD1	6.89	124.50	118.30
53	7	289	U	C2-N1-C1'	6.88	125.95	117.70
54	8	192	U	N3-C2-O2	-6.87	117.39	122.20
53	7	44	C	N3-C2-O2	-6.87	117.09	121.90
53	7	435	C	N1-C2-O2	6.86	123.01	118.90
46	1	177	C	P-O3'-C3'	6.83	127.89	119.70
46	1	172	C	C2-N1-C1'	6.82	126.30	118.80
51	5	160	U	N3-C2-O2	-6.80	117.44	122.20
47	2	81	U	P-O3'-C3'	6.79	127.84	119.70
53	7	86	C	N3-C2-O2	-6.78	117.15	121.90
50	4	61	U	N3-C2-O2	-6.77	117.46	122.20
53	7	143	C	N3-C2-O2	-6.77	117.16	121.90
54	8	208	U	C2-N1-C1'	6.76	125.82	117.70
42	S	235	LEU	C-N-CA	6.76	138.59	121.70
52	6	29	C	N1-C2-O2	6.76	122.95	118.90
53	7	143	C	N1-C2-O2	6.76	122.95	118.90
53	7	524	U	C2-N1-C1'	6.75	125.80	117.70
54	8	315	C	N3-C2-O2	-6.75	117.18	121.90
53	7	177	C	N1-C2-O2	6.73	122.94	118.90
46	1	112	U	N3-C2-O2	-6.72	117.50	122.20
54	8	94	U	N1-C2-O2	6.72	127.50	122.80
54	8	261	C	O4'-C1'-N1	6.71	113.56	108.20
53	7	649	C	N3-C2-O2	-6.69	117.22	121.90
53	7	284	C	C2-N1-C1'	6.68	126.15	118.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
54	8	85	C	C2-N1-C1'	6.67	126.14	118.80
54	8	326	U	O4'-C1'-N1	6.67	113.53	108.20
53	7	79	C	C6-N1-C2	-6.65	117.64	120.30
53	7	228	C	N1-C2-O2	6.64	122.89	118.90
54	8	192	U	N1-C2-O2	6.64	127.45	122.80
54	8	326	U	C6-N1-C1'	-6.61	111.95	121.20
48	0	73	U	N3-C2-O2	-6.59	117.58	122.20
54	8	207	U	N1-C2-O2	6.59	127.41	122.80
48	0	93	U	C2-N1-C1'	6.56	125.57	117.70
50	4	55	C	C6-N1-C1'	-6.54	112.95	120.80
53	7	57	C	C6-N1-C1'	-6.53	112.97	120.80
54	8	422	A	P-O3'-C3'	6.52	127.53	119.70
46	1	174	C	C2-N1-C1'	6.50	125.95	118.80
46	1	174	C	N1-C2-O2	6.50	122.80	118.90
54	8	207	U	N3-C2-O2	-6.50	117.65	122.20
54	8	208	U	N1-C2-O2	6.49	127.35	122.80
46	1	87	C	C6-N1-C2	-6.47	117.71	120.30
13	p	265	ARG	CB-CA-C	6.46	123.32	110.40
46	1	87	C	N3-C2-O2	-6.46	117.38	121.90
54	8	316	U	P-O3'-C3'	6.46	127.45	119.70
27	D	109	LEU	CA-CB-CG	6.45	130.12	115.30
52	6	47	U	C2-N1-C1'	6.45	125.43	117.70
53	7	179	U	P-O3'-C3'	6.44	127.43	119.70
46	1	88	C	C2-N1-C1'	6.44	125.88	118.80
11	n	186	ARG	N-CA-C	-6.42	93.65	111.00
7	j	107	PRO	CB-CA-C	-6.42	95.96	112.00
46	1	106	C	C6-N1-C1'	-6.41	113.10	120.80
52	6	112	U	C6-N1-C1'	-6.41	112.22	121.20
53	7	525	C	C6-N1-C2	-6.41	117.73	120.30
52	6	130	A	P-O3'-C3'	6.40	127.38	119.70
3	c	342	ARG	N-CA-CB	-6.39	99.10	110.60
54	8	151	U	N3-C2-O2	-6.38	117.73	122.20
51	5	99	U	C6-N1-C1'	-6.38	112.27	121.20
53	7	108	G	C4-N9-C1'	6.38	134.79	126.50
54	8	422	A	OP1-P-O3'	6.37	119.22	105.20
39	P	381	LEU	CB-CG-CD1	-6.37	100.18	111.00
53	7	289	U	N1-C2-O2	6.35	127.25	122.80
54	8	278	U	P-O3'-C3'	6.33	127.30	119.70
49	3	23	A	P-O3'-C3'	6.33	127.29	119.70
53	7	44	C	N1-C2-O2	6.33	122.70	118.90
46	1	81	C	C6-N1-C2	-6.32	117.77	120.30
54	8	97	C	N1-C2-O2	6.32	122.69	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
54	8	393	C	N1-C2-O2	6.31	122.69	118.90
53	7	31	U	N3-C2-O2	-6.30	117.79	122.20
46	1	94	U	N1-C2-O2	6.30	127.21	122.80
54	8	325	U	C5-C6-N1	6.29	125.85	122.70
49	3	176	U	C6-N1-C1'	-6.28	112.41	121.20
53	7	524	U	N3-C2-O2	-6.28	117.81	122.20
51	5	99	U	C5-C6-N1	6.28	125.84	122.70
46	1	91	C	C6-N1-C2	-6.27	117.79	120.30
53	7	433	U	C2-N1-C1'	6.27	125.22	117.70
46	1	106	C	C6-N1-C2	-6.27	117.79	120.30
49	3	121	C	C2-N1-C1'	6.26	125.69	118.80
50	4	8	U	N1-C2-O2	6.26	127.18	122.80
46	1	90	C	C5-C6-N1	6.25	124.12	121.00
39	P	371	ASP	CB-CG-OD1	6.24	123.91	118.30
46	1	87	C	C5-C6-N1	6.22	124.11	121.00
46	1	112	U	C2-N1-C1'	6.22	125.17	117.70
54	8	223	U	C2-N1-C1'	6.21	125.16	117.70
51	5	156	U	C2-N1-C1'	6.19	125.13	117.70
53	7	184	U	N3-C2-O2	-6.16	117.89	122.20
49	3	175	C	C6-N1-C2	-6.16	117.84	120.30
54	8	260	U	N1-C2-O2	6.14	127.10	122.80
53	7	184	U	N1-C2-O2	6.14	127.09	122.80
54	8	85	C	N3-C2-O2	-6.13	117.61	121.90
50	4	11	C	N3-C2-O2	-6.12	117.62	121.90
49	3	121	C	C6-N1-C2	-6.10	117.86	120.30
53	7	435	C	C2-N1-C1'	6.10	125.51	118.80
46	1	172	C	N1-C2-O2	6.09	122.55	118.90
52	6	47	U	N1-C2-O2	6.08	127.06	122.80
53	7	594	U	P-O3'-C3'	6.08	127.00	119.70
53	7	216	U	C2-N1-C1'	6.08	125.00	117.70
54	8	371	C	N1-C2-O2	6.08	122.55	118.90
46	1	179	U	C5-C6-N1	6.07	125.73	122.70
54	8	194	G	C8-N9-C1'	-6.06	119.12	127.00
53	7	216	U	N1-C2-O2	6.05	127.04	122.80
54	8	333	U	C2-N1-C1'	6.05	124.95	117.70
47	2	73	U	N3-C2-O2	-6.04	117.97	122.20
53	7	143	C	C6-N1-C2	-6.04	117.88	120.30
53	7	556	A	C2-N3-C4	6.04	113.62	110.60
48	0	73	U	C2-N1-C1'	6.03	124.94	117.70
53	7	267	U	N3-C2-O2	-6.01	117.99	122.20
46	1	94	U	N3-C2-O2	-6.01	117.99	122.20
40	Q	625	PRO	N-CA-CB	6.00	110.50	103.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
53	7	216	U	N3-C2-O2	-5.99	118.00	122.20
53	7	644	C	C6-N1-C1'	-5.99	113.61	120.80
46	1	87	C	C6-N1-C1'	-5.98	113.62	120.80
54	8	85	C	C6-N1-C2	-5.98	117.91	120.30
46	1	170	U	C6-N1-C1'	-5.97	112.84	121.20
52	6	5	C	C2-N1-C1'	5.97	125.37	118.80
52	6	113	U	C2-N1-C1'	5.96	124.86	117.70
50	4	17	C	N1-C2-O2	5.95	122.47	118.90
53	7	31	U	C2-N1-C1'	5.95	124.84	117.70
46	1	179	U	C6-N1-C2	-5.95	117.43	121.00
53	7	644	C	C6-N1-C2	-5.94	117.92	120.30
54	8	182	U	N1-C2-O2	5.94	126.95	122.80
46	1	96	C	C2-N1-C1'	5.93	125.33	118.80
54	8	203	U	C2-N1-C1'	5.91	124.80	117.70
52	6	120	C	P-O3'-C3'	5.90	126.78	119.70
46	1	115	C	C2-N1-C1'	5.88	125.27	118.80
54	8	85	C	N1-C2-O2	5.88	122.43	118.90
54	8	450	C	C5-C6-N1	5.88	123.94	121.00
41	R	440	LEU	CA-CB-CG	5.86	128.78	115.30
51	5	26	G	N3-C4-N9	5.86	129.52	126.00
54	8	74	G	C4-N9-C1'	5.86	134.12	126.50
54	8	333	U	N3-C2-O2	-5.86	118.10	122.20
54	8	431	U	N1-C2-O2	5.86	126.91	122.80
53	7	614	A	P-O3'-C3'	5.83	126.70	119.70
52	6	49	A	C5-N7-C8	-5.83	100.99	103.90
31	I	60	VAL	CA-CB-CG1	5.82	119.63	110.90
46	1	81	C	C5-C6-N1	5.82	123.91	121.00
50	4	17	C	C2-N1-C1'	5.82	125.20	118.80
54	8	343	U	C5-C6-N1	5.81	125.61	122.70
51	5	88	C	N1-C2-O2	5.80	122.38	118.90
52	6	5	C	C5-C6-N1	5.79	123.90	121.00
53	7	524	U	N1-C2-O2	5.78	126.85	122.80
50	4	11	C	N1-C2-O2	5.78	122.37	118.90
48	0	78	C	C5-C6-N1	5.77	123.89	121.00
48	0	73	U	N1-C2-O2	5.76	126.84	122.80
54	8	448	C	N1-C2-O2	5.76	122.36	118.90
37	N	423	PRO	N-CA-CB	5.75	110.20	103.30
50	4	55	C	C6-N1-C2	-5.75	118.00	120.30
11	n	241	VAL	N-CA-C	-5.73	95.52	111.00
54	8	260	U	N3-C2-O2	-5.73	118.19	122.20
52	6	29	C	P-O3'-C3'	5.73	126.58	119.70
54	8	98	A	O4'-C1'-N9	5.73	112.78	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
53	7	86	C	C6-N1-C2	-5.72	118.01	120.30
54	8	182	U	C2-N1-C1'	5.72	124.56	117.70
51	5	12	U	N1-C2-O2	5.71	126.80	122.80
53	7	284	C	C6-N1-C2	-5.71	118.02	120.30
51	5	12	U	C2-N1-C1'	5.70	124.53	117.70
53	7	108	G	C8-N9-C1'	-5.70	119.60	127.00
54	8	193	G	C4-N9-C1'	5.69	133.90	126.50
53	7	228	C	N3-C2-O2	-5.68	117.92	121.90
54	8	324	G	O4'-C1'-N9	5.67	112.74	108.20
37	N	355	PRO	CA-N-CD	5.67	119.64	111.70
46	1	96	C	N1-C2-O2	5.67	122.30	118.90
53	7	51	U	N1-C2-O2	5.66	126.76	122.80
54	8	278	U	OP2-P-O3'	5.66	117.64	105.20
53	7	435	C	C6-N1-C2	-5.65	118.04	120.30
51	5	14	C	C2-N1-C1'	5.64	125.01	118.80
54	8	448	C	C2-N1-C1'	5.64	125.00	118.80
51	5	119	U	C2-N1-C1'	5.63	124.46	117.70
51	5	150	U	C2-N1-C1'	5.63	124.45	117.70
46	1	157	U	C5-C6-N1	5.62	125.51	122.70
53	7	582	C	N1-C2-O2	5.62	122.27	118.90
46	1	81	C	C2-N1-C1'	5.62	124.98	118.80
46	1	180	U	C2-N1-C1'	5.61	124.44	117.70
54	8	343	U	C6-N1-C1'	-5.61	113.35	121.20
53	7	209	U	C2-N1-C1'	5.60	124.42	117.70
54	8	94	U	C6-N1-C1'	-5.59	113.37	121.20
48	0	48	C	C5-C6-N1	5.58	123.79	121.00
53	7	558	U	N1-C2-O2	5.57	126.70	122.80
52	6	80	U	C2-N1-C1'	5.57	124.38	117.70
49	3	152	U	C5-C6-N1	5.56	125.48	122.70
53	7	420	C	C2-N1-C1'	5.54	124.90	118.80
51	5	154	U	C2-N1-C1'	5.54	124.35	117.70
53	7	413	C	C6-N1-C2	-5.54	118.08	120.30
53	7	51	U	C2-N1-C1'	5.53	124.33	117.70
46	1	11	U	N1-C2-O2	5.52	126.66	122.80
46	1	81	C	N1-C2-O2	5.51	122.21	118.90
54	8	193	G	N3-C4-C5	-5.51	125.84	128.60
54	8	262	U	C2-N1-C1'	5.51	124.31	117.70
54	8	203	U	O4'-C1'-N1	5.50	112.60	108.20
18	u	124	PRO	N-CA-C	-5.49	97.82	112.10
51	5	158	U	C6-N1-C1'	-5.49	113.52	121.20
11	n	157	LYS	CB-CA-C	-5.49	99.42	110.40
51	5	33	G	C4-N9-C1'	5.49	133.63	126.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
53	7	435	C	N3-C2-O2	-5.49	118.06	121.90
54	8	324	G	N3-C4-N9	5.48	129.29	126.00
54	8	431	U	N3-C2-O2	-5.48	118.36	122.20
39	P	381	LEU	CA-CB-CG	5.47	127.89	115.30
46	1	112	U	N1-C2-O2	5.47	126.63	122.80
47	2	73	U	N1-C2-O2	5.47	126.63	122.80
53	7	210	U	C6-N1-C1'	-5.46	113.55	121.20
53	7	73	A	C2-N3-C4	5.45	113.33	110.60
54	8	151	U	C6-N1-C1'	-5.45	113.58	121.20
54	8	448	C	N3-C2-O2	-5.44	118.09	121.90
31	I	72	ARG	CA-CB-CG	5.43	125.34	113.40
52	6	47	U	N3-C2-O2	-5.42	118.40	122.20
51	5	156	U	N1-C2-O2	5.42	126.59	122.80
54	8	110	C	C5-C6-N1	5.42	123.71	121.00
53	7	228	C	C6-N1-C2	-5.42	118.13	120.30
48	0	71	C	C6-N1-C2	-5.42	118.13	120.30
15	r	156	LEU	CA-CB-CG	5.41	127.75	115.30
53	7	376	C	C5-C6-N1	5.41	123.71	121.00
53	7	586	U	N3-C2-O2	-5.41	118.41	122.20
51	5	75	C	N1-C2-O2	5.41	122.15	118.90
52	6	88	U	N3-C2-O2	-5.41	118.41	122.20
51	5	14	C	C6-N1-C2	-5.41	118.14	120.30
53	7	433	U	N3-C2-O2	-5.40	118.42	122.20
49	3	175	C	C5-C6-N1	5.40	123.70	121.00
53	7	543	C	N1-C2-O2	5.40	122.14	118.90
48	0	86	C	N1-C2-O2	5.40	122.14	118.90
46	1	106	C	C5-C6-N1	5.39	123.69	121.00
48	0	68	U	N3-C2-O2	-5.39	118.43	122.20
53	7	533	U	C2-N1-C1'	5.38	124.16	117.70
48	0	89	U	C2-N1-C1'	5.37	124.14	117.70
50	4	102	U	N3-C2-O2	-5.37	118.44	122.20
51	5	151	U	C2-N1-C1'	5.35	124.12	117.70
53	7	418	U	C6-N1-C2	-5.35	117.79	121.00
52	6	112	U	C5-C6-N1	5.34	125.37	122.70
1	a	234	ARG	CB-CG-CD	-5.34	97.72	111.60
48	0	89	U	N3-C2-O2	-5.33	118.47	122.20
49	3	176	U	C5-C6-N1	5.31	125.35	122.70
54	8	97	C	C6-N1-C1'	-5.31	114.43	120.80
51	5	14	C	C5-C6-N1	5.29	123.65	121.00
38	O	325	LEU	CA-CB-CG	5.29	127.47	115.30
53	7	148	U	C2-N1-C1'	5.29	124.05	117.70
48	0	90	U	N1-C2-O2	5.29	126.50	122.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
48	0	68	U	N1-C2-O2	5.28	126.50	122.80
2	b	387	PRO	N-CD-CG	-5.28	95.28	103.20
46	1	172	C	N3-C2-O2	-5.28	118.20	121.90
54	8	440	U	N3-C2-O2	-5.28	118.50	122.20
51	5	63	C	N1-C2-O2	5.27	122.06	118.90
46	1	154	C	N1-C2-O2	5.27	122.06	118.90
53	7	418	U	C5-C6-N1	5.27	125.33	122.70
51	5	98	A	C2-N3-C4	5.26	113.23	110.60
51	5	12	U	N3-C2-O2	-5.26	118.52	122.20
54	8	451	C	C6-N1-C1'	-5.25	114.50	120.80
54	8	256	U	N3-C2-O2	-5.24	118.53	122.20
6	i	146	LEU	CA-CB-CG	5.24	127.35	115.30
54	8	436	U	C5-C6-N1	5.24	125.32	122.70
52	6	5	C	C6-N1-C2	-5.23	118.21	120.30
54	8	94	U	N3-C2-O2	-5.23	118.54	122.20
54	8	354	C	N1-C2-O2	5.23	122.04	118.90
54	8	343	U	C6-N1-C2	-5.21	117.87	121.00
53	7	31	U	N1-C2-O2	5.20	126.44	122.80
46	1	172	C	C6-N1-C2	-5.20	118.22	120.30
54	8	256	U	N1-C2-O2	5.19	126.43	122.80
54	8	182	U	N3-C2-O2	-5.18	118.57	122.20
54	8	436	U	C2-N1-C1'	5.18	123.92	117.70
53	7	177	C	N3-C2-O2	-5.17	118.28	121.90
46	1	174	C	N3-C2-O2	-5.17	118.28	121.90
54	8	431	U	C2-N1-C1'	5.17	123.91	117.70
46	1	94	U	C5-C6-N1	5.17	125.29	122.70
50	4	33	U	C6-N1-C1'	-5.17	113.96	121.20
10	m	76	THR	CA-C-O	-5.17	109.25	120.10
49	3	52	U	C2-N1-C1'	5.16	123.90	117.70
51	5	75	C	C2-N1-C1'	5.16	124.48	118.80
54	8	371	C	N3-C2-O2	-5.16	118.29	121.90
46	1	91	C	O4'-C1'-N1	5.16	112.33	108.20
52	6	29	C	OP2-P-O3'	5.15	116.54	105.20
53	7	86	C	C6-N1-C1'	-5.15	114.62	120.80
48	0	77	A	C2-N3-C4	5.14	113.17	110.60
53	7	644	C	O4'-C1'-N1	5.14	112.31	108.20
53	7	79	C	C5-C6-N1	5.13	123.57	121.00
51	5	73	C	C5-C6-N1	5.13	123.56	121.00
48	0	89	U	N1-C2-O2	5.12	126.39	122.80
53	7	284	C	C5-C6-N1	5.12	123.56	121.00
53	7	43	U	N3-C2-O2	-5.11	118.62	122.20
53	7	343	U	N3-C2-O2	-5.11	118.62	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
53	7	649	C	C6-N1-C1'	-5.11	114.66	120.80
54	8	149	U	C5-C6-N1	5.11	125.25	122.70
54	8	393	C	N3-C2-O2	-5.11	118.32	121.90
53	7	284	C	N1-C2-O2	5.11	121.97	118.90
54	8	192	U	C6-N1-C1'	-5.11	114.05	121.20
54	8	192	U	O4'-C1'-N1	5.10	112.28	108.20
52	6	32	U	C6-N1-C1'	-5.10	114.06	121.20
48	0	93	U	N1-C2-O2	5.09	126.37	122.80
53	7	558	U	N3-C2-O2	-5.09	118.64	122.20
46	1	115	C	N1-C2-O2	5.09	121.95	118.90
49	3	121	C	N1-C2-O2	5.09	121.95	118.90
47	2	80	A	C2-N3-C4	5.09	113.14	110.60
48	0	87	C	N1-C2-O2	5.08	121.95	118.90
50	4	11	C	C6-N1-C2	-5.08	118.27	120.30
53	7	267	U	C6-N1-C1'	-5.08	114.09	121.20
54	8	333	U	N1-C2-O2	5.08	126.36	122.80
51	5	150	U	N1-C2-O2	5.08	126.36	122.80
51	5	99	U	C6-N1-C2	-5.08	117.95	121.00
54	8	326	U	C6-N1-C2	-5.07	117.96	121.00
54	8	260	U	C2-N1-C1'	5.07	123.78	117.70
53	7	273	U	N3-C2-O2	-5.06	118.66	122.20
53	7	145	G	C4-N9-C1'	5.06	133.07	126.50
53	7	418	U	C6-N1-C1'	-5.06	114.12	121.20
51	5	33	G	N3-C4-N9	5.05	129.03	126.00
51	5	156	U	N3-C2-O2	-5.05	118.66	122.20
53	7	432	G	N3-C4-C5	-5.04	126.08	128.60
53	7	73	A	C4-N9-C1'	5.03	135.36	126.30
52	6	4	U	C2-N1-C1'	5.03	123.73	117.70
54	8	377	C	C6-N1-C1'	-5.03	114.77	120.80
38	O	502	LEU	CA-CB-CG	5.02	126.84	115.30
53	7	207	U	C2-N1-C1'	5.01	123.71	117.70
54	8	110	C	C6-N1-C1'	-5.01	114.79	120.80
54	8	482	C	N3-C2-O2	-5.01	118.39	121.90
53	7	209	U	N1-C2-O2	5.00	126.30	122.80
54	8	205	C	C6-N1-C2	-5.00	118.30	120.30

There are no chirality outliers.

All (12) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
29	F	97	TYR	Peptide
33	K	170	SER	Mainchain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
33	K	64	ALA	Mainchain
38	O	87	VAL	Peptide
38	O	90	SER	Peptide
40	Q	556	ARG	Sidechain
40	Q	741	UNK	Peptide
42	S	186	ARG	Sidechain
8	k	290	LEU	Mainchain
13	p	265	ARG	Mainchain
19	v	99	PRO	Peptide
23	z	19	ALA	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	a	259/383 (68%)	251 (97%)	8 (3%)	0	100	100
2	b	302/417 (72%)	284 (94%)	16 (5%)	2 (1%)	22	60
3	c	301/427 (70%)	288 (96%)	11 (4%)	2 (1%)	22	60
4	d	182/216 (84%)	168 (92%)	14 (8%)	0	100	100
5	f	58/304 (19%)	54 (93%)	4 (7%)	0	100	100
6	i	150/277 (54%)	139 (93%)	11 (7%)	0	100	100
7	j	118/120 (98%)	109 (92%)	8 (7%)	1 (1%)	19	57
8	k	208/337 (62%)	198 (95%)	8 (4%)	2 (1%)	15	53
9	l	134/270 (50%)	127 (95%)	6 (4%)	1 (1%)	22	60
10	m	175/183 (96%)	169 (97%)	5 (3%)	1 (1%)	25	64
11	n	171/312 (55%)	163 (95%)	6 (4%)	2 (1%)	13	48

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
12	o	108/115 (94%)	107 (99%)	1 (1%)	0	100	100
13	p	200/370 (54%)	187 (94%)	11 (6%)	2 (1%)	15	53
14	q	159/377 (42%)	150 (94%)	9 (6%)	0	100	100
15	r	154/226 (68%)	142 (92%)	11 (7%)	1 (1%)	25	64
16	s	177/309 (57%)	159 (90%)	16 (9%)	2 (1%)	14	50
17	t	186/366 (51%)	172 (92%)	14 (8%)	0	100	100
18	u	124/173 (72%)	121 (98%)	2 (2%)	1 (1%)	19	57
19	v	118/153 (77%)	107 (91%)	11 (9%)	0	100	100
20	w	118/127 (93%)	110 (93%)	8 (7%)	0	100	100
21	x	163/214 (76%)	157 (96%)	6 (4%)	0	100	100
22	y	69/123 (56%)	63 (91%)	6 (9%)	0	100	100
23	z	51/59 (86%)	48 (94%)	3 (6%)	0	100	100
24	A	48/280 (17%)	46 (96%)	2 (4%)	0	100	100
25	B	126/151 (83%)	116 (92%)	9 (7%)	1 (1%)	19	57
26	e	162/207 (78%)	150 (93%)	12 (7%)	0	100	100
27	D	92/172 (54%)	80 (87%)	12 (13%)	0	100	100
28	E	77/112 (69%)	74 (96%)	3 (4%)	0	100	100
29	F	127/141 (90%)	116 (91%)	11 (9%)	0	100	100
30	G	195/259 (75%)	184 (94%)	11 (6%)	0	100	100
31	I	95/132 (72%)	93 (98%)	2 (2%)	0	100	100
32	J	94/134 (70%)	84 (89%)	10 (11%)	0	100	100
33	K	191/249 (77%)	184 (96%)	6 (3%)	1 (0%)	29	68
34	L	135/206 (66%)	126 (93%)	9 (7%)	0	100	100
36	M	385/876 (44%)	368 (96%)	17 (4%)	0	100	100
37	N	279/455 (61%)	262 (94%)	16 (6%)	1 (0%)	34	72
38	O	509/688 (74%)	459 (90%)	50 (10%)	0	100	100
39	P	430/530 (81%)	400 (93%)	30 (7%)	0	100	100
40	Q	260/820 (32%)	237 (91%)	23 (9%)	0	100	100
41	R	280/653 (43%)	264 (94%)	16 (6%)	0	100	100
42	S	230/334 (69%)	210 (91%)	20 (9%)	0	100	100
All	All	7400/12257 (60%)	6926 (94%)	454 (6%)	20 (0%)	44	76

All (20) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
13	p	221	ALA
13	p	266	PRO
2	b	287	ARG
3	c	181	PRO
10	m	9	GLY
11	n	157	LYS
16	s	70	PRO
18	u	130	GLN
3	c	313	TYR
8	k	285	ARG
8	k	290	LEU
11	n	186	ARG
37	N	232	SER
33	K	170	SER
2	b	387	PRO
7	j	106	LYS
16	s	171	ILE
9	l	157	PRO
25	B	118	VAL
15	r	150	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	a	209/295 (71%)	209 (100%)	0	100	100
2	b	244/331 (74%)	244 (100%)	0	100	100
3	c	254/313 (81%)	252 (99%)	2 (1%)	81	93
4	d	144/164 (88%)	144 (100%)	0	100	100
5	f	47/209 (22%)	46 (98%)	1 (2%)	53	82
6	i	133/214 (62%)	133 (100%)	0	100	100
7	j	99/99 (100%)	98 (99%)	1 (1%)	76	91
8	k	165/247 (67%)	164 (99%)	1 (1%)	86	95

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
9	l	112/197 (57%)	111 (99%)	1 (1%)	78	92
10	m	152/157 (97%)	151 (99%)	1 (1%)	84	94
11	n	153/245 (62%)	151 (99%)	2 (1%)	69	89
12	o	93/96 (97%)	93 (100%)	0	100	100
13	p	172/303 (57%)	168 (98%)	4 (2%)	50	80
14	q	128/269 (48%)	128 (100%)	0	100	100
15	r	143/184 (78%)	143 (100%)	0	100	100
16	s	156/157 (99%)	155 (99%)	1 (1%)	86	95
17	t	161/287 (56%)	160 (99%)	1 (1%)	86	95
18	u	100/122 (82%)	100 (100%)	0	100	100
19	v	109/122 (89%)	109 (100%)	0	100	100
20	w	106/112 (95%)	104 (98%)	2 (2%)	57	84
21	x	148/189 (78%)	148 (100%)	0	100	100
22	y	56/104 (54%)	56 (100%)	0	100	100
23	z	49/54 (91%)	49 (100%)	0	100	100
24	A	45/219 (20%)	44 (98%)	1 (2%)	52	81
25	B	108/126 (86%)	107 (99%)	1 (1%)	78	92
26	e	135/168 (80%)	134 (99%)	1 (1%)	84	94
27	D	77/116 (66%)	77 (100%)	0	100	100
28	E	66/93 (71%)	66 (100%)	0	100	100
29	F	112/121 (93%)	112 (100%)	0	100	100
30	G	151/195 (77%)	149 (99%)	2 (1%)	69	89
31	I	82/105 (78%)	82 (100%)	0	100	100
32	J	75/87 (86%)	75 (100%)	0	100	100
33	K	158/193 (82%)	157 (99%)	1 (1%)	86	95
34	L	115/172 (67%)	115 (100%)	0	100	100
36	M	287/369 (78%)	285 (99%)	2 (1%)	84	94
37	N	201/335 (60%)	199 (99%)	2 (1%)	76	91
38	O	403/466 (86%)	402 (100%)	1 (0%)	93	98
39	P	301/353 (85%)	301 (100%)	0	100	100
40	Q	191/313 (61%)	191 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
41	R	199/336 (59%)	199 (100%)	0	100	100
42	S	206/254 (81%)	206 (100%)	0	100	100
All	All	6045/8491 (71%)	6017 (100%)	28 (0%)	89	96

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	c	254	LEU
3	c	376	ARG
5	f	133	ARG
7	j	48	GLU
8	k	121	ARG
9	l	148	ARG
10	m	135	ARG
11	n	142	LEU
11	n	247	ARG
13	p	177	LEU
13	p	185	LEU
13	p	295	LYS
13	p	296	ARG
16	s	164	ARG
17	t	120	ARG
20	w	11	LEU
20	w	13	CYS
24	A	232	ASN
25	B	122	ARG
26	e	138	ARG
30	G	80	ARG
30	G	166	ASN
33	K	65	ARG
36	M	298	ARG
36	M	493	ARG
37	N	183	ARG
37	N	307	ARG
38	O	494	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	a	175	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	j	105	ASN
9	l	158	ASN
13	p	236	ASN
15	r	181	GLN
17	t	288	ASN
20	w	68	HIS
20	w	94	GLN
26	e	93	ASN
30	G	166	ASN
33	K	173	HIS
38	O	256	GLN
38	O	315	GLN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
46	1	159/162 (98%)	43 (27%)	1 (0%)
47	2	85/86 (98%)	24 (28%)	2 (2%)
48	0	74/75 (98%)	31 (41%)	0
49	3	183/184 (99%)	32 (17%)	1 (0%)
50	4	117/118 (99%)	22 (18%)	0
51	5	146/149 (97%)	62 (42%)	1 (0%)
52	6	135/136 (99%)	35 (25%)	3 (2%)
53	7	574/578 (99%)	158 (27%)	5 (0%)
54	8	411/413 (99%)	153 (37%)	9 (2%)
All	All	1884/1901 (99%)	560 (29%)	22 (1%)

All (560) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
46	1	6	A
46	1	7	U
46	1	10	C
46	1	24	A
46	1	26	A
46	1	27	C
46	1	38	A
46	1	59	A
46	1	76	A
46	1	79	U
46	1	81	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
46	1	89	A
46	1	91	C
46	1	92	A
46	1	93	A
46	1	94	U
46	1	95	A
46	1	96	C
46	1	97	G
46	1	100	A
46	1	107	G
46	1	117	A
46	1	119	U
46	1	120	C
46	1	121	U
46	1	125	G
46	1	136	U
46	1	137	G
46	1	140	C
46	1	143	A
46	1	156	U
46	1	158	U
46	1	159	U
46	1	163	A
46	1	167	G
46	1	168	A
46	1	170	U
46	1	172	C
46	1	176	U
46	1	177	C
46	1	178	G
46	1	179	U
46	1	181	A
47	2	4	A
47	2	7	U
47	2	10	A
47	2	12	U
47	2	13	U
47	2	19	U
47	2	20	A
47	2	28	C
47	2	30	U
47	2	31	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
47	2	32	A
47	2	60	U
47	2	61	A
47	2	69	A
47	2	70	G
47	2	77	G
47	2	78	A
47	2	80	A
47	2	81	U
47	2	82	U
47	2	83	U
47	2	85	U
47	2	87	U
47	2	88	A
48	0	28	G
48	0	29	C
48	0	30	U
48	0	32	G
48	0	33	G
48	0	35	G
48	0	36	A
48	0	43	G
48	0	44	C
48	0	45	A
48	0	47	C
48	0	48	C
48	0	49	A
48	0	50	A
48	0	51	U
48	0	52	A
48	0	55	A
48	0	57	A
48	0	58	G
48	0	62	C
48	0	63	U
48	0	69	G
48	0	72	U
48	0	74	A
48	0	75	G
48	0	76	U
48	0	77	A
48	0	90	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
48	0	92	U
48	0	93	U
48	0	99	A
49	3	17	A
49	3	19	A
49	3	23	A
49	3	24	U
49	3	27	A
49	3	28	U
49	3	52	U
49	3	53	A
49	3	59	G
49	3	60	A
49	3	78	G
49	3	88	G
49	3	94	A
49	3	100	G
49	3	105	G
49	3	106	G
49	3	112	A
49	3	114	G
49	3	115	G
49	3	120	U
49	3	121	C
49	3	124	G
49	3	132	A
49	3	135	G
49	3	136	C
49	3	141	U
49	3	142	U
49	3	157	U
49	3	175	C
49	3	176	U
49	3	177	A
49	3	178	A
50	4	2	U
50	4	7	G
50	4	34	A
50	4	35	A
50	4	41	C
50	4	44	A
50	4	49	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
50	4	57	G
50	4	59	G
50	4	60	G
50	4	61	U
50	4	64	G
50	4	68	A
50	4	77	G
50	4	86	A
50	4	88	U
50	4	92	G
50	4	99	G
50	4	106	G
50	4	108	G
50	4	116	A
50	4	118	U
51	5	4	G
51	5	5	U
51	5	7	G
51	5	11	C
51	5	12	U
51	5	13	G
51	5	14	C
51	5	17	U
51	5	18	G
51	5	25	A
51	5	26	G
51	5	31	U
51	5	34	G
51	5	37	U
51	5	40	A
51	5	41	A
51	5	42	G
51	5	43	C
51	5	44	A
51	5	50	U
51	5	53	G
51	5	54	C
51	5	56	U
51	5	59	A
51	5	60	A
51	5	62	G
51	5	66	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
51	5	67	A
51	5	69	A
51	5	70	G
51	5	71	C
51	5	72	U
51	5	75	C
51	5	76	U
51	5	77	G
51	5	81	U
51	5	83	G
51	5	84	C
51	5	85	A
51	5	87	U
51	5	90	C
51	5	91	C
51	5	96	A
51	5	97	U
51	5	98	A
51	5	100	A
51	5	101	U
51	5	103	U
51	5	104	C
51	5	105	C
51	5	106	G
51	5	107	G
51	5	110	C
51	5	118	U
51	5	119	U
51	5	137	A
51	5	140	A
51	5	152	U
51	5	154	U
51	5	156	U
51	5	157	U
51	5	159	U
52	6	5	C
52	6	11	U
52	6	18	A
52	6	27	A
52	6	28	A
52	6	29	C
52	6	30	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
52	6	32	U
52	6	33	U
52	6	48	A
52	6	54	A
52	6	56	U
52	6	61	C
52	6	63	G
52	6	69	A
52	6	78	A
52	6	81	A
52	6	82	A
52	6	86	G
52	6	87	A
52	6	88	U
52	6	90	A
52	6	99	U
52	6	100	A
52	6	101	A
52	6	112	U
52	6	117	U
52	6	118	A
52	6	119	A
52	6	120	C
52	6	121	A
52	6	122	A
52	6	123	A
52	6	128	G
52	6	131	U
53	7	9	C
53	7	11	G
53	7	12	C
53	7	13	A
53	7	14	A
53	7	15	A
53	7	24	G
53	7	35	A
53	7	36	U
53	7	38	U
53	7	43	U
53	7	50	A
53	7	52	A
53	7	55	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
53	7	58	A
53	7	68	A
53	7	78	G
53	7	79	C
53	7	85	G
53	7	86	C
53	7	87	A
53	7	89	G
53	7	90	C
53	7	91	G
53	7	93	G
53	7	95	C
53	7	97	U
53	7	99	G
53	7	102	G
53	7	109	U
53	7	111	G
53	7	117	A
53	7	118	A
53	7	119	G
53	7	121	C
53	7	122	U
53	7	127	A
53	7	132	G
53	7	133	C
53	7	142	A
53	7	151	C
53	7	152	A
53	7	153	A
53	7	169	C
53	7	170	U
53	7	176	A
53	7	177	C
53	7	178	G
53	7	180	A
53	7	181	A
53	7	182	A
53	7	189	U
53	7	191	C
53	7	193	A
53	7	194	A
53	7	195	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
53	7	196	A
53	7	199	G
53	7	200	G
53	7	207	U
53	7	214	U
53	7	218	U
53	7	219	A
53	7	227	A
53	7	253	G
53	7	260	G
53	7	262	A
53	7	263	A
53	7	264	C
53	7	267	U
53	7	268	A
53	7	270	C
53	7	272	G
53	7	275	C
53	7	279	G
53	7	280	G
53	7	281	U
53	7	287	A
53	7	288	A
53	7	289	U
53	7	290	U
53	7	293	U
53	7	294	U
53	7	295	G
53	7	297	C
53	7	305	U
53	7	306	G
53	7	312	C
53	7	313	U
53	7	316	A
53	7	317	U
53	7	319	A
53	7	320	A
53	7	322	G
53	7	324	C
53	7	325	G
53	7	335	U
53	7	337	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
53	7	341	U
53	7	342	G
53	7	343	U
53	7	347	U
53	7	356	A
53	7	371	A
53	7	373	C
53	7	381	A
53	7	383	A
53	7	385	G
53	7	386	C
53	7	393	G
53	7	402	G
53	7	405	C
53	7	406	G
53	7	410	A
53	7	411	G
53	7	412	A
53	7	418	U
53	7	419	G
53	7	431	G
53	7	435	C
53	7	525	C
53	7	526	C
53	7	530	A
53	7	533	U
53	7	535	U
53	7	540	G
53	7	548	G
53	7	555	A
53	7	556	A
53	7	557	A
53	7	569	G
53	7	572	A
53	7	575	A
53	7	576	A
53	7	577	U
53	7	578	G
53	7	592	C
53	7	593	U
53	7	594	U
53	7	595	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
53	7	596	A
53	7	602	A
53	7	607	G
53	7	608	U
53	7	613	G
53	7	615	C
53	7	618	U
53	7	622	A
53	7	624	C
53	7	626	A
53	7	629	G
53	7	640	G
53	7	644	C
53	7	647	G
53	7	651	G
53	7	653	A
53	7	658	U
53	7	659	G
54	8	64	C
54	8	68	U
54	8	70	A
54	8	72	C
54	8	74	G
54	8	75	A
54	8	77	A
54	8	80	A
54	8	85	C
54	8	86	G
54	8	93	A
54	8	94	U
54	8	98	A
54	8	99	G
54	8	104	A
54	8	105	U
54	8	113	U
54	8	115	G
54	8	119	U
54	8	121	C
54	8	123	A
54	8	127	A
54	8	131	G
54	8	136	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
54	8	143	C
54	8	145	U
54	8	147	G
54	8	148	A
54	8	149	U
54	8	150	G
54	8	151	U
54	8	152	C
54	8	153	G
54	8	155	A
54	8	158	A
54	8	163	G
54	8	165	C
54	8	169	U
54	8	170	G
54	8	173	U
54	8	174	G
54	8	175	A
54	8	178	G
54	8	189	G
54	8	190	G
54	8	193	G
54	8	194	G
54	8	196	U
54	8	198	G
54	8	199	U
54	8	200	U
54	8	202	G
54	8	203	U
54	8	204	C
54	8	205	C
54	8	206	A
54	8	207	U
54	8	208	U
54	8	209	A
54	8	211	A
54	8	212	G
54	8	213	U
54	8	216	U
54	8	217	A
54	8	218	C
54	8	228	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
54	8	229	U
54	8	230	U
54	8	231	C
54	8	244	G
54	8	248	G
54	8	250	U
54	8	254	U
54	8	258	U
54	8	260	U
54	8	261	C
54	8	262	U
54	8	268	A
54	8	269	G
54	8	272	A
54	8	273	A
54	8	274	A
54	8	277	C
54	8	278	U
54	8	279	U
54	8	281	U
54	8	283	U
54	8	284	U
54	8	310	A
54	8	312	C
54	8	314	C
54	8	317	A
54	8	324	G
54	8	325	U
54	8	326	U
54	8	327	A
54	8	334	G
54	8	342	G
54	8	343	U
54	8	344	A
54	8	345	C
54	8	350	G
54	8	352	A
54	8	353	C
54	8	354	C
54	8	355	A
54	8	356	G
54	8	358	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
54	8	361	C
54	8	367	A
54	8	370	U
54	8	377	C
54	8	378	A
54	8	391	U
54	8	392	A
54	8	402	G
54	8	413	A
54	8	414	A
54	8	420	A
54	8	421	A
54	8	422	A
54	8	423	A
54	8	424	G
54	8	425	G
54	8	436	U
54	8	437	A
54	8	438	C
54	8	439	A
54	8	440	U
54	8	444	A
54	8	445	U
54	8	446	A
54	8	447	A
54	8	449	A
54	8	450	C
54	8	452	G
54	8	458	C
54	8	467	A
54	8	468	C
54	8	470	A
54	8	471	A
54	8	475	U
54	8	477	U
54	8	481	A
54	8	482	C
54	8	483	U
54	8	486	A
54	8	487	U
54	8	488	U
54	8	489	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
54	8	490	A
54	8	491	U
54	8	492	G

All (22) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
46	1	177	C
47	2	81	U
47	2	87	U
49	3	23	A
51	5	66	A
52	6	29	C
52	6	120	C
52	6	130	A
53	7	35	A
53	7	108	G
53	7	179	U
53	7	594	U
53	7	614	A
54	8	67	A
54	8	212	G
54	8	278	U
54	8	309	A
54	8	316	U
54	8	324	G
54	8	343	U
54	8	420	A
54	8	422	A

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 71 ligands modelled in this entry, 70 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
57	FES	S	401	42	0,4,4	-	-	-		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
57	FES	S	401	42	-	-	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
40	Q	6

Continued on next page...

Continued from previous page...

Mol	Chain	Number of breaks
53	7	3
44	Y	3
46	1	2
41	R	2
51	5	2
36	M	2
3	c	1
54	8	1
38	O	1
42	S	1
16	s	1
32	J	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	1	59:A	O3'	75:U	P	56.66
1	R	536:UNK	C	553:UNK	N	27.93
1	c	276:UNK	C	291:SER	N	25.05
1	5	111:U	O3'	117:A	P	21.41
1	R	477:ALA	C	493:UNK	N	21.21
1	7	231:C	O3'	249:A	P	20.90
1	M	550:UNK	C	572:UNK	N	19.54
1	8	284:U	O3'	308:G	P	19.48
1	Y	100:UNK	C	109:UNK	N	14.75
1	7	443:U	O3'	517:A	P	14.55
1	Q	367:UNK	C	386:UNK	N	13.78
1	Y	57:UNK	C	70:UNK	N	13.31
1	1	147:A	O3'	150:U	P	12.70
1	Y	22:UNK	C	26:UNK	N	10.61
1	O	596:VAL	C	600:UNK	N	9.67
1	Q	541:UNK	C	545:ALA	N	9.57
1	5	141:A	O3'	148:U	P	9.02
1	Q	411:UNK	C	444:UNK	N	8.75
1	S	286:UNK	C	295:LYS	N	8.47
1	s	180:ASP	C	191:UNK	N	7.42
1	7	586:U	O3'	591:A	P	7.42
1	Q	501:UNK	C	504:UNK	N	7.27
1	Q	693:CYS	C	705:UNK	N	7.13
1	J	113:ARG	C	116:UNK	N	7.12
1	M	523:PRO	C	530:UNK	N	5.32
1	Q	460:UNK	C	462:UNK	N	3.87


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-13480. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 240




Y Index: 240




Z Index: 240


6.2.2 Raw map



X Index: 240



Y Index: 240




Z Index: 240


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 256




Y Index: 245




Z Index: 217


6.3.2 Raw map



X Index: 256



Y Index: 246




Z Index: 225


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.014. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 297 nm³; this corresponds to an approximate mass of 268 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.333 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.333 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.00	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	4.03	7.08	4.21

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.03 differs from the reported value 3.0 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-13480 and PDB model 7PKT. Per-residue inclusion information can be found in section 3 on page 15.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.014 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.014).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 55% of all backbone atoms, 51% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary









































The table lists the average atom inclusion at the recommended contour level (0.014) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.5060	 0.4860
0	 0.3920	 0.4130
1	 0.6860	 0.5080
2	 0.8410	 0.5850
3	 0.8370	 0.5870
4	 0.8470	 0.5860
5	 0.2030	 0.3190
6	 0.8790	 0.5920
7	 0.5040	 0.4880
8	 0.3950	 0.4580
A	 0.8070	 0.6060
B	 0.6730	 0.5540
C	 0.0000	 0.3450
D	 0.0360	 0.3140
E	 0.6630	 0.5540
F	 0.8070	 0.5730
G	 0.0240	 0.3080
I	 0.6410	 0.5570
J	 0.4260	 0.4320
K	 0.5920	 0.5110
L	 0.7380	 0.5640
M	 0.4330	 0.4640
N	 0.3240	 0.4330
O	 0.3220	 0.4430
P	 0.6130	 0.5180
Q	 0.3650	 0.4270
R	 0.3000	 0.4340
S	 0.4790	 0.4690
X	 0.6520	 0.5040
Y	 0.0470	 0.2640
Z	 0.4900	 0.5040
a	 0.2330	 0.4870
b	 0.5380	 0.5210
c	 0.6640	 0.5470
d	 0.0570	 0.2890



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
e	 0.0010	 0.2910
f	 0.0860	 0.3620
i	 0.5540	 0.5510
j	 0.2890	 0.4600
k	 0.7240	 0.5670
l	 0.1280	 0.4360
m	 0.6520	 0.5370
n	 0.4750	 0.4570
o	 0.8120	 0.5880
p	 0.6820	 0.5270
q	 0.7290	 0.5750
r	 0.6880	 0.5620
s	 0.5890	 0.4980
t	 0.3190	 0.4350
u	 0.6690	 0.5380
v	 0.2800	 0.4740
w	 0.6580	 0.5290
x	 0.8010	 0.5880
y	 0.6960	 0.5550
z	 0.5840	 0.5070