

# Full wwPDB X-ray Structure Validation Report (i)

#### Mar 3, 2024 - 11:39 PM EST

PDB ID	:	6PLM
Title	:	Legionella pneumophila SidJ/ Calmodulin 2 complex
Authors	:	Mao, Y.; Sulpizio, A.; Minelli, M.E.; Wu, X.
Deposited on	:	2019-07-01
Resolution	:	2.59  Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
$\mathrm{EDS}$	:	2.36
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 2.59 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motric	Whole archive	Similar resolution
WIEthte	$(\# { m Entries})$	$(\# { m Entries},  { m resolution}  { m range}({ m \AA}))$
R <sub>free</sub>	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	А	757	5% 82%	16% •
1	В	757	3%	13% •
2	С	147	30% 55% 36%	9%
2	D	147	71%	26% ••

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard



residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	AMP	В	1004	-	-	-	Х



# 2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 14660 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called SidJ protein.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
1	А	748	Total 6105	C 3908	N 1036	0 1146	S 15	0	0	0
1	В	752	Total 6131	C 3923	N 1041	0 1152	S 15	0	0	0

• Molecule 2 is a protein called Calmodulin-2.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
9	C	124	Total	С	Ν	0	S	0	0	0
	U	104	1064	658	169	228	9	0		
0	Л	1.45	Total	С	Ν	0	S	0	0	0
	D	140	1134	695	181	249	9	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
С	86	ALA	ARG	conflict	UNP P0DP24
D	86	ALA	ARG	conflict	UNP P0DP24

• Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	2	Total Ca 2 2	0	0
3	В	2	Total Ca 2 2	0	0
3	С	1	Total Ca 1 1	0	0
3	D	1	Total Ca 1 1	0	0

• Molecule 4 is PYROPHOSPHATE 2- (three-letter code: POP) (formula: H<sub>2</sub>O<sub>7</sub>P<sub>2</sub>).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	1	TotalOP972	0	0
4	В	1	TotalOP972	0	0

• Molecule 5 is ADENOSINE MONOPHOSPHATE (three-letter code: AMP) (formula:  $C_{10}H_{14}N_5O_7P$ ).



Mol	Chain	Residues		Ato	oms			ZeroOcc	AltConf	
5	Δ	1	Total	С	Ν	0	Р	0	0	
0	A	L	23	10	5	7	1	0	0	
5	Р	1	Total	С	Ν	0	Р	0	0	
5	5 B		23	10	5	7	1	0		



• Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	А	80	Total O 80 80	0	0
6	В	67	$\begin{array}{cc} \text{Total} & \text{O} \\ 67 & 67 \end{array}$	0	0
6	С	3	Total O 3 3	0	0
6	D	6	Total O 6 6	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: SidJ protein





# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	105.35Å 103.79Å 110.19Å	Deperitor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $104.69^{\circ}$ $90.00^{\circ}$	Depositor
$\mathbf{P}_{\text{assolution}}(\hat{\mathbf{A}})$	29.33 - 2.59	Depositor
Resolution (A)	29.32 - 2.59	EDS
% Data completeness	97.7 (29.33-2.59)	Depositor
(in resolution range)	97.8 (29.32-2.59)	EDS
R <sub>merge</sub>	0.09	Depositor
R <sub>sym</sub>	(Not available)	Depositor
$< I/\sigma(I) > 1$	$2.26 (at 2.61 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.8.0230	Depositor
D D	0.176 , $0.241$	Depositor
$\Lambda, \Lambda_{free}$	0.192 , $0.245$	DCC
$R_{free}$ test set	3457 reflections $(4.95%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	55.2	Xtriage
Anisotropy	0.068	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.33, $39.0$	EDS
L-test for twinning <sup>2</sup>	$< L >=0.50, < L^2>=0.33$	Xtriage
Estimated twinning fraction	0.006 for l,-k,h	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	14660	wwPDB-VP
Average B, all atoms $(Å^2)$	64.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.61% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: POP, CA, AMP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond lengths		Bond angles	
	Unam	RMSZ	# Z  > 5	RMSZ	# Z  > 5
1	А	0.71	0/6246	0.84	0/8443
1	В	0.78	0/6272	0.86	0/8478
2	С	0.64	0/1074	0.72	0/1438
2	D	0.70	0/1145	0.85	0/1537
All	All	0.74	0/14737	0.84	0/19896

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	6105	0	6076	155	0
1	В	6131	0	6101	97	0
2	С	1064	0	1008	87	0
2	D	1134	0	1059	37	0
3	А	2	0	0	0	0
3	В	2	0	0	0	0
3	С	1	0	0	0	0
3	D	1	0	0	0	0
4	А	9	0	0	0	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	В	9	0	0	0	0
5	А	23	0	12	2	0
5	В	23	0	12	1	0
6	А	80	0	0	1	0
6	В	67	0	0	1	0
6	С	3	0	0	0	0
6	D	6	0	0	0	0
All	All	14660	0	14268	307	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (307) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:845:TRP:CH2	2:C:120:GLU:HG2	1.38	1.52
1:A:844:PHE:CE2	2:C:85:ILE:HD13	1.64	1.32
1:A:845:TRP:CZ3	2:C:120:GLU:HG2	1.73	1.23
1:A:845:TRP:CH2	2:C:120:GLU:CG	2.26	1.17
1:A:295:ARG:HD2	1:B:294:GLU:OE2	1.44	1.14
1:A:846:ARG:HH22	2:C:114:GLU:HB3	0.99	1.13
1:A:846:ARG:HH12	2:C:7:GLU:HG2	1.14	1.13
1:A:844:PHE:CD2	2:C:85:ILE:HD13	1.84	1.10
1:A:625:MET:HE1	1:A:631:LYS:HA	1.32	1.06
2:C:127:GLU:C	2:C:141:PHE:HE1	1.58	1.06
1:A:845:TRP:CZ3	2:C:120:GLU:CG	2.44	1.00
1:A:846:ARG:NH2	2:C:114:GLU:HB3	1.76	1.00
2:C:72:MET:O	2:C:76:MET:HG3	1.62	1.00
1:A:352:ARG:HD2	1:A:368:VAL:O	1.65	0.96
1:A:296:LEU:HD21	1:B:258:VAL:HG12	1.45	0.95
1:A:526:TRP:HE1	1:A:727:GLN:HE21	1.14	0.95
1:A:844:PHE:CE2	2:C:85:ILE:CD1	2.50	0.95
2:C:127:GLU:C	2:C:141:PHE:CE1	2.41	0.94
1:A:625:MET:HE2	1:A:631:LYS:HG2	1.51	0.93
1:A:846:ARG:HH22	2:C:114:GLU:CB	1.81	0.93
1:A:625:MET:CE	1:A:631:LYS:HA	1.99	0.92
1:A:844:PHE:CD2	2:C:85:ILE:CD1	2.53	0.91
1:B:526:TRP:HE1	1:B:727:GLN:HE21	1.19	0.88
2:D:107:HIS:CD2	2:D:111:ASN:HD22	1.92	0.88
1:A:271:ASN:HD22	1:A:312:ARG:HH11	1.18	0.87
1:A:846:ARG:NH1	2:C:7:GLU:HG2	1.90	0.86



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:845:TRP:HH2	2:C:120:GLU:HG2	1.04	0.86
2:D:106:ARG:NH1	2:D:125:ILE:HD12	1.91	0.85
1:A:846:ARG:NH2	2:C:114:GLU:CB	2.39	0.84
1:A:341:MET:HE3	1:A:366:VAL:HG11	1.59	0.84
1:A:295:ARG:HD2	1:B:294:GLU:CD	1.97	0.84
2:C:77:LYS:HD2	2:C:77:LYS:O	1.78	0.83
1:A:296:LEU:HD11	1:B:262:ARG:CB	2.08	0.83
2:D:8:GLN:NE2	2:D:76:MET:CE	2.42	0.81
2:C:99:TYR:HB3	2:C:135:GLN:HE21	1.44	0.80
1:A:295:ARG:CD	1:B:294:GLU:OE2	2.30	0.80
1:A:296:LEU:CD1	1:B:262:ARG:CB	2.61	0.79
1:B:677:GLN:HE22	1:B:740:GLU:H	1.30	0.79
2:C:110:THR:CG2	2:C:121:VAL:HG21	2.12	0.79
1:A:295:ARG:HG3	1:B:294:GLU:OE1	1.83	0.78
1:A:324:HIS:HE1	1:A:480:GLU:O	1.67	0.78
1:A:296:LEU:HD11	1:B:262:ARG:HB3	1.64	0.77
2:C:47:GLU:OE1	2:C:75:LYS:HE2	1.84	0.77
1:A:625:MET:HE1	1:A:631:LYS:CA	2.13	0.77
1:A:113:HIS:HE1	1:A:316:LYS:O	1.68	0.76
2:C:97:ASN:ND2	2:C:99:TYR:HB2	2.01	0.76
1:A:846:ARG:HH12	2:C:7:GLU:CG	1.95	0.76
2:C:110:THR:HG23	2:C:121:VAL:HG21	1.68	0.76
2:D:106:ARG:HG2	2:D:125:ILE:HD11	1.68	0.76
1:B:846:ARG:NH1	2:D:116:LEU:HD23	2.01	0.74
1:A:296:LEU:CD1	1:B:262:ARG:HB2	2.16	0.74
2:C:99:TYR:HB3	2:C:135:GLN:NE2	2.03	0.73
1:A:625:MET:CE	1:A:631:LYS:CA	2.65	0.73
1:B:846:ARG:HH11	2:D:116:LEU:HD23	1.54	0.72
1:A:845:TRP:CH2	2:C:120:GLU:CB	2.73	0.72
1:B:352:ARG:HH12	1:B:373:GLU:CD	1.94	0.71
1:B:230:ASN:OD1	1:B:232:ARG:HG3	1.90	0.70
1:A:846:ARG:NH1	2:C:7:GLU:CG	2.52	0.70
1:A:625:MET:CE	1:A:631:LYS:CG	2.68	0.70
1:A:625:MET:HE2	1:A:631:LYS:CG	2.21	0.70
1:B:779:THR:OG1	1:B:783:SER:HB2	1.92	0.69
1:A:296:LEU:CD1	1:B:262:ARG:HB3	2.22	0.69
1:A:845:TRP:HH2	2:C:120:GLU:CG	1.87	0.69
1:A:280:HIS:ND1	6:A:1101:HOH:O	2.26	0.69
1:A:113:HIS:HD2	1:A:595:GLY:H	1.41	0.69
1:A:271:ASN:ND2	1:A:312:ARG:HH11	1.90	0.69
2:D:86:ALA:O	2:D:90:ARG:HG3	1.92	0.68



	io ao pagoni	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:493:THR:HB	1:B:522:ARG:NH1	2.09	0.68
1:B:526:TRP:HE1	1:B:727:GLN:NE2	1.90	0.68
1:A:341:MET:CE	1:A:366:VAL:HG11	2.23	0.68
1:B:352:ARG:NH1	1:B:370:LYS:HD3	2.09	0.67
1:A:295:ARG:CD	1:B:294:GLU:OE1	2.41	0.67
2:D:49:GLN:OE1	2:D:49:GLN:HA	1.94	0.67
1:A:841:ILE:HG22	2:C:109:MET:CE	2.25	0.66
1:A:352:ARG:NH2	1:A:370:LYS:HD2	2.10	0.66
2:C:104:GLU:O	2:C:107:HIS:N	2.28	0.66
2:C:31:GLU:O	2:C:35:VAL:HG12	1.96	0.66
2:C:79:THR:HG21	2:C:84:GLU:OE1	1.96	0.66
1:A:296:LEU:CD2	1:B:258:VAL:HG12	2.23	0.65
1:A:341:MET:HE3	1:A:366:VAL:HG21	1.78	0.65
1:A:844:PHE:HE2	2:C:85:ILE:HD13	1.52	0.65
2:C:55:VAL:HG13	2:C:61:GLY:N	2.12	0.65
1:A:835:THR:OG1	2:C:112:LEU:HD22	1.96	0.64
1:A:830:GLN:O	1:A:834:ARG:HG3	1.98	0.64
1:A:698:GLN:HE22	1:A:708:TYR:H	1.46	0.64
1:A:292:PHE:CZ	1:B:295:ARG:HD3	2.33	0.64
1:A:294:GLU:O	1:A:294:GLU:HG3	1.98	0.64
1:B:528:LYS:HE2	1:B:531:GLU:OE2	1.99	0.63
1:A:113:HIS:CD2	1:A:595:GLY:H	2.15	0.63
1:A:625:MET:CE	1:A:631:LYS:HG2	2.25	0.63
2:D:106:ARG:CG	2:D:125:ILE:HD11	2.28	0.63
1:A:845:TRP:HZ3	2:C:120:GLU:OE2	1.81	0.62
1:A:295:ARG:HE	1:B:262:ARG:HD2	1.64	0.62
1:A:295:ARG:CD	1:B:294:GLU:CD	2.66	0.62
1:A:611:GLN:OE1	1:A:674:HIS:CE1	2.52	0.62
2:D:143:GLN:HA	2:D:146:THR:HG22	1.81	0.62
1:B:226:HIS:ND1	1:B:229:LYS:HE3	2.15	0.61
2:C:36:MET:HE1	2:C:75:LYS:HD3	1.82	0.61
2:D:8:GLN:NE2	2:D:76:MET:HE1	2.16	0.61
2:D:107:HIS:CD2	2:D:111:ASN:ND2	2.66	0.61
2:C:77:LYS:HD2	2:C:77:LYS:C	2.20	0.61
1:A:846:ARG:NH1	2:C:7:GLU:CD	2.54	0.61
2:C:95:ASP:OD2	2:C:97:ASN:CG	2.39	0.61
1:A:295:ARG:CG	1:B:294:GLU:OE1	2.49	0.61
1:A:296:LEU:HD11	1:B:262:ARG:HB2	1.76	0.61
2:D:128:ALA:HB1	2:D:136:VAL:HG13	1.83	0.61
1:A:292:PHE:HZ	1:B:295:ARG:HD3	1.65	0.61
2:C:95:ASP:OD2	2:C:97:ASN:ND2	2.34	0.60



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:845:TRP:CZ3	2:C:120:GLU:CD	2.74	0.59
1:B:324:HIS:HD2	1:B:326:TYR:H	1.49	0.59
1:A:844:PHE:HE2	2:C:85:ILE:CD1	2.12	0.59
1:A:480:GLU:O	1:A:480:GLU:HG3	2.02	0.58
1:B:113:HIS:HE1	1:B:316:LYS:O	1.86	0.57
1:A:600:LEU:HD13	1:A:749:VAL:HG13	1.85	0.57
1:B:652:ILE:HG22	1:B:653:MET:HE1	1.86	0.57
2:C:2:ASP:HB2	2:C:4:LEU:HG	1.85	0.57
1:A:495:PHE:HD2	1:A:501:GLU:HG2	1.68	0.57
1:B:352:ARG:NH1	1:B:373:GLU:OE2	2.38	0.57
1:A:495:PHE:CD2	1:A:501:GLU:HG2	2.40	0.57
1:A:845:TRP:HZ3	2:C:120:GLU:CD	2.08	0.56
2:D:13:LYS:HD2	2:D:65:PHE:CE2	2.39	0.56
1:A:841:ILE:HG21	2:C:109:MET:SD	2.45	0.56
2:C:109:MET:CE	2:C:116:LEU:HD11	2.35	0.56
2:D:55:VAL:HG12	2:D:55:VAL:O	2.05	0.56
1:A:705:GLU:OE2	1:A:743:LYS:NZ	2.38	0.56
1:A:324:HIS:CE1	1:A:480:GLU:O	2.55	0.56
1:A:625:MET:HE3	1:A:631:LYS:HG3	1.86	0.56
2:C:32:LEU:O	2:C:35:VAL:HG13	2.06	0.56
1:A:352:ARG:HH11	1:A:367:LYS:HE2	1.70	0.56
1:B:804:ARG:HE	1:B:836:ASN:HD21	1.53	0.56
1:B:113:HIS:HD2	1:B:595:GLY:H	1.54	0.55
1:A:841:ILE:HG22	2:C:109:MET:HE1	1.88	0.55
1:A:841:ILE:CG2	2:C:109:MET:SD	2.95	0.55
1:A:117:LEU:HD23	1:A:555:SER:HB3	1.88	0.55
1:A:801:PHE:CZ	2:C:15:ALA:HA	2.41	0.55
1:B:352:ARG:NH1	1:B:373:GLU:OE1	2.39	0.55
2:C:110:THR:HG23	2:C:121:VAL:CG2	2.35	0.55
1:A:258:VAL:HG12	1:B:296:LEU:HD11	1.89	0.55
2:C:43:PRO:HB3	2:C:75:LYS:HE3	1.87	0.54
2:C:98:GLY:HA2	2:C:138:TYR:CE2	2.43	0.54
2:C:109:MET:HB3	2:C:116:LEU:HD12	1.89	0.54
1:A:423:LEU:O	1:A:424:ASP:HB2	2.07	0.54
1:B:677:GLN:NE2	1:B:740:GLU:H	2.00	0.54
2:C:26:THR:HB	2:C:62:THR:HB	1.89	0.54
1:A:520:LEU:HG	1:A:742:GLU:HG3	1.90	0.53
1:A:338:ARG:HD3	1:A:408:TYR:CE1	2.43	0.53
1:A:295:ARG:HB3	1:B:262:ARG:HD3	1.89	0.53
2:D:13:LYS:HA	2:D:65:PHE:CE1	2.43	0.53
1:B:341:MET:CE	1:B:354:LEU:HD12	2.38	0.53



	io ao pagoni	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:C:109:MET:HE2	2:C:116:LEU:HD11	1.91	0.53
1:A:261:PHE:HB3	1:A:267:PHE:CD2	2.43	0.53
1:A:493:THR:HB	1:A:522:ARG:NH1	2.24	0.53
1:B:352:ARG:NH1	1:B:373:GLU:CD	2.62	0.52
1:A:846:ARG:NH2	2:C:114:GLU:HB2	2.21	0.52
1:A:352:ARG:HH22	1:A:373:GLU:CD	2.14	0.52
1:A:628:LYS:N	1:A:629:PRO:HD2	2.25	0.51
1:B:804:ARG:NE	1:B:836:ASN:HD21	2.08	0.51
1:B:791:LEU:HD23	1:B:806:VAL:HG22	1.91	0.51
1:A:371:LYS:HA	1:A:433:ASP:OD1	2.11	0.51
2:C:28:THR:OG1	2:C:30:LYS:HB2	2.11	0.51
2:D:139:GLU:OE1	2:D:143:GLN:NE2	2.44	0.51
1:A:352:ARG:NH2	1:A:373:GLU:OE2	2.44	0.51
1:A:844:PHE:HD2	2:C:85:ILE:CD1	2.19	0.50
1:A:845:TRP:CH2	2:C:120:GLU:HA	2.45	0.50
2:C:104:GLU:O	2:C:106:ARG:N	2.45	0.50
1:B:266:VAL:HG11	1:B:277:TRP:CZ3	2.47	0.49
1:B:348:ARG:NH2	1:B:350:GLN:OE1	2.34	0.49
1:B:341:MET:HG2	1:B:356:PHE:CZ	2.47	0.49
1:B:324:HIS:CD2	1:B:325:HIS:N	2.80	0.49
2:D:28:THR:OG1	2:D:31:GLU:HG2	2.13	0.49
1:A:842:GLN:HG3	2:C:109:MET:CE	2.42	0.49
2:C:32:LEU:O	2:C:35:VAL:CG1	2.61	0.49
2:C:55:VAL:CG1	2:C:61:GLY:N	2.75	0.49
1:B:113:HIS:CD2	1:B:595:GLY:H	2.31	0.49
1:B:341:MET:HE2	1:B:354:LEU:HD12	1.94	0.49
1:A:316:LYS:NZ	1:A:753:GLU:OE1	2.36	0.48
1:A:698:GLN:NE2	1:A:708:TYR:H	2.11	0.48
1:A:622:THR:HA	1:A:625:MET:HG3	1.94	0.48
2:D:85:ILE:O	2:D:89:PHE:HD2	1.96	0.48
1:B:628:LYS:N	1:B:629:PRO:CD	2.77	0.48
2:C:127:GLU:HG2	2:C:144:MET:HE2	1.95	0.48
1:B:189:ASN:OD1	6:B:1101:HOH:O	2.20	0.48
1:A:845:TRP:CZ2	2:C:120:GLU:HA	2.49	0.48
2:C:32:LEU:HA	2:C:35:VAL:CG1	2.44	0.48
1:A:324:HIS:HD2	1:A:326:TYR:H	1.60	0.48
1:A:567:LEU:HD21	1:A:594:PHE:CD1	2.50	0.47
1:B:371:LYS:HE2	1:B:434:ASP:HB2	1.97	0.47
1:B:211:LYS:O	1:B:215:GLU:HG3	2.15	0.47
1:B:698:GLN:HE21	1:B:702:TYR:HE2	1.62	0.47
1:A:352:ARG:CD	1:A:368:VAL:O	2.50	0.47



	io ao pagoni	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:198:LEU:HD23	1:B:198:LEU:N	2.30	0.47
2:C:109:MET:HE3	2:C:116:LEU:CD1	2.44	0.47
1:A:296:LEU:HD21	1:B:258:VAL:CG1	2.31	0.47
1:B:852:LEU:O	1:B:853:SER:C	2.53	0.47
1:B:345:ARG:O	1:B:356:PHE:HA	2.15	0.47
1:B:772:ILE:HG23	1:B:779:THR:CG2	2.45	0.47
1:A:694:LEU:HD23	1:A:698:GLN:HG3	1.96	0.47
1:A:521:GLY:CA	5:A:1004:AMP:O4'	2.63	0.47
1:A:341:MET:HE3	1:A:366:VAL:CG1	2.37	0.46
1:A:296:LEU:HD13	1:B:262:ARG:CD	2.45	0.46
1:B:352:ARG:HD2	1:B:368:VAL:O	2.16	0.46
1:A:698:GLN:HE22	1:A:708:TYR:N	2.13	0.46
1:A:227:TYR:O	1:A:232:ARG:NH2	2.48	0.46
1:B:266:VAL:HG13	1:B:274:TYR:CD1	2.51	0.46
1:B:652:ILE:HG22	1:B:653:MET:CE	2.45	0.46
2:C:36:MET:CE	2:C:41:GLN:O	2.64	0.46
1:A:625:MET:HE3	1:A:631:LYS:CG	2.40	0.46
2:D:42:ASN:OD1	2:D:43:PRO:HD2	2.16	0.46
2:D:51:MET:O	2:D:55:VAL:HG23	2.16	0.46
1:B:493:THR:HB	1:B:522:ARG:HH11	1.77	0.45
1:B:517:GLN:OE1	5:B:1004:AMP:H2'	2.16	0.45
2:D:145:MET:SD	2:D:145:MET:N	2.89	0.45
2:D:8:GLN:NE2	2:D:76:MET:HE3	2.30	0.45
1:B:130:PRO:HB2	1:B:582:THR:HG22	1.98	0.45
2:D:98:GLY:HA2	2:D:138:TYR:CE2	2.52	0.45
1:A:338:ARG:HH11	1:A:338:ARG:HG2	1.80	0.45
1:B:844:PHE:CD1	2:D:85:ILE:HD13	2.52	0.45
1:A:101:GLN:O	1:A:102:TYR:HB3	2.16	0.45
1:A:567:LEU:CD2	1:A:594:PHE:CD1	3.00	0.45
1:B:113:HIS:CE1	1:B:316:LYS:O	2.69	0.45
1:A:296:LEU:HD13	1:B:262:ARG:CB	2.45	0.45
1:B:324:HIS:CD2	1:B:326:TYR:H	2.32	0.44
2:D:8:GLN:HE21	2:D:76:MET:CE	2.27	0.44
2:D:82:GLU:OE2	2:D:146:THR:HG21	2.17	0.44
1:A:225:ILE:HB	1:A:277:TRP:HA	2.00	0.44
1:A:420:ARG:HG3	1:A:420:ARG:HH21	1.82	0.44
1:A:152:ASP:OD1	1:A:156:LYS:HE3	2.18	0.44
1:B:391:HIS:CG	1:B:394:ARG:HH21	2.35	0.44
1:B:658:GLN:HE21	1:B:658:GLN:HB2	1.57	0.44
1:A:844:PHE:CZ	2:C:145:MET:HB2	2.53	0.44
1:B:698:GLN:HE22	1:B:708:TYR:HB3	1.82	0.44



			Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:271:ASN:N	1:A:272:PRO:HD2	2.33	0.43
1:A:841:ILE:HG22	2:C:109:MET:SD	2.57	0.43
1:B:627:ASP:HB2	1:B:630:LYS:HE2	2.00	0.43
2:C:106:ARG:HG2	2:C:125:ILE:HD11	2.00	0.43
2:C:110:THR:CG2	2:C:121:VAL:CG2	2.88	0.43
2:D:85:ILE:HG22	2:D:89:PHE:CE2	2.53	0.43
2:D:106:ARG:CZ	2:D:125:ILE:HD12	2.47	0.43
2:C:95:ASP:OD1	2:C:97:ASN:OD1	2.37	0.43
2:D:55:VAL:O	2:D:55:VAL:CG1	2.67	0.43
1:A:122:LYS:HE2	1:A:124:LEU:HD21	2.01	0.43
1:A:350:GLN:NE2	1:A:452:TYR:CE2	2.86	0.43
2:C:144:MET:HG2	2:C:145:MET:HE2	1.99	0.43
2:D:135:GLN:HA	2:D:135:GLN:NE2	2.33	0.43
1:A:560:LYS:O	1:A:564:SER:HB3	2.18	0.43
1:A:791:LEU:HD23	1:A:791:LEU:HA	1.93	0.43
2:C:93:ASP:OD1	2:C:99:TYR:O	2.36	0.43
2:D:113:GLY:O	2:D:115:LYS:N	2.52	0.43
1:B:567:LEU:HD22	1:B:594:PHE:CD1	2.54	0.43
1:A:845:TRP:CH2	2:C:120:GLU:CA	3.02	0.43
1:B:196:LYS:HB3	1:B:197:PRO:HD3	2.00	0.43
1:B:338:ARG:HG2	1:B:338:ARG:HH11	1.84	0.43
2:C:64:ASP:OD1	2:C:66:PRO:HD2	2.18	0.43
2:D:110:THR:HG22	2:D:121:VAL:HG21	2.02	0.42
1:A:360:GLN:O	1:A:361:ASN:HB3	2.20	0.42
1:A:403:GLN:HA	1:A:404:PRO:HD2	1.94	0.42
2:D:109:MET:HE2	2:D:124:MET:SD	2.60	0.42
1:A:149:THR:O	1:A:152:ASP:HB3	2.19	0.42
1:A:296:LEU:HD13	1:B:262:ARG:HD3	2.00	0.42
1:B:412:LYS:HZ1	1:B:434:ASP:HA	1.84	0.42
2:D:54:GLU:O	2:D:54:GLU:HG2	2.19	0.42
1:B:524:ASP:O	1:B:525:LYS:C	2.57	0.42
1:A:837:ALA:O	1:A:841:ILE:HD13	2.19	0.42
1:B:528:LYS:CE	1:B:531:GLU:OE2	2.68	0.42
1:B:771:LYS:HB3	1:B:777:ILE:HG13	2.01	0.42
1:A:521:GLY:HA3	5:A:1004:AMP:O4'	2.20	0.42
1:B:352:ARG:HD3	1:B:370:LYS:HD3	2.02	0.42
1:B:508:ALA:O	1:B:520:LEU:HD21	2.20	0.42
1:A:271:ASN:HD21	1:A:312:ARG:HG2	1.85	0.41
1:B:627:ASP:HB3	1:B:630:LYS:HG3	2.02	0.41
1:B:660:ARG:NH1	2:D:14:GLU:OE2	2.49	0.41
2:D:117:THR:O	2:D:121:VAL:HG23	2.19	0.41



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:140:ARG:NH1	1:A:140:ARG:HG2	2.34	0.41
1:A:662:LEU:O	1:A:666:LYS:HG3	2.20	0.41
1:A:196:LYS:HB3	1:A:197:PRO:HD3	2.03	0.41
2:C:43:PRO:HA	2:C:75:LYS:HE3	2.02	0.41
2:C:43:PRO:CB	2:C:75:LYS:HE3	2.50	0.41
1:B:173:LEU:HD21	1:B:213:ILE:HG23	2.01	0.41
1:B:792:LEU:HD23	1:B:792:LEU:HA	1.87	0.41
1:A:415:ILE:CD1	1:A:438:LEU:HD12	2.51	0.41
1:A:628:LYS:N	1:A:629:PRO:CD	2.83	0.41
1:A:822:THR:O	1:A:826:ASP:OD2	2.38	0.41
1:B:514:ASN:HB2	1:B:517:GLN:HG3	2.02	0.41
1:A:807:LEU:O	1:A:810:TYR:HB3	2.20	0.41
2:C:43:PRO:CA	2:C:75:LYS:HE3	2.50	0.41
1:A:350:GLN:NE2	1:A:452:TYR:CZ	2.88	0.41
1:A:431:LEU:HD12	1:A:431:LEU:HA	1.89	0.41
1:A:611:GLN:OE1	1:A:674:HIS:HE1	1.99	0.41
1:A:773:LEU:HD23	1:A:773:LEU:HA	1.88	0.41
1:A:846:ARG:HH11	2:C:7:GLU:CD	2.23	0.41
1:B:352:ARG:CZ	1:B:370:LYS:HD3	2.51	0.41
1:B:768:GLN:O	1:B:772:ILE:HG12	2.21	0.41
1:A:698:GLN:HE21	1:A:702:TYR:HE2	1.69	0.41
1:A:842:GLN:HG3	2:C:109:MET:HE3	2.02	0.41
1:A:152:ASP:OD1	1:A:156:LYS:CE	2.69	0.40
1:B:799:CYS:SG	1:B:801:PHE:CE2	3.14	0.40
2:C:100:ILE:HG22	2:C:101:SER:H	1.86	0.40
1:A:220:SER:OG	1:A:793:ASP:OD1	2.25	0.40
1:B:160:LEU:HD11	1:B:198:LEU:HD22	2.02	0.40
1:B:213:ILE:HD13	1:B:213:ILE:HG21	1.82	0.40
1:A:526:TRP:HE1	1:A:727:GLN:NE2	1.97	0.40
1:B:436:LYS:HA	1:B:436:LYS:HD3	1.91	0.40
1:B:563:PHE:O	1:B:567:LEU:HG	2.21	0.40
2:C:100:ILE:O	2:C:135:GLN:HG3	2.21	0.40
1:A:263:ASP:OD1	1:A:299:ASN:ND2	2.48	0.40
1:A:399:SER:OG	1:A:539:GLY:HA3	2.22	0.40
1:A:723:ASP:OD2	1:A:726:HIS:HD2	2.04	0.40

There are no symmetry-related clashes.



### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	744/757~(98%)	710~(95%)	34~(5%)	0	100	100
1	В	748/757~(99%)	723~(97%)	25~(3%)	0	100	100
2	С	128/147~(87%)	119~(93%)	9~(7%)	0	100	100
2	D	141/147~(96%)	131~(93%)	10 (7%)	0	100	100
All	All	1761/1808~(97%)	1683 (96%)	78 (4%)	0	100	100

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	678/685~(99%)	660~(97%)	18 (3%)	44	71
1	В	681/685~(99%)	668~(98%)	13 (2%)	57	79
2	С	116/124~(94%)	113~(97%)	3(3%)	46	72
2	D	122/124~(98%)	117~(96%)	5(4%)	30	56
All	All	1597/1618~(99%)	1558 (98%)	39 (2%)	49	74

All (39) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	177	SER
1	А	219	LYS



Mol	Chain	Res	Type
1	А	231	ASN
1	А	252	LYS
1	А	266	VAL
1	А	307	ASP
1	А	321	SER
1	А	422	SER
1	А	551	SER
1	А	578	LYS
1	А	594	PHE
1	А	675	PHE
1	А	697	GLU
1	А	712	ASP
1	А	749	VAL
1	А	780	ASP
1	А	790	GLN
1	А	842	GLN
1	В	266	VAL
1	В	296	LEU
1	В	299	ASN
1	В	386	ASP
1	В	422	SER
1	В	503	LYS
1	В	564	SER
1	В	675	PHE
1	В	694	LEU
1	В	732	TYR
1	В	749	VAL
1	В	779	THR
1	В	782	ASN
2	С	54	GLU
2	С	119	GLU
2	С	140	GLU
2	D	49	GLN
2	D	54	GLU
2	D	95	ASP
2	D	133	ASP
2	D	146	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (34) such sidechains are listed below:

Mol	Chain	$\operatorname{Res}$	Type
1	А	113	HIS



Mol	Chain	Res	Type
1	А	180	ASN
1	А	231	ASN
1	А	234	HIS
1	А	271	ASN
1	А	324	HIS
1	А	360	GLN
1	А	494	HIS
1	А	514	ASN
1	А	527	GLN
1	А	674	HIS
1	А	698	GLN
1	А	726	HIS
1	А	727	GLN
1	А	733	ASN
1	В	113	HIS
1	В	180	ASN
1	В	234	HIS
1	В	254	GLN
1	В	324	HIS
1	В	392	GLN
1	В	584	ASN
1	В	658	GLN
1	В	674	HIS
1	В	677	GLN
1	В	698	GLN
1	В	727	GLN
1	В	765	GLN
1	В	836	ASN
2	С	135	GLN
2	D	8	GLN
2	D	41	GLN
2	D	60	ASN
2	D	107	HIS

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry (i)

Of 10 ligands modelled in this entry, 6 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	ain Bos Link Bond lengths				Bond angles			
	туре	Unain	nes		Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	POP	В	1003	3	6,8,8	1.14	0	13,13,13	1.27	1 (7%)
4	POP	А	1003	3	6,8,8	0.76	0	13,13,13	2.10	5 (38%)
5	AMP	В	1004	-	22,25,25	2.29	6 (27%)	25,38,38	2.49	6 (24%)
5	AMP	А	1004	-	22,25,25	1.86	6 (27%)	25,38,38	1.64	5 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	POP	В	1003	3	-	3/6/6/6	-
4	POP	А	1003	3	-	2/6/6/6	-
5	AMP	В	1004	-	-	6/6/26/26	0/3/3/3
5	AMP	А	1004	-	-	1/6/26/26	0/3/3/3

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	В	1004	AMP	C4-N3	5.94	1.43	1.35
5	В	1004	AMP	C5-C4	4.38	1.52	1.40
5	В	1004	AMP	C2-N3	4.31	1.39	1.32
5	А	1004	AMP	C2-N3	4.16	1.38	1.32
5	А	1004	AMP	C5-C4	3.88	1.51	1.40
5	В	1004	AMP	C6-C5	3.64	1.56	1.43



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
5	А	1004	AMP	O4'-C1'	3.40	1.45	1.41
5	А	1004	AMP	C4-N3	3.08	1.39	1.35
5	А	1004	AMP	C6-C5	2.86	1.53	1.43
5	А	1004	AMP	C2-N1	2.45	1.38	1.33
5	В	1004	AMP	C8-N7	2.22	1.38	1.34
5	В	1004	AMP	C2-N1	2.01	1.37	1.33

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
5	В	1004	AMP	C3'-C2'-C1'	6.84	111.28	100.98
5	В	1004	AMP	O4'-C1'-C2'	-5.25	99.25	106.93
5	В	1004	AMP	P-O5'-C5'	4.84	131.63	118.30
5	В	1004	AMP	N3-C2-N1	-4.13	122.23	128.68
5	В	1004	AMP	C4-C5-N7	-4.08	105.15	109.40
5	А	1004	AMP	N3-C2-N1	-3.73	122.84	128.68
4	А	1003	POP	O-P1-O1	-3.41	92.25	111.19
4	А	1003	POP	O6-P2-O	-3.38	93.29	104.64
4	А	1003	POP	O5-P2-O	3.26	115.58	104.64
5	А	1004	AMP	C4-C5-N7	-2.87	106.40	109.40
5	В	1004	AMP	O3'-C3'-C2'	2.77	120.77	111.82
5	А	1004	AMP	C3'-C2'-C1'	2.76	105.13	100.98
5	А	1004	AMP	P-O5'-C5'	2.72	125.79	118.30
4	А	1003	POP	O3-P1-O	2.65	113.52	104.64
5	А	1004	AMP	O2P-P-O5'	-2.62	99.76	106.73
4	A	1003	POP	O2-P1-O	2.49	112.99	104.64
4	В	1003	POP	O6-P2-O5	2.22	116.11	107.64

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	А	1003	POP	P2-O-P1-O2
5	В	1004	AMP	C5'-O5'-P-O2P
5	В	1004	AMP	C5'-O5'-P-O3P
5	В	1004	AMP	C4'-C5'-O5'-P
5	В	1004	AMP	C5'-O5'-P-O1P
5	В	1004	AMP	O4'-C4'-C5'-O5'
4	В	1003	POP	P1-O-P2-O4
5	А	1004	AMP	C4'-C5'-O5'-P
5	В	1004	AMP	C3'-C4'-C5'-O5'
4	А	1003	POP	P2-O-P1-O3



Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	В	1003	POP	P1-O-P2-O5
4	В	1003	POP	P1-O-P2-O6

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	В	1004	AMP	1	0
5	А	1004	AMP	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers (i)

There are no such residues in this entry.

### 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< <b>RSRZ</b> >	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	748/757~(98%)	0.18	40 (5%) 26 20	30, 56, 96, 147	0
1	В	752/757~(99%)	0.10	25 (3%) 46 39	30, 50, 85, 132	0
2	С	134/147~(91%)	1.57	44 (32%) 0 0	62, 118, 152, 167	0
2	D	145/147~(98%)	1.00	36~(24%) 0 0	40, 94, 130, 156	0
All	All	1779/1808~(98%)	0.32	145 (8%) 11 8	30, 56, 122, 167	0

All (145) RSRZ outliers are listed below:

Mol	Chain	$\mathbf{Res}$	Type	RSRZ
2	С	125	ILE	7.7
1	В	852	LEU	7.1
1	А	849	ARG	7.1
1	А	501	GLU	6.9
2	D	1	ALA	6.8
2	С	103	ALA	6.5
1	А	850	LYS	6.3
2	С	53	ASN	6.3
1	А	846	ARG	6.2
2	С	138	TYR	6.1
2	С	102	ALA	6.1
1	А	495	PHE	6.0
2	D	60	ASN	6.0
2	С	1	ALA	5.8
2	С	143	GLN	5.6
2	D	147	ALA	5.5
2	С	77	LYS	5.5
2	С	100	ILE	5.5
1	В	850	LYS	5.5
2	С	96	GLY	5.5
1	В	494	HIS	5.3



Mol	Chain	Res	Type	RSRZ
2	D	134	GLY	5.2
1	В	851	ASN	5.1
2	С	121	VAL	5.0
1	В	853	SER	5.0
2	С	3	GLN	4.8
2	С	99	TYR	4.8
2	С	126	ARG	4.6
1	А	847	GLU	4.6
2	D	126	ARG	4.6
2	С	95	ASP	4.6
1	А	494	HIS	4.5
1	А	848	ALA	4.4
1	А	502	ASP	4.4
1	А	295	ARG	4.4
2	D	135	GLN	4.3
1	А	778	LYS	4.2
1	В	502	ASP	4.2
2	С	48	LEU	4.2
2	D	133	ASP	4.2
2	D	132	GLY	4.2
1	В	97	GLY	4.1
2	С	94	LYS	4.0
2	D	117	THR	4.0
2	D	125	ILE	4.0
2	С	97	ASN	4.0
2	D	94	LYS	3.9
1	А	845	TRP	3.8
2	С	52	ILE	3.8
2	С	79	THR	3.8
2	С	123	GLU	3.7
2	D	57	ALA	3.6
2	D	58	ASP	3.6
2	С	122	ASP	3.5
2	С	78	ASP	3.5
1	A	125	SER	3.5
2	D	144	MET	3.5
2	С	118	ASP	3.5
1	A	186	ILE	3.4
2	D	3	GLN	3.4
2	С	74	ARG	3.4
1	А	732	TYR	3.4
1	В	849	ARG	3.4



Mol	Chain	Res	Type	RSRZ
2	С	106	ARG	3.3
1	А	626	MET	3.3
2	D	99	TYR	3.3
2	D	143	GLN	3.2
1	В	847	GLU	3.2
1	В	424	ASP	3.2
2	D	74	ARG	3.2
2	D	141	PHE	3.1
2	С	134	GLY	3.1
1	А	741	LEU	3.1
2	D	103	ALA	3.1
2	D	59	GLY	3.1
1	В	186	ILE	3.1
2	С	2	ASP	3.1
1	В	501	GLU	2.9
1	В	738	LEU	2.9
2	С	49	GLN	2.9
1	А	503	LYS	2.9
2	D	116	LEU	2.9
1	А	329	GLU	2.9
1	А	844	PHE	2.8
2	С	80	ASP	2.8
2	С	144	MET	2.8
1	А	98	HIS	2.8
2	С	107	HIS	2.8
1	В	495	PHE	2.8
2	С	140	GLU	2.7
1	В	732	TYR	2.7
1	В	608	LEU	2.7
2	D	119	GLU	2.7
2	D	118	ASP	2.7
1	A	347	LEU	2.7
2	С	145	MET	2.6
1	А	296	LEU	2.6
2	D	107	HIS	2.6
1	В	741	LEU	2.6
2	D	101	SER	2.6
2	С	139	GLU	2.6
1	В	361	ASN	2.5
1	В	848	ALA	2.5
2	С	142	VAL	2.5
2	D	140	GLU	2.5



Mol	Chain	Res	Type	RSRZ
1	А	624	ASP	2.5
1	А	361	ASN	2.5
1	А	427	ARG	2.5
2	С	112	LEU	2.4
2	D	136	VAL	2.4
2	D	53	ASN	2.4
2	D	146	THR	2.4
2	С	43	PRO	2.4
2	С	30	LYS	2.3
1	А	823	ASP	2.3
2	С	84	GLU	2.3
2	С	104	GLU	2.3
1	А	331	GLY	2.3
2	D	122	ASP	2.3
1	В	208	HIS	2.2
2	С	127	GLU	2.2
2	С	90	ARG	2.2
1	В	204	SER	2.2
2	D	100	ILE	2.2
1	А	99	VAL	2.2
1	А	162	SER	2.2
2	D	97	ASN	2.2
1	В	331	GLY	2.2
2	D	77	LYS	2.1
1	А	344	ASP	2.1
2	D	90	ARG	2.1
1	А	512	LEU	2.1
1	В	423	LEU	2.1
1	A	821	PRO	2.1
1	А	332	PRO	2.1
1	A	692	ASP	2.1
2	D	110	THR	2.0
1	В	124	LEU	2.0
1	A	627	ASP	2.0
1	A	203	ALA	2.0
1	A	824	ALA	2.0
2	С	45	GLU	2.0
1	В	427	ARG	2.0
1	A	776	GLU	2.0
1	A	204	SER	2.0

Continued from previous page...



#### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	${f B}$ -factors(Å <sup>2</sup> )	Q<0.9
5	AMP	В	1004	23/23	0.66	0.43	73,103,168,177	0
5	AMP	А	1004	23/23	0.76	0.33	78,96,169,183	0
3	CA	С	201	1/1	0.88	0.21	102,102,102,102	0
3	CA	D	201	1/1	0.93	0.06	79,79,79,79	0
3	CA	В	1001	1/1	0.95	0.12	$57,\!57,\!57,\!57$	0
3	CA	В	1002	1/1	0.95	0.11	$55,\!55,\!55,\!55$	0
3	CA	А	1001	1/1	0.95	0.17	57,57,57,57	0
3	CA	А	1002	1/1	0.96	0.07	$53,\!53,\!53,\!53$	0
4	POP	А	1003	9/9	0.96	0.11	45,49,55,58	0
4	POP	В	1003	9/9	0.97	0.10	50,51,55,56	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.









### 6.5 Other polymers (i)

There are no such residues in this entry.

