



Full wwPDB EM Validation Report ⓘ

Nov 12, 2022 – 11:02 AM EST

PDB ID : 6POS
EMDB ID : EMD-20418
Title : ClpX-ClpP complex bound to substrate and ATP-gamma-S, class 1
Authors : Fei, X.; Jenni, S.; Harrison, S.C.; Sauer, R.T.
Deposited on : 2019-07-05
Resolution : 4.12 Å(reported)
Based on initial models : 3MT6, 3HWS

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 4.12 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	369	
1	B	369	
1	C	369	
1	D	369	
1	E	369	
1	F	369	
2	H	207	
2	I	207	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	J	207	 <p>89% 7%</p>
2	K	207	 <p>89% 7%</p>
2	L	207	 <p>88% 7%</p>
2	M	207	 <p>90% 7%</p>
2	N	207	 <p>87% 6% 7%</p>
3	S	8	 <p>25% 100%</p>

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 53605 atoms, of which 26955 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ATP-dependent Clp protease ATP-binding subunit ClpX.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
1	A	340	5273	1648	2667	441	512	5	0	0
1	B	351	5409	1692	2731	452	529	5	0	0
1	C	350	5413	1691	2737	454	526	5	0	0
1	D	350	5401	1687	2729	452	528	5	0	0
1	E	349	5409	1690	2736	453	525	5	0	0
1	F	340	5244	1642	2648	435	514	5	0	0

There are 54 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	169	SER	CYS	conflict	UNP A0A1Q9L861
A	185	GLN	GLU	engineered mutation	UNP A0A1Q9L861
A	408	GLU	LYS	conflict	UNP A0A1Q9L861
A	425	GLY	-	expression tag	UNP A0A1Q9L861
A	426	GLY	-	expression tag	UNP A0A1Q9L861
A	427	GLY	-	expression tag	UNP A0A1Q9L861
A	428	THR	-	expression tag	UNP A0A1Q9L861
A	429	SER	-	expression tag	UNP A0A1Q9L861
A	430	GLY	-	expression tag	UNP A0A1Q9L861
B	169	SER	CYS	conflict	UNP A0A1Q9L861
B	185	GLN	GLU	engineered mutation	UNP A0A1Q9L861
B	408	GLU	LYS	conflict	UNP A0A1Q9L861
B	425	GLY	-	expression tag	UNP A0A1Q9L861
B	426	GLY	-	expression tag	UNP A0A1Q9L861
B	427	GLY	-	expression tag	UNP A0A1Q9L861
B	428	THR	-	expression tag	UNP A0A1Q9L861
B	429	SER	-	expression tag	UNP A0A1Q9L861
B	430	GLY	-	expression tag	UNP A0A1Q9L861

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	169	SER	CYS	conflict	UNP A0A1Q9L861
C	185	GLN	GLU	engineered mutation	UNP A0A1Q9L861
C	408	GLU	LYS	conflict	UNP A0A1Q9L861
C	425	GLY	-	expression tag	UNP A0A1Q9L861
C	426	GLY	-	expression tag	UNP A0A1Q9L861
C	427	GLY	-	expression tag	UNP A0A1Q9L861
C	428	THR	-	expression tag	UNP A0A1Q9L861
C	429	SER	-	expression tag	UNP A0A1Q9L861
C	430	GLY	-	expression tag	UNP A0A1Q9L861
D	169	SER	CYS	conflict	UNP A0A1Q9L861
D	185	GLN	GLU	engineered mutation	UNP A0A1Q9L861
D	408	GLU	LYS	conflict	UNP A0A1Q9L861
D	425	GLY	-	expression tag	UNP A0A1Q9L861
D	426	GLY	-	expression tag	UNP A0A1Q9L861
D	427	GLY	-	expression tag	UNP A0A1Q9L861
D	428	THR	-	expression tag	UNP A0A1Q9L861
D	429	SER	-	expression tag	UNP A0A1Q9L861
D	430	GLY	-	expression tag	UNP A0A1Q9L861
E	169	SER	CYS	conflict	UNP A0A1Q9L861
E	185	GLN	GLU	engineered mutation	UNP A0A1Q9L861
E	408	GLU	LYS	conflict	UNP A0A1Q9L861
E	425	GLY	-	expression tag	UNP A0A1Q9L861
E	426	GLY	-	expression tag	UNP A0A1Q9L861
E	427	GLY	-	expression tag	UNP A0A1Q9L861
E	428	THR	-	expression tag	UNP A0A1Q9L861
E	429	SER	-	expression tag	UNP A0A1Q9L861
E	430	GLY	-	expression tag	UNP A0A1Q9L861
F	169	SER	CYS	conflict	UNP A0A1Q9L861
F	185	GLN	GLU	engineered mutation	UNP A0A1Q9L861
F	408	GLU	LYS	conflict	UNP A0A1Q9L861
F	425	GLY	-	expression tag	UNP A0A1Q9L861
F	426	GLY	-	expression tag	UNP A0A1Q9L861
F	427	GLY	-	expression tag	UNP A0A1Q9L861
F	428	THR	-	expression tag	UNP A0A1Q9L861
F	429	SER	-	expression tag	UNP A0A1Q9L861
F	430	GLY	-	expression tag	UNP A0A1Q9L861

- Molecule 2 is a protein called ATP-dependent Clp protease proteolytic subunit.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
2	H	192	3016	947	1513	261	283	12	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
2	I	192	Total 3016	C 947	H 1513	N 261	O 283	S 12	0	0
2	J	192	Total 3016	C 947	H 1513	N 261	O 283	S 12	0	0
2	K	192	Total 3017	C 947	H 1514	N 261	O 283	S 12	0	0
2	L	192	Total 3016	C 947	H 1513	N 261	O 283	S 12	0	0
2	M	192	Total 3016	C 947	H 1513	N 261	O 283	S 12	0	0
2	N	192	Total 3016	C 947	H 1513	N 261	O 283	S 12	0	0

- Molecule 3 is a protein called substrate peptide.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	H	N	O		
3	S	8	Total 89	C 27	H 43	N 11	O 8	0	0

- Molecule 4 is PHOSPHOTHIOPHOSPHORIC ACID-ADENYLATE ESTER (three-letter code: AGS) (formula: $C_{10}H_{16}N_5O_{12}P_3S$).




Mol	Chain	Residues	Atoms						AltConf	
			Total	C	H	N	O	P		S
4	A	1	Total 43	C 10	H 12	N 5	O 12	P 3	S 1	0
4	B	1	Total 43	C 10	H 12	N 5	O 12	P 3	S 1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms						AltConf	
			Total	C	H	N	O	P		S
4	C	1	Total	C	H	N	O	P	S	0
			43	10	12	5	12	3	1	
4	D	1	Total	C	H	N	O	P	S	0
			43	10	12	5	12	3	1	
4	E	1	Total	C	H	N	O	P	S	0
			43	10	12	5	12	3	1	

- Molecule 5 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).




Mol	Chain	Residues	Atoms					AltConf	
			Total	C	H	N	O		P
5	F	1	Total	C	H	N	O	P	0
			39	10	12	5	10	2	


3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: ATP-dependent Clp protease ATP-binding subunit ClpX




- Molecule 1: ATP-dependent Clp protease ATP-binding subunit ClpX





- Molecule 1: ATP-dependent Clp protease ATP-binding subunit ClpX












- Molecule 1: ATP-dependent Clp protease ATP-binding subunit ClpX





- Molecule 1: ATP-dependent Clp protease ATP-binding subunit ClpX





- Molecule 1: ATP-dependent Clp protease ATP-binding subunit ClpX





- Molecule 2: ATP-dependent Clp protease proteolytic subunit





- Molecule 2: ATP-dependent Clp protease proteolytic subunit




• Molecule 2: ATP-dependent Clp protease proteolytic subunit





• Molecule 2: ATP-dependent Clp protease proteolytic subunit





• Molecule 2: ATP-dependent Clp protease proteolytic subunit



• Molecule 2: ATP-dependent Clp protease proteolytic subunit



• Molecule 2: ATP-dependent Clp protease proteolytic subunit



• Molecule 3: substrate peptide



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	151652	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TECNAI ARCTICA	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	56	Depositor
Minimum defocus (nm)	-800	Depositor
Maximum defocus (nm)	-2500	Depositor
Magnification	36000	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	20.159	Depositor
Minimum map value	-10.644	Depositor
Average map value	0.000	Depositor
Map value standard deviation	1.000	Depositor
Recommended contour level	3.38	Depositor
Map size (\AA)	222.72, 222.72, 222.72	wwPDB
Map dimensions	192, 192, 192	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.16, 1.16, 1.16	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: AGS, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.26	0/2637	0.52	0/3560
1	B	0.26	0/2713	0.50	0/3669
1	C	0.25	0/2710	0.50	0/3662
1	D	0.27	0/2705	0.50	0/3656
1	E	0.26	0/2707	0.49	0/3658
1	F	0.27	0/2627	0.52	0/3549
2	H	0.25	0/1527	0.50	0/2058
2	I	0.25	0/1527	0.49	0/2058
2	J	0.25	0/1527	0.49	0/2058
2	K	0.25	0/1527	0.50	0/2058
2	L	0.25	0/1527	0.49	0/2058
2	M	0.25	0/1527	0.49	0/2058
2	N	0.26	0/1527	0.49	0/2058
3	S	0.21	0/10	0.94	0/11
All	All	0.26	0/26798	0.50	0/36171

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	D	0	1
1	E	0	1
All	All	0	3

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	98	ARG	Sidechain
1	D	307	ARG	Sidechain
1	E	123	SER	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2606	2667	2666	20	0
1	B	2678	2731	2729	14	0
1	C	2676	2737	2735	17	0
1	D	2672	2729	2728	19	0
1	E	2673	2736	2734	13	0
1	F	2596	2648	2643	24	0
2	H	1503	1513	1513	6	0
2	I	1503	1513	1513	4	0
2	J	1503	1513	1513	5	0
2	K	1503	1514	1513	6	0
2	L	1503	1513	1513	6	0
2	M	1503	1513	1513	4	0
2	N	1503	1513	1513	8	0
3	S	46	43	22	0	0
4	A	31	12	12	2	0
4	B	31	12	12	2	0
4	C	31	12	12	0	0
4	D	31	12	12	3	0
4	E	31	12	12	2	0
5	F	27	12	12	0	0
All	All	26650	26955	26920	130	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (130) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:149:THR:OG1	1:F:156:GLU:O	2.12	0.68
1:A:143:ALA:HB1	1:A:161:ILE:HD12	1.76	0.67
1:D:333:LEU:HD12	1:D:372:LEU:HD22	1.78	0.66
1:D:149:THR:OG1	1:D:156:GLU:O	2.16	0.64
1:E:258:ILE:O	1:E:262:VAL:HG12	2.01	0.61
1:F:205:GLU:CG	1:F:301:ILE:HD11	2.30	0.60
1:F:258:ILE:HB	1:F:286:LEU:HD21	1.84	0.59
1:F:79:ILE:HD11	1:F:325:ILE:HG13	1.85	0.58
1:A:317:LEU:HD11	1:A:368:GLY:HA2	1.89	0.55
1:B:166:LEU:O	1:B:170:ASP:N	2.40	0.54
1:F:266:SER:CB	1:F:272:ALA:HB1	2.38	0.53
1:F:205:GLU:HG2	1:F:301:ILE:HD11	1.89	0.53
1:E:262:VAL:HG13	1:E:263:GLU:HG2	1.90	0.52
1:D:159:GLU:OE1	1:D:220:ALA:HB1	2.08	0.52
1:E:146:THR:HG22	1:E:188:LYS:CD	2.41	0.51
1:F:263:GLU:O	1:F:264:THR:OG1	2.27	0.51
2:L:146:LYS:O	2:L:150:ASN:ND2	2.43	0.51
1:F:365:ARG:O	1:F:367:THR:HG23	2.11	0.50
2:M:114:LEU:HD23	2:N:78:ASP:HB2	1.93	0.50
2:H:78:ASP:OD1	2:N:116:ASN:ND2	2.44	0.50
2:J:116:ASN:ND2	2:K:78:ASP:OD1	2.44	0.50
1:F:216:GLU:OE1	1:F:307:ARG:NH2	2.45	0.50
1:E:121:THR:HG21	1:F:303:GLU:HG3	1.94	0.50
1:B:134:ARG:NH2	1:C:109:GLU:OE2	2.44	0.50
2:H:78:ASP:HB2	2:N:114:LEU:HD23	1.94	0.50
1:C:73:HIS:CG	1:C:135:LEU:HD22	2.48	0.48
1:E:146:THR:HG22	1:E:188:LYS:HD3	1.94	0.48
1:B:263:GLU:O	1:B:264:THR:OG1	2.27	0.48
1:B:67:PRO:HA	1:B:70:ILE:HG22	1.96	0.48
1:E:270:PHE:O	2:L:192:ARG:NH2	2.47	0.48
1:C:212:LEU:HD21	1:C:303:GLU:HG3	1.95	0.47
1:C:213:LYS:O	1:C:218:THR:HG22	2.14	0.47
1:F:96:TYR:OH	1:F:178:ARG:O	2.19	0.47
1:F:326:LEU:O	1:F:334:THR:OG1	2.30	0.47
2:N:187:SER:OG	2:N:188:ILE:N	2.46	0.47
1:A:160:ASN:OD1	1:A:161:ILE:N	2.48	0.47
1:A:256:LYS:O	1:A:260:HIS:ND1	2.46	0.47
1:F:205:GLU:HG3	1:F:301:ILE:HD11	1.96	0.47
1:E:279:ASP:OD1	1:E:280:LYS:N	2.49	0.46
2:H:116:ASN:ND2	2:I:78:ASP:OD1	2.48	0.46
2:J:18:ASP:OD1	2:J:21:SER:N	2.44	0.46
1:B:91:ALA:HB2	1:B:115:ILE:HD11	1.98	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:338:GLN:O	1:F:342:ASN:ND2	2.48	0.46
1:E:160:ASN:OD1	1:E:161:ILE:N	2.49	0.46
2:K:37:ASP:OD1	2:K:38:HIS:ND1	2.46	0.46
2:M:146:LYS:O	2:M:150:ASN:ND2	2.48	0.46
1:D:145:ALA:HB2	1:D:183:ILE:HG23	1.96	0.46
1:C:144:ASP:OD1	1:C:144:ASP:N	2.49	0.46
1:A:370:ARG:NH1	4:A:600:AGS:O1A	2.48	0.46
1:B:287:LEU:O	1:B:290:VAL:HG12	2.16	0.46
1:A:122:GLY:N	4:A:600:AGS:O1B	2.48	0.46
2:N:37:ASP:OD1	2:N:38:HIS:ND1	2.49	0.46
1:A:117:LEU:HD23	1:A:312:ALA:HB3	1.97	0.46
1:B:126:THR:N	4:B:600:AGS:O2A	2.50	0.45
1:B:331:ASN:O	1:B:336:GLN:NE2	2.48	0.45
2:J:146:LYS:O	2:J:150:ASN:ND2	2.49	0.45
2:L:116:ASN:ND2	2:M:78:ASP:OD1	2.50	0.45
1:C:203:SER:OG	1:D:150:GLU:OE2	2.32	0.45
1:F:399:ASP:OD1	1:F:400:GLU:N	2.49	0.45
2:I:62:TYR:HE1	2:I:90:ILE:HD12	1.81	0.45
1:F:316:GLU:HG2	1:F:317:LEU:H	1.82	0.45
1:C:153:TYR:HD2	1:C:202:VAL:HG13	1.80	0.45
1:A:143:ALA:CB	1:A:161:ILE:HD12	2.45	0.45
1:A:268:ILE:HD12	2:H:26:GLU:HG3	1.99	0.45
1:C:202:VAL:HG11	1:D:152:GLY:O	2.17	0.45
1:D:272:ALA:O	2:K:192:ARG:NH1	2.48	0.45
1:B:201:ASP:OD1	1:B:201:ASP:N	2.49	0.44
1:D:91:ALA:HB2	1:D:115:ILE:HD11	1.99	0.44
1:B:62:SER:OG	1:B:63:ALA:N	2.49	0.44
2:N:176:ALA:HB3	2:N:177:PRO:HD3	1.98	0.44
1:C:146:THR:HG22	1:C:188:LYS:HG2	1.99	0.44
1:F:193:SER:O	1:F:193:SER:OG	2.35	0.44
1:B:239:ASP:OD1	1:B:240:THR:N	2.51	0.44
1:F:149:THR:HG21	1:F:155:GLY:HA3	2.00	0.44
1:D:91:ALA:CB	1:D:115:ILE:HD11	2.48	0.44
1:E:136:LEU:HG	1:E:138:VAL:HG22	2.00	0.44
2:H:62:TYR:CE1	2:H:90:ILE:HD12	2.52	0.44
1:A:347:ASP:OD1	1:A:348:LEU:N	2.47	0.44
1:A:157:ASP:OD1	1:A:158:VAL:N	2.48	0.43
1:E:384:MET:SD	1:F:94:ASN:ND2	2.90	0.43
1:E:121:THR:HG23	4:E:600:AGS:S1G	2.58	0.43
2:I:18:ASP:OD1	2:I:21:SER:N	2.44	0.43
1:F:233:GLN:O	1:F:233:GLN:HG3	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:358:ILE:HG23	1:D:375:ILE:HG21	1.99	0.43
1:F:322:LEU:HA	1:F:325:ILE:HD12	1.98	0.43
1:E:255:ASP:N	1:E:255:ASP:OD1	2.51	0.43
1:C:214:LEU:HA	1:C:218:THR:HG22	2.01	0.43
1:A:307:ARG:C	1:A:308:LEU:HD12	2.39	0.43
1:A:353:GLU:OE1	1:A:353:GLU:N	2.49	0.43
1:C:91:ALA:HB2	1:C:115:ILE:HD11	2.01	0.43
1:A:96:TYR:O	1:A:100:ARG:NE	2.49	0.42
1:D:117:LEU:HD23	1:D:312:ALA:HB3	1.99	0.42
1:D:126:THR:N	4:D:600:AGS:O2A	2.53	0.42
2:L:18:ASP:OD1	2:L:21:SER:N	2.45	0.42
1:D:349:GLU:OE2	1:D:351:ARG:NH1	2.53	0.42
2:L:62:TYR:CE1	2:L:90:ILE:HD12	2.55	0.42
1:C:184:ASP:OD1	1:C:185:GLN:N	2.52	0.42
1:D:192:LYS:O	1:D:193:SER:OG	2.35	0.42
1:F:269:GLY:O	2:N:192:ARG:NH2	2.52	0.42
2:H:62:TYR:HE1	2:H:90:ILE:HD12	1.85	0.42
4:B:600:AGS:O3G	1:C:307:ARG:NH2	2.51	0.42
1:C:399:ASP:OD1	1:C:402:VAL:HG23	2.20	0.42
2:J:62:TYR:HE1	2:J:90:ILE:HD12	1.85	0.42
1:A:386:ASP:OD1	1:A:387:LEU:N	2.53	0.42
1:D:382:ASP:OD1	1:D:383:THR:N	2.53	0.42
2:J:62:TYR:CE1	2:J:90:ILE:HD12	2.55	0.42
2:N:18:ASP:OD1	2:N:21:SER:N	2.50	0.42
1:A:393:VAL:HG11	1:A:411:LEU:HD23	2.02	0.41
1:A:293:GLU:HA	1:A:296:ILE:HD12	2.02	0.41
1:B:117:LEU:HD23	1:B:312:ALA:HB3	2.01	0.41
1:C:333:LEU:HD12	1:C:372:LEU:HD22	2.02	0.41
1:A:145:ALA:HA	1:A:148:LEU:HD12	2.02	0.41
2:K:62:TYR:HE1	2:K:90:ILE:HD12	1.83	0.41
1:B:184:ASP:OD1	1:B:185:GLN:N	2.53	0.41
1:B:274:VAL:O	1:B:274:VAL:HG23	2.21	0.41
1:F:301:ILE:HG22	1:F:303:GLU:H	1.86	0.41
1:A:96:TYR:OH	1:A:180:ILE:HD11	2.21	0.41
1:D:270:PHE:CE1	2:L:48:LEU:HD21	2.56	0.41
2:I:62:TYR:CE1	2:I:90:ILE:HD12	2.55	0.41
2:K:22:ARG:NH2	2:K:26:GLU:OE2	2.53	0.41
1:A:166:LEU:O	1:A:170:ASP:N	2.54	0.41
1:D:337:TYR:CE2	1:D:376:VAL:HG11	2.56	0.41
1:E:370:ARG:NH1	4:E:600:AGS:O3B	2.53	0.41
1:C:136:LEU:HD11	1:C:138:VAL:HG22	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:79:ILE:H	4:D:600:AGS:HN62	1.68	0.41
2:M:18:ASP:OD1	2:M:21:SER:N	2.45	0.41
1:D:127:LEU:N	4:D:600:AGS:O2A	2.52	0.41
1:C:166:LEU:CD1	1:C:222:VAL:HG11	2.51	0.40
2:K:62:TYR:CE1	2:K:90:ILE:HD12	2.57	0.40
1:F:156:GLU:OE2	1:F:160:ASN:ND2	2.47	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	334/369 (90%)	334 (100%)	0	0	100	100
1	B	347/369 (94%)	344 (99%)	3 (1%)	0	100	100
1	C	346/369 (94%)	345 (100%)	1 (0%)	0	100	100
1	D	346/369 (94%)	345 (100%)	1 (0%)	0	100	100
1	E	345/369 (94%)	345 (100%)	0	0	100	100
1	F	334/369 (90%)	334 (100%)	0	0	100	100
2	H	190/207 (92%)	190 (100%)	0	0	100	100
2	I	190/207 (92%)	190 (100%)	0	0	100	100
2	J	190/207 (92%)	190 (100%)	0	0	100	100
2	K	190/207 (92%)	190 (100%)	0	0	100	100
2	L	190/207 (92%)	190 (100%)	0	0	100	100
2	M	190/207 (92%)	190 (100%)	0	0	100	100
2	N	190/207 (92%)	190 (100%)	0	0	100	100
3	S	1/8 (12%)	1 (100%)	0	0	100	100
All	All	3383/3671 (92%)	3378 (100%)	5 (0%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	281/301 (93%)	281 (100%)	0	100	100
1	B	290/301 (96%)	290 (100%)	0	100	100
1	C	289/301 (96%)	289 (100%)	0	100	100
1	D	289/301 (96%)	288 (100%)	1 (0%)	92	95
1	E	289/301 (96%)	289 (100%)	0	100	100
1	F	280/301 (93%)	280 (100%)	0	100	100
2	H	163/175 (93%)	163 (100%)	0	100	100
2	I	163/175 (93%)	163 (100%)	0	100	100
2	J	163/175 (93%)	163 (100%)	0	100	100
2	K	163/175 (93%)	163 (100%)	0	100	100
2	L	163/175 (93%)	163 (100%)	0	100	100
2	M	163/175 (93%)	163 (100%)	0	100	100
2	N	163/175 (93%)	163 (100%)	0	100	100
3	S	1/1 (100%)	1 (100%)	0	100	100
All	All	2860/3032 (94%)	2859 (100%)	1 (0%)	100	100

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	232	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	106	ASN
1	B	185	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	195	ASN
1	F	208	GLN
1	F	342	ASN
2	H	41	ASN
2	H	122	HIS
2	H	163	GLN
2	I	41	ASN
2	I	122	HIS
2	I	150	ASN
2	J	41	ASN
2	J	150	ASN
2	K	122	HIS
2	L	41	ASN
2	L	150	ASN
2	M	41	ASN
2	M	150	ASN
2	M	163	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	AGS	A	600	-	26,33,33	0.70	1 (3%)	26,52,52	1.07	2 (7%)
4	AGS	D	600	-	26,33,33	0.70	1 (3%)	26,52,52	1.14	2 (7%)
4	AGS	E	600	1	26,33,33	0.67	1 (3%)	26,52,52	1.13	2 (7%)
4	AGS	B	600	-	26,33,33	0.70	1 (3%)	26,52,52	1.12	2 (7%)
5	ADP	F	600	-	24,29,29	0.96	1 (4%)	29,45,45	1.56	4 (13%)
4	AGS	C	600	-	26,33,33	0.71	1 (3%)	26,52,52	1.13	2 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	AGS	A	600	-	-	1/17/38/38	0/3/3/3
4	AGS	D	600	-	-	5/17/38/38	0/3/3/3
4	AGS	E	600	1	-	3/17/38/38	0/3/3/3
4	AGS	B	600	-	-	5/17/38/38	0/3/3/3
5	ADP	F	600	-	-	1/12/32/32	0/3/3/3
4	AGS	C	600	-	-	5/17/38/38	0/3/3/3

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	F	600	ADP	C5-C4	2.41	1.47	1.40
4	A	600	AGS	PG-S1G	2.12	1.95	1.90
4	E	600	AGS	PG-S1G	2.10	1.95	1.90
4	C	600	AGS	PG-S1G	2.08	1.95	1.90
4	D	600	AGS	PG-S1G	2.06	1.95	1.90
4	B	600	AGS	PG-S1G	2.06	1.95	1.90

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	600	AGS	PA-O3A-PB	-4.39	117.77	132.83
4	E	600	AGS	PA-O3A-PB	-4.39	117.77	132.83
4	C	600	AGS	PA-O3A-PB	-4.32	118.01	132.83
4	B	600	AGS	PA-O3A-PB	-4.28	118.13	132.83
4	A	600	AGS	PA-O3A-PB	-4.00	119.10	132.83
5	F	600	ADP	PA-O3A-PB	-3.98	119.16	132.83
5	F	600	ADP	N3-C2-N1	-3.64	122.99	128.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	F	600	ADP	C3'-C2'-C1'	3.23	105.84	100.98
5	F	600	ADP	C4-C5-N7	-2.67	106.62	109.40
4	D	600	AGS	C5-C6-N6	2.29	123.84	120.35
4	A	600	AGS	C5-C6-N6	2.28	123.82	120.35
4	C	600	AGS	C5-C6-N6	2.23	123.73	120.35
4	E	600	AGS	C5-C6-N6	2.22	123.73	120.35
4	B	600	AGS	C5-C6-N6	2.21	123.72	120.35

There are no chirality outliers.

All (20) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	B	600	AGS	C5'-O5'-PA-O1A
4	B	600	AGS	C5'-O5'-PA-O2A
4	C	600	AGS	PB-O3B-PG-O2G
4	C	600	AGS	PB-O3B-PG-O3G
4	C	600	AGS	C5'-O5'-PA-O1A
4	D	600	AGS	C5'-O5'-PA-O1A
4	E	600	AGS	C5'-O5'-PA-O1A
4	E	600	AGS	C5'-O5'-PA-O2A
5	F	600	ADP	C5'-O5'-PA-O1A
4	D	600	AGS	PA-O3A-PB-O1B
4	C	600	AGS	C5'-O5'-PA-O3A
4	D	600	AGS	C5'-O5'-PA-O3A
4	B	600	AGS	PA-O3A-PB-O1B
4	C	600	AGS	C5'-O5'-PA-O2A
4	D	600	AGS	C5'-O5'-PA-O2A
4	A	600	AGS	PA-O3A-PB-O1B
4	B	600	AGS	PA-O3A-PB-O2B
4	D	600	AGS	PA-O3A-PB-O2B
4	B	600	AGS	C5'-O5'-PA-O3A
4	E	600	AGS	C5'-O5'-PA-O3A


There are no ring outliers.


4 monomers are involved in 9 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	600	AGS	2	0
4	D	600	AGS	3	0
4	E	600	AGS	2	0
4	B	600	AGS	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-20418. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 96



Y Index: 96




Z Index: 96


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 82



Y Index: 84



Z Index: 93


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 3.38. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 239 nm³; this corresponds to an approximate mass of 216 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.243 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.243 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	4.12	-	-
Author-provided FSC curve	4.09	4.54	4.14
Unmasked-calculated*	-	-	-

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-20418 and PDB model 6POS. Per-residue inclusion information can be found in section 3 on page 8.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 3.38 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (3.38).































9.4 Atom inclusion [i](#)



At the recommended contour level, 70% of all backbone atoms, 70% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (3.38) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7005	 0.3450
A	 0.6250	 0.2880
B	 0.7038	 0.3320
C	 0.7498	 0.3580
D	 0.7412	 0.3710
E	 0.7124	 0.3450
F	 0.6556	 0.3030
H	 0.7122	 0.3490
I	 0.7305	 0.3620
J	 0.7468	 0.3770
K	 0.7549	 0.3720
L	 0.7325	 0.3730
M	 0.7176	 0.3560
N	 0.7067	 0.3450
S	 0.6591	 0.3830

