



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 9, 2020 – 11:16 PM BST

PDB ID : 1PUU
Title : Mistletoe lectin I in complex with lactose
Authors : Krauspenhaar, R.; Voelter, W.; Stoeva, S.; Mikhailov, A.; Konareva, N.; Betzel, C.
Deposited on : 2003-06-25
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	249	 8% 64% 32% •
2	B	263	 5% 80% 16% •
3	C	3	 67% 33%
4	D	2	 50% 50%
5	E	2	 100%
5	F	2	 100%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
10	SO4	A	2022	-	-	X	-
7	GOL	A	1021	-	X	-	-
7	GOL	A	1025	-	X	-	X
7	GOL	A	1031	-	X	X	X
7	GOL	A	1067	-	X	-	-
7	GOL	A	1069	-	X	-	-
7	GOL	A	1090	-	X	-	-
7	GOL	A	1096	-	X	-	-
7	GOL	A	1237	-	X	-	-
7	GOL	B	1041	-	X	-	X
7	GOL	B	1068	-	X	-	-
7	GOL	B	1070	-	X	-	-
7	GOL	B	1071	-	X	-	-
7	GOL	B	1088	-	X	-	-
7	GOL	B	1089	-	X	-	-
7	GOL	B	1091	-	X	-	-
7	GOL	B	1095	-	X	-	-
9	DIO	A	1830	-	-	-	X

2 Entry composition [i](#)

There are 11 unique types of molecules in this entry. The entry contains 4509 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called lectin I A chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	249	1921	1218	328	371	4	0	0	0

- Molecule 2 is a protein called lectin I B chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	263	2000	1238	354	396	12	0	0	0

- Molecule 3 is an oligosaccharide called beta-L-fucopyranose-(1-3)-[2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	C	3	38	22	2	14	0	0	0

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
4	D	2	28	16	2	10	0	0	0

- Molecule 5 is an oligosaccharide called beta-D-galactopyranose-(1-4)-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
5	E	2	Total	C	O	0	0	0
			23	12	11			
5	F	2	Total	C	O	0	0	0
			23	12	11			

- Molecule 6 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	N	O	0	0
			14	8	1	5		
6	B	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 7 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total C O 6 3 3	0	0
7	A	1	Total C O 6 3 3	0	0
7	A	1	Total C O 6 3 3	0	0
7	A	1	Total C O 6 3 3	0	0
7	A	1	Total C O 6 3 3	0	0
7	A	1	Total C O 6 3 3	0	0
7	A	1	Total C O 6 3 3	0	0
7	A	1	Total C O 6 3 3	0	0
7	B	1	Total C O 6 3 3	0	0
7	B	1	Total C O 6 3 3	0	0
7	B	1	Total C O 6 3 3	0	0
7	B	1	Total C O 6 3 3	0	0
7	B	1	Total C O 6 3 3	0	0
7	B	1	Total C O 6 3 3	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total	C	O	0	0
			6	3	3		
7	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 8 is CHLORIDE ION (three-letter code: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	3	Total	Cl	0	0
			3	3		

- Molecule 9 is 1,4-DIETHYLENE DIOXIDE (three-letter code: DIO) (formula: C₄H₈O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	A	1	Total	C	O	0	0
			6	4	2		

- Molecule 10 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	A	1	Total O S 5 4 1	0	0
10	A	1	Total O S 5 4 1	0	0
10	A	1	Total O S 5 4 1	0	0


- Molecule 11 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
11	A	127	Total O 127 127	0	0
11	B	201	Total O 201 201	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: lectin I A chain



- Molecule 2: lectin I B chain



- Molecule 3: beta-L-fucopyranose-(1-3)-[2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)]2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





MAG1
MAG2

- Molecule 5: beta-D-galactopyranose-(1-4)-beta-D-glucopyranose

Chain E:  100%



BGC1
GALL2

- Molecule 5: beta-D-galactopyranose-(1-4)-beta-D-glucopyranose

Chain F:  100%



BGC1
GALL2

4 Data and refinement statistics

Property	Value	Source
Space group	P 65 2 2	Depositor
Cell constants a, b, c, α , β , γ	106.28Å 106.28Å 312.33Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	10.00 – 2.30 25.97 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.8 (10.00-2.30) 99.8 (25.97-2.30)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	0.05	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.04 (at 2.31Å)	Xtrriage
Refinement program	CNS	Depositor
R, R_{free}	0.207 , 0.232 0.198 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	40.3	Xtrriage
Anisotropy	0.297	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 53.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4509	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.07% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, BGC, NAG, CL, DIO, GAL, SO4, FUL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.46	0/1960	0.70	0/2670
2	B	0.49	0/2039	0.76	0/2782
All	All	0.47	0/3999	0.73	0/5452

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1921	0	1899	97	0
2	B	2000	0	1931	58	0
3	C	38	0	34	4	0
4	D	28	0	25	2	0
5	E	23	0	21	0	0
5	F	23	0	21	0	0
6	A	14	0	13	1	0
6	B	14	0	13	0	0
7	A	48	0	32	11	0
7	B	48	0	33	4	0
8	A	3	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
9	A	6	0	8	1	0
10	A	15	0	0	3	0
11	A	127	0	0	2	0
11	B	201	0	0	5	0
All	All	4509	0	4030	158	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (158) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:9:VAL:HG23	1:A:11:GLN:H	1.09	1.09
1:A:84:GLN:H	1:A:84:GLN:NE2	1.56	1.04
2:B:41:LYS:H	2:B:48:GLN:HE22	1.15	0.92
2:B:18:ASN:HD22	2:B:183:ARG:HH22	1.18	0.90
1:A:245:PHE:HE1	1:A:248:GLY:H	1.02	0.90
1:A:9:VAL:HG23	1:A:11:GLN:N	1.90	0.87
2:B:98:THR:HG22	2:B:216:ARG:HH22	1.39	0.86
2:B:230:ASN:HD22	2:B:232:LEU:H	1.20	0.85
1:A:224:PRO:HG2	1:A:226:ASN:ND2	1.91	0.84
7:A:1069:GOL:O1	2:B:141:ARG:HG2	1.79	0.83
1:A:115:TYR:HA	1:A:119:GLU:OE1	1.77	0.83
1:A:71:ASP:HB3	1:A:74:ASN:HD21	1.42	0.82
2:B:230:ASN:ND2	2:B:232:LEU:H	1.77	0.82
1:A:102:ALA:HA	1:A:106:ARG:NH1	1.96	0.80
1:A:95:GLY:H	7:A:1237:GOL:H11	1.46	0.79
1:A:84:GLN:NE2	1:A:84:GLN:N	2.32	0.78
1:A:222:LEU:HD21	1:A:228:VAL:HB	1.67	0.77
1:A:84:GLN:H	1:A:84:GLN:HE21	1.32	0.77
1:A:84:GLN:N	1:A:84:GLN:HE21	1.85	0.75
2:B:166:THR:H	2:B:172:GLN:HE22	1.35	0.74
1:A:115:TYR:HB3	9:A:1830:DIO:H1'2	1.71	0.72
1:A:71:ASP:HB3	1:A:74:ASN:ND2	2.05	0.71
2:B:169:GLN:HE21	2:B:171:ASN:HD21	1.35	0.70
2:B:11:ILE:HD11	2:B:49:LEU:HG	1.73	0.69
1:A:200:GLY:O	1:A:204:THR:HG23	1.92	0.68
1:A:52:ARG:HH12	1:A:71:ASP:CG	1.97	0.68
1:A:224:PRO:HG2	1:A:226:ASN:HD21	1.58	0.67
1:A:149:THR:HA	1:A:152:GLN:HE21	1.59	0.66
1:A:115:TYR:HD1	1:A:119:GLU:OE2	1.79	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:128:LEU:HD22	2:B:211:GLY:HA2	1.79	0.65
2:B:11:ILE:HG23	11:B:2098:HOH:O	1.95	0.65
1:A:25:ARG:HH12	1:A:170:ASN:HD21	1.44	0.64
2:B:41:LYS:HZ3	2:B:47:ASN:HD21	1.44	0.64
2:B:227:ASN:HD22	2:B:230:ASN:H	1.46	0.64
1:A:45:ILE:HG23	1:A:49:GLU:HG3	1.80	0.63
1:A:245:PHE:HE1	1:A:248:GLY:N	1.87	0.63
1:A:49:GLU:OE1	1:A:50:GLY:N	2.31	0.63
1:A:215:ASN:HD21	2:B:10:PRO:HD3	1.64	0.62
1:A:204:THR:HG22	1:A:246:VAL:HG21	1.82	0.62
2:B:125:ASP:H	2:B:130:GLN:HE22	1.46	0.62
1:A:222:LEU:HB2	1:A:226:ASN:ND2	2.14	0.62
2:B:240:ASN:HD21	2:B:242:ALA:HB3	1.64	0.61
2:B:194:ASN:HD22	2:B:248:ILE:HD13	1.66	0.60
2:B:245:ARG:HD3	11:B:2198:HOH:O	1.99	0.60
2:B:11:ILE:CD1	2:B:49:LEU:HB3	2.31	0.60
1:A:226:ASN:ND2	1:A:226:ASN:H	2.01	0.59
1:A:20:PHE:HZ	1:A:56:VAL:HG13	1.67	0.58
1:A:46:PRO:O	1:A:49:GLU:HB2	2.04	0.58
1:A:249:GLU:HG3	1:A:249:GLU:OXT	2.05	0.57
1:A:177:ARG:CZ	7:A:1031:GOL:H12	2.34	0.57
1:A:2:GLU:HG3	1:A:27:PHE:CD2	2.40	0.57
2:B:41:LYS:H	2:B:48:GLN:NE2	1.95	0.56
1:A:223:PRO:O	1:A:225:GLY:N	2.37	0.56
2:B:171:ASN:HD22	2:B:171:ASN:C	2.08	0.56
1:A:52:ARG:NH1	1:A:71:ASP:OD1	2.39	0.56
1:A:124:HIS:HD2	10:A:2022:SO4:O3	1.89	0.56
1:A:60:ASN:HD22	1:A:60:ASN:C	2.09	0.56
2:B:240:ASN:ND2	2:B:242:ALA:H	2.04	0.56
2:B:230:ASN:C	2:B:230:ASN:HD22	2.09	0.56
2:B:11:ILE:HD13	2:B:49:LEU:HB3	1.88	0.56
1:A:234:ARG:HG2	7:B:1088:GOL:H11	1.87	0.55
3:C:1:NAG:H3	3:C:2:FUL:O2	2.06	0.55
1:A:60:ASN:HD21	1:A:64:ASP:H	1.54	0.55
1:A:121:TYR:O	1:A:150:ARG:HG3	2.06	0.55
1:A:224:PRO:HG2	1:A:226:ASN:CG	2.27	0.55
1:A:115:TYR:CD1	1:A:119:GLU:OE2	2.58	0.54
1:A:25:ARG:HH22	1:A:170:ASN:ND2	2.05	0.53
1:A:116:PRO:HA	1:A:119:GLU:OE1	2.09	0.53
1:A:177:ARG:HD3	7:A:1031:GOL:H12	1.90	0.53
1:A:226:ASN:H	1:A:226:ASN:HD22	1.56	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:226:ASN:HD22	1:A:226:ASN:N	2.06	0.52
1:A:20:PHE:CZ	1:A:56:VAL:HG13	2.44	0.52
1:A:74:ASN:ND2	1:A:76:TYR:H	2.08	0.52
2:B:166:THR:H	2:B:172:GLN:NE2	2.07	0.52
1:A:60:ASN:ND2	1:A:64:ASP:H	2.07	0.51
3:C:1:NAG:H61	3:C:3:NAG:H4	1.92	0.51
7:A:1069:GOL:H11	2:B:176:LEU:HD12	1.92	0.51
1:A:222:LEU:HB2	1:A:226:ASN:HD21	1.75	0.51
1:A:154:ARG:HD3	11:A:2144:HOH:O	2.10	0.51
2:B:11:ILE:CD1	2:B:49:LEU:HG	2.40	0.51
2:B:11:ILE:O	2:B:11:ILE:HG13	2.10	0.50
2:B:125:ASP:H	2:B:130:GLN:NE2	2.07	0.50
1:A:223:PRO:C	1:A:225:GLY:H	2.14	0.50
2:B:169:GLN:HG2	2:B:171:ASN:ND2	2.26	0.50
3:C:2:FUL:H2	3:C:3:NAG:C1	2.41	0.50
2:B:41:LYS:N	2:B:48:GLN:HE22	1.96	0.50
1:A:95:GLY:O	1:A:99:GLN:HG2	2.12	0.49
2:B:18:ASN:ND2	2:B:183:ARG:HH22	1.98	0.49
1:A:35:ASN:O	1:A:36:ASN:HB2	2.12	0.49
2:B:24:VAL:HB	2:B:47:ASN:HB2	1.93	0.49
1:A:227:VAL:HG12	1:A:228:VAL:N	2.27	0.49
1:A:54:VAL:HG23	1:A:72:VAL:HG23	1.93	0.49
2:B:52:ILE:HD12	2:B:52:ILE:N	2.27	0.48
2:B:98:THR:HG22	2:B:216:ARG:NH2	2.18	0.48
1:A:177:ARG:NH1	7:A:1031:GOL:H12	2.29	0.48
1:A:177:ARG:NH1	7:A:1031:GOL:O1	2.46	0.48
2:B:240:ASN:HD21	2:B:242:ALA:CB	2.26	0.48
2:B:230:ASN:ND2	2:B:232:LEU:HB2	2.28	0.48
1:A:54:VAL:CG2	1:A:72:VAL:HG23	2.43	0.47
1:A:148:SER:HB2	10:A:2032:SO4:S	2.55	0.47
1:A:13:THR:OG1	1:A:16:GLU:HG3	2.14	0.47
2:B:240:ASN:C	2:B:240:ASN:HD22	2.19	0.47
2:B:98:THR:CG2	11:B:2029:HOH:O	2.63	0.47
1:A:97:GLU:O	1:A:106:ARG:CZ	2.64	0.46
2:B:240:ASN:ND2	2:B:242:ALA:HB3	2.30	0.46
1:A:216:ASN:OD1	8:A:1042:CL:CL	2.71	0.46
1:A:223:PRO:HG2	1:A:224:PRO:HD3	1.96	0.46
1:A:222:LEU:HB3	1:A:223:PRO:HD2	1.96	0.46
1:A:177:ARG:CD	7:A:1031:GOL:H12	2.46	0.46
2:B:255:PRO:HB2	7:B:1091:GOL:H12	1.97	0.46
1:A:215:ASN:ND2	2:B:8:SER:HB2	2.30	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:170:ASN:N	1:A:171:PRO:CD	2.79	0.45
1:A:90:LYS:O	1:A:91:ASP:HB2	2.16	0.45
1:A:102:ALA:HA	1:A:106:ARG:HH12	1.79	0.45
1:A:20:PHE:HZ	1:A:56:VAL:CG1	2.29	0.45
2:B:38:TRP:CD1	2:B:39:PRO:HD2	2.52	0.45
1:A:59:THR:HA	1:A:64:ASP:O	2.15	0.45
1:A:223:PRO:HG2	1:A:224:PRO:CD	2.47	0.45
1:A:177:ARG:HH21	7:A:1021:GOL:C2	2.30	0.45
1:A:130:LEU:HD22	1:A:188:PRO:HD3	1.98	0.45
1:A:194:GLU:OE2	1:A:221:ALA:N	2.47	0.45
2:B:232:LEU:HB3	2:B:248:ILE:HB	1.98	0.45
2:B:227:ASN:ND2	2:B:230:ASN:H	2.14	0.45
1:A:222:LEU:N	1:A:222:LEU:HD22	2.33	0.45
6:A:703:NAG:H61	11:A:2117:HOH:O	2.16	0.45
2:B:203:ILE:HD12	2:B:246:ILE:HG22	1.99	0.43
1:A:41:ARG:CZ	1:A:45:ILE:HD11	2.48	0.43
2:B:101:ASN:ND2	2:B:104:SER:H	2.15	0.43
1:A:84:GLN:HG2	1:A:84:GLN:O	2.18	0.43
2:B:199:VAL:O	2:B:200:SER:HB2	2.17	0.43
2:B:51:THR:HG22	2:B:53:LYS:HG2	2.01	0.43
1:A:171:PRO:CD	1:A:239:SER:HB2	2.50	0.42
2:B:49:LEU:HD23	4:D:2:NAG:H82	2.02	0.42
2:B:255:PRO:CB	7:B:1091:GOL:H12	2.50	0.42
3:C:3:NAG:H3	3:C:3:NAG:H82	2.02	0.42
2:B:185:LYS:HZ2	7:B:1095:GOL:C2	2.32	0.42
2:B:98:THR:HG23	11:B:2029:HOH:O	2.19	0.42
1:A:49:GLU:OE1	1:A:51:SER:N	2.53	0.42
1:A:129:PRO:O	1:A:134:GLN:HG2	2.18	0.41
1:A:177:ARG:HD3	7:A:1031:GOL:C2	2.51	0.41
1:A:95:GLY:N	7:A:1237:GOL:H11	2.25	0.41
2:B:243:LEU:HB3	2:B:245:ARG:HG2	2.02	0.41
1:A:42:GLN:C	1:A:44:THR:H	2.24	0.41
1:A:115:TYR:CE1	1:A:125:ARG:HD3	2.55	0.41
1:A:209:SER:O	2:B:6:SER:HB2	2.21	0.41
1:A:45:ILE:HG22	1:A:52:ARG:HD3	2.03	0.41
1:A:222:LEU:HD21	1:A:228:VAL:CB	2.45	0.41
2:B:9:GLU:OE1	2:B:53:LYS:HE3	2.21	0.41
2:B:240:ASN:HD22	2:B:242:ALA:H	1.69	0.41
11:B:2071:HOH:O	4:D:2:NAG:H81	2.21	0.41
1:A:144:PHE:HA	1:A:145:PRO:HD3	1.74	0.40
1:A:74:ASN:C	1:A:74:ASN:HD22	2.24	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:117:ASP:O	1:A:120:ARG:HB2	2.22	0.40
1:A:87:TYR:CD1	1:A:87:TYR:N	2.88	0.40
1:A:124:HIS:CD2	10:A:2022:SO4:O3	2.73	0.40
1:A:41:ARG:NE	1:A:45:ILE:HD11	2.37	0.40
1:A:86:SER:OG	1:A:106:ARG:HG2	2.21	0.40
2:B:86:ARG:HG2	2:B:86:ARG:HH21	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	247/249 (99%)	239 (97%)	7 (3%)	1 (0%)	34	42
2	B	261/263 (99%)	252 (97%)	9 (3%)	0	100	100
All	All	508/512 (99%)	491 (97%)	16 (3%)	1 (0%)	47	58

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	224	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	209/209 (100%)	191 (91%)	18 (9%)	10	12
2	B	219/219 (100%)	204 (93%)	15 (7%)	16	21
All	All	428/428 (100%)	395 (92%)	33 (8%)	13	16

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	GLU
1	A	10	GLN
1	A	49	GLU
1	A	55	LEU
1	A	60	ASN
1	A	72	VAL
1	A	74	ASN
1	A	81	GLN
1	A	84	GLN
1	A	109	LEU
1	A	130	LEU
1	A	142	LEU
1	A	187	LEU
1	A	204	THR
1	A	210	THR
1	A	226	ASN
1	A	230	LEU
1	A	233	ILE
2	B	11	ILE
2	B	30	GLN
2	B	47	ASN
2	B	49	LEU
2	B	86	ARG
2	B	98	THR
2	B	105	ASN
2	B	128	LEU
2	B	150	ASP
2	B	171	ASN
2	B	192	LEU
2	B	218	VAL
2	B	230	ASN
2	B	232	LEU
2	B	240	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (28) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	10	GLN
1	A	11	GLN
1	A	60	ASN
1	A	74	ASN
1	A	81	GLN
1	A	84	GLN
1	A	124	HIS
1	A	152	GLN
1	A	161	GLN
1	A	170	ASN
1	A	178	GLN
1	A	215	ASN
1	A	226	ASN
2	B	18	ASN
2	B	30	GLN
2	B	47	ASN
2	B	48	GLN
2	B	101	ASN
2	B	105	ASN
2	B	130	GLN
2	B	156	ASN
2	B	171	ASN
2	B	172	GLN
2	B	215	GLN
2	B	227	ASN
2	B	230	ASN
2	B	238	GLN
2	B	240	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

9 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	C	1	3,2	14,14,15	0.71	0	17,19,21	0.83	0
3	FUL	C	2	3	10,10,11	0.47	0	14,14,16	0.66	0
3	NAG	C	3	3	14,14,15	0.78	0	17,19,21	0.96	2 (11%)
4	NAG	D	1	2,4	14,14,15	0.38	0	17,19,21	0.89	0
4	NAG	D	2	4	14,14,15	0.52	0	17,19,21	0.73	1 (5%)
5	BGC	E	1	5	12,12,12	1.00	0	17,17,17	0.98	1 (5%)
5	GAL	E	2	5	11,11,12	1.39	2 (18%)	15,15,17	1.28	2 (13%)
5	BGC	F	1	5	12,12,12	0.87	0	17,17,17	0.84	1 (5%)
5	GAL	F	2	5	11,11,12	1.35	1 (9%)	15,15,17	1.41	3 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	C	1	3,2	-	1/6/23/26	0/1/1/1
3	FUL	C	2	3	-	-	0/1/1/1
3	NAG	C	3	3	-	4/6/23/26	0/1/1/1
4	NAG	D	1	2,4	-	2/6/23/26	0/1/1/1
4	NAG	D	2	4	-	1/6/23/26	0/1/1/1
5	BGC	E	1	5	-	2/2/22/22	0/1/1/1
5	GAL	E	2	5	-	0/2/19/22	0/1/1/1
5	BGC	F	1	5	-	2/2/22/22	0/1/1/1
5	GAL	F	2	5	-	0/2/19/22	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	F	2	GAL	O5-C5	3.20	1.49	1.43
5	E	2	GAL	O5-C5	2.84	1.49	1.43
5	E	2	GAL	O5-C1	2.06	1.47	1.43

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	F	2	GAL	O5-C5-C6	2.46	111.06	107.20
5	F	2	GAL	O2-C2-C1	2.39	114.04	109.15
5	E	2	GAL	O2-C2-C1	2.39	114.04	109.15
5	E	1	BGC	O3-C3-C2	-2.24	105.17	110.35
4	D	2	NAG	C2-N2-C7	-2.24	119.72	122.90
5	F	2	GAL	O4-C4-C3	-2.15	105.38	110.35
3	C	3	NAG	C4-C3-C2	-2.10	107.94	111.02
3	C	3	NAG	C1-O5-C5	2.06	114.98	112.19
5	F	1	BGC	O3-C3-C2	-2.02	105.67	110.35
5	E	2	GAL	O5-C5-C6	2.01	110.36	107.20

There are no chirality outliers.

All (12) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	C	3	NAG	C8-C7-N2-C2
3	C	3	NAG	O7-C7-N2-C2
5	E	1	BGC	O5-C5-C6-O6
5	F	1	BGC	C4-C5-C6-O6
4	D	1	NAG	O5-C5-C6-O6
5	F	1	BGC	O5-C5-C6-O6
5	E	1	BGC	C4-C5-C6-O6
4	D	1	NAG	C4-C5-C6-O6
3	C	3	NAG	O5-C5-C6-O6
3	C	3	NAG	C3-C2-N2-C7
3	C	1	NAG	C3-C2-N2-C7
4	D	2	NAG	C8-C7-N2-C2


There are no ring outliers.


4 monomers are involved in 6 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	2	NAG	2	0
3	C	3	NAG	3	0
3	C	1	NAG	2	0
3	C	2	FUL	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









5.6 Ligand geometry [i](#)

Of 25 ligands modelled in this entry, 3 are monoatomic - leaving 22 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
7	GOL	B	1095	-	5,5,5	4.52	5 (100%)	5,5,5	5.77	3 (60%)
6	NAG	A	703	1	14,14,15	0.71	0	17,19,21	0.93	1 (5%)
7	GOL	B	1089	-	5,5,5	4.57	5 (100%)	5,5,5	5.73	3 (60%)
9	DIO	A	1830	-	6,6,6	1.72	1 (16%)	6,6,6	0.33	0
7	GOL	A	1021	-	5,5,5	4.56	5 (100%)	5,5,5	5.75	3 (60%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
10	SO4	A	2023	-	4,4,4	0.25	0	6,6,6	0.11	0
7	GOL	A	1237	-	5,5,5	4.64	5 (100%)	5,5,5	5.79	3 (60%)
7	GOL	B	1088	-	5,5,5	4.59	5 (100%)	5,5,5	5.75	3 (60%)
7	GOL	A	1025	-	5,5,5	4.48	5 (100%)	5,5,5	5.78	3 (60%)
7	GOL	A	1031	-	5,5,5	4.75	5 (100%)	5,5,5	5.85	3 (60%)
10	SO4	A	2032	-	4,4,4	0.29	0	6,6,6	0.15	0
7	GOL	A	1067	-	5,5,5	4.59	5 (100%)	5,5,5	5.78	3 (60%)
7	GOL	A	1096	-	5,5,5	4.51	5 (100%)	5,5,5	5.80	3 (60%)
7	GOL	B	1041	-	5,5,5	4.48	5 (100%)	5,5,5	5.78	3 (60%)
7	GOL	B	1091	-	5,5,5	4.57	5 (100%)	5,5,5	5.81	3 (60%)
7	GOL	A	1069	-	5,5,5	4.56	5 (100%)	5,5,5	5.81	3 (60%)
10	SO4	A	2022	-	4,4,4	0.27	0	6,6,6	0.23	0
7	GOL	B	1068	-	5,5,5	4.64	5 (100%)	5,5,5	5.79	3 (60%)
7	GOL	B	1070	-	5,5,5	4.48	5 (100%)	5,5,5	5.78	3 (60%)
6	NAG	B	701	2	14,14,15	0.61	0	17,19,21	0.90	1 (5%)
7	GOL	A	1090	-	5,5,5	4.62	5 (100%)	5,5,5	5.78	3 (60%)
7	GOL	B	1071	-	5,5,5	4.34	4 (80%)	5,5,5	5.89	3 (60%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	GOL	B	1095	-	-	2/4/4/4	-
7	GOL	B	1068	-	-	2/4/4/4	-
6	NAG	A	703	1	-	4/6/23/26	0/1/1/1
7	GOL	B	1091	-	-	2/4/4/4	-
7	GOL	B	1089	-	-	2/4/4/4	-
7	GOL	A	1025	-	-	2/4/4/4	-
7	GOL	A	1069	-	-	2/4/4/4	-
6	NAG	B	701	2	-	4/6/23/26	0/1/1/1
7	GOL	A	1021	-	-	2/4/4/4	-
7	GOL	A	1031	-	-	2/4/4/4	-
7	GOL	A	1090	-	-	3/4/4/4	-
7	GOL	A	1237	-	-	2/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	GOL	A	1067	-	-	2/4/4/4	-
9	DIO	A	1830	-	-	-	0/1/1/1
7	GOL	A	1096	-	-	3/4/4/4	-
7	GOL	B	1041	-	-	2/4/4/4	-
7	GOL	B	1071	-	-	2/4/4/4	-
7	GOL	B	1088	-	-	2/4/4/4	-
7	GOL	B	1070	-	-	2/4/4/4	-

All (80) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	1090	GOL	C3-C2	-7.91	1.19	1.51
7	A	1031	GOL	C3-C2	-7.88	1.19	1.51
7	B	1088	GOL	C3-C2	-7.69	1.20	1.51
7	A	1237	GOL	C3-C2	-7.67	1.20	1.51
7	B	1089	GOL	C3-C2	-7.64	1.20	1.51
7	B	1068	GOL	C3-C2	-7.58	1.20	1.51
7	A	1021	GOL	C3-C2	-7.57	1.20	1.51
7	A	1067	GOL	C3-C2	-7.56	1.20	1.51
7	B	1091	GOL	C3-C2	-7.46	1.21	1.51
7	B	1095	GOL	C3-C2	-7.41	1.21	1.51
7	A	1096	GOL	C3-C2	-7.35	1.21	1.51
7	A	1069	GOL	C3-C2	-7.34	1.21	1.51
7	B	1041	GOL	C3-C2	-7.32	1.21	1.51
7	A	1025	GOL	C3-C2	-7.32	1.21	1.51
7	B	1070	GOL	C3-C2	-7.21	1.22	1.51
7	B	1071	GOL	C3-C2	-7.02	1.22	1.51
7	B	1071	GOL	O1-C1	4.73	1.62	1.42
7	B	1091	GOL	O1-C1	4.68	1.62	1.42
7	B	1041	GOL	O1-C1	4.67	1.62	1.42
7	A	1237	GOL	O1-C1	4.60	1.61	1.42
7	B	1070	GOL	O1-C1	4.54	1.61	1.42
7	A	1025	GOL	O1-C1	4.53	1.61	1.42
7	A	1021	GOL	O1-C1	4.50	1.61	1.42
7	A	1096	GOL	O1-C1	4.50	1.61	1.42
7	B	1068	GOL	O1-C1	4.50	1.61	1.42
7	B	1095	GOL	O1-C1	4.49	1.61	1.42
7	A	1067	GOL	O1-C1	4.47	1.61	1.42
7	B	1088	GOL	O1-C1	4.43	1.61	1.42
7	A	1090	GOL	O1-C1	4.34	1.60	1.42
7	A	1069	GOL	O1-C1	4.31	1.60	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	B	1089	GOL	O1-C1	4.30	1.60	1.42
7	A	1031	GOL	O1-C1	4.27	1.60	1.42
9	A	1830	DIO	O1'-C1'	3.77	1.57	1.42
7	A	1069	GOL	O3-C3	3.71	1.58	1.42
7	B	1070	GOL	O3-C3	3.54	1.57	1.42
7	B	1071	GOL	O3-C3	3.45	1.57	1.42
7	A	1031	GOL	C1-C2	-3.45	1.37	1.51
7	B	1041	GOL	O3-C3	3.44	1.56	1.42
7	A	1096	GOL	O3-C3	3.41	1.56	1.42
7	A	1025	GOL	O3-C3	3.39	1.56	1.42
7	A	1031	GOL	O3-C3	3.36	1.56	1.42
7	B	1068	GOL	O3-C3	3.34	1.56	1.42
7	B	1091	GOL	O3-C3	3.33	1.56	1.42
7	A	1067	GOL	O3-C3	3.31	1.56	1.42
7	A	1069	GOL	C1-C2	-3.30	1.38	1.51
7	B	1095	GOL	O3-C3	3.27	1.56	1.42
7	A	1237	GOL	O3-C3	3.23	1.56	1.42
7	B	1068	GOL	O2-C2	-3.18	1.33	1.43
7	A	1021	GOL	O3-C3	3.13	1.55	1.42
7	B	1088	GOL	O2-C2	-3.13	1.34	1.43
7	B	1089	GOL	O2-C2	-3.08	1.34	1.43
7	A	1031	GOL	O2-C2	-3.05	1.34	1.43
7	A	1090	GOL	O2-C2	-3.04	1.34	1.43
7	B	1089	GOL	O3-C3	3.03	1.55	1.42
7	A	1067	GOL	C1-C2	-3.00	1.39	1.51
7	B	1089	GOL	C1-C2	-2.98	1.39	1.51
7	B	1068	GOL	C1-C2	-2.97	1.39	1.51
7	A	1090	GOL	C1-C2	-2.97	1.39	1.51
7	A	1237	GOL	O2-C2	-2.95	1.34	1.43
7	B	1088	GOL	O3-C3	2.92	1.54	1.42
7	A	1021	GOL	C1-C2	-2.90	1.39	1.51
7	A	1237	GOL	C1-C2	-2.89	1.39	1.51
7	A	1096	GOL	O2-C2	-2.89	1.34	1.43
7	B	1095	GOL	C1-C2	-2.89	1.39	1.51
7	B	1088	GOL	C1-C2	-2.88	1.39	1.51
7	A	1067	GOL	O2-C2	-2.87	1.34	1.43
7	B	1091	GOL	O2-C2	-2.87	1.34	1.43
7	B	1095	GOL	O2-C2	-2.86	1.34	1.43
7	A	1021	GOL	O2-C2	-2.81	1.35	1.43
7	A	1025	GOL	C1-C2	-2.79	1.40	1.51
7	B	1070	GOL	O2-C2	-2.77	1.35	1.43
7	B	1091	GOL	C1-C2	-2.74	1.40	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	B	1070	GOL	C1-C2	-2.71	1.40	1.51
7	A	1096	GOL	C1-C2	-2.70	1.40	1.51
7	A	1025	GOL	O2-C2	-2.69	1.35	1.43
7	A	1090	GOL	O3-C3	2.68	1.53	1.42
7	A	1069	GOL	O2-C2	-2.63	1.35	1.43
7	B	1071	GOL	C1-C2	-2.63	1.40	1.51
7	B	1041	GOL	C1-C2	-2.60	1.41	1.51
7	B	1041	GOL	O2-C2	-2.54	1.35	1.43

All (50) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	B	1071	GOL	O3-C3-C2	10.96	162.75	110.20
7	A	1090	GOL	O3-C3-C2	10.72	161.61	110.20
7	B	1068	GOL	O3-C3-C2	10.61	161.09	110.20
7	A	1096	GOL	O3-C3-C2	10.60	161.03	110.20
7	A	1237	GOL	O3-C3-C2	10.57	160.88	110.20
7	A	1025	GOL	O3-C3-C2	10.55	160.79	110.20
7	B	1095	GOL	O3-C3-C2	10.54	160.74	110.20
7	B	1091	GOL	O3-C3-C2	10.54	160.74	110.20
7	B	1041	GOL	O3-C3-C2	10.50	160.53	110.20
7	A	1067	GOL	O3-C3-C2	10.49	160.50	110.20
7	B	1088	GOL	O3-C3-C2	10.49	160.50	110.20
7	A	1069	GOL	O3-C3-C2	10.48	160.47	110.20
7	B	1070	GOL	O3-C3-C2	10.48	160.44	110.20
7	A	1021	GOL	O3-C3-C2	10.44	160.25	110.20
7	A	1031	GOL	O3-C3-C2	10.40	160.07	110.20
7	B	1089	GOL	O3-C3-C2	10.37	159.94	110.20
7	A	1031	GOL	O2-C2-C3	7.01	139.98	109.12
7	A	1069	GOL	O2-C2-C3	6.97	139.81	109.12
7	B	1089	GOL	O2-C2-C3	6.80	139.09	109.12
7	A	1067	GOL	O2-C2-C3	6.80	139.08	109.12
7	B	1070	GOL	O2-C2-C3	6.78	138.98	109.12
7	A	1021	GOL	O2-C2-C3	6.74	138.82	109.12
7	B	1095	GOL	O2-C2-C3	6.74	138.79	109.12
7	A	1025	GOL	O2-C2-C3	6.73	138.77	109.12
7	B	1041	GOL	O2-C2-C3	6.73	138.75	109.12
7	A	1237	GOL	O2-C2-C3	6.71	138.68	109.12
7	B	1088	GOL	O2-C2-C3	6.69	138.60	109.12
7	B	1091	GOL	O2-C2-C3	6.68	138.54	109.12
7	A	1096	GOL	O2-C2-C3	6.68	138.53	109.12
7	B	1068	GOL	O2-C2-C3	6.67	138.50	109.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	1090	GOL	O2-C2-C3	6.60	138.19	109.12
7	B	1071	GOL	O2-C2-C3	6.56	138.04	109.12
7	A	1031	GOL	O1-C1-C2	3.52	127.06	110.20
7	B	1091	GOL	O1-C1-C2	3.49	126.92	110.20
7	B	1041	GOL	O1-C1-C2	3.32	126.10	110.20
7	A	1096	GOL	O1-C1-C2	3.29	126.00	110.20
7	B	1070	GOL	O1-C1-C2	3.29	125.99	110.20
7	A	1021	GOL	O1-C1-C2	3.21	125.57	110.20
7	A	1237	GOL	O1-C1-C2	3.19	125.52	110.20
7	B	1068	GOL	O1-C1-C2	3.18	125.46	110.20
7	B	1088	GOL	O1-C1-C2	3.18	125.43	110.20
7	A	1067	GOL	O1-C1-C2	3.18	125.43	110.20
7	A	1025	GOL	O1-C1-C2	3.16	125.35	110.20
7	A	1069	GOL	O1-C1-C2	3.14	125.25	110.20
7	B	1089	GOL	O1-C1-C2	3.14	125.24	110.20
7	B	1095	GOL	O1-C1-C2	3.08	124.98	110.20
7	B	1071	GOL	O1-C1-C2	3.08	124.96	110.20
7	A	1090	GOL	O1-C1-C2	2.86	123.93	110.20
6	A	703	NAG	C2-N2-C7	-2.13	119.87	122.90
6	B	701	NAG	C2-N2-C7	-2.08	119.94	122.90

There are no chirality outliers.

All (42) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	B	1095	GOL	C1-C2-C3-O3
6	A	703	NAG	C8-C7-N2-C2
6	A	703	NAG	O7-C7-N2-C2
7	B	1089	GOL	O1-C1-C2-C3
7	B	1089	GOL	C1-C2-C3-O3
7	A	1021	GOL	C1-C2-C3-O3
7	A	1237	GOL	C1-C2-C3-O3
7	B	1088	GOL	C1-C2-C3-O3
7	A	1025	GOL	O1-C1-C2-C3
7	A	1025	GOL	C1-C2-C3-O3
7	A	1031	GOL	C1-C2-C3-O3
7	A	1067	GOL	O1-C1-C2-C3
7	A	1067	GOL	C1-C2-C3-O3
7	A	1096	GOL	O1-C1-C2-C3
7	A	1096	GOL	C1-C2-C3-O3
7	B	1041	GOL	C1-C2-C3-O3
7	B	1091	GOL	O1-C1-C2-C3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
7	B	1091	GOL	C1-C2-C3-O3
7	A	1069	GOL	O1-C1-C2-C3
7	A	1069	GOL	C1-C2-C3-O3
7	B	1068	GOL	C1-C2-C3-O3
7	B	1070	GOL	C1-C2-C3-O3
7	A	1090	GOL	C1-C2-C3-O3
7	B	1071	GOL	C1-C2-C3-O3
6	B	701	NAG	C8-C7-N2-C2
6	B	701	NAG	O7-C7-N2-C2
7	B	1070	GOL	O1-C1-C2-O2
6	A	703	NAG	O5-C5-C6-O6
6	A	703	NAG	C4-C5-C6-O6
6	B	701	NAG	O5-C5-C6-O6
7	A	1021	GOL	O1-C1-C2-O2
7	A	1031	GOL	O1-C1-C2-O2
7	B	1068	GOL	O1-C1-C2-O2
7	A	1090	GOL	O1-C1-C2-O2
7	B	1071	GOL	O1-C1-C2-O2
6	B	701	NAG	C4-C5-C6-O6
7	B	1095	GOL	O1-C1-C2-O2
7	A	1237	GOL	O1-C1-C2-O2
7	B	1088	GOL	O1-C1-C2-O2
7	B	1041	GOL	O1-C1-C2-O2
7	A	1096	GOL	O1-C1-C2-O2
7	A	1090	GOL	O1-C1-C2-C3

There are no ring outliers.

11 monomers are involved in 20 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	B	1095	GOL	1	0
6	A	703	NAG	1	0
9	A	1830	DIO	1	0
7	A	1021	GOL	1	0
7	A	1237	GOL	2	0
7	B	1088	GOL	1	0
7	A	1031	GOL	6	0
10	A	2032	SO4	1	0
7	B	1091	GOL	2	0
7	A	1069	GOL	2	0
10	A	2022	SO4	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	249/249 (100%)	0.31	19 (7%) 13 18	25, 38, 62, 70	6 (2%)
2	B	263/263 (100%)	0.04	13 (4%) 29 36	21, 31, 49, 64	0
All	All	512/512 (100%)	0.17	32 (6%) 20 25	21, 34, 57, 70	6 (1%)

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	223	PRO	7.2
1	A	248	GLY	6.1
1	A	115	TYR	5.4
2	B	1	ASP	3.8
1	A	222	LEU	3.6
2	B	3	VAL	3.4
1	A	98	THR	3.3
2	B	182	ILE	3.3
1	A	225	GLY	3.3
1	A	44	THR	3.1
1	A	226	ASN	3.0
1	A	145	PRO	3.0
2	B	7	ALA	3.0
2	B	14	ILE	3.0
1	A	50	GLY	2.9
2	B	166	THR	2.7
2	B	243	LEU	2.7
2	B	44	ASN	2.6
1	A	102	ALA	2.6
2	B	65	LEU	2.5
1	A	103	GLY	2.5
1	A	221	ALA	2.3
1	A	224	PRO	2.3
2	B	76	VAL	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	11	GLN	2.1
2	B	153	MET	2.1
2	B	225	ILE	2.1
1	A	116	PRO	2.1
1	A	94	ALA	2.0
1	A	249	GLU	2.0
1	A	105	THR	2.0
2	B	145	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	NAG	C	3	14/15	0.72	0.31	67,68,70,71	14
3	NAG	C	1	14/15	0.81	0.33	58,64,66,67	0
5	BGC	F	1	12/12	0.84	0.50	67,74,76,78	0
3	FUL	C	2	10/11	0.84	0.34	67,67,68,68	10
4	NAG	D	2	14/15	0.85	0.32	54,56,61,62	0
5	GAL	F	2	11/12	0.87	0.23	51,57,60,61	0
5	BGC	E	1	12/12	0.90	0.32	51,59,62,64	0
5	GAL	E	2	11/12	0.92	0.13	31,40,44,47	0
4	NAG	D	1	14/15	0.95	0.13	31,38,48,51	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around Chain C:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain D:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain E:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	GOL	B	1041	6/6	0.43	0.48	84,86,86,86	0
7	GOL	A	1025	6/6	0.52	0.47	85,85,86,86	0
7	GOL	B	1095	6/6	0.59	0.29	76,77,78,79	0
7	GOL	B	1071	6/6	0.67	0.34	38,42,46,46	0
7	GOL	A	1021	6/6	0.71	0.27	87,88,89,89	0
7	GOL	A	1031	6/6	0.74	0.53	80,81,81,83	0
6	NAG	B	701	14/15	0.75	0.22	46,52,54,55	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
9	DIO	A	1830	6/6	0.75	0.48	95,95,95,96	0
7	GOL	B	1091	6/6	0.78	0.31	73,74,75,76	0
7	GOL	A	1237	6/6	0.80	0.27	88,89,89,89	0
7	GOL	B	1070	6/6	0.80	0.17	87,87,87,87	0
7	GOL	A	1096	6/6	0.82	0.24	60,63,65,67	0
6	NAG	A	703	14/15	0.82	0.36	71,75,76,76	0
7	GOL	B	1068	6/6	0.83	0.29	76,76,77,79	0
10	SO4	A	2032	5/5	0.83	0.27	90,90,90,91	0
7	GOL	A	1069	6/6	0.86	0.27	58,61,62,65	0
7	GOL	A	1090	6/6	0.88	0.24	42,44,45,48	0
7	GOL	B	1088	6/6	0.90	0.25	50,53,55,55	0
7	GOL	A	1067	6/6	0.91	0.21	85,87,88,89	0
10	SO4	A	2023	5/5	0.91	0.17	99,99,100,100	0
8	CL	A	1027	1/1	0.93	0.24	85,85,85,85	0
7	GOL	B	1089	6/6	0.94	0.20	39,50,52,53	0
10	SO4	A	2022	5/5	0.96	0.12	55,56,57,59	0
8	CL	A	1042	1/1	0.97	0.07	59,59,59,59	0
8	CL	A	1024	1/1	0.98	0.37	40,40,40,40	1

6.5 Other polymers [i](#)

There are no such residues in this entry.