



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 7, 2020 – 09:37 PM BST

PDB ID : 3PUZ  
Title : Crystal Structure of a pre-translocation state MBP-Maltose transporter complex bound to AMP-PNP  
Authors : Oldham, M.L.; Chen, J.  
Deposited on : 2010-12-06  
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.13.1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.13.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1957 (2.90-2.90)
Clashscore	141614	2172 (2.90-2.90)
Ramachandran outliers	138981	2115 (2.90-2.90)
Sidechain outliers	138945	2117 (2.90-2.90)
RSRZ outliers	127900	1906 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	E	370	
2	F	514	
3	G	296	
4	A	381	
4	B	381	
5	C	2	

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
5	D	2	 A horizontal bar chart representing the quality of the chain. The bar is divided into two equal segments: the left segment is green and labeled '50%', and the right segment is orange and labeled '50%'. The bar is positioned within the 'Quality of chain' column of the table.

## 2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 14697 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Maltose transporter subunit; periplasmic-binding component of ABC superfamily.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	E	370	2880	1854	469	549	8	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	69	CYS	GLY	engineered mutation	UNP B1XC33
E	337	CYS	SER	engineered mutation	UNP B1XC33

- Molecule 2 is a protein called Maltose transporter subunit; membrane component of ABC superfamily.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	F	481	3732	2452	594	669	17	0	0	0

- Molecule 3 is a protein called Maltose transporter subunit; membrane component of ABC superfamily.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	G	282	2182	1461	348	364	9	0	0	0

- Molecule 4 is a protein called Fused maltose transport subunit, ATP-binding component of ABC superfamily; regulatory protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	A	370	2871	1816	514	528	13	0	0	0
4	B	370	2871	1816	514	528	13	0	0	0

There are 20 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	372	ALA	-	expression tag	UNP B1XC34
A	373	SER	-	expression tag	UNP B1XC34
A	374	ALA	-	expression tag	UNP B1XC34
A	375	SER	-	expression tag	UNP B1XC34
A	376	HIS	-	expression tag	UNP B1XC34
A	377	HIS	-	expression tag	UNP B1XC34
A	378	HIS	-	expression tag	UNP B1XC34
A	379	HIS	-	expression tag	UNP B1XC34
A	380	HIS	-	expression tag	UNP B1XC34
A	381	HIS	-	expression tag	UNP B1XC34
B	372	ALA	-	expression tag	UNP B1XC34
B	373	SER	-	expression tag	UNP B1XC34
B	374	ALA	-	expression tag	UNP B1XC34
B	375	SER	-	expression tag	UNP B1XC34
B	376	HIS	-	expression tag	UNP B1XC34
B	377	HIS	-	expression tag	UNP B1XC34
B	378	HIS	-	expression tag	UNP B1XC34
B	379	HIS	-	expression tag	UNP B1XC34
B	380	HIS	-	expression tag	UNP B1XC34
B	381	HIS	-	expression tag	UNP B1XC34

- Molecule 5 is an oligosaccharide called alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
5	C	2	Total	C	O	0	0	0
			23	12	11			
5	D	2	Total	C	O	0	0	0
			23	12	11			

- Molecule 6 is (1R)-2-{{[(2S)-2,3-DIHYDROXYPROPYL]OXY}(HYDROXY)PHOSPHORYL]OXY}-1-[(PALMITOYLOXY)METHYL]ETHYL (11E)-OCTADEC-11-ENOATE (three-letter code: PGV) (formula: C<sub>40</sub>H<sub>77</sub>O<sub>10</sub>P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	
			Total	C	O			P
6	F	1	51	40	10	1	0	0

- Molecule 7 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Mg		
7	B	1	1	1	0	0
7	A	1	1	1	0	0


- Molecule 8 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (three-letter code: ANP) (formula: C<sub>10</sub>H<sub>17</sub>N<sub>6</sub>O<sub>12</sub>P<sub>3</sub>).




### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Maltose transporter subunit; periplasmic-binding component of ABC superfamily



- Molecule 2: Maltose transporter subunit; membrane component of ABC superfamily




- Molecule 3: Maltose transporter subunit; membrane component of ABC superfamily







- Molecule 4: Fused maltose transport subunit, ATP-binding component of ABC superfamily; regulatory protein



- Molecule 4: Fused maltose transport subunit, ATP-binding component of ABC superfamily; regulatory protein



- Molecule 5: alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose



- Molecule 5: alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	80.02Å 93.36Å 119.76Å 90.05° 102.57° 105.01°	Depositor
Resolution (Å)	19.95 – 2.90 19.90 – 2.90	Depositor EDS
% Data completeness (in resolution range)	77.0 (19.95-2.90) 77.0 (19.90-2.90)	Depositor EDS
$R_{merge}$	0.04	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.53 (at 2.88Å)	Xtrriage
Refinement program	REFMAC 5.5.0088	Depositor
R, $R_{free}$	0.237 , 0.279 0.234 , 0.275	Depositor DCC
$R_{free}$ test set	2864 reflections (5.16%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	71.2	Xtrriage
Anisotropy	0.031	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.27 , 29.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	14697	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	92.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.78% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PGV, MG, GLC, ANP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	E	0.31	0/2949	0.45	0/4001
2	F	0.33	0/3823	0.47	0/5203
3	G	0.34	0/2242	0.48	0/3065
4	A	0.30	0/2921	0.48	0/3961
4	B	0.30	0/2921	0.47	0/3961
All	All	0.32	0/14856	0.47	0/20191

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	2880	0	2859	29	0
2	F	3732	0	3759	28	0
3	G	2182	0	2271	20	0
4	A	2871	0	2936	36	0
4	B	2871	0	2937	30	0
5	C	23	0	21	0	0
5	D	23	0	21	2	0
6	F	51	0	76	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	A	1	0	0	0	0
7	B	1	0	0	0	0
8	A	27	0	12	0	0
8	B	27	0	12	0	0
9	A	3	0	0	0	0
9	B	5	0	0	0	0
All	All	14697	0	14904	134	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (134) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:B:236:SER:HB3	4:B:237:PRO:HD3	1.54	0.89
4:A:236:SER:HB3	4:A:237:PRO:HD3	1.58	0.84
3:G:91:VAL:O	3:G:95:SER:HB2	1.82	0.78
4:A:159:GLU:HB3	4:A:162:SER:HB2	1.67	0.75
1:E:277:LYS:HD3	2:F:200:SER:HB3	1.71	0.71
2:F:387:LEU:HD21	2:F:429:LEU:HD13	1.72	0.71
4:B:159:GLU:HB3	4:B:162:SER:HB2	1.78	0.66
1:E:278:GLU:HG2	2:F:200:SER:HB2	1.77	0.65
2:F:388:CYS:O	2:F:392:LEU:HB2	1.97	0.65
4:A:236:SER:CB	4:A:237:PRO:HD3	2.27	0.64
3:G:166:TYR:CE1	3:G:229:GLU:HG2	2.33	0.64
4:B:236:SER:CB	4:B:237:PRO:HD3	2.28	0.63
2:F:392:LEU:HD13	2:F:422:LEU:HD11	1.81	0.63
2:F:406:ASP:HB3	4:B:99:GLY:HA2	1.81	0.63
1:E:339:PHE:HA	1:E:368:ILE:HD12	1.81	0.63
4:B:77:VAL:HG23	4:B:154:VAL:HB	1.81	0.62
3:G:17:HIS:O	3:G:21:LEU:HB2	1.99	0.62
4:B:288:GLU:HG3	4:B:330:ARG:HD3	1.82	0.61
4:A:321:PRO:O	4:A:322:SER:HB2	2.01	0.60
1:E:68:GLY:HA3	1:E:332:ASN:O	2.02	0.60
2:F:275:LYS:HB3	2:F:276:PRO:HD3	1.84	0.60
3:G:166:TYR:CZ	3:G:229:GLU:HG2	2.37	0.59
3:G:274:ILE:HD12	3:G:274:ILE:H	1.65	0.59
1:E:48:PRO:HG3	1:E:70:TYR:HE1	1.67	0.58
4:B:33:VAL:HG22	4:B:189:TYR:HB3	1.85	0.58
4:A:33:VAL:HG22	4:A:189:TYR:HB3	1.85	0.57
3:G:166:TYR:OH	3:G:229:GLU:HG2	2.04	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:34:PHE:HD2	4:A:205:VAL:HB	1.69	0.57
4:A:35:VAL:HG11	4:A:197:ALA:HB2	1.87	0.57
4:A:312:ASN:HB2	4:B:288:GLU:HG2	1.86	0.57
1:E:321:MET:O	1:E:325:GLN:HG2	2.06	0.56
4:A:288:GLU:HG2	4:B:312:ASN:HB2	1.88	0.56
3:G:29:PHE:HB3	3:G:30:PRO:HD3	1.88	0.56
4:B:236:SER:HB3	4:B:237:PRO:CD	2.33	0.56
1:E:85:PHE:HA	1:E:88:LYS:HE3	1.87	0.56
4:A:26:ILE:HG12	4:A:32:VAL:HG21	1.87	0.55
1:E:122:LEU:HD21	1:E:126:PRO:HD3	1.87	0.55
4:A:77:VAL:HG23	4:A:154:VAL:HB	1.89	0.55
2:F:437:ASN:HD21	5:D:2:GLC:H62	1.71	0.55
1:E:48:PRO:HG3	1:E:70:TYR:CE1	2.41	0.54
2:F:83:LEU:O	2:F:86:THR:HG22	2.07	0.53
1:E:97:VAL:HG21	1:E:107:PRO:HD3	1.90	0.53
3:G:7:LYS:HD3	3:G:12:ARG:HH22	1.73	0.53
4:A:290:LEU:HD22	4:A:345:ILE:HD13	1.91	0.53
1:E:229:PRO:HA	1:E:232:TRP:CE2	2.44	0.53
4:A:221:LEU:HB3	4:A:234:ILE:HD13	1.91	0.52
2:F:327:VAL:HG13	2:F:331:ILE:HD11	1.91	0.52
1:E:336:MET:O	1:E:339:PHE:HB3	2.10	0.51
4:A:292:PRO:HD2	4:A:295:ILE:HD12	1.93	0.51
2:F:27:VAL:HG21	2:F:54:LEU:HD11	1.91	0.51
2:F:122:PHE:HZ	2:F:176:ILE:HD13	1.74	0.51
4:A:42:LYS:HB3	4:A:190:VAL:HG13	1.93	0.51
1:E:115:LEU:HD22	1:E:248:PRO:HD3	1.92	0.51
4:B:67:MET:CE	4:B:75:ARG:HA	2.40	0.51
4:A:26:ILE:HD13	4:A:188:ILE:HD12	1.91	0.50
4:B:67:MET:HE2	4:B:75:ARG:HA	1.93	0.50
2:F:422:LEU:O	2:F:426:LEU:HB2	2.12	0.50
4:A:272:SER:O	4:A:275:VAL:HG22	2.11	0.50
4:A:327:LEU:HD21	4:A:345:ILE:HD11	1.94	0.50
2:F:378:TRP:HE3	2:F:379:LEU:HD12	1.76	0.50
4:A:161:LEU:HB3	4:A:169:ARG:HG3	1.93	0.50
2:F:122:PHE:HA	2:F:134:ALA:O	2.11	0.50
1:E:66:ARG:HD3	1:E:337:CYS:HB3	1.94	0.49
3:G:99:ILE:HG23	3:G:170:ILE:HG22	1.94	0.49
3:G:74:ILE:H	3:G:74:ILE:HD13	1.77	0.49
4:A:34:PHE:CD2	4:A:205:VAL:HB	2.48	0.49
2:F:85:CYS:O	2:F:89:ILE:HG12	2.12	0.49
4:B:35:VAL:HG11	4:B:197:ALA:HB2	1.94	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:428:PRO:HA	2:F:431:ILE:HG12	1.94	0.48
4:B:34:PHE:HD2	4:B:205:VAL:HB	1.78	0.48
1:E:9:ILE:HG12	1:E:59:ILE:HB	1.96	0.48
4:B:204:ILE:HD12	4:B:218:PRO:HA	1.95	0.48
4:B:33:VAL:HG23	4:B:201:ALA:HB2	1.96	0.47
1:E:364:ALA:O	1:E:368:ILE:HG12	2.14	0.47
4:A:5:GLN:HG3	4:A:61:PHE:HB2	1.97	0.47
1:E:314:ASP:HB3	1:E:317:ILE:HD12	1.97	0.47
4:A:35:VAL:CG1	4:A:197:ALA:HB2	2.45	0.47
1:E:278:GLU:HG3	2:F:201:LEU:HB2	1.97	0.47
6:F:4001:PGV:H82	3:G:19:LEU:HD23	1.97	0.46
2:F:60:ARG:HG2	2:F:66:ARG:HH22	1.79	0.46
4:A:67:MET:CE	4:A:75:ARG:HA	2.45	0.46
4:A:155:PHE:HB2	4:A:187:MET:HG2	1.98	0.46
4:A:309:GLN:HB3	4:B:219:LEU:HD13	1.97	0.46
4:A:236:SER:HB3	4:A:237:PRO:CD	2.37	0.46
1:E:59:ILE:HG21	1:E:280:LEU:HD21	1.96	0.46
4:A:336:LEU:HD21	4:B:370:GLY:HA2	1.97	0.45
3:G:79:PHE:HB3	3:G:84:TRP:CH2	2.52	0.45
2:F:30:LEU:O	2:F:34:MET:HG2	2.17	0.45
2:F:379:LEU:HB3	5:D:2:GLC:H4	1.98	0.45
2:F:218:THR:HG22	2:F:229:ARG:HG2	1.98	0.45
3:G:86:TRP:NE1	3:G:90:LYS:HD2	2.32	0.45
4:A:138:GLN:O	4:A:142:VAL:HG23	2.17	0.45
2:F:119:THR:HG22	2:F:205:SER:HB3	1.98	0.45
1:E:66:ARG:HD3	1:E:337:CYS:CB	2.47	0.44
3:G:52:GLU:CD	3:G:52:GLU:H	2.20	0.44
4:B:290:LEU:HD22	4:B:345:ILE:HD13	1.99	0.44
2:F:381:TYR:N	2:F:382:PRO:HD2	2.32	0.44
1:E:125:PRO:HA	1:E:126:PRO:HD3	1.91	0.44
2:F:444:ILE:HG13	2:F:466:LEU:HG	2.00	0.44
4:B:86:LEU:HA	4:B:146:ARG:NH2	2.33	0.44
4:A:87:TYR:HA	4:A:88:PRO:HD3	1.87	0.44
2:F:183:LEU:HA	2:F:186:ILE:HD12	1.99	0.43
4:B:33:VAL:CG2	4:B:201:ALA:HB2	2.48	0.43
3:G:208:LEU:N	3:G:209:PRO:HD2	2.33	0.43
1:E:259:VAL:O	1:E:330:MET:HB2	2.19	0.43
1:E:333:ILE:HD12	1:E:335:GLN:HB2	2.01	0.43
1:E:126:PRO:HB3	1:E:131:GLU:HG3	2.00	0.43
4:A:42:LYS:HB3	4:A:190:VAL:CG1	2.49	0.42
4:A:236:SER:CB	4:A:237:PRO:CD	2.97	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:B:40:CYS:SG	4:B:42:LYS:HG3	2.60	0.42
2:F:67:TYR:HB2	3:G:109:ALA:HB2	2.00	0.42
4:B:22:ILE:HD11	4:B:45:LEU:HD21	2.01	0.42
4:B:134:LEU:HB2	4:B:139:ARG:HG3	2.01	0.42
1:E:136:ASP:O	1:E:140:LYS:HB2	2.19	0.42
1:E:279:PHE:O	1:E:283:TYR:HB2	2.19	0.41
4:B:34:PHE:HB2	4:B:190:VAL:HG22	2.02	0.41
4:A:288:GLU:HG3	4:A:330:ARG:HD3	2.02	0.41
4:A:261:PRO:HD3	4:A:322:SER:OG	2.20	0.41
4:A:352:CYS:O	4:A:364:ARG:HD3	2.21	0.41
3:G:212:VAL:N	3:G:213:PRO:HD2	2.35	0.41
4:B:10:THR:HB	4:B:57:SER:HB3	2.02	0.41
4:B:93:ALA:HB2	4:B:127:LEU:HB3	2.03	0.41
1:E:193:THR:HA	1:E:357:VAL:HG21	2.02	0.41
1:E:47:PHE:HB3	1:E:48:PRO:HD3	2.02	0.41
4:A:62:ILE:HD12	4:A:67:MET:HG3	2.03	0.41
3:G:5:GLN:HA	3:G:6:PRO:HD3	1.97	0.41
4:B:87:TYR:HA	4:B:88:PRO:HD3	1.85	0.40
3:G:129:GLN:NE2	3:G:172:LEU:HG	2.36	0.40
4:A:46:LEU:HG	4:A:156:LEU:HB3	2.04	0.40
2:F:332:SER:O	2:F:335:ILE:HG13	2.21	0.40
3:G:7:LYS:C	3:G:9:GLN:H	2.23	0.40
1:E:314:ASP:HA	1:E:315:PRO:HD2	1.95	0.40
4:B:62:ILE:HD12	4:B:67:MET:HG3	2.04	0.40
4:B:71:PRO:HA	4:B:72:PRO:HD3	1.98	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	E	368/370 (100%)	354 (96%)	12 (3%)	2 (0%)	29 61

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
2	F	477/514 (93%)	457 (96%)	18 (4%)	2 (0%)	34 66
3	G	280/296 (95%)	258 (92%)	17 (6%)	5 (2%)	8 29
4	A	368/381 (97%)	349 (95%)	18 (5%)	1 (0%)	41 71
4	B	368/381 (97%)	354 (96%)	11 (3%)	3 (1%)	19 51
All	All	1861/1942 (96%)	1772 (95%)	76 (4%)	13 (1%)	22 54

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	173	ASN
2	F	355	PHE
3	G	8	SER
4	B	103	ALA
2	F	58	ALA
3	G	3	MET
3	G	71	ASP
4	B	21	ASP
3	G	230	VAL
4	A	21	ASP
1	E	165	GLY
3	G	7	LYS
4	B	269	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	E	298/298 (100%)	294 (99%)	4 (1%)	69 90
2	F	391/424 (92%)	379 (97%)	12 (3%)	40 74
3	G	228/237 (96%)	214 (94%)	14 (6%)	18 48
4	A	314/323 (97%)	307 (98%)	7 (2%)	52 81
4	B	314/323 (97%)	307 (98%)	7 (2%)	52 81

Continued on next page...



*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	1545/1605 (96%)	1501 (97%)	44 (3%)	43 76

All (44) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	45	GLU
1	E	128	THR
1	E	258	PHE
1	E	358	ASP
2	F	57	PHE
2	F	86	THR
2	F	103	GLU
2	F	176	ILE
2	F	187	THR
2	F	210	LEU
2	F	216	ASP
2	F	325	TYR
2	F	331	ILE
2	F	339	LEU
2	F	440	ASN
2	F	453	ASP
3	G	7	LYS
3	G	9	GLN
3	G	15	ILE
3	G	19	LEU
3	G	21	LEU
3	G	52	GLU
3	G	54	ILE
3	G	61	LEU
3	G	74	ILE
3	G	75	THR
3	G	83	LEU
3	G	122	LEU
3	G	146	ARG
3	G	172	LEU
4	A	65	LYS
4	A	100	LEU
4	A	270	VAL
4	A	271	GLU
4	A	324	ARG
4	A	334	VAL
4	A	350	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
4	B	21	ASP
4	B	35	VAL
4	B	65	LYS
4	B	162	SER
4	B	221	LEU
4	B	228	ARG
4	B	271	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
2	F	181	GLN
2	F	437	ASN
2	F	440	ASN
4	B	116	GLN
4	B	255	GLN
4	B	264	GLN
4	B	289	HIS
4	B	366	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

4 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	GLC	C	1	5	12,12,12	0.52	0	17,17,17	0.56	0
5	GLC	C	2	5	11,11,12	0.33	0	15,15,17	0.73	0
5	GLC	D	1	5	12,12,12	0.56	0	17,17,17	0.94	0
5	GLC	D	2	5	11,11,12	0.35	0	15,15,17	1.13	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GLC	C	1	5	-	0/2/22/22	0/1/1/1
5	GLC	C	2	5	-	0/2/19/22	0/1/1/1
5	GLC	D	1	5	-	2/2/22/22	0/1/1/1
5	GLC	D	2	5	-	1/2/19/22	0/1/1/1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	D	2	GLC	C1-C2-C3	2.31	112.51	109.67
5	D	2	GLC	C1-O5-C5	2.10	115.04	112.19

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	D	1	GLC	O5-C5-C6-O6
5	D	1	GLC	C4-C5-C6-O6
5	D	2	GLC	O5-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	D	2	GLC	2	0

## 5.6 Ligand geometry

Of 5 ligands modelled in this entry, 2 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	PGV	F	4001	-	50,50,50	1.08	3 (6%)	53,56,56	1.00	3 (5%)
8	ANP	B	2502	7	24,29,33	1.31	4 (16%)	25,45,52	1.57	5 (20%)
8	ANP	A	2501	7	24,29,33	1.31	4 (16%)	25,45,52	1.56	5 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	PGV	F	4001	-	-	30/55/55/55	-
8	ANP	B	2502	7	-	0/9/32/38	0/3/3/3
8	ANP	A	2501	7	-	3/9/32/38	0/3/3/3

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	F	4001	PGV	O03-C19	4.27	1.45	1.33
6	F	4001	PGV	O01-C1	4.26	1.46	1.34
6	F	4001	PGV	C12-C11	3.66	1.53	1.31
8	B	2502	ANP	PB-O1B	3.24	1.51	1.46
8	A	2501	ANP	PB-O1B	3.20	1.51	1.46
8	A	2501	ANP	C5-C4	2.65	1.47	1.40
8	B	2502	ANP	C5-C4	2.60	1.47	1.40
8	B	2502	ANP	PB-O3A	2.12	1.61	1.59
8	B	2502	ANP	PB-O2B	-2.06	1.51	1.56
8	A	2501	ANP	C2-N3	2.04	1.35	1.32
8	A	2501	ANP	PB-O2B	-2.03	1.51	1.56

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	F	4001	PGV	O01-C1-C2	3.93	119.98	111.50
8	B	2502	ANP	N3-C2-N1	-3.45	123.28	128.68
8	A	2501	ANP	N3-C2-N1	-3.45	123.29	128.68
8	B	2502	ANP	C3'-C2'-C1'	3.36	106.04	100.98
8	A	2501	ANP	PA-O3A-PB	-3.33	122.00	132.56
8	B	2502	ANP	O2B-PB-O1B	2.87	117.71	110.25
8	A	2501	ANP	C3'-C2'-C1'	2.87	105.30	100.98
8	A	2501	ANP	O2B-PB-O1B	2.82	117.56	110.25
8	B	2502	ANP	PA-O3A-PB	-2.68	124.06	132.56
6	F	4001	PGV	O03-C19-C20	2.61	120.10	111.91
8	B	2502	ANP	C4-C5-N7	-2.54	106.75	109.40
8	A	2501	ANP	C4-C5-N7	-2.45	106.85	109.40
6	F	4001	PGV	O01-C1-O02	-2.09	118.65	123.70

There are no chirality outliers.

All (33) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	F	4001	PGV	C03-O11-P-O14
6	F	4001	PGV	C04-O12-P-O14
6	F	4001	PGV	C2-C1-O01-C02
8	A	2501	ANP	C5'-O5'-PA-O3A
6	F	4001	PGV	O02-C1-O01-C02
6	F	4001	PGV	C10-C11-C12-C13
6	F	4001	PGV	O12-C04-C05-O05
6	F	4001	PGV	C20-C19-O03-C01
6	F	4001	PGV	O04-C19-O03-C01
6	F	4001	PGV	C03-O11-P-O12
6	F	4001	PGV	C04-O12-P-O11
6	F	4001	PGV	C11-C10-C9-C8
6	F	4001	PGV	C27-C28-C29-C30
6	F	4001	PGV	C19-C20-C21-C22
6	F	4001	PGV	C4-C5-C6-C7
6	F	4001	PGV	C2-C3-C4-C5
6	F	4001	PGV	C6-C7-C8-C9
6	F	4001	PGV	C24-C25-C26-C27
6	F	4001	PGV	C22-C23-C24-C25
6	F	4001	PGV	C26-C27-C28-C29
6	F	4001	PGV	C29-C30-C31-C32
6	F	4001	PGV	C12-C13-C14-C15
6	F	4001	PGV	C20-C21-C22-C23
6	F	4001	PGV	C28-C29-C30-C31
6	F	4001	PGV	C30-C31-C32-C33

*Continued on next page...*

*Continued from previous page...*



Mol	Chain	Res	Type	Atoms
6	F	4001	PGV	O03-C01-C02-O01
6	F	4001	PGV	O12-C04-C05-C06
6	F	4001	PGV	C05-C04-O12-P
8	A	2501	ANP	C5'-O5'-PA-O1A
6	F	4001	PGV	C21-C22-C23-C24
6	F	4001	PGV	O03-C01-C02-C03
6	F	4001	PGV	C11-C12-C13-C14
8	A	2501	ANP	C5'-O5'-PA-O2A


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	F	4001	PGV	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	E	370/370 (100%)	-0.35	5 (1%) 75 75	44, 75, 114, 139	0
2	F	481/514 (93%)	0.03	25 (5%) 27 23	45, 89, 181, 261	0
3	G	282/296 (95%)	-0.19	10 (3%) 44 38	44, 72, 115, 143	0
4	A	370/381 (97%)	-0.05	12 (3%) 47 43	58, 88, 123, 148	0
4	B	370/381 (97%)	0.29	33 (8%) 9 7	57, 100, 215, 277	0
All	All	1873/1942 (96%)	-0.04	85 (4%) 33 29	44, 85, 166, 277	0

All (85) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
4	B	322	SER	6.9
2	F	18	SER	6.7
2	F	40	TYR	6.6
3	G	8	SER	6.4
4	B	276	GLN	5.9
4	B	324	ARG	5.9
2	F	19	VAL	5.7
4	B	263	ARG	5.4
4	B	261	PRO	5.3
4	B	259	PRO	5.3
2	F	29	TYR	4.7
4	B	280	ASN	4.6
2	F	41	LEU	4.4
4	A	324	ARG	4.2
4	B	279	ALA	4.1
4	B	278	GLY	4.0
4	B	293	SER	3.9
4	A	124	ALA	3.9
2	F	35	TYR	3.9
4	A	103	ALA	3.7

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
4	B	340	GLY	3.7
3	G	73	ARG	3.6
4	A	295	ILE	3.5
4	B	295	ILE	3.5
4	A	15	GLU	3.4
4	B	105	ALA	3.3
3	G	71	ASP	3.3
4	B	252	ASP	3.3
2	F	34	MET	3.2
4	B	15	GLU	3.1
1	E	174	GLY	3.1
4	B	338	GLU	3.0
3	G	7	LYS	3.0
4	B	16	VAL	3.0
2	F	503	ILE	2.9
2	F	355	PHE	2.9
4	B	260	MET	2.9
4	B	303	GLU	2.9
2	F	55	TYR	2.9
3	G	117	GLY	2.9
3	G	72	GLY	2.8
4	B	305	GLN	2.8
3	G	116	PRO	2.7
4	B	294	ASP	2.7
3	G	54	ILE	2.6
2	F	39	GLU	2.6
4	A	16	VAL	2.5
4	B	104	GLY	2.5
3	G	74	ILE	2.5
4	B	371	VAL	2.5
4	B	103	ALA	2.5
1	E	175	LYS	2.4
2	F	61	LYS	2.4
4	B	341	ALA	2.4
4	B	339	GLU	2.4
2	F	463	TYR	2.4
2	F	241	THR	2.4
2	F	195	LYS	2.4
2	F	269	THR	2.3
4	B	109	VAL	2.3
2	F	217	GLY	2.3
4	B	296	ALA	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	E	173	ASN	2.3
1	E	172	GLU	2.3
4	A	128	ASP	2.3
4	B	245	LYS	2.3
2	F	23	LEU	2.2
4	A	13	TRP	2.2
4	A	261	PRO	2.2
2	F	194	ASN	2.2
4	B	274	ASP	2.2
4	B	17	VAL	2.2
4	A	49	ILE	2.2
4	A	129	ARG	2.2
4	B	363	ARG	2.2
2	F	353	ALA	2.1
4	A	95	ASN	2.1
2	F	59	ASN	2.1
1	E	170	LYS	2.1
2	F	44	ILE	2.1
3	G	183	THR	2.0
2	F	253	PRO	2.0
2	F	22	LEU	2.0
2	F	37	GLN	2.0
4	B	112	GLN	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
5	GLC	D	2	11/12	0.96	0.15	45,46,48,48	0
5	GLC	C	1	12/12	0.97	0.13	47,51,53,54	0
5	GLC	D	1	12/12	0.97	0.12	46,49,50,51	0
5	GLC	C	2	11/12	0.98	0.12	55,57,58,58	0

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
6	PGV	F	4001	51/51	0.81	0.29	89,97,103,104	0
8	ANP	A	2501	27/31	0.90	0.21	72,85,94,97	0
8	ANP	B	2502	27/31	0.92	0.18	74,87,95,98	0
7	MG	A	1501	1/1	0.98	0.15	51,51,51,51	0
7	MG	B	1502	1/1	0.98	0.14	59,59,59,59	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around ANP A 2501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around ANP B 2502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers

There are no such residues in this entry.