



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 12, 2022 – 02:11 pm GMT

PDB ID : 7PUG
Title : GH115 alpha-1,2-glucuronidase in complex with xylopentaose
Authors : Wilkens, C.; Morth, J.P.; Polikarpov, I.
Deposited on : 2021-09-29
Resolution : 2.66 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.24
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0267
CCP4 : 7.1.010 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.24


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.66 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1332 (2.68-2.64)
Clashscore	141614	1374 (2.68-2.64)
Ramachandran outliers	138981	1349 (2.68-2.64)
Sidechain outliers	138945	1349 (2.68-2.64)
RSRZ outliers	127900	1318 (2.68-2.64)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	842	 4% 76% 20% ..
2	B	5	 100%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	CL	A	909	-	-	-	X

2 Entry composition i


There are 5 unique types of molecules in this entry. The entry contains 7164 atoms, of which 42 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called xylan alpha-1,2-glucuronidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	829	6762	4294	1130	1313	25	0	0	0

- Molecule 2 is an oligosaccharide called beta-D-xylopyranose-(1-4)-beta-D-xylopyranose-(1-4)-beta-D-xylopyranose-(1-4)-beta-D-xylopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	H	O			
2	B	5	88	25	42	21	0	0	0

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	13	Total	Cl	0	0
			13	13		

- Molecule 4 is CALCIUM ION (three-letter code: CA) (formula: Ca) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	3	Total	Ca	0	0
			3	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	298	Total	O	0	0
			298	298		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: xylan alpha-1,2-glucuronidase



- Molecule 2: beta-D-xylopyranose-(1-4)-beta-D-xylopyranose-(1-4)-beta-D-xylopyranose-(1-4)-beta-D-xylopyranose-(1-4)-beta-D-xylopyranose



4 Data and refinement statistics

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, α , β , γ	148.63Å 148.63Å 272.79Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	65.26 – 2.66 68.20 – 2.66	Depositor EDS
% Data completeness (in resolution range)	100.0 (65.26-2.66) 100.0 (68.20-2.66)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.11 (at 2.65Å)	Xtriage
Refinement program	PHENIX 1.19	Depositor
R, R_{free}	0.174 , 0.210 0.167 , 0.200	Depositor DCC
R_{free} test set	2579 reflections (4.97%)	wwPDB-VP
Wilson B-factor (Å ²)	88.2	Xtriage
Anisotropy	0.095	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	(Not available) , (Not available)	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	7164	wwPDB-VP
Average B, all atoms (Å ²)	99.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.96% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, CL, XYP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.43	0/6935	0.61	0/9418

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	301	ASP	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6762	0	6464	147	0
2	B	46	42	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	13	0	0	6	0
4	A	3	0	0	0	0
5	A	298	0	0	16	0
All	All	7122	42	6464	150	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (150) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:913:CL:CL	5:A:1003:HOH:O	2.20	0.95
1:A:247:HIS:HB3	1:A:299:ARG:HD3	1.52	0.91
1:A:773:VAL:O	1:A:777:THR:HG22	1.73	0.87
1:A:305:PRO:HB3	1:A:357:LYS:HE2	1.55	0.86
1:A:319:SER:HA	1:A:323:ASN:HB2	1.56	0.86
1:A:728:HIS:HB2	1:A:816:VAL:HG13	1.57	0.84
1:A:356:TYR:HB3	1:A:357:LYS:HD3	1.60	0.82
1:A:357:LYS:HG2	1:A:358:GLU:H	1.49	0.77
1:A:85:LYS:O	1:A:86:ILE:HD13	1.85	0.77
1:A:386:ARG:HD3	5:A:1019:HOH:O	1.89	0.73
1:A:741:LYS:NZ	5:A:1003:HOH:O	2.21	0.72
1:A:338:ILE:O	1:A:342:THR:HG22	1.90	0.72
1:A:247:HIS:CB	1:A:299:ARG:HD3	2.20	0.70
1:A:830:GLU:HG3	5:A:1288:HOH:O	1.89	0.70
1:A:267:TRP:CH2	1:A:298:MET:HG3	2.28	0.68
1:A:676:GLU:HA	1:A:676:GLU:OE1	1.92	0.68
1:A:319:SER:HA	1:A:323:ASN:CB	2.23	0.67
1:A:324:MET:HE2	1:A:362:TYR:HA	1.77	0.67
1:A:287:VAL:O	1:A:290:THR:HG23	1.95	0.66
1:A:758:ASN:OD1	1:A:761:TRP:HB3	1.97	0.65
1:A:250:MET:SD	1:A:284:ILE:HD11	2.37	0.64
1:A:583:ARG:HB3	1:A:583:ARG:CZ	2.24	0.64
1:A:158:ARG:NH1	5:A:1007:HOH:O	2.32	0.63
1:A:265:GLY:HA3	1:A:272:ASN:ND2	2.13	0.63
3:A:905:CL:CL	5:A:1295:HOH:O	2.52	0.62
1:A:770:ILE:HG23	1:A:771:TYR:CD1	2.34	0.62
1:A:327:LEU:HD23	1:A:367:LEU:HD21	1.80	0.61
1:A:342:THR:HG21	5:A:1008:HOH:O	1.98	0.61
1:A:53:THR:HG23	5:A:1080:HOH:O	1.99	0.61
1:A:265:GLY:HA3	1:A:272:ASN:HD21	1.66	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:676:GLU:CD	1:A:677:ALA:H	2.03	0.61
1:A:394:ARG:HD3	5:A:1234:HOH:O	1.98	0.61
1:A:686:THR:HB	1:A:701:MET:HG3	1.81	0.61
1:A:822:TYR:OH	5:A:1001:HOH:O	2.15	0.61
1:A:736:PRO:HB3	1:A:742:GLY:HA2	1.82	0.61
1:A:756:ILE:C	1:A:756:ILE:HD12	2.21	0.61
1:A:658:TYR:CE2	1:A:836:ARG:HG3	2.36	0.60
1:A:331:ILE:O	1:A:335:ARG:HG3	2.00	0.60
1:A:748:GLY:HA3	1:A:754:LYS:HG2	1.82	0.60
1:A:748:GLY:HA2	1:A:789:LEU:HD21	1.82	0.60
1:A:267:TRP:HA	1:A:276:ILE:HD11	1.82	0.60
1:A:684:LYS:NZ	3:A:907:CL:CL	2.71	0.59
1:A:365:LEU:HD23	1:A:365:LEU:O	2.01	0.59
1:A:660:PHE:CZ	1:A:669:ILE:HG23	2.37	0.59
1:A:465:ASP:OD1	1:A:467:THR:HG22	2.03	0.59
1:A:681:GLU:O	1:A:682:GLU:HB2	2.03	0.58
1:A:378:SER:C	1:A:402:MET:HE1	2.23	0.58
1:A:773:VAL:O	1:A:777:THR:CG2	2.47	0.58
1:A:337:ILE:O	1:A:341:VAL:HG23	2.03	0.58
1:A:759:PHE:HB2	1:A:783:VAL:HG21	1.87	0.57
1:A:323:ASN:OD1	1:A:362:TYR:OH	2.16	0.56
1:A:512:MET:HE3	5:A:1161:HOH:O	2.06	0.56
1:A:319:SER:O	1:A:320:ASP:HB3	2.05	0.55
1:A:357:LYS:HG2	1:A:358:GLU:N	2.21	0.55
1:A:732:LYS:HB3	1:A:811:VAL:HB	1.89	0.54
1:A:376:LEU:HD13	1:A:441:LEU:HD23	1.90	0.54
1:A:728:HIS:HB2	1:A:816:VAL:CG1	2.32	0.54
1:A:814:LYS:HD3	1:A:828:PHE:HB2	1.89	0.54
1:A:42:ASN:OD1	3:A:912:CL:CL	2.64	0.53
1:A:335:ARG:HD2	1:A:370:PRO:HG2	1.91	0.53
1:A:250:MET:CE	1:A:296:ILE:HG22	2.38	0.53
1:A:357:LYS:NZ	5:A:1002:HOH:O	2.19	0.53
1:A:357:LYS:CG	1:A:358:GLU:H	2.15	0.53
1:A:64:GLU:CD	1:A:111:LYS:HE2	2.30	0.52
1:A:3:LYS:HE2	1:A:480:SER:OG	2.10	0.51
1:A:838:GLU:HA	1:A:838:GLU:OE1	2.10	0.51
1:A:732:LYS:HG2	1:A:733:SER:N	2.24	0.51
1:A:744:GLU:HA	1:A:757:VAL:O	2.10	0.51
1:A:479:ARG:NH2	1:A:488:GLU:OE2	2.39	0.51
1:A:358:GLU:O	1:A:358:GLU:HG3	2.11	0.50
1:A:555:LYS:HA	1:A:559:LEU:HB3	1.93	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:280:PHE:O	1:A:284:ILE:HD12	2.12	0.50
1:A:363:PHE:HE2	1:A:368:ARG:CD	2.25	0.49
1:A:103:VAL:CG1	1:A:115:ILE:HD13	2.43	0.49
1:A:608:HIS:HD2	5:A:1279:HOH:O	1.95	0.49
1:A:293:LEU:HD12	1:A:350:PRO:HB2	1.94	0.48
1:A:837:ILE:HG22	1:A:838:GLU:N	2.29	0.48
1:A:299:ARG:O	1:A:306:MET:HG3	2.13	0.48
1:A:278:GLN:O	1:A:282:GLU:HG2	2.13	0.48
1:A:660:PHE:CE1	1:A:669:ILE:HG23	2.50	0.47
1:A:381:ASN:HB3	1:A:408:TYR:CD2	2.49	0.47
1:A:359:VAL:O	1:A:363:PHE:N	2.47	0.47
1:A:507:ARG:HA	3:A:902:CL:CL	2.52	0.47
1:A:296:ILE:HD11	1:A:373:VAL:HG11	1.97	0.46
1:A:355:ILE:HD11	1:A:377:LEU:CD2	2.45	0.46
1:A:285:GLU:OE1	1:A:288:LYS:HE2	2.15	0.46
1:A:87:LYS:HB3	1:A:90:GLU:HG3	1.97	0.46
1:A:293:LEU:HD12	1:A:293:LEU:HA	1.72	0.46
1:A:423:ILE:HG12	1:A:454:TYR:HE2	1.79	0.46
1:A:29:ASP:OD2	1:A:75:ARG:HG2	2.15	0.46
1:A:731:VAL:HG22	1:A:783:VAL:HG22	1.97	0.46
1:A:43:LEU:HD22	1:A:128:ILE:HG23	1.98	0.46
1:A:293:LEU:CD1	1:A:350:PRO:HB2	2.46	0.45
1:A:465:ASP:O	1:A:468:ARG:HG2	2.16	0.45
1:A:355:ILE:HD11	1:A:377:LEU:HD23	1.98	0.45
1:A:250:MET:HE3	1:A:296:ILE:HG22	1.97	0.45
1:A:473:ASN:O	1:A:476:ASP:HB2	2.17	0.45
1:A:500:LEU:HD23	1:A:500:LEU:HA	1.77	0.45
1:A:287:VAL:HG13	5:A:1052:HOH:O	2.16	0.45
1:A:190:TYR:HB3	1:A:198:ARG:NH2	2.31	0.45
1:A:204:PHE:CZ	1:A:235:ALA:HB2	2.52	0.45
1:A:549:GLU:H	1:A:549:GLU:CD	2.20	0.45
1:A:305:PRO:CB	1:A:357:LYS:HE2	2.38	0.44
1:A:577:MET:O	1:A:581:LEU:HD23	2.17	0.44
1:A:130:GLU:O	1:A:134:GLN:HG2	2.18	0.44
1:A:450:LYS:HB2	1:A:622:MET:CE	2.47	0.44
1:A:381:ASN:HB3	1:A:408:TYR:CG	2.52	0.44
1:A:630:TYR:OH	1:A:635:ASP:HB3	2.17	0.44
1:A:100:MET:HA	1:A:115:ILE:O	2.17	0.44
1:A:204:PHE:CD1	1:A:240:ILE:HG13	2.53	0.44
1:A:319:SER:O	1:A:320:ASP:CB	2.66	0.44
1:A:327:LEU:O	1:A:331:ILE:HD13	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:501:TYR:C	1:A:501:TYR:CD1	2.91	0.44
1:A:677:ALA:HB1	1:A:685:TRP:CD1	2.52	0.43
1:A:43:LEU:HD21	1:A:131:LEU:HD23	2.00	0.43
1:A:324:MET:HE2	1:A:362:TYR:CD1	2.53	0.43
1:A:399:GLY:HA3	1:A:440:GLU:HG3	1.99	0.43
1:A:386:ARG:NH1	5:A:1019:HOH:O	2.51	0.43
1:A:78:LYS:O	1:A:82:GLU:HG3	2.19	0.43
1:A:45:GLU:HA	1:A:54:ASN:OD1	2.19	0.43
1:A:267:TRP:CE3	1:A:298:MET:HE2	2.54	0.43
1:A:401:GLY:HA2	1:A:441:LEU:O	2.18	0.43
1:A:741:LYS:O	1:A:741:LYS:HG2	2.19	0.43
1:A:390:THR:HG23	1:A:393:GLU:OE2	2.19	0.43
1:A:555:LYS:HE3	1:A:555:LYS:HB2	1.88	0.43
1:A:378:SER:HA	1:A:402:MET:HE3	2.02	0.42
1:A:305:PRO:C	1:A:306:MET:HG2	2.39	0.42
1:A:700:LEU:HD11	1:A:710:ALA:HB3	2.01	0.42
1:A:252:ARG:NH2	1:A:282:GLU:HG3	2.35	0.42
1:A:104:ASP:OD1	1:A:158:ARG:NH2	2.45	0.42
1:A:700:LEU:HD11	1:A:710:ALA:CB	2.50	0.42
1:A:789:LEU:HD12	1:A:789:LEU:HA	1.71	0.42
3:A:901:CL:CL	5:A:1009:HOH:O	2.59	0.42
1:A:546:LEU:HD11	1:A:554:TYR:CG	2.55	0.42
1:A:172:GLY:HA3	1:A:214:PHE:HB3	2.01	0.41
1:A:250:MET:HG3	1:A:280:PHE:CG	2.55	0.41
1:A:362:TYR:HB3	1:A:367:LEU:CD2	2.51	0.41
1:A:324:MET:HE2	1:A:362:TYR:CA	2.50	0.41
1:A:680:ALA:HB2	1:A:710:ALA:HB2	2.01	0.41
1:A:252:ARG:HA	1:A:252:ARG:HD2	1.84	0.41
1:A:658:TYR:CZ	1:A:836:ARG:HG3	2.55	0.41
1:A:828:PHE:O	1:A:829:MET:HB2	2.21	0.41
1:A:335:ARG:NH1	1:A:370:PRO:CB	2.84	0.41
1:A:357:LYS:HD3	1:A:357:LYS:N	2.36	0.41
1:A:247:HIS:HB3	1:A:299:ARG:HH11	1.86	0.41
1:A:473:ASN:OD1	1:A:473:ASN:C	2.59	0.41
1:A:267:TRP:HZ3	1:A:299:ARG:O	2.04	0.40
1:A:681:GLU:O	1:A:682:GLU:CB	2.67	0.40
1:A:217:PRO:CB	1:A:224:PHE:HB2	2.51	0.40
1:A:319:SER:CA	1:A:323:ASN:CB	2.97	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	825/842 (98%)	776 (94%)	46 (6%)	3 (0%)	34	48

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	320	ASP
1	A	357	LYS
1	A	305	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	727/738 (98%)	686 (94%)	41 (6%)	21	33

All (41) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	30	GLU
1	A	53	THR
1	A	80	LEU
1	A	84	ARG
1	A	86	ILE
1	A	103	VAL
1	A	219	MET
1	A	267	TRP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	274	GLU
1	A	290	THR
1	A	293	LEU
1	A	306	MET
1	A	321	GLU
1	A	322	ASP
1	A	333	ASN
1	A	340	ASP
1	A	345	SER
1	A	357	LYS
1	A	363	PHE
1	A	365	LEU
1	A	387	ARG
1	A	467	THR
1	A	480	SER
1	A	501	TYR
1	A	525	TRP
1	A	532	TYR
1	A	583	ARG
1	A	661	THR
1	A	672	GLU
1	A	676	GLU
1	A	678	LYS
1	A	681	GLU
1	A	687	VAL
1	A	711	SER
1	A	721	GLU
1	A	741	LYS
1	A	777	THR
1	A	789	LEU
1	A	802	THR
1	A	816	VAL
1	A	817	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	272	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

5 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	XYP	B	1	2	10,10,10	1.17	0	14,14,14	1.41	2 (14%)
2	XYP	B	2	2	9,9,10	0.82	0	10,12,14	1.08	1 (10%)
2	XYP	B	3	2	9,9,10	1.01	0	10,12,14	1.38	2 (20%)
2	XYP	B	4	2	9,9,10	1.05	0	10,12,14	2.02	2 (20%)
2	XYP	B	5	2	9,9,10	1.13	0	10,12,14	4.20	4 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	XYP	B	1	2	-	-	0/1/1/1
2	XYP	B	2	2	-	-	0/1/1/1
2	XYP	B	3	2	-	-	0/1/1/1
2	XYP	B	4	2	-	-	0/1/1/1
2	XYP	B	5	2	-	-	0/1/1/1

There are no bond length outliers.

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	5	XYP	C1-C2-C3	11.22	123.46	109.67
2	B	5	XYP	C4-C3-C2	-5.32	104.60	110.92
2	B	4	XYP	C5-C4-C3	-4.34	104.33	109.67
2	B	4	XYP	C1-C2-C3	3.35	113.78	109.67
2	B	1	XYP	O3-C3-C4	3.23	116.18	109.99
2	B	3	XYP	C1-C2-C3	3.10	113.47	109.67
2	B	1	XYP	C5-O5-C1	-3.04	107.60	112.71
2	B	5	XYP	C5-O5-C1	-2.75	107.30	111.52
2	B	5	XYP	O3-C3-C4	2.63	115.04	109.99
2	B	2	XYP	C1-C2-C3	2.15	112.31	109.67
2	B	3	XYP	C5-C4-C3	-2.15	107.03	109.67


There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

Of 16 ligands modelled in this entry, 16 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	829/842 (98%)	0.23	32 (3%) 39 35	59, 92, 156, 201	0

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	365	LEU	9.6
1	A	269	TYR	3.7
1	A	72	LEU	3.5
1	A	270	THR	3.4
1	A	301	ASP	3.3
1	A	304	THR	3.1
1	A	257	TRP	3.0
1	A	266	VAL	2.9
1	A	327	LEU	2.9
1	A	267	TRP	2.9
1	A	263	LYS	2.8
1	A	303	ASP	2.7
1	A	300	GLY	2.7
1	A	299	ARG	2.7
1	A	264	TYR	2.6
1	A	-1	ALA	2.6
1	A	364	ASP	2.6
1	A	103	VAL	2.4
1	A	362	TYR	2.4
1	A	276	ILE	2.4
1	A	305	PRO	2.4
1	A	302	GLY	2.4
1	A	279	PHE	2.3
1	A	265	GLY	2.2
1	A	306	MET	2.2
1	A	366	GLY	2.2
1	A	261	ARG	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	280	PHE	2.2
1	A	354	ALA	2.1
1	A	99	LEU	2.1
1	A	353	TRP	2.1
1	A	298	MET	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	XYP	B	1	10/10	0.81	0.16	127,147,176,182	0
2	XYP	B	5	9/10	0.84	0.19	130,145,170,175	0
2	XYP	B	3	9/10	0.94	0.22	121,129,155,159	0
2	XYP	B	4	9/10	0.94	0.14	119,134,160,161	0
2	XYP	B	2	9/10	0.94	0.24	116,131,157,157	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	CL	A	907	1/1	0.29	0.37	152,152,152,152	0
3	CL	A	908	1/1	0.60	0.35	150,150,150,150	0
3	CL	A	904	1/1	0.63	0.14	127,127,127,127	0
3	CL	A	903	1/1	0.69	0.13	128,128,128,128	0
4	CA	A	915	1/1	0.72	0.14	149,149,149,149	0
3	CL	A	909	1/1	0.78	0.46	114,114,114,114	0
3	CL	A	905	1/1	0.81	0.40	128,128,128,128	0
3	CL	A	906	1/1	0.82	0.22	145,145,145,145	0
3	CL	A	911	1/1	0.83	0.64	141,141,141,141	0
3	CL	A	910	1/1	0.86	0.34	136,136,136,136	0
3	CL	A	912	1/1	0.89	0.07	132,132,132,132	0
3	CL	A	902	1/1	0.90	0.29	115,115,115,115	0
3	CL	A	913	1/1	0.93	0.43	157,157,157,157	0
3	CL	A	901	1/1	0.95	0.30	131,131,131,131	0


Continued on next page...


Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	CA	A	916	1/1	0.98	0.08	98,98,98,98	0
4	CA	A	914	1/1	0.99	0.13	73,73,73,73	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







6.5 Other polymers [i](#)

There are no such residues in this entry.