



wwPDB EM Validation Summary Report ⓘ

Apr 18, 2024 – 03:04 pm BST

PDB ID : 8PW7
EMDB ID : EMD-17991
Title : A respirasome from murine liver
Authors : Vercellino, I.; Sazanov, L.A.
Deposited on : 2023-07-19
Resolution : 3.50 Å (reported)
Based on initial models : 6g2j, 7o3c

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev92
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : **FAILED**
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























| Metric | Whole archive (#Entries) | EM structures (#Entries) |
|-----------------------|--------------------------|--------------------------|
| Ramachandran outliers | 154571 | 4023 |
| Sidechain outliers | 154315 | 3826 |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|------------------|
| 1 | n | 514 | 99% . |
| 2 | o | 227 | 99% . |
| 3 | p | 261 | 99% |
| 4 | q | 169 | 81% . 18% |
| 5 | r | 146 | 71% 29% |
| 6 | s | 128 | 73% . 27% |
| 7 | t | 97 | 77% 23% |
| 8 | u | 86 | 90% . 8% |
| 9 | v | 76 | 93% 7% |
| 10 | x | 80 | 61% 39% |

Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|--|
| 11 | y | 63 |  75% 25% |
| 12 | z | 70 |  61% 39% |
| 13 | w | 83 |  67% 31% |
| 14 | A | 480 |  92% 7% |
| 14 | L | 480 |  93% 7% |
| 15 | B | 453 |  93% 7% |
| 15 | M | 453 |  93% 7% |
| 16 | C | 381 |  98% |
| 16 | N | 381 |  98% |
| 17 | D | 325 |  73% 26% |
| 17 | O | 325 |  74% 26% |
| 18 | E | 274 |  72% 28% |
| 18 | P | 274 |  71% 28% |
| 18 | T | 274 |  28% 72% |
| 19 | F | 111 |  90% 9% |
| 19 | Q | 111 |  92% 8% |
| 20 | G | 82 |  94% 6% |
| 20 | R | 82 |  91% 6% |
| 21 | H | 89 |  74% 26% |
| 21 | S | 89 |  76% 24% |
| 22 | J | 64 |  94% 6% |
| 22 | U | 64 |  94% 6% |
| 23 | K | 56 |  93% 7% |
| 23 | V | 56 |  95% 5% |
| 24 | 6 | 224 |  70% 30% |




















Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|------------------|
| 25 | C1 | 263 | 79% 21% |
| 26 | D1 | 463 | 92% 7% |
| 27 | 2 | 248 | 85% 14% |
| 28 | 1 | 464 | 93% 7% |
| 29 | 3 | 727 | 95% 5% |
| 30 | 9 | 212 | 83% 16% |
| 31 | P1 | 377 | 90% 9% |
| 32 | Q1 | 175 | 72% 28% |
| 33 | 7 | 116 | 82% 17% |
| 34 | S1 | 99 | 84% 15% |
| 35 | T1 | 156 | 51% 49% |
| 35 | U1 | 156 | 56% 44% |
| 36 | V1 | 116 | 97% . |
| 37 | W1 | 131 | 87% 13% |
| 38 | q1 | 145 | 100% |
| 39 | r1 | 113 | 87% 12% |
| 40 | s1 | 104 | 39% 60% |
| 41 | A1 | 115 | 97% . |
| 42 | H1 | 318 | 99% . |
| 43 | J1 | 172 | 100% |
| 44 | K1 | 98 | 98% . |
| 45 | L1 | 607 | 100% |
| 46 | M1 | 459 | 99% . |
| 47 | N1 | 345 | 100% |
| 48 | O1 | 355 | 90% 10% |

Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|--|
| 49 | X1 | 172 |  99% |
| 50 | Y1 | 141 |  99% |
| 51 | Z1 | 144 |  97% |
| 52 | a1 | 70 |  100% |
| 53 | b1 | 84 |  96% |
| 54 | c1 | 76 |  63% 37% |
| 55 | d1 | 120 |  99% |
| 56 | e1 | 106 |  99% |
| 57 | f1 | 57 |  91% 7% |
| 58 | g1 | 151 |  67% 33% |
| 59 | h1 | 189 |  74% 26% |
| 60 | i1 | 128 |  81% 17% |
| 61 | j1 | 105 |  62% 38% |
| 62 | k1 | 104 |  73% 26% |
| 63 | l1 | 186 |  84% 16% |
| 64 | m1 | 129 |  98% |
| 65 | n1 | 179 |  99% |
| 66 | o1 | 137 |  85% 14% |
| 67 | p1 | 176 |  97% |

2 Entry composition [i](#)

There are 86 unique types of molecules in this entry. The entry contains 115528 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome c oxidase subunit 1.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| | | | Total | C | N | O | S | | |
| 1 | n | 514 | 4021 | 2691 | 623 | 675 | 32 | 0 | 0 |

- Molecule 2 is a protein called Cytochrome c oxidase subunit 2.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| | | | Total | C | N | O | S | | |
| 2 | o | 227 | 1817 | 1180 | 282 | 336 | 19 | 0 | 0 |

- Molecule 3 is a protein called Cytochrome c oxidase subunit 3.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| | | | Total | C | N | O | S | | |
| 3 | p | 260 | 2118 | 1418 | 339 | 351 | 10 | 0 | 0 |

- Molecule 4 is a protein called Cytochrome c oxidase subunit 4 isoform 1, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 4 | q | 139 | 1156 | 745 | 192 | 212 | 7 | 0 | 0 |

- Molecule 5 is a protein called Cytochrome c oxidase subunit 5A, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 5 | r | 104 | 842 | 538 | 141 | 161 | 2 | 0 | 0 |

- Molecule 6 is a protein called Cytochrome c oxidase subunit 5B, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 6 | s | 94 | 721 | 449 | 126 | 138 | 8 | 0 | 0 |

- Molecule 7 is a protein called Cytochrome c oxidase subunit 6A2, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 7 | t | 75 | 605 | 392 | 114 | 96 | 3 | 0 | 0 |

- Molecule 8 is a protein called Cytochrome c oxidase subunit 6B1.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 8 | u | 79 | 654 | 416 | 116 | 117 | 5 | 0 | 0 |

- Molecule 9 is a protein called Cytochrome c oxidase subunit 6C.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 9 | v | 71 | 567 | 369 | 102 | 93 | 3 | 0 | 0 |

- Molecule 10 is a protein called Cytochrome c oxidase subunit 7B, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 10 | x | 49 | 383 | 248 | 65 | 68 | 2 | 0 | 0 |

- Molecule 11 is a protein called Cytochrome c oxidase subunit 7C, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 11 | y | 47 | 386 | 256 | 65 | 63 | 2 | 0 | 0 |

- Molecule 12 is a protein called Cytochrome c oxidase subunit 8B, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 12 | z | 43 | 311 | 203 | 51 | 56 | 1 | 0 | 0 |

- Molecule 13 is a protein called Cytochrome c oxidase subunit 7A2, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 13 | w | 57 | 435 | 283 | 71 | 78 | 3 | 0 | 0 |

- Molecule 14 is a protein called Cytochrome b-c1 complex subunit 1, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| 14 | A | 445 | Total | C | N | O | S | 0 | 0 |
| | | | 3459 | 2163 | 610 | 669 | 17 | | |
| 14 | L | 445 | Total | C | N | O | S | 0 | 0 |
| | | | 3460 | 2163 | 610 | 670 | 17 | | |

- Molecule 15 is a protein called Cytochrome b-c1 complex subunit 2, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| 15 | B | 420 | Total | C | N | O | S | 0 | 0 |
| | | | 3154 | 1980 | 555 | 610 | 9 | | |
| 15 | M | 420 | Total | C | N | O | S | 0 | 0 |
| | | | 3154 | 1980 | 555 | 610 | 9 | | |

- Molecule 16 is a protein called Cytochrome b.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| 16 | C | 380 | Total | C | N | O | S | 0 | 0 |
| | | | 3046 | 2052 | 473 | 499 | 22 | | |
| 16 | N | 380 | Total | C | N | O | S | 0 | 0 |
| | | | 3046 | 2052 | 473 | 499 | 22 | | |

- Molecule 17 is a protein called Cytochrome c1, heme protein, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| 17 | D | 240 | Total | C | N | O | S | 0 | 0 |
| | | | 1909 | 1218 | 327 | 350 | 14 | | |
| 17 | O | 240 | Total | C | N | O | S | 0 | 0 |
| | | | 1909 | 1218 | 327 | 350 | 14 | | |

- Molecule 18 is a protein called Cytochrome b-c1 complex subunit Rieske, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 18 | E | 196 | Total | C | N | O | S | 0 | 0 |
| | | | 1164 | 702 | 219 | 237 | 6 | | |
| 18 | P | 196 | Total | C | N | O | S | 0 | 0 |
| | | | 1164 | 702 | 219 | 237 | 6 | | |
| 18 | T | 78 | Total | C | N | O | S | 0 | 0 |
| | | | 554 | 352 | 103 | 97 | 2 | | |

- Molecule 19 is a protein called Cytochrome b-c1 complex subunit 7.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 19 | F | 101 | Total | C | N | O | S | 0 | 0 |
| | | | 894 | 572 | 159 | 160 | 3 | | |
| 19 | Q | 102 | Total | C | N | O | S | 0 | 0 |
| | | | 900 | 575 | 160 | 162 | 3 | | |

- Molecule 20 is a protein called Cytochrome b-c1 complex subunit 8.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 20 | G | 77 | Total | C | N | O | S | 0 | 0 |
| | | | 654 | 424 | 120 | 109 | 1 | | |
| 20 | R | 77 | Total | C | N | O | S | 0 | 0 |
| | | | 654 | 424 | 120 | 109 | 1 | | |

- Molecule 21 is a protein called Cytochrome b-c1 complex subunit 6, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 21 | H | 66 | Total | C | N | O | S | 0 | 0 |
| | | | 545 | 333 | 101 | 106 | 5 | | |
| 21 | S | 68 | Total | C | N | O | S | 0 | 0 |
| | | | 563 | 343 | 103 | 112 | 5 | | |

- Molecule 22 is a protein called Cytochrome b-c1 complex subunit 9.

| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---------|-------|
| 22 | J | 60 | Total | C | N | O | 0 | 0 |
| | | | 495 | 323 | 86 | 86 | | |
| 22 | U | 60 | Total | C | N | O | 0 | 0 |
| | | | 495 | 323 | 86 | 86 | | |

- Molecule 23 is a protein called Cytochrome b-c1 complex subunit 10.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 23 | K | 52 | Total | C | N | O | S | 0 | 0 |
| | | | 430 | 287 | 76 | 66 | 1 | | |
| 23 | V | 53 | Total | C | N | O | S | 0 | 0 |
| | | | 438 | 292 | 77 | 67 | 2 | | |

- Molecule 24 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 7, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|----|---------|-------|
| 24 | 6 | 157 | Total | C | N | O | S | 0 | 0 |
| | | | 1258 | 802 | 227 | 215 | 14 | | |

- Molecule 25 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 3, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 25 | C1 | 208 | 1730 | 1116 | 297 | 314 | 3 | 0 | 0 |

- Molecule 26 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 2, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| | | | Total | C | N | O | S | | |
| 26 | D1 | 430 | 3464 | 2215 | 595 | 630 | 24 | 0 | 0 |

- Molecule 27 is a protein called NADH dehydrogenase [ubiquinone] flavoprotein 2, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| | | | Total | C | N | O | S | | |
| 27 | 2 | 214 | 1660 | 1056 | 279 | 314 | 11 | 0 | 0 |

- Molecule 28 is a protein called NADH dehydrogenase [ubiquinone] flavoprotein 1, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| | | | Total | C | N | O | S | | |
| 28 | 1 | 430 | 3321 | 2092 | 596 | 611 | 22 | 0 | 0 |

- Molecule 29 is a protein called NADH-ubiquinone oxidoreductase 75 kDa subunit, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|------|----|---------|-------|
| | | | Total | C | N | O | S | | |
| 29 | 3 | 690 | 5305 | 3326 | 921 | 1017 | 41 | 0 | 0 |

- Molecule 30 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 8, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|----|---------|-------|
| | | | Total | C | N | O | S | | |
| 30 | 9 | 178 | 1431 | 898 | 245 | 276 | 12 | 0 | 0 |

- Molecule 31 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 9, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| 31 | P1 | 342 | Total | C | N | O | S | 0 | 0 |
| | | | 2748 | 1777 | 483 | 481 | 7 | | |

- Molecule 32 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 4, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 32 | Q1 | 126 | Total | C | N | O | S | 0 | 0 |
| | | | 1022 | 646 | 180 | 192 | 4 | | |

- Molecule 33 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 6, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 33 | 7 | 96 | Total | C | N | O | S | 0 | 0 |
| | | | 758 | 470 | 141 | 144 | 3 | | |

- Molecule 34 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 2.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 34 | S1 | 84 | Total | C | N | O | S | 0 | 0 |
| | | | 671 | 421 | 127 | 120 | 3 | | |

- Molecule 35 is a protein called Acyl carrier protein, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 35 | T1 | 79 | Total | C | N | O | S | 0 | 0 |
| | | | 637 | 410 | 95 | 127 | 5 | | |
| 35 | U1 | 88 | Total | C | N | O | S | 0 | 0 |
| | | | 706 | 453 | 104 | 144 | 5 | | |

- Molecule 36 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 5.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 36 | V1 | 113 | Total | C | N | O | S | 0 | 0 |
| | | | 923 | 602 | 153 | 165 | 3 | | |

- Molecule 37 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 6.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 37 | W1 | 114 | 970 | 619 | 180 | 165 | 6 | 0 | 0 |

- Molecule 38 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 12.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 38 | q1 | 145 | 1209 | 777 | 215 | 212 | 5 | 0 | 0 |

- Molecule 39 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 7.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 39 | r1 | 99 | 796 | 504 | 148 | 141 | 3 | 0 | 0 |

- Molecule 40 is a protein called NADH dehydrogenase [ubiquinone] flavoprotein 3, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---------|-------|
| | | | Total | C | N | O | | |
| 40 | s1 | 42 | 351 | 219 | 62 | 70 | 0 | 0 |

- Molecule 41 is a protein called NADH-ubiquinone oxidoreductase chain 3.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 41 | A1 | 115 | 932 | 633 | 132 | 160 | 7 | 0 | 0 |

- Molecule 42 is a protein called NADH-ubiquinone oxidoreductase chain 1.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| | | | Total | C | N | O | S | | |
| 42 | H1 | 318 | 2540 | 1706 | 384 | 428 | 22 | 0 | 0 |

- Molecule 43 is a protein called NADH-ubiquinone oxidoreductase chain 6.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|----|---------|-------|
| | | | Total | C | N | O | S | | |
| 43 | J1 | 172 | 1308 | 878 | 186 | 229 | 15 | 0 | 0 |

- Molecule 44 is a protein called NADH-ubiquinone oxidoreductase chain 4L.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|----|---------|-------|
| | | | Total | C | N | O | S | | |
| 44 | K1 | 98 | 737 | 477 | 112 | 137 | 11 | 0 | 0 |

- Molecule 45 is a protein called NADH-ubiquinone oxidoreductase chain 5.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| | | | Total | C | N | O | S | | |
| 45 | L1 | 606 | 4800 | 3182 | 746 | 827 | 45 | 0 | 0 |

- Molecule 46 is a protein called NADH-ubiquinone oxidoreductase chain 4.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| | | | Total | C | N | O | S | | |
| 46 | M1 | 459 | 3632 | 2408 | 567 | 617 | 40 | 0 | 0 |

- Molecule 47 is a protein called NADH-ubiquinone oxidoreductase chain 2.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| | | | Total | C | N | O | S | | |
| 47 | N1 | 345 | 2703 | 1795 | 417 | 454 | 37 | 0 | 0 |

- Molecule 48 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 10, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| | | | Total | C | N | O | S | | |
| 48 | O1 | 320 | 2607 | 1674 | 431 | 492 | 10 | 0 | 0 |

- Molecule 49 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 8.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|----|---------|-------|
| | | | Total | C | N | O | S | | |
| 49 | X1 | 171 | 1396 | 889 | 250 | 247 | 10 | 0 | 0 |

- Molecule 50 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 11.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 50 | Y1 | 140 | 1037 | 662 | 175 | 192 | 8 | 0 | 0 |

- Molecule 51 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex sub-

unit 13.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 51 | Z1 | 141 | 1167 | 750 | 207 | 202 | 8 | 0 | 0 |

- Molecule 52 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 1.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 52 | a1 | 70 | 572 | 370 | 101 | 97 | 4 | 0 | 0 |

- Molecule 53 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 3.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 53 | b1 | 83 | 651 | 427 | 105 | 115 | 4 | 0 | 0 |

- Molecule 54 is a protein called NADH dehydrogenase [ubiquinone] 1 subunit C1, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 54 | c1 | 48 | 398 | 261 | 69 | 67 | 1 | 0 | 0 |

- Molecule 55 is a protein called NADH dehydrogenase [ubiquinone] 1 subunit C2.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 55 | d1 | 120 | 996 | 651 | 171 | 165 | 9 | 0 | 0 |

- Molecule 56 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 5.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 56 | e1 | 105 | 877 | 555 | 162 | 152 | 8 | 0 | 0 |

- Molecule 57 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 1.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 57 | f1 | 53 | Total | C | N | O | S | 0 | 0 |
| | | | 456 | 295 | 82 | 77 | 2 | | |

- Molecule 58 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 11, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 58 | g1 | 101 | Total | C | N | O | S | 0 | 0 |
| | | | 850 | 549 | 136 | 161 | 4 | | |

- Molecule 59 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 5, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 59 | h1 | 139 | Total | C | N | O | S | 0 | 0 |
| | | | 1166 | 764 | 195 | 204 | 3 | | |

- Molecule 60 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 6.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 60 | i1 | 106 | Total | C | N | O | S | 0 | 0 |
| | | | 897 | 584 | 157 | 152 | 4 | | |

- Molecule 61 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 2, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 61 | j1 | 65 | Total | C | N | O | S | 0 | 0 |
| | | | 562 | 370 | 93 | 98 | 1 | | |

- Molecule 62 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 3.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 62 | k1 | 77 | Total | C | N | O | S | 0 | 0 |
| | | | 626 | 414 | 106 | 104 | 2 | | |

- Molecule 63 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 8, mitochondrial.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|----|---------|-------|
| | | | Total | C | N | O | S | | |
| 63 | l1 | 157 | 1323 | 855 | 220 | 237 | 11 | 0 | 0 |

- Molecule 64 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 4.

| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---------|-------|
| | | | Total | C | N | O | | |
| 64 | m1 | 126 | 1050 | 676 | 189 | 185 | 0 | 0 |

- Molecule 65 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 9.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|----|---------|-------|
| | | | Total | C | N | O | S | | |
| 65 | n1 | 178 | 1541 | 985 | 276 | 269 | 11 | 0 | 0 |

- Molecule 66 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 7.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 66 | o1 | 118 | 1014 | 639 | 190 | 177 | 8 | 0 | 0 |

- Molecule 67 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 10.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 67 | p1 | 170 | 1438 | 903 | 258 | 269 | 8 | 0 | 0 |


- Molecule 68 is COPPER (II) ION (three-letter code: CU) (formula: Cu).

| Mol | Chain | Residues | Atoms | | AltConf |
|-----|-------|----------|-------|----|---------|
| | | | Total | Cu | |
| 68 | n | 1 | 1 | 1 | 0 |

- Molecule 69 is SODIUM ION (three-letter code: NA) (formula: Na).


| Mol | Chain | Residues | Atoms | | AltConf |
|-----|-------|----------|-------|----|---------|
| | | | Total | Na | |
| 69 | n | 1 | 1 | 1 | 0 |

- Molecule 70 is HEME-A (three-letter code: HEA) (formula: $C_{49}H_{56}FeN_4O_6$).



| Mol | Chain | Residues | Atoms | | | | AltConf | | |
|-----|-------|----------|-------|----|----|---|---------|---|---|
| | | | Total | C | Fe | N | | O | |
| 70 | n | 1 | Total | 60 | 49 | 1 | 4 | 6 | 0 |
| 70 | n | 1 | Total | 60 | 49 | 1 | 4 | 6 | 0 |

- Molecule 71 is 1,2-Distearoyl-sn-glycerophosphoethanolamine (three-letter code: 3PE) (formula: $C_{41}H_{82}NO_8P$).



| Mol | Chain | Residues | Atoms | | | | | AltConf |
|-----|-------|----------|-------------|---------|--------|--------|--------|---------|
| | | | Total | C | N | O | P | |
| 71 | n | 1 | Total 34 | C 24 | N 1 | O 8 | P 1 | 0 |
| 71 | n | 1 | Total 28 | C 18 | N 1 | O 8 | P 1 | 0 |
| 71 | n | 1 | Total 27 | C 17 | N 1 | O 8 | P 1 | 0 |
| 71 | o | 1 | Total 29 | C 19 | N 1 | O 8 | P 1 | 0 |
| 71 | p | 1 | Total 45 | C 35 | N 1 | O 8 | P 1 | 0 |
| 71 | t | 1 | Total 25 | C 15 | N 1 | O 8 | P 1 | 0 |
| 71 | v | 1 | Total 28 | C 18 | N 1 | O 8 | P 1 | 0 |
| 71 | A | 1 | Total 23 | C 13 | N 1 | O 8 | P 1 | 0 |
| 71 | C | 1 | Total 35 | C 25 | N 1 | O 8 | P 1 | 0 |
| 71 | C | 1 | Total 31 | C 21 | N 1 | O 8 | P 1 | 0 |
| 71 | E | 1 | Total 32 | C 22 | N 1 | O 8 | P 1 | 0 |
| 71 | G | 1 | Total 51 | C 41 | N 1 | O 8 | P 1 | 0 |
| 71 | L | 1 | Total 23 | C 13 | N 1 | O 8 | P 1 | 0 |
| 71 | N | 1 | Total 34 | C 24 | N 1 | O 8 | P 1 | 0 |
| 71 | N | 1 | Total 37 | C 27 | N 1 | O 8 | P 1 | 0 |
| 71 | O | 1 | Total 33 | C 23 | N 1 | O 8 | P 1 | 0 |
| 71 | R | 1 | Total 30 | C 20 | N 1 | O 8 | P 1 | 0 |
| 71 | 6 | 1 | Total 32 | C 22 | N 1 | O 8 | P 1 | 0 |
| 71 | D1 | 1 | Total 51 | C 41 | N 1 | O 8 | P 1 | 0 |
| 71 | r1 | 1 | Total 46 | C 36 | N 1 | O 8 | P 1 | 0 |
| 71 | A1 | 1 | Total 43 | C 33 | N 1 | O 8 | P 1 | 0 |
| 71 | H1 | 1 | Total 51 | C 41 | N 1 | O 8 | P 1 | 0 |

Continued on next page...


Continued from previous page...

| Mol | Chain | Residues | Atoms | | | | | AltConf |
|-----|-------|----------|-------|----|---|---|---|---------|
| 71 | K1 | 1 | Total | C | N | O | P | 0 |
| | | | 41 | 31 | 1 | 8 | 1 | |
| 71 | L1 | 1 | Total | C | N | O | P | 0 |
| | | | 51 | 41 | 1 | 8 | 1 | |
| 71 | M1 | 1 | Total | C | N | O | P | 0 |
| | | | 51 | 41 | 1 | 8 | 1 | |
| 71 | M1 | 1 | Total | C | N | O | P | 0 |
| | | | 51 | 41 | 1 | 8 | 1 | |
| 71 | M1 | 1 | Total | C | N | O | P | 0 |
| | | | 36 | 26 | 1 | 8 | 1 | |
| 71 | N1 | 1 | Total | C | N | O | P | 0 |
| | | | 38 | 28 | 1 | 8 | 1 | |
| 71 | Y1 | 1 | Total | C | N | O | P | 0 |
| | | | 28 | 18 | 1 | 8 | 1 | |
| 71 | Y1 | 1 | Total | C | N | O | P | 0 |
| | | | 42 | 32 | 1 | 8 | 1 | |
| 71 | d1 | 1 | Total | C | N | O | P | 0 |
| | | | 31 | 21 | 1 | 8 | 1 | |
| 71 | d1 | 1 | Total | C | N | O | P | 0 |
| | | | 32 | 22 | 1 | 8 | 1 | |
| 71 | i1 | 1 | Total | C | N | O | P | 0 |
| | | | 42 | 32 | 1 | 8 | 1 | |

- Molecule 72 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

| Mol | Chain | Residues | Atoms | | AltConf |
|-----|-------|----------|-------|----|---------|
| 72 | o | 1 | Total | Mg | 0 |
| | | | 1 | 1 | |
| 72 | O1 | 1 | Total | Mg | 0 |
| | | | 1 | 1 | |

- Molecule 73 is DINUCLEAR COPPER ION (three-letter code: CUA) (formula: Cu₂).




| Mol | Chain | Residues | Atoms | AltConf |
|-----|-------|----------|-----------------|---------|
| 73 | o | 1 | Total Cu 2 2 | 0 |

- Molecule 74 is ZINC ION (three-letter code: ZN) (formula: Zn).


| Mol | Chain | Residues | Atoms | AltConf |
|-----|-------|----------|-----------------|---------|
| 74 | s | 1 | Total Zn 1 1 | 0 |
| 74 | 7 | 1 | Total Zn 1 1 | 0 |

- Molecule 75 is TRISTEAROYLGLYCEROL (three-letter code: TGL) (formula: C₅₇H₁₁₀O₆).



| Mol | Chain | Residues | Atoms | | | AltConf |
|-----|-------|----------|-------|----|---|---------|
| | | | Total | C | O | |
| 75 | y | 1 | 37 | 31 | 6 | 0 |

- Molecule 76 is CARDIOLIPIN (three-letter code: CDL) (formula: $C_{81}H_{156}O_{17}P_2$).




| Mol | Chain | Residues | Atoms | | | | AltConf |
|-----|-------|----------|-------|----|----|---|---------|
| | | | Total | C | O | P | |
| 76 | A | 1 | 46 | 27 | 17 | 2 | 0 |
| 76 | C | 1 | 42 | 23 | 17 | 2 | 0 |
| 76 | G | 1 | 56 | 37 | 17 | 2 | 0 |
| 76 | N | 1 | 46 | 27 | 17 | 2 | 0 |
| 76 | O | 1 | 57 | 38 | 17 | 2 | 0 |
| 76 | R | 1 | 41 | 22 | 17 | 2 | 0 |
| 76 | R | 1 | 57 | 38 | 17 | 2 | 0 |
| 76 | R | 1 | 72 | 53 | 17 | 2 | 0 |
| 76 | H1 | 1 | 51 | 33 | 16 | 2 | 0 |
| 76 | L1 | 1 | 78 | 59 | 17 | 2 | 0 |
| 76 | L1 | 1 | 46 | 27 | 17 | 2 | 0 |

Continued on next page...

Continued from previous page...


| Mol | Chain | Residues | Atoms | | | | AltConf |
|-----|-------|----------|-------------|---------|---------|--------|---------|
| | | | Total | C | O | P | |
| 76 | N1 | 1 | Total 90 | C 71 | O 17 | P 2 | 0 |
| 76 | Y1 | 1 | Total 94 | C 75 | O 17 | P 2 | 0 |
| 76 | a1 | 1 | Total 57 | C 38 | O 17 | P 2 | 0 |
| 76 | d1 | 1 | Total 67 | C 48 | O 17 | P 2 | 0 |
| 76 | h1 | 1 | Total 70 | C 51 | O 17 | P 2 | 0 |

- Molecule 77 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).




| Mol | Chain | Residues | Atoms | | | | AltConf | |
|-----|-------|----------|-------------|---------|---------|--------|---------|---|
| | | | Total | C | Fe | N | | O |
| 77 | C | 1 | Total 43 | C 34 | Fe 1 | N 4 | O 4 | 0 |
| 77 | C | 1 | Total 43 | C 34 | Fe 1 | N 4 | O 4 | 0 |
| 77 | N | 1 | Total 43 | C 34 | Fe 1 | N 4 | O 4 | 0 |
| 77 | N | 1 | Total 43 | C 34 | Fe 1 | N 4 | O 4 | 0 |

- Molecule 78 is HEME C (three-letter code: HEC) (formula: $C_{34}H_{34}FeN_4O_4$).



| Mol | Chain | Residues | Atoms | | | | AltConf | |
|-----|-------|----------|-------|----|----|---|---------|---|
| 78 | D | 1 | Total | C | Fe | N | O | 0 |
| | | | 43 | 34 | 1 | 4 | 4 | |
| 78 | O | 1 | Total | C | Fe | N | O | 0 |
| | | | 43 | 34 | 1 | 4 | 4 | |

- Molecule 79 is FE2/S2 (INORGANIC) CLUSTER (three-letter code: FES) (formula: Fe_2S_2).




| Mol | Chain | Residues | Atoms | | | AltConf |
|-----|-------|----------|-------|----|---|---------|
| 79 | E | 1 | Total | Fe | S | 0 |
| | | | 4 | 2 | 2 | |
| 79 | P | 1 | Total | Fe | S | 0 |
| | | | 4 | 2 | 2 | |

Continued on next page...

Continued from previous page...


| Mol | Chain | Residues | Atoms | | | AltConf |
|-----|-------|----------|-------|----|---|---------|
| | | | Total | Fe | S | |
| 79 | 2 | 1 | 4 | 2 | 2 | 0 |
| 79 | 3 | 1 | 4 | 2 | 2 | 0 |

- Molecule 80 is 1,2-DIACYL-SN-GLYCERO-3-PHOSPHOCHOLINE (three-letter code: PC1) (formula: $C_{44}H_{88}NO_8P$).




| Mol | Chain | Residues | Atoms | | | | | AltConf |
|-----|-------|----------|-------|----|---|---|---|---------|
| | | | Total | C | N | O | P | |
| 80 | J | 1 | 35 | 25 | 1 | 8 | 1 | 0 |
| 80 | K | 1 | 28 | 18 | 1 | 8 | 1 | 0 |
| 80 | L | 1 | 24 | 14 | 1 | 8 | 1 | 0 |
| 80 | V | 1 | 28 | 18 | 1 | 8 | 1 | 0 |
| 80 | 6 | 1 | 43 | 33 | 1 | 8 | 1 | 0 |
| 80 | 9 | 1 | 54 | 44 | 1 | 8 | 1 | 0 |
| 80 | 9 | 1 | 47 | 37 | 1 | 8 | 1 | 0 |
| 80 | P1 | 1 | 31 | 21 | 1 | 8 | 1 | 0 |
| 80 | Y1 | 1 | 54 | 44 | 1 | 8 | 1 | 0 |

- Molecule 81 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula: Fe₄S₄).



| Mol | Chain | Residues | Atoms | | | AltConf |
|-----|-------|----------|-------|----|---|---------|
| 81 | 6 | 1 | Total | Fe | S | 0 |
| | | | 8 | 4 | 4 | |
| 81 | 1 | 1 | Total | Fe | S | 0 |
| | | | 8 | 4 | 4 | |
| 81 | 3 | 1 | Total | Fe | S | 0 |
| | | | 8 | 4 | 4 | |
| 81 | 3 | 1 | Total | Fe | S | 0 |
| | | | 8 | 4 | 4 | |
| 81 | 9 | 1 | Total | Fe | S | 0 |
| | | | 8 | 4 | 4 | |
| 81 | 9 | 1 | Total | Fe | S | 0 |
| | | | 8 | 4 | 4 | |

- Molecule 82 is FLAVIN MONONUCLEOTIDE (three-letter code: FMN) (formula: C₁₇H₂₁N₄O₉P).




| Mol | Chain | Residues | Atoms | | | | | AltConf |
|-----|-------|----------|-------|----|---|---|---|---------|
| | | | Total | C | N | O | P | |
| 82 | 1 | 1 | 31 | 17 | 4 | 9 | 1 | 0 |

- Molecule 83 is POTASSIUM ION (three-letter code: K) (formula: K).


| Mol | Chain | Residues | Atoms | | AltConf |
|-----|-------|----------|-------|---|---------|
| | | | Total | K | |
| 83 | 3 | 1 | 1 | 1 | 0 |

- Molecule 84 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NDP) (formula: C₂₁H₃₀N₇O₁₇P₃).




| Mol | Chain | Residues | Atoms | | | | | AltConf |
|-----|-------|----------|-------|----|---|----|---|---------|
| | | | Total | C | N | O | P | |
| 84 | P1 | 1 | 48 | 21 | 7 | 17 | 3 | 0 |

- Molecule 85 is S-[2-({N-[(2S)-2-hydroxy-3,3-dimethyl-4-(phosphonoxy)butanoyl]-beta-alanyl}amino)ethyl] tetradecanethioate (three-letter code: ZMP) (formula: C₂₅H₄₉N₂O₈PS).



| Mol | Chain | Residues | Atoms | | | | | | AltConf |
|-----|-------|----------|-------|----|---|---|---|---|---------|
| | | | Total | C | N | O | P | S | |
| 85 | W1 | 1 | 34 | 23 | 2 | 7 | 1 | 1 | 0 |
| 85 | n1 | 1 | 32 | 21 | 2 | 7 | 1 | 1 | 0 |

- Molecule 86 is 2'-DEOXYGUANOSINE-5'-TRIPHOSPHATE (three-letter code: DGT) (formula: C₁₀H₁₆N₅O₁₃P₃).



| Mol | Chain | Residues | Atoms | | | | | AltConf |
|-----|-------|----------|-------|----|---|----|---|---------|
| | | | Total | C | N | O | P | |
| 86 | O1 | 1 | 31 | 10 | 5 | 13 | 3 | 0 |

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Cytochrome c oxidase subunit 1

Chain n:  99%



- Molecule 2: Cytochrome c oxidase subunit 2

Chain o:  99%





- Molecule 3: Cytochrome c oxidase subunit 3

Chain p:  99%




- Molecule 4: Cytochrome c oxidase subunit 4 isoform 1, mitochondrial

Chain q:  81% 18%




- Molecule 5: Cytochrome c oxidase subunit 5A, mitochondrial

Chain r:  71% 29%




- Molecule 6: Cytochrome c oxidase subunit 5B, mitochondrial


Chain s:  73% 27%




- Molecule 7: Cytochrome c oxidase subunit 6A2, mitochondrial




- Molecule 8: Cytochrome c oxidase subunit 6B1




- Molecule 9: Cytochrome c oxidase subunit 6C




- Molecule 10: Cytochrome c oxidase subunit 7B, mitochondrial



- Molecule 11: Cytochrome c oxidase subunit 7C, mitochondrial




- Molecule 12: Cytochrome c oxidase subunit 8B, mitochondrial




- Molecule 13: Cytochrome c oxidase subunit 7A2, mitochondrial






- Molecule 14: Cytochrome b-c1 complex subunit 1, mitochondrial

Chain A: 92% 7%




- Molecule 14: Cytochrome b-c1 complex subunit 1, mitochondrial

Chain L: 93% 7%




- Molecule 15: Cytochrome b-c1 complex subunit 2, mitochondrial

Chain B: 93% 7%



- Molecule 15: Cytochrome b-c1 complex subunit 2, mitochondrial

Chain M: 93% 7%



- Molecule 16: Cytochrome b

Chain C: 98%




- Molecule 16: Cytochrome b


Chain N: 98%



- Molecule 17: Cytochrome c1, heme protein, mitochondrial


Chain D: 73% 26%

Chain F:  90% 9%



- Molecule 19: Cytochrome b-c1 complex subunit 7

Chain Q:  92% 8%



- Molecule 20: Cytochrome b-c1 complex subunit 8

Chain G:  94% 6%




- Molecule 20: Cytochrome b-c1 complex subunit 8

Chain R:  91% 6%




- Molecule 21: Cytochrome b-c1 complex subunit 6, mitochondrial

Chain H:  74% 26%




- Molecule 21: Cytochrome b-c1 complex subunit 6, mitochondrial

Chain S:  76% 24%



- Molecule 22: Cytochrome b-c1 complex subunit 9

Chain J:  94% 6%




- Molecule 22: Cytochrome b-c1 complex subunit 9

Chain U:  94% 6%



- Molecule 23: Cytochrome b-c1 complex subunit 10

Chain K:  93% 7%





- Molecule 23: Cytochrome b-c1 complex subunit 10

Chain V:  95% 5%





- Molecule 24: NADH dehydrogenase [ubiquinone] iron-sulfur protein 7, mitochondrial

Chain 6:  70% 30%




- Molecule 25: NADH dehydrogenase [ubiquinone] iron-sulfur protein 3, mitochondrial

Chain C1:  79% 21%





- Molecule 26: NADH dehydrogenase [ubiquinone] iron-sulfur protein 2, mitochondrial

Chain D1:  92% 7%




- Molecule 27: NADH dehydrogenase [ubiquinone] flavoprotein 2, mitochondrial

Chain 2:  85% 14%




- Molecule 28: NADH dehydrogenase [ubiquinone] flavoprotein 1, mitochondrial

Chain 1:  93% 7%





- Molecule 29: NADH-ubiquinone oxidoreductase 75 kDa subunit, mitochondrial

Chain 3:  95% 5%




- Molecule 30: NADH dehydrogenase [ubiquinone] iron-sulfur protein 8, mitochondrial

Chain 9:  83% 16%





- Molecule 31: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 9, mitochondrial

Chain P1:  90% 9%





- Molecule 32: NADH dehydrogenase [ubiquinone] iron-sulfur protein 4, mitochondrial

Chain Q1:  72% 28%





- Molecule 33: NADH dehydrogenase [ubiquinone] iron-sulfur protein 6, mitochondrial

Chain 7:  82% 17%



- Molecule 34: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 2

Chain S1:  84% 15%



- Molecule 35: Acyl carrier protein, mitochondrial

Chain T1:  51% 49%

MET ALA ALA SER ARG VAL LEU CYS CYS VAL ARG VAL ARG ARG LEU PRO PRO ALA ALA PHE ASP ALA LEU PRO PRO PRO ARG LEU LEU LEU ALA ALA ALA ARG PRO LEU SER SER THR THR LEU LEU CYS PRO GLU GLY ILE ARG ARG ARG PRO GLY ALA LEU LEU SER ALA ALA ALA ALA VAL PRO GLY THR

VAL THR HIS LEU CYS ARG GLN TYR SER ASP ALA PRO PRO L6 F84 ASP VAL TYR GLU

- Molecule 35: Acyl carrier protein, mitochondrial

Chain U1:  56% 44%

MET ALA ALA SER ARG VAL LEU CYS ALA VAL ARG ARG LEU PRO PRO ALA ALA PHE ASP ALA LEU PRO PRO ARG LEU LEU LEU ALA ALA ARG PRO LEU SER SER THR THR LEU LEU CYS PRO GLU GLY ILE ARG ARG ARG PRO GLY ALA LEU LEU SER ALA ALA ALA ALA VAL PRO GLY THR

VAL THR HIS LEU CYS ARG GLN TYR S1 E88

- Molecule 36: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 5

Chain V1:  97%

MET ALA GLY L3 I115

- Molecule 37: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 6

Chain W1:  87% 13%

MET ALA ALA ALA THR GLY LEU ARG GLN ALA ALA ALA ALA ALA T17 F130

- Molecule 38: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 12

Chain q1:  100%

There are no outlier residues recorded for this chain.

- Molecule 39: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 7

Chain r1:  87% 12%

MET AL V76 SER GLY LYS ALA ALA GLU SER SER ALA MET ALA ALA ALA E90 L112

- Molecule 40: NADH dehydrogenase [ubiquinone] flavoprotein 3, mitochondrial

Chain s1:  39% 60%

MET ALA VAL SER LEU LEU LEU ARG GLY GLY ARG TLE ARG ALA LEU LYS ALA VAL LEU LEU LEU ALA ARG VAL PHE PRO GLY LEU VAL SER VAL VAL ARG LEU SER THR GLU SER GLU LYS ALA LYS GLU LYS LEU LEU HIS PRO LYS THR GLN SER VAL LEU LYS GLU PRO GLU

PRO T27 M49 R68 HIS

- Molecule 41: NADH-ubiquinone oxidoreductase chain 3

Chain A1:  97%

M1 L67 L98 Q108 E115

- Molecule 42: NADH-ubiquinone oxidoreductase chain 1

Chain H1:  99%

M1 L85 L233 L251 S276 H318

- Molecule 43: NADH-ubiquinone oxidoreductase chain 6

Chain J1:  100%

There are no outlier residues recorded for this chain.

- Molecule 44: NADH-ubiquinone oxidoreductase chain 4L

Chain K1:  98%

M1 L38 C98

- Molecule 45: NADH-ubiquinone oxidoreductase chain 5

Chain L1:  100%

M1 L606 GLU

- Molecule 46: NADH-ubiquinone oxidoreductase chain 4

Chain M1:  99%


M1 L115 L174 M421 M459

- Molecule 47: NADH-ubiquinone oxidoreductase chain 2

Chain N1:  100%



- Molecule 48: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 10, mitochondrial



- Molecule 49: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 8



- Molecule 50: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 11



- Molecule 51: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 13



- Molecule 52: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 1




There are no outlier residues recorded for this chain.

- Molecule 53: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 3



- Molecule 54: NADH dehydrogenase [ubiquinone] 1 subunit C1, mitochondrial





- Molecule 55: NADH dehydrogenase [ubiquinone] 1 subunit C2

Chain d1: 99%




- Molecule 56: NADH dehydrogenase [ubiquinone] iron-sulfur protein 5

Chain e1: 99%




- Molecule 57: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 1

Chain f1: 91% 7%




- Molecule 58: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 11, mitochondrial

Chain g1: 67% 33%




- Molecule 59: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 5, mitochondrial

Chain h1: 74% 26%




- Molecule 60: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 6

Chain i1: 81% 17%




- Molecule 61: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 2, mitochondrial

Chain j1:  62% 38%





- Molecule 62: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 3

Chain k1:  73% 26%




- Molecule 63: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 8, mitochondrial

Chain l1:  84% 16%



- Molecule 64: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 4

Chain m1:  98%





- Molecule 65: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 9

Chain n1:  99%



- Molecule 66: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 7

Chain o1:  85% 14%



- Molecule 67: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 10

Chain p1:  97%



4 Experimental information

| Property | Value | Source |
|--------------------------------------|---|-----------|
| EM reconstruction method | SINGLE PARTICLE | Depositor |
| Imposed symmetry | POINT, C1 | Depositor |
| Number of particles used | 57506 | Depositor |
| Resolution determination method | FSC 0.143 CUT-OFF | Depositor |
| CTF correction method | PHASE FLIPPING AND AMPLITUDE CORRECTION | Depositor |
| Microscope | FEI TITAN KRIOS | Depositor |
| Voltage (kV) | 300 | Depositor |
| Electron dose ($e^-/\text{\AA}^2$) | 80 | Depositor |
| Minimum defocus (nm) | 500 | Depositor |
| Maximum defocus (nm) | 2500 | Depositor |
| Magnification | 81000 | Depositor |
| Image detector | GATAN K3 BIOQUANTUM (6k x 4k) | Depositor |

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, 2MR, FMN, NA, HEC, SF4, 3PE, CU, CUA, ZMP, HEM, DGT, TGL, FES, FME, K, ZN, SAC, HEA, CDL, PC1, AYA, NDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths | | Bond angles | |
|-----|-------|--------------|---------|-------------|---------------|
| | | RMSZ | # Z >5 | RMSZ | # Z >5 |
| 1 | n | 0.32 | 0/4162 | 0.65 | 6/5686 (0.1%) |
| 2 | o | 0.31 | 0/1863 | 0.75 | 3/2542 (0.1%) |
| 3 | p | 0.31 | 0/2202 | 0.68 | 1/3010 (0.0%) |
| 4 | q | 0.31 | 0/1190 | 0.67 | 2/1609 (0.1%) |
| 5 | r | 0.30 | 0/860 | 0.67 | 0/1167 |
| 6 | s | 0.29 | 0/738 | 0.67 | 1/1001 (0.1%) |
| 7 | t | 0.27 | 0/632 | 0.62 | 0/866 |
| 8 | u | 0.33 | 0/674 | 0.67 | 1/910 (0.1%) |
| 9 | v | 0.33 | 0/579 | 0.76 | 0/771 |
| 10 | x | 0.29 | 0/396 | 0.60 | 0/541 |
| 11 | y | 0.30 | 0/399 | 0.62 | 0/535 |
| 12 | z | 0.28 | 0/318 | 0.63 | 0/433 |
| 13 | w | 0.27 | 0/444 | 0.62 | 0/598 |
| 14 | A | 0.27 | 0/3529 | 0.56 | 2/4793 (0.0%) |
| 14 | L | 0.28 | 0/3530 | 0.56 | 0/4793 |
| 15 | B | 0.27 | 0/3205 | 0.53 | 0/4332 |
| 15 | M | 0.27 | 0/3205 | 0.51 | 0/4332 |
| 16 | C | 0.29 | 0/3147 | 0.57 | 3/4297 (0.1%) |
| 16 | N | 0.29 | 0/3147 | 0.56 | 4/4297 (0.1%) |
| 17 | D | 0.28 | 0/1968 | 0.55 | 1/2674 (0.0%) |
| 17 | O | 0.28 | 0/1968 | 0.55 | 0/2674 |
| 18 | E | 0.28 | 0/1173 | 0.52 | 0/1605 |
| 18 | P | 0.28 | 0/1173 | 0.51 | 1/1605 (0.1%) |
| 18 | T | 0.29 | 0/565 | 0.64 | 0/772 |
| 19 | F | 0.26 | 0/916 | 0.61 | 1/1226 (0.1%) |
| 19 | Q | 0.27 | 0/922 | 0.54 | 0/1234 |
| 20 | G | 0.34 | 0/673 | 0.67 | 0/909 |
| 20 | R | 0.33 | 0/673 | 0.60 | 0/909 |
| 21 | H | 0.32 | 0/552 | 0.69 | 0/739 |
| 21 | S | 0.30 | 0/570 | 0.67 | 0/763 |
| 22 | J | 0.28 | 0/509 | 0.56 | 0/687 |

| Mol | Chain | Bond lengths | | Bond angles | |
|-----|-------|--------------|---------|-------------|---------------|
| | | RMSZ | # Z >5 | RMSZ | # Z >5 |
| 22 | U | 0.27 | 0/509 | 0.50 | 0/687 |
| 23 | K | 0.27 | 0/446 | 0.63 | 0/609 |
| 23 | V | 0.25 | 0/454 | 0.59 | 0/619 |
| 24 | 6 | 0.35 | 0/1289 | 0.67 | 0/1744 |
| 25 | C1 | 0.29 | 0/1780 | 0.56 | 1/2424 (0.0%) |
| 26 | D1 | 0.29 | 0/3540 | 0.54 | 1/4795 (0.0%) |
| 27 | 2 | 0.29 | 0/1700 | 0.54 | 0/2316 |
| 28 | 1 | 0.29 | 0/3396 | 0.57 | 0/4586 |
| 29 | 3 | 0.28 | 0/5392 | 0.54 | 0/7305 |
| 30 | 9 | 0.30 | 0/1461 | 0.59 | 2/1974 (0.1%) |
| 31 | P1 | 0.28 | 0/2823 | 0.59 | 2/3828 (0.1%) |
| 32 | Q1 | 0.27 | 0/1045 | 0.55 | 0/1411 |
| 33 | 7 | 0.28 | 0/773 | 0.51 | 0/1041 |
| 34 | S1 | 0.28 | 0/682 | 0.64 | 1/920 (0.1%) |
| 35 | T1 | 0.30 | 0/646 | 0.62 | 0/869 |
| 35 | U1 | 0.30 | 0/718 | 0.53 | 0/970 |
| 36 | V1 | 0.26 | 0/945 | 0.44 | 0/1281 |
| 37 | W1 | 0.29 | 0/993 | 0.60 | 0/1335 |
| 38 | q1 | 0.29 | 0/1251 | 0.58 | 0/1702 |
| 39 | r1 | 0.28 | 0/806 | 0.57 | 0/1090 |
| 40 | s1 | 0.26 | 0/360 | 0.54 | 0/489 |
| 41 | A1 | 0.31 | 0/948 | 0.66 | 2/1295 (0.2%) |
| 42 | H1 | 0.34 | 0/2607 | 0.70 | 4/3564 (0.1%) |
| 43 | J1 | 0.33 | 0/1330 | 0.60 | 0/1810 |
| 44 | K1 | 0.31 | 0/738 | 0.66 | 2/1002 (0.2%) |
| 45 | L1 | 0.31 | 0/4913 | 0.57 | 0/6686 |
| 46 | M1 | 0.30 | 0/3709 | 0.62 | 2/5052 (0.0%) |
| 47 | N1 | 0.30 | 0/2755 | 0.60 | 1/3751 (0.0%) |
| 48 | O1 | 0.28 | 0/2674 | 0.51 | 0/3626 |
| 49 | X1 | 0.29 | 0/1434 | 0.55 | 0/1937 |
| 50 | Y1 | 0.30 | 0/1061 | 0.58 | 0/1439 |
| 51 | Z1 | 0.28 | 0/1198 | 0.61 | 0/1616 |
| 52 | a1 | 0.29 | 0/585 | 0.63 | 0/788 |
| 53 | b1 | 0.29 | 0/666 | 0.58 | 1/914 (0.1%) |
| 54 | c1 | 0.31 | 0/409 | 0.55 | 0/555 |
| 55 | d1 | 0.29 | 0/1028 | 0.61 | 1/1387 (0.1%) |
| 56 | e1 | 0.27 | 0/900 | 0.53 | 0/1199 |
| 57 | f1 | 0.29 | 0/468 | 0.60 | 0/630 |
| 58 | g1 | 0.28 | 0/878 | 0.52 | 0/1196 |
| 59 | h1 | 0.30 | 0/1201 | 0.55 | 0/1626 |
| 60 | i1 | 0.28 | 0/917 | 0.54 | 1/1243 (0.1%) |
| 61 | j1 | 0.27 | 0/587 | 0.51 | 0/804 |
| 62 | k1 | 0.27 | 0/646 | 0.52 | 0/873 |

| Mol | Chain | Bond lengths | | Bond angles | |
|-----|-------|--------------|----------|-------------|------------------|
| | | RMSZ | # Z >5 | RMSZ | # Z >5 |
| 63 | l1 | 0.28 | 0/1379 | 0.54 | 0/1882 |
| 64 | m1 | 0.30 | 0/1079 | 0.59 | 0/1463 |
| 65 | n1 | 0.28 | 0/1596 | 0.55 | 0/2162 |
| 66 | o1 | 0.33 | 0/1039 | 0.65 | 1/1394 (0.1%) |
| 67 | p1 | 0.28 | 0/1471 | 0.53 | 0/1988 |
| All | All | 0.29 | 0/115107 | 0.58 | 48/156187 (0.0%) |

There are no bond length outliers.

The worst 5 of 48 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|-----------|-------|-------------|----------|
| 1 | n | 195 | LEU | CA-CB-CG | 11.02 | 140.66 | 115.30 |
| 41 | A1 | 98 | LEU | CA-CB-CG | 8.11 | 133.96 | 115.30 |
| 16 | C | 332 | LEU | CA-CB-CG | 8.05 | 133.81 | 115.30 |
| 6 | s | 46 | ASP | CB-CG-OD1 | 7.98 | 125.48 | 118.30 |
| 44 | K1 | 38 | LEU | CA-CB-CG | 7.77 | 133.18 | 115.30 |

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|----------------|-----------|---------|----------|-------------|-----|
| 1 | n | 512/514 (100%) | 490 (96%) | 22 (4%) | 0 | 100 | 100 |
| 2 | o | 225/227 (99%) | 215 (96%) | 10 (4%) | 0 | 100 | 100 |
| 3 | p | 258/261 (99%) | 248 (96%) | 10 (4%) | 0 | 100 | 100 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|---------------|------------|---------|----------|-------------|-----|
| 4 | q | 137/169 (81%) | 128 (93%) | 9 (7%) | 0 | 100 | 100 |
| 5 | r | 102/146 (70%) | 98 (96%) | 4 (4%) | 0 | 100 | 100 |
| 6 | s | 92/128 (72%) | 86 (94%) | 6 (6%) | 0 | 100 | 100 |
| 7 | t | 73/97 (75%) | 68 (93%) | 5 (7%) | 0 | 100 | 100 |
| 8 | u | 77/86 (90%) | 75 (97%) | 2 (3%) | 0 | 100 | 100 |
| 9 | v | 69/76 (91%) | 65 (94%) | 4 (6%) | 0 | 100 | 100 |
| 10 | x | 47/80 (59%) | 46 (98%) | 1 (2%) | 0 | 100 | 100 |
| 11 | y | 45/63 (71%) | 43 (96%) | 2 (4%) | 0 | 100 | 100 |
| 12 | z | 41/70 (59%) | 39 (95%) | 2 (5%) | 0 | 100 | 100 |
| 13 | w | 55/83 (66%) | 54 (98%) | 1 (2%) | 0 | 100 | 100 |
| 14 | A | 443/480 (92%) | 431 (97%) | 12 (3%) | 0 | 100 | 100 |
| 14 | L | 443/480 (92%) | 431 (97%) | 12 (3%) | 0 | 100 | 100 |
| 15 | B | 418/453 (92%) | 408 (98%) | 10 (2%) | 0 | 100 | 100 |
| 15 | M | 418/453 (92%) | 399 (96%) | 19 (4%) | 0 | 100 | 100 |
| 16 | C | 378/381 (99%) | 369 (98%) | 9 (2%) | 0 | 100 | 100 |
| 16 | N | 378/381 (99%) | 369 (98%) | 9 (2%) | 0 | 100 | 100 |
| 17 | D | 238/325 (73%) | 231 (97%) | 7 (3%) | 0 | 100 | 100 |
| 17 | O | 238/325 (73%) | 226 (95%) | 12 (5%) | 0 | 100 | 100 |
| 18 | E | 194/274 (71%) | 184 (95%) | 10 (5%) | 0 | 100 | 100 |
| 18 | P | 194/274 (71%) | 185 (95%) | 9 (5%) | 0 | 100 | 100 |
| 18 | T | 76/274 (28%) | 72 (95%) | 4 (5%) | 0 | 100 | 100 |
| 19 | F | 99/111 (89%) | 97 (98%) | 2 (2%) | 0 | 100 | 100 |
| 19 | Q | 100/111 (90%) | 100 (100%) | 0 | 0 | 100 | 100 |
| 20 | G | 75/82 (92%) | 73 (97%) | 2 (3%) | 0 | 100 | 100 |
| 20 | R | 75/82 (92%) | 71 (95%) | 4 (5%) | 0 | 100 | 100 |
| 21 | H | 64/89 (72%) | 64 (100%) | 0 | 0 | 100 | 100 |
| 21 | S | 66/89 (74%) | 64 (97%) | 2 (3%) | 0 | 100 | 100 |
| 22 | J | 58/64 (91%) | 57 (98%) | 1 (2%) | 0 | 100 | 100 |
| 22 | U | 58/64 (91%) | 57 (98%) | 1 (2%) | 0 | 100 | 100 |
| 23 | K | 50/56 (89%) | 47 (94%) | 3 (6%) | 0 | 100 | 100 |
| 23 | V | 51/56 (91%) | 50 (98%) | 1 (2%) | 0 | 100 | 100 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|----------------|-----------|---------|----------|-------------|-----|
| 24 | 6 | 155/224 (69%) | 149 (96%) | 6 (4%) | 0 | 100 | 100 |
| 25 | C1 | 206/263 (78%) | 197 (96%) | 9 (4%) | 0 | 100 | 100 |
| 26 | D1 | 427/463 (92%) | 413 (97%) | 14 (3%) | 0 | 100 | 100 |
| 27 | 2 | 212/248 (86%) | 202 (95%) | 9 (4%) | 1 (0%) | 29 | 68 |
| 28 | 1 | 428/464 (92%) | 412 (96%) | 16 (4%) | 0 | 100 | 100 |
| 29 | 3 | 688/727 (95%) | 659 (96%) | 29 (4%) | 0 | 100 | 100 |
| 30 | 9 | 176/212 (83%) | 172 (98%) | 4 (2%) | 0 | 100 | 100 |
| 31 | P1 | 340/377 (90%) | 327 (96%) | 13 (4%) | 0 | 100 | 100 |
| 32 | Q1 | 124/175 (71%) | 119 (96%) | 5 (4%) | 0 | 100 | 100 |
| 33 | 7 | 94/116 (81%) | 92 (98%) | 2 (2%) | 0 | 100 | 100 |
| 34 | S1 | 82/99 (83%) | 75 (92%) | 7 (8%) | 0 | 100 | 100 |
| 35 | T1 | 77/156 (49%) | 77 (100%) | 0 | 0 | 100 | 100 |
| 35 | U1 | 86/156 (55%) | 85 (99%) | 1 (1%) | 0 | 100 | 100 |
| 36 | V1 | 111/116 (96%) | 110 (99%) | 1 (1%) | 0 | 100 | 100 |
| 37 | W1 | 112/131 (86%) | 106 (95%) | 6 (5%) | 0 | 100 | 100 |
| 38 | q1 | 143/145 (99%) | 138 (96%) | 5 (4%) | 0 | 100 | 100 |
| 39 | r1 | 95/113 (84%) | 93 (98%) | 2 (2%) | 0 | 100 | 100 |
| 40 | s1 | 40/104 (38%) | 40 (100%) | 0 | 0 | 100 | 100 |
| 41 | A1 | 113/115 (98%) | 110 (97%) | 3 (3%) | 0 | 100 | 100 |
| 42 | H1 | 316/318 (99%) | 299 (95%) | 17 (5%) | 0 | 100 | 100 |
| 43 | J1 | 170/172 (99%) | 160 (94%) | 10 (6%) | 0 | 100 | 100 |
| 44 | K1 | 96/98 (98%) | 95 (99%) | 1 (1%) | 0 | 100 | 100 |
| 45 | L1 | 604/607 (100%) | 566 (94%) | 38 (6%) | 0 | 100 | 100 |
| 46 | M1 | 457/459 (100%) | 442 (97%) | 15 (3%) | 0 | 100 | 100 |
| 47 | N1 | 343/345 (99%) | 330 (96%) | 13 (4%) | 0 | 100 | 100 |
| 48 | O1 | 318/355 (90%) | 298 (94%) | 20 (6%) | 0 | 100 | 100 |
| 49 | X1 | 169/172 (98%) | 163 (96%) | 6 (4%) | 0 | 100 | 100 |
| 50 | Y1 | 138/141 (98%) | 136 (99%) | 2 (1%) | 0 | 100 | 100 |
| 51 | Z1 | 139/144 (96%) | 132 (95%) | 7 (5%) | 0 | 100 | 100 |
| 52 | a1 | 68/70 (97%) | 67 (98%) | 1 (2%) | 0 | 100 | 100 |
| 53 | b1 | 81/84 (96%) | 76 (94%) | 5 (6%) | 0 | 100 | 100 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|-------------------|-------------|----------|----------|-------------|-----|
| 54 | c1 | 46/76 (60%) | 46 (100%) | 0 | 0 | 100 | 100 |
| 55 | d1 | 118/120 (98%) | 114 (97%) | 4 (3%) | 0 | 100 | 100 |
| 56 | e1 | 103/106 (97%) | 98 (95%) | 5 (5%) | 0 | 100 | 100 |
| 57 | f1 | 51/57 (90%) | 51 (100%) | 0 | 0 | 100 | 100 |
| 58 | g1 | 99/151 (66%) | 96 (97%) | 3 (3%) | 0 | 100 | 100 |
| 59 | h1 | 137/189 (72%) | 131 (96%) | 6 (4%) | 0 | 100 | 100 |
| 60 | i1 | 102/128 (80%) | 98 (96%) | 3 (3%) | 1 (1%) | 15 | 54 |
| 61 | j1 | 63/105 (60%) | 58 (92%) | 5 (8%) | 0 | 100 | 100 |
| 62 | k1 | 75/104 (72%) | 73 (97%) | 2 (3%) | 0 | 100 | 100 |
| 63 | l1 | 155/186 (83%) | 153 (99%) | 2 (1%) | 0 | 100 | 100 |
| 64 | m1 | 124/129 (96%) | 122 (98%) | 2 (2%) | 0 | 100 | 100 |
| 65 | n1 | 176/179 (98%) | 171 (97%) | 5 (3%) | 0 | 100 | 100 |
| 66 | o1 | 116/137 (85%) | 109 (94%) | 7 (6%) | 0 | 100 | 100 |
| 67 | p1 | 168/176 (96%) | 166 (99%) | 2 (1%) | 0 | 100 | 100 |
| All | All | 13988/16116 (87%) | 13466 (96%) | 520 (4%) | 2 (0%) | 100 | 100 |

All (2) Ramachandran outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 27 | 2 | 183 | LYS |
| 60 | i1 | 59 | MET |

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|----------------|------------|----------|-------------|-----|
| 1 | n | 425/425 (100%) | 425 (100%) | 0 | 100 | 100 |
| 2 | o | 210/210 (100%) | 210 (100%) | 0 | 100 | 100 |
| 3 | p | 226/227 (100%) | 226 (100%) | 0 | 100 | 100 |
| 4 | q | 122/146 (84%) | 122 (100%) | 0 | 100 | 100 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|----------------|------------|----------|-------------|-----|
| 5 | r | 91/118 (77%) | 91 (100%) | 0 | 100 | 100 |
| 6 | s | 80/101 (79%) | 80 (100%) | 0 | 100 | 100 |
| 7 | t | 62/78 (80%) | 62 (100%) | 0 | 100 | 100 |
| 8 | u | 70/76 (92%) | 69 (99%) | 1 (1%) | 67 | 85 |
| 9 | v | 54/57 (95%) | 54 (100%) | 0 | 100 | 100 |
| 10 | x | 39/67 (58%) | 39 (100%) | 0 | 100 | 100 |
| 11 | y | 40/55 (73%) | 40 (100%) | 0 | 100 | 100 |
| 12 | z | 33/55 (60%) | 33 (100%) | 0 | 100 | 100 |
| 13 | w | 43/67 (64%) | 42 (98%) | 1 (2%) | 50 | 77 |
| 14 | A | 372/398 (94%) | 371 (100%) | 1 (0%) | 92 | 97 |
| 14 | L | 372/398 (94%) | 372 (100%) | 0 | 100 | 100 |
| 15 | B | 330/356 (93%) | 330 (100%) | 0 | 100 | 100 |
| 15 | M | 330/356 (93%) | 330 (100%) | 0 | 100 | 100 |
| 16 | C | 332/333 (100%) | 330 (99%) | 2 (1%) | 86 | 94 |
| 16 | N | 332/333 (100%) | 331 (100%) | 1 (0%) | 92 | 97 |
| 17 | D | 205/260 (79%) | 204 (100%) | 1 (0%) | 88 | 94 |
| 17 | O | 205/260 (79%) | 205 (100%) | 0 | 100 | 100 |
| 18 | E | 68/224 (30%) | 68 (100%) | 0 | 100 | 100 |
| 18 | P | 68/224 (30%) | 67 (98%) | 1 (2%) | 65 | 84 |
| 18 | T | 58/224 (26%) | 58 (100%) | 0 | 100 | 100 |
| 19 | F | 93/99 (94%) | 93 (100%) | 0 | 100 | 100 |
| 19 | Q | 94/99 (95%) | 94 (100%) | 0 | 100 | 100 |
| 20 | G | 70/74 (95%) | 70 (100%) | 0 | 100 | 100 |
| 20 | R | 70/74 (95%) | 68 (97%) | 2 (3%) | 42 | 71 |
| 21 | H | 63/83 (76%) | 63 (100%) | 0 | 100 | 100 |
| 21 | S | 65/83 (78%) | 65 (100%) | 0 | 100 | 100 |
| 22 | J | 51/55 (93%) | 51 (100%) | 0 | 100 | 100 |
| 22 | U | 51/55 (93%) | 51 (100%) | 0 | 100 | 100 |
| 23 | K | 42/46 (91%) | 42 (100%) | 0 | 100 | 100 |
| 23 | V | 43/46 (94%) | 43 (100%) | 0 | 100 | 100 |
| 24 | 6 | 133/185 (72%) | 132 (99%) | 1 (1%) | 81 | 91 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|----------------|------------|----------|-------------|-----|
| 25 | C1 | 190/227 (84%) | 190 (100%) | 0 | 100 | 100 |
| 26 | D1 | 370/394 (94%) | 370 (100%) | 0 | 100 | 100 |
| 27 | 2 | 184/206 (89%) | 183 (100%) | 1 (0%) | 88 | 94 |
| 28 | 1 | 345/370 (93%) | 345 (100%) | 0 | 100 | 100 |
| 29 | 3 | 580/610 (95%) | 579 (100%) | 1 (0%) | 93 | 98 |
| 30 | 9 | 152/178 (85%) | 152 (100%) | 0 | 100 | 100 |
| 31 | P1 | 299/325 (92%) | 299 (100%) | 0 | 100 | 100 |
| 32 | Q1 | 113/153 (74%) | 113 (100%) | 0 | 100 | 100 |
| 33 | 7 | 81/96 (84%) | 80 (99%) | 1 (1%) | 71 | 87 |
| 34 | S1 | 74/80 (92%) | 74 (100%) | 0 | 100 | 100 |
| 35 | T1 | 73/135 (54%) | 73 (100%) | 0 | 100 | 100 |
| 35 | U1 | 81/135 (60%) | 81 (100%) | 0 | 100 | 100 |
| 36 | V1 | 101/102 (99%) | 101 (100%) | 0 | 100 | 100 |
| 37 | W1 | 108/114 (95%) | 108 (100%) | 0 | 100 | 100 |
| 38 | q1 | 131/131 (100%) | 131 (100%) | 0 | 100 | 100 |
| 39 | r1 | 88/96 (92%) | 88 (100%) | 0 | 100 | 100 |
| 40 | s1 | 41/95 (43%) | 40 (98%) | 1 (2%) | 49 | 76 |
| 41 | A1 | 103/103 (100%) | 102 (99%) | 1 (1%) | 76 | 88 |
| 42 | H1 | 279/279 (100%) | 279 (100%) | 0 | 100 | 100 |
| 43 | J1 | 137/137 (100%) | 137 (100%) | 0 | 100 | 100 |
| 44 | K1 | 87/87 (100%) | 87 (100%) | 0 | 100 | 100 |
| 45 | L1 | 548/549 (100%) | 548 (100%) | 0 | 100 | 100 |
| 46 | M1 | 414/414 (100%) | 413 (100%) | 1 (0%) | 93 | 98 |
| 47 | N1 | 307/307 (100%) | 307 (100%) | 0 | 100 | 100 |
| 48 | O1 | 284/309 (92%) | 283 (100%) | 1 (0%) | 91 | 96 |
| 49 | X1 | 153/154 (99%) | 153 (100%) | 0 | 100 | 100 |
| 50 | Y1 | 105/106 (99%) | 105 (100%) | 0 | 100 | 100 |
| 51 | Z1 | 122/123 (99%) | 121 (99%) | 1 (1%) | 81 | 91 |
| 52 | a1 | 60/60 (100%) | 60 (100%) | 0 | 100 | 100 |
| 53 | b1 | 72/73 (99%) | 72 (100%) | 0 | 100 | 100 |
| 54 | c1 | 42/67 (63%) | 42 (100%) | 0 | 100 | 100 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|-------------------|--------------|----------|-------------|-----|
| 55 | d1 | 107/107 (100%) | 107 (100%) | 0 | 100 | 100 |
| 56 | e1 | 93/94 (99%) | 93 (100%) | 0 | 100 | 100 |
| 57 | f1 | 49/53 (92%) | 48 (98%) | 1 (2%) | 55 | 79 |
| 58 | g1 | 92/129 (71%) | 92 (100%) | 0 | 100 | 100 |
| 59 | h1 | 123/162 (76%) | 123 (100%) | 0 | 100 | 100 |
| 60 | i1 | 99/119 (83%) | 99 (100%) | 0 | 100 | 100 |
| 61 | j1 | 61/87 (70%) | 61 (100%) | 0 | 100 | 100 |
| 62 | k1 | 60/78 (77%) | 59 (98%) | 1 (2%) | 60 | 82 |
| 63 | l1 | 142/161 (88%) | 142 (100%) | 0 | 100 | 100 |
| 64 | m1 | 112/114 (98%) | 112 (100%) | 0 | 100 | 100 |
| 65 | n1 | 163/164 (99%) | 163 (100%) | 0 | 100 | 100 |
| 66 | o1 | 109/121 (90%) | 109 (100%) | 0 | 100 | 100 |
| 67 | p1 | 155/158 (98%) | 155 (100%) | 0 | 100 | 100 |
| All | All | 12031/13709 (88%) | 12010 (100%) | 21 (0%) | 93 | 98 |

5 of 21 residues with a non-rotameric sidechain are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 40 | s1 | 49 | ASN |
| 48 | O1 | 271 | ASN |
| 62 | k1 | 25 | ARG |
| 51 | Z1 | 26 | ARG |
| 46 | M1 | 421 | ASN |

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 15 such sidechains are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 31 | P1 | 136 | ASN |
| 67 | p1 | 106 | GLN |
| 41 | A1 | 108 | GLN |
| 67 | p1 | 123 | ASN |
| 59 | h1 | 108 | GLN |

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains

11 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|-----|------|--------------|------|----------|-------------|------|----------|
| | | | | | Counts | RMSZ | # Z > 2 | Counts | RMSZ | # Z > 2 |
| 26 | 2MR | D1 | 85 | 26 | 10,12,13 | 2.60 | 2 (20%) | 5,13,15 | 2.77 | 2 (40%) |
| 53 | AYA | b1 | 1 | 53 | 6,7,8 | 1.22 | 1 (16%) | 5,8,10 | 1.30 | 1 (20%) |
| 46 | FME | M1 | 1 | 46 | 8,9,10 | 0.95 | 0 | 7,9,11 | 0.77 | 0 |
| 60 | SAC | i1 | 1 | 60 | 7,8,9 | 1.02 | 0 | 8,9,11 | 0.85 | 1 (12%) |
| 45 | FME | L1 | 1 | 45 | 8,9,10 | 0.92 | 0 | 7,9,11 | 0.96 | 0 |
| 47 | FME | N1 | 1 | 47 | 8,9,10 | 0.93 | 0 | 7,9,11 | 0.90 | 0 |
| 42 | FME | H1 | 1 | 42 | 8,9,10 | 0.95 | 0 | 7,9,11 | 0.89 | 0 |
| 41 | FME | A1 | 1 | 41 | 8,9,10 | 0.94 | 0 | 7,9,11 | 0.82 | 0 |
| 39 | AYA | r1 | 1 | 39 | 6,7,8 | 1.27 | 1 (16%) | 5,8,10 | 1.40 | 1 (20%) |
| 44 | FME | K1 | 1 | 44 | 8,9,10 | 0.88 | 0 | 7,9,11 | 2.22 | 2 (28%) |
| 43 | FME | J1 | 1 | 43 | 8,9,10 | 0.91 | 0 | 7,9,11 | 0.88 | 0 |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|-----|------|---------|------------|-------|
| 26 | 2MR | D1 | 85 | 26 | - | 2/10/13/15 | - |
| 53 | AYA | b1 | 1 | 53 | - | 0/4/6/8 | - |
| 46 | FME | M1 | 1 | 46 | - | 1/7/9/11 | - |
| 60 | SAC | i1 | 1 | 60 | - | 2/7/8/10 | - |
| 45 | FME | L1 | 1 | 45 | - | 4/7/9/11 | - |
| 47 | FME | N1 | 1 | 47 | - | 4/7/9/11 | - |
| 42 | FME | H1 | 1 | 42 | - | 2/7/9/11 | - |
| 41 | FME | A1 | 1 | 41 | - | 1/7/9/11 | - |
| 39 | AYA | r1 | 1 | 39 | - | 0/4/6/8 | - |
| 44 | FME | K1 | 1 | 44 | - | 4/7/9/11 | - |
| 43 | FME | J1 | 1 | 43 | - | 4/7/9/11 | - |

All (4) bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|-----|------|--------|-------|-------------|----------|
| 26 | D1 | 85 | 2MR | CZ-NE | 5.93 | 1.47 | 1.34 |
| 26 | D1 | 85 | 2MR | CZ-NH2 | 5.15 | 1.44 | 1.33 |
| 39 | r1 | 1 | AYA | CA-N | -2.43 | 1.44 | 1.46 |
| 53 | b1 | 1 | AYA | CA-N | -2.23 | 1.44 | 1.46 |

The worst 5 of 7 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|-----------|-------|-------------|----------|
| 44 | K1 | 1 | FME | C-CA-N | 4.96 | 118.69 | 109.73 |
| 26 | D1 | 85 | 2MR | CD-NE-CZ | 4.81 | 132.41 | 123.41 |
| 26 | D1 | 85 | 2MR | NE-CZ-NH2 | -3.53 | 116.24 | 119.48 |
| 39 | r1 | 1 | AYA | CB-CA-N | 2.96 | 112.90 | 109.61 |
| 53 | b1 | 1 | AYA | CB-CA-N | 2.70 | 112.61 | 109.61 |

There are no chirality outliers.

5 of 24 torsion outliers are listed below:

| Mol | Chain | Res | Type | Atoms |
|-----|-------|-----|------|------------|
| 42 | H1 | 1 | FME | N-CA-CB-CG |
| 43 | J1 | 1 | FME | C-CA-CB-CG |
| 43 | J1 | 1 | FME | O-C-CA-CB |
| 44 | K1 | 1 | FME | O1-CN-N-CA |
| 44 | K1 | 1 | FME | N-CA-CB-CG |

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 90 ligands modelled in this entry, 7 are monoatomic - leaving 83 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|-----|------|--------------|------|-------------|-------------|------|-------------|
| | | | | | Counts | RMSZ | # $ Z > 2$ | Counts | RMSZ | # $ Z > 2$ |
| 71 | 3PE | M1 | 501 | - | 50,50,50 | 0.30 | 0 | 53,55,55 | 0.30 | 0 |
| 71 | 3PE | r1 | 201 | - | 45,45,50 | 0.32 | 0 | 48,50,55 | 0.28 | 0 |
| 80 | PC1 | P1 | 502 | - | 30,30,53 | 0.40 | 0 | 36,38,61 | 0.56 | 0 |
| 71 | 3PE | Y1 | 203 | - | 27,27,50 | 0.40 | 0 | 30,32,55 | 0.34 | 0 |
| 80 | PC1 | V | 101 | - | 27,27,53 | 0.40 | 0 | 33,35,61 | 0.34 | 0 |
| 71 | 3PE | N | 401 | - | 33,33,50 | 0.36 | 0 | 36,38,55 | 0.34 | 0 |
| 76 | CDL | h1 | 201 | - | 69,69,99 | 0.36 | 0 | 75,81,111 | 0.43 | 0 |
| 71 | 3PE | K1 | 201 | - | 40,40,50 | 0.34 | 0 | 43,45,55 | 0.29 | 0 |
| 77 | HEM | C | 402 | 16 | 41,50,50 | 1.47 | 4 (9%) | 45,82,82 | 1.60 | 9 (20%) |
| 75 | TGL | y | 601 | - | 36,36,62 | 0.23 | 0 | 39,39,65 | 0.18 | 0 |
| 71 | 3PE | n | 605 | - | 33,33,50 | 0.38 | 0 | 36,38,55 | 0.55 | 1 (2%) |
| 70 | HEA | n | 603 | 1 | 57,67,67 | 1.45 | 8 (14%) | 61,103,103 | 2.36 | 22 (36%) |
| 76 | CDL | A | 502 | - | 45,45,99 | 0.43 | 0 | 51,57,111 | 0.36 | 0 |
| 76 | CDL | N | 405 | - | 45,45,99 | 0.44 | 0 | 51,57,111 | 0.51 | 0 |
| 70 | HEA | n | 604 | 1 | 57,67,67 | 1.48 | 8 (14%) | 61,103,103 | 2.52 | 22 (36%) |
| 85 | ZMP | W1 | 201 | - | 27,33,36 | 0.66 | 1 (3%) | 32,40,45 | 1.03 | 2 (6%) |
| 76 | CDL | O | 301 | - | 56,56,99 | 0.38 | 0 | 62,68,111 | 0.33 | 0 |
| 71 | 3PE | M1 | 503 | - | 35,35,50 | 0.36 | 0 | 38,40,55 | 0.30 | 0 |
| 76 | CDL | R | 102 | - | 56,56,99 | 0.39 | 0 | 62,68,111 | 0.47 | 1 (1%) |
| 76 | CDL | N1 | 401 | - | 89,89,99 | 0.32 | 0 | 95,101,111 | 0.40 | 1 (1%) |
| 71 | 3PE | o | 302 | - | 28,28,50 | 0.39 | 0 | 31,33,55 | 0.38 | 0 |
| 71 | 3PE | N | 404 | - | 36,36,50 | 0.35 | 0 | 39,41,55 | 0.31 | 0 |
| 81 | SF4 | 1 | 502 | 28 | 0,12,12 | - | - | - | - | - |
| 71 | 3PE | v | 101 | - | 27,27,50 | 0.39 | 0 | 30,32,55 | 0.34 | 0 |
| 71 | 3PE | n | 607 | - | 26,26,50 | 0.40 | 0 | 29,31,55 | 0.34 | 0 |
| 71 | 3PE | d1 | 202 | - | 30,30,50 | 0.37 | 0 | 33,35,55 | 0.33 | 0 |
| 84 | NDP | P1 | 501 | - | 45,52,52 | 0.52 | 0 | 53,80,80 | 0.59 | 1 (1%) |
| 79 | FES | E | 201 | 18 | 0,4,4 | - | - | - | - | - |
| 86 | DGT | O1 | 401 | 72 | 26,33,33 | 0.79 | 1 (3%) | 32,52,52 | 0.47 | 0 |
| 81 | SF4 | 9 | 201 | 30 | 0,12,12 | - | - | - | - | - |
| 76 | CDL | G | 101 | - | 55,55,99 | 0.39 | 0 | 61,67,111 | 0.32 | 0 |
| 71 | 3PE | O | 302 | - | 32,32,50 | 0.37 | 0 | 35,37,55 | 0.35 | 0 |
| 81 | SF4 | 3 | 802 | 29 | 0,12,12 | - | - | - | - | - |
| 71 | 3PE | D1 | 501 | - | 50,50,50 | 0.31 | 0 | 53,55,55 | 0.29 | 0 |
| 71 | 3PE | i1 | 201 | - | 41,41,50 | 0.32 | 0 | 44,46,55 | 0.31 | 0 |
| 71 | 3PE | p | 301 | - | 44,44,50 | 0.33 | 0 | 47,49,55 | 0.30 | 0 |
| 80 | PC1 | J | 101 | - | 34,34,53 | 0.35 | 0 | 40,42,61 | 0.33 | 0 |
| 71 | 3PE | Y1 | 204 | - | 41,41,50 | 0.33 | 0 | 44,46,55 | 0.32 | 0 |

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|-----|------|--------------|------|----------|-------------|------|----------|
| | | | | | Counts | RMSZ | # Z > 2 | Counts | RMSZ | # Z > 2 |
| 81 | SF4 | 9 | 202 | 30 | 0,12,12 | - | - | - | | |
| 76 | CDL | R | 103 | - | 71,71,99 | 0.36 | 0 | 77,83,111 | 0.42 | 1 (1%) |
| 73 | CUA | o | 303 | 2 | 0,1,1 | - | - | - | | |
| 80 | PC1 | 6 | 203 | - | 42,42,53 | 0.34 | 0 | 48,50,61 | 0.49 | 0 |
| 71 | 3PE | M1 | 502 | - | 50,50,50 | 0.30 | 0 | 53,55,55 | 0.27 | 0 |
| 80 | PC1 | 9 | 203 | - | 53,53,53 | 0.29 | 0 | 59,61,61 | 0.44 | 0 |
| 71 | 3PE | N1 | 402 | - | 37,37,50 | 0.35 | 0 | 40,42,55 | 0.34 | 0 |
| 71 | 3PE | C | 403 | - | 34,34,50 | 0.36 | 0 | 37,39,55 | 0.33 | 0 |
| 76 | CDL | C | 404 | - | 41,41,99 | 0.45 | 0 | 47,53,111 | 0.36 | 0 |
| 80 | PC1 | L | 502 | - | 23,23,53 | 0.44 | 0 | 29,31,61 | 0.61 | 0 |
| 71 | 3PE | L | 501 | - | 22,22,50 | 0.44 | 0 | 25,27,55 | 0.36 | 0 |
| 79 | FES | P | 201 | 18 | 0,4,4 | - | - | - | | |
| 77 | HEM | N | 403 | 16 | 41,50,50 | 1.45 | 4 (9%) | 45,82,82 | 1.56 | 8 (17%) |
| 82 | FMN | 1 | 501 | - | 33,33,33 | 0.26 | 0 | 48,50,50 | 0.46 | 1 (2%) |
| 76 | CDL | H1 | 402 | - | 50,50,99 | 0.42 | 0 | 55,61,111 | 0.36 | 0 |
| 81 | SF4 | 3 | 801 | 29 | 0,12,12 | - | - | - | | |
| 76 | CDL | Y1 | 202 | - | 93,93,99 | 0.31 | 0 | 99,105,111 | 0.27 | 0 |
| 80 | PC1 | Y1 | 201 | - | 53,53,53 | 0.30 | 0 | 59,61,61 | 0.32 | 0 |
| 85 | ZMP | n1 | 201 | - | 25,31,36 | 0.73 | 1 (4%) | 30,38,45 | 0.96 | 1 (3%) |
| 71 | 3PE | A | 501 | - | 22,22,50 | 0.45 | 0 | 25,27,55 | 0.65 | 0 |
| 77 | HEM | N | 402 | 16 | 41,50,50 | 1.43 | 3 (7%) | 45,82,82 | 1.59 | 10 (22%) |
| 80 | PC1 | K | 101 | - | 27,27,53 | 0.40 | 0 | 33,35,61 | 0.37 | 0 |
| 76 | CDL | R | 101 | - | 40,40,99 | 0.46 | 0 | 46,52,111 | 0.54 | 0 |
| 79 | FES | 2 | 301 | 27 | 0,4,4 | - | - | - | | |
| 71 | 3PE | C | 405 | - | 30,30,50 | 0.38 | 0 | 33,35,55 | 0.35 | 0 |
| 76 | CDL | d1 | 201 | - | 66,66,99 | 0.36 | 0 | 72,78,111 | 0.31 | 0 |
| 71 | 3PE | R | 104 | - | 29,29,50 | 0.38 | 0 | 32,34,55 | 0.32 | 0 |
| 76 | CDL | a1 | 101 | - | 56,56,99 | 0.40 | 0 | 62,68,111 | 0.46 | 0 |
| 71 | 3PE | t | 101 | - | 24,24,50 | 0.43 | 0 | 27,29,55 | 0.63 | 0 |
| 78 | HEC | O | 303 | 17 | 32,50,50 | 2.19 | 3 (9%) | 24,82,82 | 1.60 | 4 (16%) |
| 71 | 3PE | G | 102 | - | 50,50,50 | 0.30 | 0 | 53,55,55 | 0.28 | 0 |
| 71 | 3PE | n | 606 | - | 27,27,50 | 0.40 | 0 | 30,32,55 | 0.44 | 0 |
| 78 | HEC | D | 301 | 17 | 32,50,50 | 2.19 | 4 (12%) | 24,82,82 | 1.57 | 3 (12%) |
| 71 | 3PE | d1 | 203 | - | 31,31,50 | 0.37 | 0 | 34,36,55 | 0.35 | 0 |
| 76 | CDL | L1 | 702 | - | 77,77,99 | 0.34 | 0 | 83,89,111 | 0.29 | 0 |
| 80 | PC1 | 9 | 204 | - | 46,46,53 | 0.31 | 0 | 52,54,61 | 0.28 | 0 |
| 77 | HEM | C | 401 | 16 | 41,50,50 | 1.42 | 3 (7%) | 45,82,82 | 1.52 | 9 (20%) |
| 71 | 3PE | 6 | 202 | - | 31,31,50 | 0.37 | 0 | 34,36,55 | 0.32 | 0 |
| 76 | CDL | L1 | 703 | - | 45,45,99 | 0.42 | 0 | 51,57,111 | 0.35 | 0 |
| 79 | FES | 3 | 803 | 29 | 0,4,4 | - | - | - | | |
| 71 | 3PE | L1 | 701 | - | 50,50,50 | 0.31 | 0 | 53,55,55 | 0.47 | 0 |

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|-----|------|--------------|------|----------|-------------|------|----------|
| | | | | | Counts | RMSZ | # Z > 2 | Counts | RMSZ | # Z > 2 |
| 71 | 3PE | A1 | 201 | - | 42,42,50 | 0.32 | 0 | 45,47,55 | 0.33 | 0 |
| 71 | 3PE | E | 202 | - | 31,31,50 | 0.37 | 0 | 34,36,55 | 0.35 | 0 |
| 81 | SF4 | 6 | 201 | 24 | 0,12,12 | - | - | - | - | - |
| 71 | 3PE | H1 | 401 | - | 50,50,50 | 0.31 | 0 | 53,55,55 | 0.47 | 0 |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|-----|------|---------|----------------|---------|
| 71 | 3PE | M1 | 501 | - | - | 12/54/54/54 | - |
| 71 | 3PE | r1 | 201 | - | - | 6/49/49/54 | - |
| 80 | PC1 | P1 | 502 | - | - | 16/34/34/57 | - |
| 71 | 3PE | Y1 | 203 | - | - | 7/31/31/54 | - |
| 80 | PC1 | V | 101 | - | - | 4/31/31/57 | - |
| 71 | 3PE | N | 401 | - | - | 5/37/37/54 | - |
| 76 | CDL | h1 | 201 | - | - | 21/80/80/110 | - |
| 71 | 3PE | K1 | 201 | - | - | 10/44/44/54 | - |
| 77 | HEM | C | 402 | 16 | - | 2/12/54/54 | - |
| 75 | TGL | y | 601 | - | - | 2/39/39/65 | - |
| 71 | 3PE | n | 605 | - | - | 9/37/37/54 | - |
| 70 | HEA | n | 603 | 1 | - | 10/32/76/76 | - |
| 76 | CDL | A | 502 | - | - | 21/56/56/110 | - |
| 76 | CDL | N | 405 | - | - | 10/56/56/110 | - |
| 70 | HEA | n | 604 | 1 | - | 7/32/76/76 | - |
| 85 | ZMP | W1 | 201 | - | - | 6/38/40/43 | - |
| 76 | CDL | O | 301 | - | - | 14/67/67/110 | - |
| 71 | 3PE | M1 | 503 | - | - | 9/39/39/54 | - |
| 76 | CDL | R | 102 | - | - | 20/67/67/110 | - |
| 76 | CDL | N1 | 401 | - | - | 18/100/100/110 | - |
| 71 | 3PE | o | 302 | - | - | 9/32/32/54 | - |
| 71 | 3PE | N | 404 | - | - | 5/40/40/54 | - |
| 81 | SF4 | 1 | 502 | 28 | - | - | 0/6/5/5 |
| 71 | 3PE | v | 101 | - | - | 10/31/31/54 | - |
| 71 | 3PE | n | 607 | - | - | 5/30/30/54 | - |
| 71 | 3PE | d1 | 202 | - | - | 8/34/34/54 | - |

Continued on next page...

Continued from previous page...

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|-----|------|---------|----------------|---------|
| 79 | FES | E | 201 | 18 | - | - | 0/1/1/1 |
| 86 | DGT | O1 | 401 | 72 | - | 7/18/34/34 | 0/3/3/3 |
| 81 | SF4 | 9 | 201 | 30 | - | - | 0/6/5/5 |
| 76 | CDL | G | 101 | - | - | 14/66/66/110 | - |
| 71 | 3PE | O | 302 | - | - | 6/36/36/54 | - |
| 81 | SF4 | 3 | 802 | 29 | - | - | 0/6/5/5 |
| 71 | 3PE | D1 | 501 | - | - | 9/54/54/54 | - |
| 71 | 3PE | i1 | 201 | - | - | 6/45/45/54 | - |
| 71 | 3PE | p | 301 | - | - | 8/48/48/54 | - |
| 80 | PC1 | J | 101 | - | - | 7/38/38/57 | - |
| 71 | 3PE | Y1 | 204 | - | - | 8/45/45/54 | - |
| 81 | SF4 | 9 | 202 | 30 | - | - | 0/6/5/5 |
| 76 | CDL | R | 103 | - | - | 17/82/82/110 | - |
| 80 | PC1 | 6 | 203 | - | - | 11/46/46/57 | - |
| 71 | 3PE | M1 | 502 | - | - | 12/54/54/54 | - |
| 80 | PC1 | 9 | 203 | - | - | 10/57/57/57 | - |
| 71 | 3PE | N1 | 402 | - | - | 7/41/41/54 | - |
| 71 | 3PE | C | 403 | - | - | 11/38/38/54 | - |
| 76 | CDL | C | 404 | - | - | 13/52/52/110 | - |
| 80 | PC1 | L | 502 | - | - | 7/27/27/57 | - |
| 71 | 3PE | L | 501 | - | - | 7/26/26/54 | - |
| 79 | FES | P | 201 | 18 | - | - | 0/1/1/1 |
| 77 | HEM | N | 403 | 16 | - | 4/12/54/54 | - |
| 82 | FMN | 1 | 501 | - | - | 5/18/18/18 | 0/3/3/3 |
| 76 | CDL | H1 | 402 | - | - | 12/59/59/110 | - |
| 81 | SF4 | 3 | 801 | 29 | - | - | 0/6/5/5 |
| 76 | CDL | Y1 | 202 | - | - | 16/104/104/110 | - |
| 80 | PC1 | Y1 | 201 | - | - | 14/57/57/57 | - |
| 85 | ZMP | n1 | 201 | - | - | 17/36/38/43 | - |
| 71 | 3PE | A | 501 | - | - | 9/26/26/54 | - |
| 77 | HEM | N | 402 | 16 | - | 1/12/54/54 | - |
| 80 | PC1 | K | 101 | - | - | 9/31/31/57 | - |
| 76 | CDL | R | 101 | - | - | 11/51/51/110 | - |
| 79 | FES | 2 | 301 | 27 | - | - | 0/1/1/1 |
| 71 | 3PE | C | 405 | - | - | 6/34/34/54 | - |
| 76 | CDL | d1 | 201 | - | - | 14/77/77/110 | - |

Continued on next page...

Continued from previous page...

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|-----|------|---------|--------------|---------|
| 71 | 3PE | R | 104 | - | - | 9/33/33/54 | - |
| 76 | CDL | a1 | 101 | - | - | 13/67/67/110 | - |
| 71 | 3PE | t | 101 | - | - | 6/28/28/54 | - |
| 78 | HEC | O | 303 | 17 | - | 0/10/54/54 | - |
| 71 | 3PE | G | 102 | - | - | 10/54/54/54 | - |
| 71 | 3PE | n | 606 | - | - | 13/31/31/54 | - |
| 78 | HEC | D | 301 | 17 | - | 2/10/54/54 | - |
| 71 | 3PE | d1 | 203 | - | - | 6/35/35/54 | - |
| 76 | CDL | L1 | 702 | - | - | 20/88/88/110 | - |
| 80 | PC1 | 9 | 204 | - | - | 11/50/50/57 | - |
| 77 | HEM | C | 401 | 16 | - | 3/12/54/54 | - |
| 71 | 3PE | 6 | 202 | - | - | 6/35/35/54 | - |
| 76 | CDL | L1 | 703 | - | - | 8/56/56/110 | - |
| 79 | FES | 3 | 803 | 29 | - | - | 0/1/1/1 |
| 71 | 3PE | L1 | 701 | - | - | 7/54/54/54 | - |
| 71 | 3PE | H1 | 401 | - | - | 10/54/54/54 | - |
| 71 | 3PE | A1 | 201 | - | - | 9/46/46/54 | - |
| 71 | 3PE | E | 202 | - | - | 6/35/35/54 | - |
| 81 | SF4 | 6 | 201 | 24 | - | - | 0/6/5/5 |
| 84 | NDP | P1 | 501 | - | - | 8/30/77/77 | 0/5/5/5 |

The worst 5 of 40 bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|-----|------|---------|-------|-------------|----------|
| 78 | O | 303 | HEC | C2B-C3B | -6.40 | 1.34 | 1.40 |
| 78 | O | 303 | HEC | C3C-C2C | -6.30 | 1.34 | 1.40 |
| 78 | D | 301 | HEC | C3C-C2C | -6.27 | 1.34 | 1.40 |
| 78 | D | 301 | HEC | C2B-C3B | -6.14 | 1.34 | 1.40 |
| 78 | D | 301 | HEC | C3D-C2D | 5.44 | 1.53 | 1.37 |

The worst 5 of 96 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|-------------|-------|-------------|----------|
| 70 | n | 604 | HEA | CMC-C2C-C3C | 7.86 | 139.38 | 124.68 |
| 70 | n | 603 | HEA | CMC-C2C-C3C | 7.15 | 138.06 | 124.68 |
| 70 | n | 604 | HEA | CMC-C2C-C1C | -7.13 | 117.50 | 128.46 |
| 70 | n | 603 | HEA | CMC-C2C-C1C | -6.56 | 118.39 | 128.46 |
| 70 | n | 604 | HEA | C3D-C4D-ND | 5.38 | 115.57 | 110.36 |

There are no chirality outliers.


5 of 671 torsion outliers are listed below:


| Mol | Chain | Res | Type | Atoms |
|-----|-------|-----|------|-----------------|
| 70 | n | 603 | HEA | C15-C16-C17-C18 |
| 70 | n | 604 | HEA | C2D-C3D-CAD-CBD |
| 70 | n | 604 | HEA | C15-C16-C17-C18 |
| 71 | n | 605 | 3PE | C11-O13-P-O12 |
| 71 | n | 605 | 3PE | C11-O13-P-O14 |



There are no ring outliers.



No monomer is involved in short contacts.



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.






























































































































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Map visualisation

This section contains visualisations of the EMDB entry EMD-17991. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections

This section was not generated.

6.2 Central slices

This section was not generated.

6.3 Largest variance slices

This section was not generated.

6.4 Orthogonal standard-deviation projections (False-color)

This section was not generated.

6.5 Orthogonal surface views

This section was not generated.

6.6 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis

This section contains the results of statistical analysis of the map.

7.1 Map-value distribution

This section was not generated.

7.2 Volume estimate versus contour level

This section was not generated.

7.3 Rotationally averaged power spectrum

This section was not generated. The rotationally averaged power spectrum had issues being displayed.

8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit

This section was not generated.