

Full wwPDB X-ray Structure Validation Report (i)

Aug 8, 2023 – 06:24 AM EDT

PDB ID	:	1PXY
Title	:	Crystal structure of the actin-crosslinking core of Arabidopsis fimbrin
Authors	:	Klein, M.G.; Shi, W.; Tseng, Y.; Wirtz, D.; Almo, S.C.; Burley, S.K.; New
		York SGX Research Center for Structural Genomics (NYSGXRC)
Deposited on	:	2003-07-07
Resolution	:	2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.35
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motria	Whole archive	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$	
Metric	$(\# {\rm Entries})$		
R _{free}	130704	3907 (2.40-2.40)	
Clashscore	141614	4398 (2.40-2.40)	
Ramachandran outliers	138981	4318 (2.40-2.40)	
Sidechain outliers	138945	4319 (2.40-2.40)	
RSRZ outliers	127900	3811 (2.40-2.40)	

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of cha	in
1	А	506	^{2%} 68%	22% · 8%
1	В	506	4% 60%	33% • 6%



1PXY

2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 7708 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called fimbrin-like protein.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
1	А	465	Total 3725	C 2386	N 653	O 668	S 18	0	0	0
1	В	477	Total 3793	C 2428	N 663	O 684	S 18	0	0	0

Chain	Residue	Modelled	Actual	Comment	Reference
А	118	GLY	-	cloning artifact	UNP Q7G188
А	119	SER	-	cloning artifact	UNP Q7G188
А	120	PRO	-	cloning artifact	UNP Q7G188
А	121	GLY	-	cloning artifact	UNP Q7G188
А	122	ILE	-	cloning artifact	UNP Q7G188
А	240	LEU	VAL	engineered mutation	UNP Q7G188
В	118	GLY	-	cloning artifact	UNP Q7G188
В	119	SER	-	cloning artifact	UNP Q7G188
В	120	PRO	-	cloning artifact	UNP Q7G188
В	121	GLY	-	cloning artifact	UNP Q7G188
В	122	ILE	-	cloning artifact	UNP Q7G188
В	240	LEU	VAL	engineered mutation	UNP Q7G188

There are 12 discrepancies between the modelled and reference sequences:

• Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	112	Total O 112 112	0	0
2	В	78	Total O 78 78	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: fimbrin-like protein

BF74 M472 BF74 M473 M579 W473 M590 W473 T581 W473 T581 W473 T581 M482 T581 M482 L596 L499 L596 L499 L612 L499 L612 L499 L612 L499 L612 L499 L613 L614 L614 M614 L612 L505 L613 L505 L614 M514 L615 K513 L614 M514 M617 L516 L621 K523 L621 K523 L623 K523 L624 C551 L526 C551 L526 C551 L526 K533 L526 K533 L526 L556 L526 L556 L526</t



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	62.69Å 104.98Å 104.41Å	Depositor
a, b, c, α , β , γ	90.00° 103.93° 90.00°	Depositor
Bosolution(A)	20.00 - 2.40	Depositor
Resolution (A)	29.22 - 2.40	EDS
% Data completeness	93.3 (20.00-2.40)	Depositor
(in resolution range)	93.8 (29.22-2.40)	EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$< I/\sigma(I) > 1$	$3.04 (at 2.42 \text{\AA})$	Xtriage
Refinement program	CNS 1.0	Depositor
B B.	0.229 , 0.270	Depositor
II, II, <i>free</i>	0.199 , 0.230	DCC
R_{free} test set	1137 reflections (2.33%)	wwPDB-VP
Wilson B-factor $(Å^2)$	36.5	Xtriage
Anisotropy	0.169	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.33, 57.2	EDS
L-test for $twinning^2$	$ < L >=0.46, < L^2>=0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	7708	wwPDB-VP
Average B, all atoms $(Å^2)$	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 4.53% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles	
	Ullalli	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.28	0/3794	0.50	0/5129
1	В	0.27	0/3863	0.48	0/5226
All	All	0.28	0/7657	0.49	0/10355

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	3725	0	3834	106	0
1	В	3793	0	3877	135	0
2	А	112	0	0	4	0
2	В	78	0	0	4	0
All	All	7708	0	7711	239	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (239) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:519:ILE:HG23	1:A:617:MET:HE3	1.52	0.92



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:469:SER:H	1:A:492:GLN:HE22	1.20	0.89
1:A:437:ASN:H	1:A:458:GLN:HE22	1.24	0.86
1:A:403:ASN:HD21	1:A:411:VAL:H	1.23	0.85
1:B:403:ASN:HD21	1:B:411:VAL:H	1.31	0.76
1:A:519:ILE:HA	1:A:617:MET:HE1	1.68	0.75
1:A:546:SER:HB2	1:A:570:GLY:HA3	1.69	0.75
1:B:395:GLU:HG2	1:B:414:VAL:HG22	1.69	0.74
1:B:534:LEU:HD23	1:B:534:LEU:H	1.53	0.74
1:A:371:ASN:HD22	1:A:373:LEU:H	1.37	0.71
1:B:407:ILE:HG22	2:B:2150:HOH:O	1.90	0.70
1:B:141:PRO:HA	1:B:144:LYS:HE3	1.72	0.70
1:B:245:ASN:HB3	1:B:248:LYS:HG2	1.73	0.69
1:B:304:TYR:HB3	1:B:333:VAL:HG11	1.76	0.68
1:A:476:ASN:O	1:A:480:GLN:HG3	1.93	0.68
1:A:212:VAL:HG23	1:A:215:ILE:HB	1.75	0.68
1:B:278:MET:HE2	1:B:291:VAL:HG21	1.76	0.67
1:B:212:VAL:HG23	1:B:215:ILE:HD12	1.76	0.67
1:A:279:ASN:O	1:A:283:LYS:HG3	1.94	0.67
1:A:457:ASN:ND2	1:A:475:GLY:H	1.92	0.67
1:A:418:VAL:CG2	1:A:424:LEU:HG	2.26	0.66
1:B:407:ILE:HG13	1:B:426:GLU:HB3	1.77	0.66
1:A:212:VAL:CG2	1:A:215:ILE:HB	2.26	0.65
1:A:558:GLU:O	1:A:561:VAL:HG22	1.97	0.65
1:B:140:ASP:O	1:B:144:LYS:HG3	1.96	0.65
1:A:371:ASN:ND2	1:A:373:LEU:H	1.95	0.65
1:B:524:ASN:HB3	1:B:535:GLN:OE1	1.97	0.65
1:A:296:ALA:HA	1:A:299:LYS:HG3	1.79	0.65
1:B:179:ASP:HB2	1:B:581:THR:HG22	1.78	0.64
1:A:437:ASN:C	1:A:437:ASN:HD22	2.01	0.64
1:A:140:ASP:O	1:A:144:LYS:HB2	1.99	0.62
1:A:279:ASN:HD21	1:A:291:VAL:H	1.44	0.62
1:A:173:ALA:HA	1:A:239:GLN:HB2	1.82	0.62
1:B:457:ASN:HD22	1:B:475:GLY:HA3	1.64	0.62
1:A:132:HIS:HE1	1:A:239:GLN:HE22	1.48	0.62
1:B:134:ASN:HD21	1:B:149:LEU:H	1.48	0.62
1:A:407:ILE:HG12	1:A:409:SER:H	1.65	0.61
1:B:125:GLU:OE1	1:B:357:THR:HG22	2.01	0.61
1:A:395:GLU:HG2	1:A:414:VAL:HG22	1.83	0.61
1:B:202:LEU:HG	1:B:212:VAL:HG21	1.81	0.61
1:B:265:LEU:HD23	1:B:268:LEU:HD12	1.82	0.60
1:B:399:ARG:HG3	1:B:411:VAL:HG12	1.83	0.60



	louo pugom	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:446:ILE:HG21	1:B:452:LYS:HG3	1.83	0.60
1:A:224:ARG:O	1:A:228:VAL:HG23	2.02	0.60
1:B:519:ILE:HG23	1:B:617:MET:HE3	1.82	0.60
1:A:212:VAL:HG22	1:A:212:VAL:O	2.01	0.59
1:A:522:TRP:HB3	1:A:617:MET:HE1	1.83	0.59
1:B:192:TRP:O	1:B:196:GLU:HG3	2.02	0.59
1:A:362:PHE:O	1:A:366:ILE:HG12	2.03	0.59
1:A:522:TRP:CE3	1:A:617:MET:HE2	2.39	0.58
1:A:572:THR:OG1	1:A:575:GLU:HG3	2.03	0.58
1:B:482:ASN:O	1:B:486:ILE:HG12	2.03	0.58
1:A:437:ASN:ND2	1:A:439:LYS:H	2.01	0.58
1:A:437:ASN:H	1:A:458:GLN:NE2	1.98	0.58
1:B:346:LEU:H	1:B:346:LEU:HD23	1.67	0.58
1:B:336:HIS:HA	1:B:339:ARG:NH1	2.19	0.58
1:A:234:GLN:O	1:A:238:ILE:HG12	2.03	0.58
1:B:224:ARG:O	1:B:228:VAL:HG23	2.04	0.58
1:B:579:ASN:O	1:B:583:ILE:HG12	2.03	0.58
1:B:437:ASN:H	1:B:458:GLN:HE22	1.52	0.57
1:B:558:GLU:O	1:B:561:VAL:HG22	2.05	0.57
1:A:534:LEU:HD23	1:A:534:LEU:H	1.69	0.57
1:B:519:ILE:HD13	1:B:614:ALA:HB2	1.87	0.57
1:A:519:ILE:HA	1:A:617:MET:CE	2.33	0.56
1:A:232:ILE:O	1:A:236:ILE:HG12	2.05	0.56
1:B:362:PHE:O	1:B:366:ILE:HG12	2.05	0.56
1:A:524:ASN:HB3	1:A:535:GLN:OE1	2.06	0.56
1:B:299:LYS:HG2	2:B:2129:HOH:O	2.06	0.56
1:B:551:LEU:HG	1:B:583:ILE:HD11	1.86	0.56
1:B:418:VAL:CG2	1:B:424:LEU:HG	2.36	0.56
1:B:437:ASN:H	1:B:458:GLN:NE2	2.05	0.55
1:A:437:ASN:HD21	1:A:439:LYS:HB3	1.71	0.55
1:A:563:ASN:C	1:A:563:ASN:HD22	2.10	0.55
1:A:190:ASN:HB3	1:A:191:PRO:HD2	1.89	0.54
1:B:551:LEU:HG	1:B:583:ILE:CD1	2.37	0.54
1:A:399:ARG:HG3	1:A:411:VAL:HG12	1.87	0.54
1:B:605:ASN:O	1:B:609:ILE:HG12	2.08	0.54
1:A:371:ASN:HD22	1:A:373:LEU:N	2.04	0.54
1:B:520:LEU:HD13	1:B:520:LEU:O	2.08	0.54
1:B:132:HIS:HE1	1:B:239:GLN:HE22	1.56	0.53
1:B:311:LEU:HB3	1:B:370:ARG:HG2	1.90	0.53
1:B:450:PHE:CZ	1:B:451:ARG:NH1	2.76	0.53
1:B:495:ARG:CZ	1:B:499:LEU:HD11	2.38	0.53



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:554:LEU:HD21	1:A:616:ILE:HD12	1.90	0.53	
1:B:234:GLN:O	1:B:238:ILE:HG12	2.09	0.53	
1:B:306:PHE:O	1:B:310:VAL:HG23	2.09	0.53	
1:A:162:ASP:CG	1:A:194:ARG:HH12	2.11	0.52	
1:A:592:CYS:SG	1:A:616:ILE:HD13	2.49	0.52	
1:B:279:ASN:HD21	1:B:291:VAL:H	1.56	0.52	
1:B:522:TRP:CE3	1:B:617:MET:HE2	2.44	0.52	
1:B:524:ASN:O	1:B:528:ARG:HD3	2.09	0.52	
1:B:212:VAL:CG2	1:B:215:ILE:HB	2.39	0.52	
1:B:550:PHE:HZ	1:B:609:ILE:HG23	1.73	0.52	
1:B:277:TRP:O	1:B:280:PHE:HB3	2.10	0.52	
1:B:314:GLU:HG2	1:B:315:HIS:CD2	2.45	0.52	
1:A:437:ASN:HD22	1:A:439:LYS:H	1.57	0.51	
1:B:555:TRP:HD1	1:B:562:VAL:HB	1.75	0.51	
1:A:398:TYR:O	1:A:402:ILE:HG13	2.10	0.51	
1:A:469:SER:C	1:A:470:LEU:HD22	2.31	0.51	
1:A:519:ILE:HD13	1:A:614:ALA:HB2	1.92	0.51	
1:A:582:TYR:O	1:A:586:VAL:HG23	2.10	0.51	
1:B:212:VAL:HG22	1:B:215:ILE:HB	1.92	0.51	
1:B:515:THR:H	1:B:518:ASP:HB2	1.74	0.51	
1:A:469:SER:N	1:A:492:GLN:HE22	2.00	0.50	
1:A:198:HIS:O	1:A:202:LEU:HD13	2.12	0.50	
1:B:519:ILE:HA	1:B:617:MET:CE	2.41	0.50	
1:B:599:GLU:H	1:B:599:GLU:CD	2.14	0.50	
1:A:226:HIS:CE1	1:A:227:LEU:HG	2.46	0.50	
1:A:181:ARG:HB3	1:A:566:LEU:HD13	1.94	0.50	
1:A:212:VAL:HG23	1:A:215:ILE:HD12	1.92	0.50	
1:A:268:LEU:HB2	2:A:2018:HOH:O	2.11	0.50	
1:B:437:ASN:C	1:B:437:ASN:HD22	2.15	0.50	
1:B:598:PRO:HD2	1:B:599:GLU:OE2	2.11	0.50	
1:A:546:SER:CB	1:A:570:GLY:HA3	2.40	0.50	
1:A:612:LEU:O	1:A:616:ILE:HG12	2.11	0.50	
1:B:329:ARG:O	1:B:333:VAL:HG23	2.12	0.50	
1:A:597:LEU:O	1:A:600:ASP:HB2	2.12	0.50	
1:B:437:ASN:OD1	1:B:440:HIS:HD2	1.95	0.50	
1:B:336:HIS:HA	1:B:339:ARG:HH11	1.76	0.49	
1:A:522:TRP:HB3	1:A:617:MET:CE	2.42	0.49	
1:B:359:ASN:O	1:B:363:VAL:HG23	2.12	0.49	
1:A:418:VAL:HG22	1:A:424:LEU:HG	1.93	0.49	
1:B:344:ARG:HG3	1:B:344:ARG:HH11	1.76	0.49	
1:A:563:ASN:HD22	1:A:565:ASN:H	1.61	0.49	



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:168:LYS:O	1:B:172:VAL:HG23	2.13	0.49
1:B:244:LEU:HB2	1:B:270:PRO:HB3	1.95	0.49
1:B:278:MET:HG3	1:B:307:LEU:HD22	1.94	0.49
1:B:522:TRP:HB3	1:B:617:MET:HE1	1.95	0.49
1:A:269:PRO:O	1:A:273:VAL:HG23	2.13	0.48
1:A:126:LYS:O	1:A:130:VAL:HG23	2.13	0.48
1:B:320:THR:HA	1:B:332:LEU:HD13	1.94	0.48
1:A:218:GLN:O	1:A:222:GLU:HG3	2.13	0.48
1:B:334:LEU:HB3	1:B:344:ARG:NH1	2.28	0.48
1:B:163:GLY:O	1:B:197:ASN:HB3	2.14	0.48
1:B:212:VAL:HG22	1:B:212:VAL:O	2.14	0.48
1:A:168:LYS:O	1:A:172:VAL:HG23	2.14	0.48
1:B:335:SER:O	1:B:338:GLU:HB3	2.14	0.48
1:B:428:LEU:HA	1:B:431:VAL:HG12	1.95	0.48
1:A:522:TRP:CD2	1:A:617:MET:HG3	2.49	0.48
1:B:617:MET:O	1:B:621:LEU:HG	2.14	0.48
1:A:399:ARG:NH2	2:A:2050:HOH:O	2.44	0.47
1:B:344:ARG:HD3	1:B:344:ARG:N	2.28	0.47
1:A:133:ILE:HG23	1:A:137:LEU:HD12	1.95	0.47
1:A:444:PRO:HA	1:A:445:PRO:C	2.34	0.47
1:A:457:ASN:HD21	1:A:475:GLY:H	1.61	0.47
1:B:165:LEU:HD13	1:B:165:LEU:C	2.35	0.47
1:B:198:HIS:O	1:B:201:CYS:HB3	2.14	0.47
1:B:320:THR:HG22	1:B:332:LEU:HB3	1.97	0.47
1:A:563:ASN:ND2	1:A:565:ASN:H	2.13	0.47
1:B:337:ALA:HB1	1:B:342:CYS:SG	2.55	0.47
1:A:445:PRO:HD2	1:B:349:GLU:HG3	1.97	0.47
1:B:173:ALA:HA	1:B:239:GLN:HB2	1.96	0.47
1:B:123:GLN:N	2:B:2114:HOH:O	2.48	0.46
1:B:530:MET:HG3	1:B:531:GLY:N	2.31	0.46
1:A:532:ARG:HB3	1:A:534:LEU:CD2	2.46	0.46
1:A:605:ASN:C	1:A:605:ASN:HD22	2.18	0.46
1:B:458:GLN:HE21	1:B:462:ILE:HD11	1.80	0.46
1:B:456:CYS:O	1:B:460:ILE:HD13	2.15	0.46
1:A:540:LYS:HG2	1:A:540:LYS:O	2.15	0.46
1:B:520:LEU:HD13	1:B:524:ASN:ND2	2.31	0.46
1:B:522:TRP:HB3	1:B:617:MET:CE	2.45	0.46
1:B:407:ILE:HG23	1:B:409:SER:O	2.16	0.46
1:B:534:LEU:H	1:B:534:LEU:CD2	2.26	0.46
1:A:411:VAL:HG22	1:A:423:ILE:HD13	1.98	0.45
1:B:140:ASP:HB3	1:B:143:LEU:HB2	1.98	0.45



	louo pugom	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:246:LEU:HD12	1:B:266:LEU:HD23	1.98	0.45
1:A:344:ARG:HE	1:A:344:ARG:C	2.19	0.45
1:B:160:VAL:HG23	1:B:166:LEU:HG	1.98	0.45
1:A:491:TRP:NE1	1:A:607:LYS:HE3	2.32	0.45
1:A:596:LEU:H	1:A:596:LEU:HD23	1.82	0.45
1:B:147:LEU:HD23	1:B:149:LEU:HG	1.99	0.45
1:A:569:LYS:O	1:A:575:GLU:HB3	2.17	0.45
1:B:241:LEU:HB3	1:B:244:LEU:HD12	1.99	0.45
1:B:362:PHE:CZ	1:B:366:ILE:HD11	2.51	0.45
1:B:396:ARG:NH1	1:B:597:LEU:HD21	2.32	0.45
1:B:530:MET:CE	1:B:532:ARG:HG2	2.47	0.45
1:B:344:ARG:HD3	1:B:344:ARG:H	1.81	0.45
1:B:202:LEU:O	1:B:206:LYS:HG3	2.16	0.44
1:B:320:THR:HG22	1:B:332:LEU:HD13	1.99	0.44
1:A:160:VAL:HG23	1:A:166:LEU:HG	1.99	0.44
1:A:437:ASN:C	1:A:437:ASN:ND2	2.66	0.44
1:B:514:MET:SD	1:B:518:ASP:HB3	2.58	0.44
1:B:519:ILE:HA	1:B:617:MET:HE1	1.99	0.44
1:A:418:VAL:HG11	1:A:486:ILE:HD13	2.00	0.44
1:A:470:LEU:HD22	1:A:470:LEU:N	2.33	0.44
1:B:514:MET:CE	1:B:518:ASP:HB3	2.48	0.44
1:B:555:TRP:CD1	1:B:562:VAL:HB	2.52	0.44
1:B:534:LEU:HD11	1:B:552:ASN:HD22	1.83	0.43
1:A:315:HIS:HD2	2:A:2039:HOH:O	2.00	0.43
1:B:162:ASP:OD1	1:B:194:ARG:NH1	2.52	0.43
1:B:532:ARG:HB3	1:B:534:LEU:HD23	2.00	0.43
1:B:443:LYS:HA	1:B:444:PRO:HD3	1.89	0.43
1:A:551:LEU:HD13	1:A:567:VAL:CG1	2.49	0.43
1:A:568:THR:HG21	1:A:578:LEU:HD23	2.01	0.43
1:B:460:ILE:N	1:B:460:ILE:HD12	2.34	0.43
1:A:192:TRP:O	1:A:196:GLU:HG3	2.18	0.43
1:A:169:LEU:O	1:A:172:VAL:HB	2.19	0.43
1:B:367:PHE:C	1:B:369:GLU:H	2.22	0.43
1:B:597:LEU:O	1:B:600:ASP:HB2	2.18	0.42
1:A:403:ASN:ND2	1:A:411:VAL:H	2.04	0.42
1:B:534:LEU:HD11	1:B:552:ASN:ND2	2.34	0.42
1:B:245:ASN:HD22	1:B:246:LEU:N	2.17	0.42
1:A:215:ILE:HG12	1:A:227:LEU:HD22	1.99	0.42
1:B:308:LEU:HD13	1:B:336:HIS:HB3	2.02	0.42
1:B:342:CYS:HB2	1:B:365:GLN:HE21	1.84	0.42
1:B:457:ASN:ND2	1:B:475:GLY:HA3	2.34	0.42



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:437:ASN:HD21	1:A:439:LYS:CB	2.32	0.42
1:A:140:ASP:O	1:A:144:LYS:N	2.53	0.42
1:A:418:VAL:CG1	1:A:486:ILE:HD13	2.50	0.42
1:B:220:LEU:N	1:B:220:LEU:HD22	2.34	0.42
1:B:194:ARG:HG3	1:B:194:ARG:HH11	1.84	0.42
1:A:578:LEU:HG	2:A:2015:HOH:O	2.19	0.42
1:B:368:HIS:HB3	2:B:2182:HOH:O	2.19	0.42
1:B:407:ILE:HG12	1:B:408:ASP:N	2.35	0.42
1:B:563:ASN:ND2	1:B:565:ASN:H	2.18	0.41
1:A:162:ASP:HA	1:A:194:ARG:HH11	1.85	0.41
1:B:244:LEU:HD13	1:B:274:LEU:HB2	2.02	0.41
1:B:417:ASP:O	1:B:423:ILE:HD12	2.19	0.41
1:B:304:TYR:HB3	1:B:333:VAL:CG1	2.47	0.41
1:A:191:PRO:HG2	1:A:192:TRP:CD1	2.56	0.41
1:B:126:LYS:O	1:B:130:VAL:HG23	2.20	0.41
1:B:527:VAL:HG21	1:B:549:PHE:CE1	2.56	0.41
1:A:295:SER:O	1:A:299:LYS:HG3	2.20	0.41
1:A:445:PRO:HG3	1:B:352:VAL:HG21	2.03	0.41
1:A:213:VAL:HG11	1:A:406:GLY:HA2	2.02	0.41
1:A:132:HIS:HE1	1:A:239:GLN:NE2	2.14	0.41
1:A:520:LEU:HD13	1:A:524:ASN:ND2	2.36	0.41
1:B:325:ASP:OD1	1:B:326:PRO:HD2	2.21	0.41
1:B:522:TRP:CH2	1:B:617:MET:HA	2.56	0.41
1:A:132:HIS:HD2	1:A:345:TYR:OH	2.03	0.40
1:A:190:ASN:ND2	1:A:193:GLU:OE1	2.54	0.40
1:B:335:SER:O	1:B:339:ARG:HG3	2.21	0.40
1:A:505:LEU:HD23	1:A:621:LEU:HB2	2.03	0.40
1:B:224:ARG:HA	1:B:225:PRO:HD2	1.76	0.40
1:B:470:LEU:HD22	1:B:470:LEU:N	2.37	0.40
1:B:534:LEU:HD23	1:B:534:LEU:N	2.29	0.40
1:B:563:ASN:HD21	1:B:565:ASN:HD22	1.69	0.40
1:A:506:ARG:HH22	1:A:513:GLU:CG	2.35	0.40
1:B:596:LEU:H	1:B:596:LEU:HD23	1.86	0.40

There are no symmetry-related clashes.





5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percer	ntiles
1	А	457/506~(90%)	439 (96%)	17 (4%)	1 (0%)	47	62
1	В	469/506~(93%)	438 (93%)	26~(6%)	5 (1%)	14	20
All	All	926/1012~(92%)	877 (95%)	43 (5%)	6 (1%)	25	36

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	В	180	GLU
1	В	251	GLN
1	А	247	LYS
1	В	371	ASN
1	В	250	PRO
1	В	604	VAL

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	416/452 (92%)	407 (98%)	9(2%)	52 71
1	В	420/452 (93%)	406 (97%)	14 (3%)	38 57
All	All	836/904~(92%)	813 (97%)	23 (3%)	43 63

All (23) residues with a non-rotameric sidechain are listed below:



Mol	Chain	Res	Type
1	А	162	ASP
1	А	169	LEU
1	А	344	ARG
1	А	371	ASN
1	А	437	ASN
1	А	563	ASN
1	А	577	ARG
1	А	605	ASN
1	А	612	LEU
1	В	169	LEU
1	В	187	ARG
1	В	245	ASN
1	В	341	ASN
1	В	344	ARG
1	В	370	ARG
1	В	374	ASN
1	В	437	ASN
1	В	472	ASN
1	В	513	GLU
1	В	563	ASN
1	В	574	ASP
1	В	605	ASN
1	В	612	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (37) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	131	GLN
1	А	132	HIS
1	А	134	ASN
1	А	190	ASN
1	А	226	HIS
1	А	239	GLN
1	А	279	ASN
1	А	315	HIS
1	А	359	ASN
1	А	371	ASN
1	А	374	ASN
1	А	403	ASN
1	А	437	ASN
1	А	440	HIS
1	А	457	ASN
1	А	458	GLN



Mol	Chain	Res	Type
1	А	465	GLN
1	А	492	GLN
1	А	563	ASN
1	А	605	ASN
1	В	132	HIS
1	В	134	ASN
1	В	239	GLN
1	В	245	ASN
1	В	279	ASN
1	В	315	HIS
1	В	341	ASN
1	В	365	GLN
1	В	374	ASN
1	В	403	ASN
1	В	437	ASN
1	В	440	HIS
1	В	457	ASN
1	В	458	GLN
1	В	472	ASN
1	В	563	ASN
1	В	605	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

There are no ligands in this entry.



5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< RSRZ >	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	465/506~(91%)	-0.08	11 (2%) 59 57	15, 33, 64, 81	0
1	В	477/506~(94%)	0.16	22 (4%) 32 31	21, 44, 70, 80	0
All	All	942/1012 (93%)	0.04	33 (3%) 44 43	15, 39, 68, 81	0

All (33) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	192	TRP	6.7
1	А	187	ARG	5.0
1	В	389	VAL	4.9
1	А	192	TRP	4.5
1	В	246	LEU	3.9
1	А	623	ARG	3.9
1	А	213	VAL	3.6
1	А	267	ARG	3.6
1	А	507	SER	3.5
1	В	390	GLU	3.4
1	В	517	ALA	3.4
1	А	246	LEU	3.2
1	А	374	ASN	3.2
1	В	341	ASN	3.0
1	В	471	VAL	2.7
1	В	267	ARG	2.7
1	В	374	ASN	2.7
1	А	245	ASN	2.7
1	В	345	TYR	2.6
1	В	250	PRO	2.6
1	В	511	GLY	2.5
1	В	373	LEU	2.4
1	В	288	LYS	2.3
1	В	265	LEU	2.3



Mol	Chain	Res	Type	RSRZ
1	В	388	ASP	2.3
1	В	473	VAL	2.3
1	В	324	LYS	2.2
1	В	472	ASN	2.2
1	В	190	ASN	2.2
1	В	537	GLU	2.1
1	А	268	LEU	2.1
1	В	571	GLU	2.1
1	А	152	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

There are no ligands in this entry.

6.5 Other polymers (i)

There are no such residues in this entry.

