



Full wwPDB X-ray Structure Validation Report ⓘ

Dec 14, 2021 – 12:15 pm GMT

PDB ID : 7Q0I
Title : Crystal structure of the N-terminal domain of SARS-CoV-2 beta variant spike glycoprotein in complex with Beta-43
Authors : Zhou, D.; Ren, J.; Stuart, D.I.
Deposited on : 2021-10-14
Resolution : 2.39 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.24
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0267
CCP4 : 7.1.010 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.24


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.39 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3907 (2.40-2.40)
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)
RSRZ outliers	127900	3811 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	231	 3% 92% 7%
1	H	231	 6% 88% 11%
2	B	214	 9% 93% 7%
2	L	214	 5% 85% 14%
3	C	311	 14% 79% 10% 10%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	D	311	
4	E	2	
4	G	2	
5	F	3	
6	I	2	
7	J	2	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
12	NAG	D	403	-	-	-	X

2 Entry composition

There are 14 unique types of molecules in this entry. The entry contains 11604 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-43 heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	H	229	Total 1721	C 1091	N 287	O 334	S 9	0	0	0
1	A	229	Total 1725	C 1094	N 288	O 334	S 9	0	0	0

- Molecule 2 is a protein called Beta-43 Fab light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	L	212	Total 1600	C 1002	N 267	O 327	S 4	0	0	0
2	B	212	Total 1600	C 1002	N 267	O 327	S 4	0	0	0

- Molecule 3 is a protein called Spike protein S1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	D	280	Total 2256	C 1468	N 369	O 411	S 8	0	0	0
3	C	279	Total 2256	C 1468	N 369	O 411	S 8	0	0	0

There are 56 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	18	PHE	LEU	variant	UNP P0DTC2
D	80	ALA	ASP	variant	UNP P0DTC2
D	215	GLY	ASP	variant	UNP P0DTC2
D	?	-	LEU	deletion	UNP P0DTC2
D	?	-	ALA	deletion	UNP P0DTC2
D	?	-	LEU	deletion	UNP P0DTC2
D	243	ILE	ARG	variant	UNP P0DTC2
D	303	LEU	-	expression tag	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	304	ASN	-	expression tag	UNP P0DTC2
D	305	ASP	-	expression tag	UNP P0DTC2
D	306	ILE	-	expression tag	UNP P0DTC2
D	307	PHE	-	expression tag	UNP P0DTC2
D	308	GLU	-	expression tag	UNP P0DTC2
D	309	ALA	-	expression tag	UNP P0DTC2
D	310	GLN	-	expression tag	UNP P0DTC2
D	311	LYS	-	expression tag	UNP P0DTC2
D	312	ILE	-	expression tag	UNP P0DTC2
D	313	GLU	-	expression tag	UNP P0DTC2
D	314	TRP	-	expression tag	UNP P0DTC2
D	315	HIS	-	expression tag	UNP P0DTC2
D	316	GLU	-	expression tag	UNP P0DTC2
D	317	LYS	-	expression tag	UNP P0DTC2
D	318	HIS	-	expression tag	UNP P0DTC2
D	319	HIS	-	expression tag	UNP P0DTC2
D	320	HIS	-	expression tag	UNP P0DTC2
D	321	HIS	-	expression tag	UNP P0DTC2
D	322	HIS	-	expression tag	UNP P0DTC2
D	323	HIS	-	expression tag	UNP P0DTC2
C	18	PHE	LEU	variant	UNP P0DTC2
C	80	ALA	ASP	variant	UNP P0DTC2
C	215	GLY	ASP	variant	UNP P0DTC2
C	?	-	LEU	deletion	UNP P0DTC2
C	?	-	ALA	deletion	UNP P0DTC2
C	?	-	LEU	deletion	UNP P0DTC2
C	243	ILE	ARG	variant	UNP P0DTC2
C	303	LEU	-	expression tag	UNP P0DTC2
C	304	ASN	-	expression tag	UNP P0DTC2
C	305	ASP	-	expression tag	UNP P0DTC2
C	306	ILE	-	expression tag	UNP P0DTC2
C	307	PHE	-	expression tag	UNP P0DTC2
C	308	GLU	-	expression tag	UNP P0DTC2
C	309	ALA	-	expression tag	UNP P0DTC2
C	310	GLN	-	expression tag	UNP P0DTC2
C	311	LYS	-	expression tag	UNP P0DTC2
C	312	ILE	-	expression tag	UNP P0DTC2
C	313	GLU	-	expression tag	UNP P0DTC2
C	314	TRP	-	expression tag	UNP P0DTC2
C	315	HIS	-	expression tag	UNP P0DTC2
C	316	GLU	-	expression tag	UNP P0DTC2
C	317	LYS	-	expression tag	UNP P0DTC2

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	318	HIS	-	expression tag	UNP P0DTC2
C	319	HIS	-	expression tag	UNP P0DTC2
C	320	HIS	-	expression tag	UNP P0DTC2
C	321	HIS	-	expression tag	UNP P0DTC2
C	322	HIS	-	expression tag	UNP P0DTC2
C	323	HIS	-	expression tag	UNP P0DTC2

- Molecule 4 is an oligosaccharide called alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
4	E	2	Total	C	N	O	0	0	0
			24	14	1	9			
4	G	2	Total	C	N	O	0	0	0
			24	14	1	9			

- Molecule 5 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
5	F	3	Total	C	N	O	0	0	0
			38	22	2	14			

- Molecule 6 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
6	I	2	Total	C	N	O	0	0	0
			28	16	2	10			


- Molecule 7 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(4-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace	
			Total	C	N				O
7	J	2	28	16	2	10	0	0	0

- Molecule 8 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	H	3	Total Cl 3 3	0	0
8	L	1	Total Cl 1 1	0	0
8	A	2	Total Cl 2 2	0	0

- Molecule 9 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C₄H₁₀O₃).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	L	1	Total C O 7 4 3	0	0

- Molecule 10 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	L	1	Total	C	O	0	0
			6	3	3		
10	A	1	Total	C	O	0	0
			6	3	3		
10	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 11 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
11	B	1	Total	O	P	0	0
			5	4	1		

- Molecule 12 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
12	D	1	Total 14	C 8	N 1	O 5	0	0
12	D	1	Total 14	C 8	N 1	O 5	0	0
12	D	1	Total 14	C 8	N 1	O 5	0	0
12	D	1	Total 14	C 8	N 1	O 5	0	0
12	C	1	Total 14	C 8	N 1	O 5	0	0
12	C	1	Total 14	C 8	N 1	O 5	0	0
12	C	1	Total 14	C 8	N 1	O 5	0	0

- Molecule 13 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula: C₈H₁₈O₅).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
13	D	1	Total	C	O	0	0
			13	8	5		


- Molecule 14 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
14	H	26	Total	O	0	0
			26	26		
14	L	27	Total	O	0	0
			27	27		
14	A	33	Total	O	0	0
			33	33		
14	B	19	Total	O	0	0
			19	19		
14	D	24	Total	O	0	0
			24	24		
14	C	28	Total	O	0	0
			28	28		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Beta-43 heavy chain




- Molecule 1: Beta-43 heavy chain





- Molecule 2: Beta-43 Fab light chain





- Molecule 2: Beta-43 Fab light chain



- Molecule 3: Spike protein S1



- Molecule 3: Spike protein S1



- Molecule 4: alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  100%

HA61
HA62

- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(4-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  100%

HA61
HA62

4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	117.83Å 66.96Å 143.24Å 90.00° 92.54° 90.00°	Depositor
Resolution (Å)	143.10 – 2.39 143.10 – 2.39	Depositor EDS
% Data completeness (in resolution range)	67.9 (143.10-2.39) 67.9 (143.10-2.39)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.36 (at 2.40Å)	Xtrriage
Refinement program	PHENIX 1.19_4092	Depositor
R, R_{free}	0.202 , 0.242 0.203 , 0.241	Depositor DCC
R_{free} test set	2931 reflections (4.83%)	wwPDB-VP
Wilson B-factor (Å ²)	40.9	Xtrriage
Anisotropy	0.023	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	(Not available) , (Not available)	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.024 for h,-k,-l	Xtrriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	11604	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.16% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PG4, PO4, CL, PEG, GOL, NAG, FUC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.27	0/1771	0.51	0/2411
1	H	0.26	0/1767	0.50	0/2407
2	B	0.26	0/1642	0.48	0/2249
2	L	0.25	0/1642	0.47	0/2249
3	C	0.29	0/2319	0.52	0/3154
3	D	0.29	0/2319	0.52	0/3153
All	All	0.27	0/11460	0.50	0/15623

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1725	0	1663	11	0
1	H	1721	0	1652	20	0
2	B	1600	0	1537	9	0
2	L	1600	0	1537	24	0
3	C	2256	0	2186	16	0
3	D	2256	0	2187	27	0
4	E	24	0	22	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	G	24	0	22	1	0
5	F	38	0	34	0	0
6	I	28	0	25	0	0
7	J	28	0	25	0	0
8	A	2	0	0	0	0
8	H	3	0	0	0	0
8	L	1	0	0	0	0
9	L	7	0	10	0	0
10	A	6	0	8	0	0
10	B	6	0	8	0	0
10	L	6	0	8	0	0
11	B	5	0	0	0	0
12	C	42	0	39	0	0
12	D	56	0	52	1	0
13	D	13	0	18	0	0
14	A	33	0	0	0	0
14	B	19	0	0	0	0
14	C	28	0	0	0	0
14	D	24	0	0	0	0
14	H	26	0	0	0	0
14	L	27	0	0	1	0
All	All	11604	0	11033	95	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (95) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:67:ARG:NH2	1:H:90:ASP:OD2	2.18	0.77
3:D:143:VAL:HG12	3:D:154:GLU:HB3	1.69	0.72
3:D:123:ALA:N	3:D:154:GLU:OE2	2.21	0.69
3:C:143:VAL:HG12	3:C:154:GLU:HB3	1.80	0.63
1:H:62:ASP:H	2:L:96:HIS:HE1	1.49	0.59
3:C:211:ASN:OD1	3:C:212:LEU:N	2.35	0.59
1:A:61:ALA:HA	2:B:96:HIS:CE1	2.38	0.58
3:D:187:LYS:NZ	3:D:213:VAL:O	2.37	0.57
1:H:22:CYS:HB3	1:H:79:LEU:HB3	1.86	0.57
1:A:132:PRO:HB3	1:A:158:TYR:HB3	1.88	0.55
3:C:141:LEU:HB3	3:C:243:ILE:HD12	1.87	0.55
1:A:34:MET:HB3	1:A:79:LEU:HD22	1.87	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:228:ASP:N	3:D:228:ASP:OD1	2.40	0.55
2:B:22:CYS:HB3	2:B:70:VAL:HG13	1.88	0.55
1:H:143:SER:HG	2:L:118:THR:HG1	1.51	0.54
3:D:104:TRP:HB2	3:D:106:PHE:CE1	2.43	0.53
3:D:216:LEU:HD12	3:D:217:PRO:HD2	1.90	0.53
2:B:27:ILE:HD13	2:B:70:VAL:HG11	1.90	0.52
1:H:163:VAL:HG12	1:H:213:HIS:CD2	2.45	0.52
1:A:61:ALA:HA	2:B:96:HIS:HE1	1.75	0.52
3:D:128:ILE:HB	3:D:170:TYR:HB3	1.92	0.51
2:L:2:TYR:HB3	2:L:98:VAL:HG21	1.93	0.51
2:L:146:VAL:HG12	2:L:199:HIS:HB2	1.94	0.50
2:L:82:GLU:OE1	2:L:168:LYS:NZ	2.43	0.50
3:D:106:PHE:HB2	3:D:117:LEU:HB3	1.92	0.50
3:D:124:THR:O	3:D:175:PHE:N	2.40	0.50
1:H:83:MET:HB3	1:H:86:LEU:HD21	1.93	0.49
1:H:34:MET:HG2	1:H:72:ARG:NH2	2.28	0.49
2:L:82:GLU:HG3	2:L:107:VAL:HG23	1.94	0.49
3:D:143:VAL:HG13	3:D:243:ILE:HD11	1.95	0.49
3:D:231:ILE:HD12	3:D:233:ILE:HG12	1.94	0.49
1:A:102:SER:HB2	3:D:247:THR:O	2.13	0.49
3:C:231:ILE:HD12	3:C:233:ILE:HG12	1.94	0.49
3:C:24:LEU:HD21	3:C:68:ILE:HD11	1.94	0.48
3:C:228:ASP:OD1	3:C:228:ASP:N	2.45	0.48
2:L:82:GLU:HG2	2:L:106:THR:HA	1.95	0.48
2:B:46:VAL:HA	2:B:57:ILE:HG13	1.94	0.48
3:C:20:THR:OG1	3:C:76:THR:O	2.25	0.48
2:L:122:PRO:HD3	2:L:134:LEU:HD23	1.94	0.48
3:D:125:ASN:HA	3:D:175:PHE:CE2	2.48	0.48
1:H:34:MET:HB3	1:H:79:LEU:HD22	1.96	0.48
1:A:99:SER:HB3	1:A:113:LEU:HD23	1.97	0.47
1:H:47:TRP:CG	2:L:97:TYR:HB2	2.50	0.47
3:C:191:GLU:HG3	3:C:206:LYS:HB3	1.96	0.46
1:H:62:ASP:N	2:L:96:HIS:HE1	2.10	0.46
1:H:163:VAL:HG22	1:H:191:LEU:HD21	1.98	0.46
2:L:110:GLN:HB2	2:L:142:TYR:CE1	2.49	0.46
3:D:143:VAL:HA	3:D:154:GLU:HA	1.97	0.46
3:C:104:TRP:HB2	3:C:106:PHE:CE1	2.51	0.46
1:H:12:VAL:HG21	1:H:86:LEU:HD12	1.98	0.45
2:L:46:VAL:HA	2:L:57:ILE:HG13	1.97	0.45
3:D:20:THR:OG1	3:D:77:LYS:HA	2.17	0.45
3:C:288:CYS:O	3:C:295:GLU:HG3	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L:189:SER:HB3	3:D:42:VAL:HG13	1.99	0.45
3:D:29:THR:HG22	3:D:30:ASN:H	1.83	0.44
1:H:146:GLY:O	1:H:148:THR:N	2.47	0.44
3:C:30:ASN:OD1	3:C:59:PHE:HA	2.17	0.44
3:C:37:TYR:O	3:C:39:PRO:HD3	2.18	0.44
1:H:184:GLN:HG2	2:L:162:GLU:HG3	2.00	0.44
1:H:212:ASN:HD21	1:H:214:LYS:HE3	1.83	0.43
3:C:109:THR:OG1	3:C:111:ASP:OD1	2.24	0.43
1:A:212:ASN:HD21	1:A:214:LYS:HE2	1.83	0.43
3:D:44:ARG:O	3:D:280:GLY:HA2	2.18	0.43
2:B:45:LEU:HD21	2:B:48:TYR:HB3	1.99	0.43
2:B:53:ARG:NH2	2:B:59:GLU:HG2	2.34	0.43
1:H:51:ILE:HD13	1:H:72:ARG:HG2	2.01	0.43
3:D:26:PRO:HB3	3:D:65:PHE:CE2	2.53	0.43
1:H:91:THR:HG23	1:H:123:THR:HA	2.01	0.42
2:L:16:LYS:O	2:L:77:VAL:HG23	2.19	0.42
1:A:34:MET:HG2	1:A:72:ARG:NH2	2.34	0.42
3:D:44:ARG:HB3	3:D:276:TYR:CG	2.55	0.42
3:D:164:ASN:CB	4:G:1:NAG:H82	2.50	0.42
1:H:61:ALA:HA	2:L:96:HIS:CE1	2.54	0.42
3:D:96:GLU:HG3	3:D:98:SER:O	2.19	0.42
1:H:62:ASP:H	2:L:96:HIS:CE1	2.33	0.42
3:D:288:CYS:O	3:D:295:GLU:HG3	2.19	0.42
12:D:404:NAG:O7	12:D:404:NAG:H3	2.20	0.42
3:D:195:LYS:HG2	3:D:197:ILE:HG12	2.02	0.42
2:B:32:VAL:HG21	2:B:70:VAL:HG21	2.03	0.41
2:L:107:VAL:O	2:L:142:TYR:OH	2.34	0.41
1:A:197:VAL:HG11	1:A:207:TYR:CE1	2.55	0.41
2:B:51:SER:OG	3:D:148:ASN:ND2	2.47	0.41
2:L:149:ALA:HB3	2:L:196:GLN:HB3	2.01	0.41
2:L:151:LYS:HE2	2:L:154:SER:HA	2.02	0.41
1:A:98:ARG:HG2	1:A:115:VAL:HB	2.03	0.41
1:H:47:TRP:CE2	2:L:97:TYR:HD2	2.38	0.41
3:C:210:ILE:HD12	3:C:210:ILE:HA	1.77	0.41
1:A:102:SER:OG	1:A:103:GLY:N	2.53	0.40
3:D:13:SER:OG	3:D:14:GLN:N	2.55	0.40
2:L:13:ALA:HB3	2:L:16:LYS:HD2	2.03	0.40
3:C:106:PHE:HB2	3:C:117:LEU:HB3	2.02	0.40
2:L:4:LEU:HD23	2:L:4:LEU:HA	1.89	0.40
3:D:26:PRO:HB3	3:D:65:PHE:HE2	1.86	0.40
3:C:125:ASN:HA	3:C:175:PHE:CE2	2.56	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L:206:LYS:NZ	14:L:505:HOH:O	2.43	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	227/231 (98%)	221 (97%)	6 (3%)	0	100	100
1	H	227/231 (98%)	217 (96%)	9 (4%)	1 (0%)	34	48
2	B	210/214 (98%)	202 (96%)	8 (4%)	0	100	100
2	L	210/214 (98%)	200 (95%)	9 (4%)	1 (0%)	29	41
3	C	271/311 (87%)	258 (95%)	13 (5%)	0	100	100
3	D	272/311 (88%)	259 (95%)	13 (5%)	0	100	100
All	All	1417/1512 (94%)	1357 (96%)	58 (4%)	2 (0%)	51	68

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	L	158	LYS
1	H	147	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	191/193 (99%)	190 (100%)	1 (0%)	88	95
1	H	190/193 (98%)	190 (100%)	0	100	100
2	B	181/183 (99%)	179 (99%)	2 (1%)	73	87
2	L	181/183 (99%)	180 (99%)	1 (1%)	86	94
3	C	253/279 (91%)	248 (98%)	5 (2%)	55	74
3	D	252/279 (90%)	248 (98%)	4 (2%)	62	79
All	All	1248/1310 (95%)	1235 (99%)	13 (1%)	76	88

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	L	65	ASN
1	A	177	HIS
2	B	25	ASN
2	B	182	LEU
3	D	104	TRP
3	D	153	MET
3	D	162	SER
3	D	228	ASP
3	C	99	ASN
3	C	104	TRP
3	C	153	MET
3	C	162	SER
3	C	186	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
2	L	96	HIS
1	A	82	GLN
2	B	96	HIS
3	C	49	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

11 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	E	1	4,3	14,14,15	0.27	0	17,19,21	0.49	0
4	FUC	E	2	4	10,10,11	0.75	0	14,14,16	0.83	0
5	NAG	F	1	3,5	14,14,15	0.23	0	17,19,21	0.49	0
5	NAG	F	2	5	14,14,15	0.34	0	17,19,21	0.50	0
5	FUC	F	3	5	10,10,11	0.95	0	14,14,16	0.74	0
4	NAG	G	1	4,3	14,14,15	0.37	0	17,19,21	0.49	0
4	FUC	G	2	4	10,10,11	0.81	0	14,14,16	0.88	0
6	NAG	I	1	6,3	14,14,15	0.15	0	17,19,21	0.54	0
6	NAG	I	2	6	14,14,15	0.30	0	17,19,21	0.42	0
7	NAG	J	1	7,3	14,14,15	0.22	0	17,19,21	0.54	0
7	NAG	J	2	7	14,14,15	0.21	0	19,19,21	0.33	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	E	1	4,3	-	2/6/23/26	0/1/1/1
4	FUC	E	2	4	-	-	0/1/1/1
5	NAG	F	1	3,5	-	0/6/23/26	0/1/1/1
5	NAG	F	2	5	-	0/6/23/26	0/1/1/1
5	FUC	F	3	5	-	-	0/1/1/1
4	NAG	G	1	4,3	-	0/6/23/26	0/1/1/1
4	FUC	G	2	4	-	-	0/1/1/1
6	NAG	I	1	6,3	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	I	2	6	-	0/6/23/26	0/1/1/1
7	NAG	J	1	7,3	-	0/6/23/26	0/1/1/1
7	NAG	J	2	7	-	1/6/22/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (5) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
7	J	2	NAG	O5-C5-C6-O6
4	E	1	NAG	O5-C5-C6-O6
4	E	1	NAG	C4-C5-C6-O6
6	I	1	NAG	O5-C5-C6-O6
6	I	1	NAG	C4-C5-C6-O6



There are no ring outliers.


1 monomer is involved in 1 short contact:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	G	1	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









5.6 Ligand geometry [i](#)

Of 19 ligands modelled in this entry, 6 are monoatomic - leaving 13 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
12	NAG	D	402	3	14,14,15	0.37	0	17,19,21	0.51	0
12	NAG	D	403	3	14,14,15	0.44	0	17,19,21	0.56	0
11	PO4	B	302	-	4,4,4	0.88	0	6,6,6	0.39	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
9	PEG	L	401	-	6,6,6	0.11	0	5,5,5	0.07	0
13	PG4	D	405	-	12,12,12	0.15	0	11,11,11	0.64	0
12	NAG	D	401	3	14,14,15	0.44	0	17,19,21	0.57	0
12	NAG	C	402	3	14,14,15	0.34	0	17,19,21	0.55	0
10	GOL	A	301	-	5,5,5	0.98	0	5,5,5	0.84	0
12	NAG	C	403	3	14,14,15	0.42	0	17,19,21	0.46	0
12	NAG	D	404	3	14,14,15	0.30	0	17,19,21	0.92	2 (11%)
12	NAG	C	401	3	14,14,15	0.28	0	17,19,21	0.34	0
10	GOL	B	301	-	5,5,5	0.87	0	5,5,5	1.04	0
10	GOL	L	402	-	5,5,5	0.82	0	5,5,5	1.05	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
12	NAG	D	402	3	-	2/6/23/26	0/1/1/1
12	NAG	D	403	3	-	0/6/23/26	0/1/1/1
9	PEG	L	401	-	-	3/4/4/4	-
13	PG4	D	405	-	-	6/10/10/10	-
12	NAG	D	401	3	-	1/6/23/26	0/1/1/1
12	NAG	C	402	3	-	0/6/23/26	0/1/1/1
10	GOL	A	301	-	-	4/4/4/4	-
12	NAG	C	403	3	-	0/6/23/26	0/1/1/1
12	NAG	D	404	3	-	1/6/23/26	0/1/1/1
12	NAG	C	401	3	-	0/6/23/26	0/1/1/1
10	GOL	B	301	-	-	2/4/4/4	-
10	GOL	L	402	-	-	4/4/4/4	-

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	D	404	NAG	C2-N2-C7	2.48	126.43	122.90
12	D	404	NAG	C1-O5-C5	2.28	115.28	112.19

There are no chirality outliers.

All (23) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
10	L	402	GOL	O1-C1-C2-C3
10	L	402	GOL	C1-C2-C3-O3
10	B	301	GOL	C1-C2-C3-O3
12	D	404	NAG	C3-C2-N2-C7
13	D	405	PG4	O3-C5-C6-O4
9	L	401	PEG	C1-C2-O2-C3
12	D	402	NAG	O5-C5-C6-O6
13	D	405	PG4	O1-C1-C2-O2
10	A	301	GOL	C1-C2-C3-O3
10	L	402	GOL	O1-C1-C2-O2
10	L	402	GOL	O2-C2-C3-O3
13	D	405	PG4	O2-C3-C4-O3
9	L	401	PEG	O2-C3-C4-O4
10	B	301	GOL	O2-C2-C3-O3
12	D	402	NAG	C4-C5-C6-O6
13	D	405	PG4	C3-C4-O3-C5
13	D	405	PG4	C6-C5-O3-C4
10	A	301	GOL	O2-C2-C3-O3
9	L	401	PEG	O1-C1-C2-O2
12	D	401	NAG	C4-C5-C6-O6
10	A	301	GOL	O1-C1-C2-C3
13	D	405	PG4	C4-C3-O2-C2
10	A	301	GOL	O1-C1-C2-O2

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
12	D	404	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	229/231 (99%)	0.63	7 (3%) 49 47	26, 46, 70, 119	0
1	H	229/231 (99%)	0.57	13 (5%) 23 22	30, 45, 67, 120	0
2	B	212/214 (99%)	0.77	19 (8%) 9 8	25, 49, 86, 103	0
2	L	212/214 (99%)	0.65	11 (5%) 27 26	34, 51, 80, 107	0
3	C	279/311 (89%)	1.18	45 (16%) 1 1	33, 51, 103, 129	0
3	D	280/311 (90%)	1.02	34 (12%) 4 3	27, 49, 85, 129	0
All	All	1441/1512 (95%)	0.83	129 (8%) 9 8	25, 48, 86, 129	0

All (129) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	C	306	ILE	9.5
3	C	177	MET	9.0
3	D	306	ILE	7.7
3	C	214	ARG	6.7
3	C	175	PHE	6.5
3	C	258	GLY	6.2
3	C	67	ALA	5.6
2	B	61	PHE	5.4
3	D	307	PHE	5.1
3	D	300	LEU	5.0
3	C	303	LEU	5.0
3	C	174	PRO	4.9
1	A	75	PHE	4.8
3	D	305	ASP	4.8
3	C	24	LEU	4.6
3	C	101	ILE	4.6
3	C	180	GLU	4.5
3	C	170	TYR	4.5
3	C	307	PHE	4.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	L	66	SER	4.4
3	D	214	ARG	4.4
2	B	3	GLU	4.3
2	L	20	ILE	4.3
3	C	179	LEU	4.3
3	C	260	ALA	4.2
3	C	304	ASN	4.0
1	H	229	CYS	4.0
3	C	186	PHE	4.0
1	H	75	PHE	3.9
3	D	273	LEU	3.9
3	D	67	ALA	3.7
3	C	77	LYS	3.6
2	B	109	GLY	3.6
2	B	10	VAL	3.6
3	C	176	LEU	3.6
2	B	81	ASP	3.6
3	C	185	ASN	3.6
2	B	70	VAL	3.5
3	C	213	VAL	3.5
3	D	98	SER	3.5
3	D	186	PHE	3.5
3	C	305	ASP	3.5
2	B	79	ALA	3.4
2	L	212	GLU	3.4
3	C	70	VAL	3.4
2	L	158	LYS	3.4
3	D	170	TYR	3.3
1	H	97	ALA	3.3
1	H	228	SER	3.2
1	A	102	SER	3.2
1	A	16	ARG	3.2
1	A	111	TYR	3.2
2	L	2	TYR	3.2
3	C	41	LYS	3.1
3	D	122	ASN	3.1
3	D	259	ALA	3.1
3	D	213	VAL	3.0
2	B	49	TYR	3.0
3	C	121	ASN	3.0
2	L	1	SER	3.0
3	C	216	LEU	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	108	VAL	2.9
3	D	150	LYS	2.9
3	C	210	ILE	2.9
3	C	69	HIS	2.9
2	B	158	LYS	2.8
2	B	20	ILE	2.8
1	H	41	PRO	2.8
1	H	102	SER	2.8
3	D	24	LEU	2.7
3	C	228	ASP	2.7
1	A	118	GLN	2.7
3	C	178	ASP	2.7
3	D	176	LEU	2.7
3	C	150	LYS	2.7
3	C	71	SER	2.7
2	L	108	VAL	2.7
3	D	177	MET	2.7
3	C	26	PRO	2.6
3	C	99	ASN	2.6
3	C	122	ASN	2.6
3	C	227	VAL	2.5
2	L	185	GLU	2.5
3	D	229	LEU	2.5
1	A	228	SER	2.5
2	B	157	VAL	2.5
3	D	298	CYS	2.5
3	D	48	LEU	2.5
2	B	75	SER	2.4
2	L	138	ILE	2.4
2	B	105	VAL	2.4
3	C	259	ALA	2.4
3	C	171	VAL	2.4
3	D	179	LEU	2.4
3	C	127	VAL	2.4
3	D	304	ASN	2.4
2	L	61	PHE	2.3
2	B	74	ILE	2.3
1	H	152	GLY	2.3
3	D	303	LEU	2.2
3	D	148	ASN	2.2
2	B	82	GLU	2.2
1	H	227	LYS	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	D	157	PHE	2.2
3	C	48	LEU	2.2
3	C	211	ASN	2.2
3	D	124	THR	2.2
3	C	76	THR	2.2
3	D	118	LEU	2.2
3	D	51	THR	2.1
1	H	1	GLU	2.1
2	B	47	ILE	2.1
3	D	76	THR	2.1
3	D	71	SER	2.1
1	H	111	TYR	2.1
2	B	175	ALA	2.1
2	B	76	ARG	2.1
1	A	1	GLU	2.1
3	D	75	GLY	2.1
3	C	68	ILE	2.1
1	H	108	GLY	2.1
2	L	70	VAL	2.1
1	H	118	GLN	2.0
3	D	245	TYR	2.0
3	C	245	TYR	2.0
3	D	274	LEU	2.0
3	D	258	GLY	2.0
3	C	52	GLN	2.0
1	H	150	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	NAG	J	2	14/15	0.47	0.31	81,104,127,128	0
7	NAG	J	1	14/15	0.63	0.27	71,95,99,102	0


Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	NAG	F	2	14/15	0.72	0.27	69,90,104,107	0
6	NAG	I	1	14/15	0.78	0.16	36,58,81,83	0
6	NAG	I	2	14/15	0.80	0.32	81,96,110,113	0
5	FUC	F	3	10/11	0.81	0.39	67,78,86,89	0
4	NAG	E	1	14/15	0.83	0.18	51,76,87,96	0
4	FUC	E	2	10/11	0.84	0.33	84,98,108,109	0
4	FUC	G	2	10/11	0.84	0.42	73,86,92,93	0
5	NAG	F	1	14/15	0.90	0.16	39,61,80,86	0
4	NAG	G	1	14/15	0.91	0.16	49,59,68,86	0




The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.








Electron density around Chain F:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain I:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain J:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
12	NAG	D	403	14/15	0.41	0.49	77,103,113,121	0
12	NAG	C	403	14/15	0.57	0.33	77,96,103,103	0
12	NAG	C	401	14/15	0.65	0.28	101,124,132,133	0
12	NAG	D	402	14/15	0.68	0.35	69,102,110,115	0
12	NAG	C	402	14/15	0.74	0.24	70,82,94,96	0
12	NAG	D	401	14/15	0.74	0.19	57,71,79,85	0
12	NAG	D	404	14/15	0.78	0.30	89,106,115,115	0
8	CL	A	303	1/1	0.78	0.17	90,90,90,90	0
10	GOL	L	402	6/6	0.81	0.16	62,70,73,73	0
10	GOL	A	301	6/6	0.84	0.26	38,50,57,66	0
13	PG4	D	405	13/13	0.84	0.27	46,53,65,74	0
11	PO4	B	302	5/5	0.85	0.28	48,54,59,108	0
9	PEG	L	401	7/7	0.88	0.24	59,61,68,71	0
8	CL	H	303	1/1	0.91	0.15	83,83,83,83	0
10	GOL	B	301	6/6	0.92	0.22	43,51,52,69	0
8	CL	L	403	1/1	0.93	0.14	68,68,68,68	0
8	CL	H	302	1/1	0.95	0.18	61,61,61,61	0
8	CL	H	301	1/1	0.96	0.17	62,62,62,62	0
8	CL	A	302	1/1	0.96	0.10	68,68,68,68	0

6.5 Other polymers [i](#)

There are no such residues in this entry.