



Full wwPDB X-ray Structure Validation Report ⓘ

May 13, 2024 – 03:28 pm BST

PDB ID : 8Q5V
Title : MgADP-bound Fe protein of the molybdenum nitrogenase from Methanothermococcus thermolithotrophicus
Authors : Maslac, N.; Wagner, T.
Deposited on : 2023-08-09
Resolution : 2.74 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36.2
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.74 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1271 (2.76-2.72)
Clashscore	141614	1322 (2.76-2.72)
Ramachandran outliers	138981	1297 (2.76-2.72)
Sidechain outliers	138945	1298 (2.76-2.72)
RSRZ outliers	127900	1243 (2.76-2.72)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	284	 2% 90% 7%
1	B	284	 1% 92% 6%
1	C	284	 3% 90% 8%
1	D	284	 6% 88% 9%
1	E	284	 94%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	284	 94%
1	G	284	 93% 5%
1	H	284	 93% 5%
1	J	284	 94%
1	K	284	 89% 7%
1	L	284	 88% 9%
1	M	284	 89% 8%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	SF4	J	303	-	-	X	-
4	SF4	M	401	-	-	X	-

2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 25980 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nitrogenase iron protein 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	276	2118	1332	351	416	19	0	0	0
1	B	279	2140	1346	354	421	19	0	0	0
1	C	279	2140	1346	354	421	19	0	0	0
1	D	275	2112	1330	350	413	19	0	0	0
1	E	278	2136	1344	353	420	19	0	0	0
1	F	277	2123	1334	352	418	19	0	0	0
1	G	279	2140	1346	354	421	19	0	0	0
1	H	279	2140	1346	354	421	19	0	0	0
1	J	276	2119	1332	351	417	19	0	0	0
1	K	275	2106	1325	350	412	19	0	0	0
1	L	276	2115	1330	351	415	19	0	0	0
1	M	275	2106	1325	350	412	19	0	0	0

- Molecule 2 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	B	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	C	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	D	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	E	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	F	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	G	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	H	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	J	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	K	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	L	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	M	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Mg 1 1	0	0
3	B	1	Total Mg 1 1	0	0
3	C	1	Total Mg 1 1	0	0
3	D	1	Total Mg 1 1	0	0
3	E	1	Total Mg 1 1	0	0
3	F	1	Total Mg 1 1	0	0
3	G	2	Total Mg 2 2	0	0
3	H	1	Total Mg 1 1	0	0
3	J	4	Total Mg 4 4	0	0
3	K	2	Total Mg 2 2	0	0
3	L	1	Total Mg 1 1	0	0
3	M	2	Total Mg 2 2	0	0

- Molecule 4 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula: Fe_4S_4) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	Fe	S	0	0
			8	4	4		
4	C	1	Total	Fe	S	0	0
			8	4	4		
4	E	1	Total	Fe	S	0	0
			8	4	4		
4	G	1	Total	Fe	S	0	0
			8	4	4		
4	J	1	Total	Fe	S	0	0
			8	4	4		
4	M	1	Total	Fe	S	0	0
			8	4	4		

- Molecule 5 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	C	O	0	0
			6	3	3		
5	D	1	Total	C	O	0	0
			6	3	3		
5	E	1	Total	C	O	0	0
			6	3	3		
5	E	1	Total	C	O	0	0
			6	3	3		
5	F	1	Total	C	O	0	0
			6	3	3		
5	J	1	Total	C	O	0	0
			6	3	3		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	J	1	Total	C	O	0	0
			6	3	3		
5	M	1	Total	C	O	0	0
			6	3	3		

- Molecule 6 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	C	1	Total	Cl	0	0
			1	1		
6	E	1	Total	Cl	0	0
			1	1		
6	F	1	Total	Cl	0	0
			1	1		
6	M	1	Total	Cl	0	0
			1	1		

- Molecule 7 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	E	1	Total	C	O	0	0
			4	2	2		
7	E	1	Total	C	O	0	0
			4	2	2		
7	J	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	J	1	Total	C	O	0	0
			4	2	2		
7	J	1	Total	C	O	0	0
			4	2	2		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	1	Total	O	0	0
			1	1		
8	B	8	Total	O	0	0
			8	8		
8	E	4	Total	O	0	0
			4	4		
8	F	1	Total	O	0	0
			1	1		
8	G	1	Total	O	0	0
			1	1		
8	J	4	Total	O	0	0
			4	4		
8	K	3	Total	O	0	0
			3	3		
8	M	1	Total	O	0	0
			1	1		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Nitrogenase iron protein 1





- Molecule 1: Nitrogenase iron protein 1



- Molecule 1: Nitrogenase iron protein 1




- Molecule 1: Nitrogenase iron protein 1



- Molecule 1: Nitrogenase iron protein 1

Chain E:  94%




• Molecule 1: Nitrogenase iron protein 1

Chain F:  94%




• Molecule 1: Nitrogenase iron protein 1

Chain G:  93% 5%



• Molecule 1: Nitrogenase iron protein 1

Chain H:  93% 5%




• Molecule 1: Nitrogenase iron protein 1

Chain J:  94%




• Molecule 1: Nitrogenase iron protein 1


Chain K:  89% 7%





• Molecule 1: Nitrogenase iron protein 1

Chain L:  88% 9%





- Molecule 1: Nitrogenase iron protein 1



4 Data and refinement statistics i

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	61.48Å 87.59Å 182.05Å 93.98° 98.58° 109.65°	Depositor
Resolution (Å)	39.93 – 2.74 71.00 – 2.74	Depositor EDS
% Data completeness (in resolution range)	72.1 (39.93-2.74) 68.3 (71.00-2.74)	Depositor EDS
R_{merge}	0.28	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.01 (at 2.73Å)	Xtrriage
Refinement program	PHENIX (1.20.1_4487: ???)	Depositor
R, R_{free}	0.217 , 0.254 0.219 , 0.256	Depositor DCC
R_{free} test set	3244 reflections (4.90%)	wwPDB-VP
Wilson B-factor (Å ²)	44.0	Xtrriage
Anisotropy	0.031	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 15.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.28$	Xtrriage
Estimated twinning fraction	0.094 for h,-h-k,-h-l	Xtrriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	25980	wwPDB-VP
Average B, all atoms (Å ²)	60.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.09% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, GOL, ADP, SF4, MG, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.30	0/2149	0.46	0/2895
1	B	0.30	0/2172	0.46	0/2926
1	C	0.29	0/2172	0.45	0/2926
1	D	0.30	0/2143	0.46	0/2885
1	E	0.28	0/2168	0.46	0/2921
1	F	0.29	0/2154	0.47	0/2902
1	G	0.30	0/2172	0.45	0/2926
1	H	0.27	0/2172	0.47	1/2926 (0.0%)
1	J	0.30	0/2150	0.44	0/2897
1	K	0.29	0/2137	0.47	0/2879
1	L	0.30	0/2146	0.46	0/2891
1	M	0.29	0/2137	0.45	0/2879
All	All	0.29	0/25872	0.46	1/34853 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	H	195	ARG	NE-CZ-NH1	-5.93	117.33	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2118	0	2109	12	0
1	B	2140	0	2126	10	0
1	C	2140	0	2127	15	0
1	D	2112	0	2103	14	0
1	E	2136	0	2124	6	0
1	F	2123	0	2113	5	0
1	G	2140	0	2126	7	0
1	H	2140	0	2126	7	0
1	J	2119	0	2109	6	0
1	K	2106	0	2102	13	0
1	L	2115	0	2108	13	0
1	M	2106	0	2102	15	0
2	A	27	0	12	0	0
2	B	27	0	12	0	0
2	C	27	0	12	1	0
2	D	27	0	12	0	0
2	E	27	0	12	0	0
2	F	27	0	12	0	0
2	G	27	0	12	0	0
2	H	27	0	12	0	0
2	J	27	0	12	0	0
2	K	27	0	12	0	0
2	L	27	0	12	0	0
2	M	27	0	12	1	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
3	F	1	0	0	0	0
3	G	2	0	0	0	0
3	H	1	0	0	0	0
3	J	4	0	0	0	0
3	K	2	0	0	0	0
3	L	1	0	0	0	0
3	M	2	0	0	0	0
4	B	8	0	0	1	0
4	C	8	0	0	0	0
4	E	8	0	0	0	0
4	G	8	0	0	1	0
4	J	8	0	0	2	0
4	M	8	0	0	2	0
5	B	6	0	8	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	D	6	0	8	0	0
5	E	12	0	16	0	0
5	F	6	0	8	0	0
5	J	12	0	16	0	0
5	M	6	0	8	0	0
6	C	1	0	0	1	0
6	E	1	0	0	0	0
6	F	1	0	0	0	0
6	M	1	0	0	0	0
7	E	8	0	12	0	0
7	J	12	0	18	0	0
8	A	1	0	0	0	0
8	B	8	0	0	0	0
8	E	4	0	0	0	0
8	F	1	0	0	0	0
8	G	1	0	0	0	0
8	J	4	0	0	0	0
8	K	3	0	0	0	0
8	M	1	0	0	0	0
All	All	25980	0	25613	119	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (119) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:58:LEU:O	6:C:304:CL:CL	2.41	0.76
1:D:105:CYS:HB3	1:D:108:ARG:HB2	1.90	0.53
1:F:11:LYS:HB3	1:F:129:ASN:HD22	1.74	0.53
1:A:195:ARG:O	1:A:195:ARG:HG3	2.09	0.53
1:M:105:CYS:HA	4:M:401:SF4:S1	2.49	0.52
1:E:6:ILE:HD11	1:E:118:ARG:NH1	2.28	0.48
1:G:231:ASN:O	1:G:233:MET:HG3	2.14	0.48
4:J:303:SF4:S1	1:K:105:CYS:HA	2.53	0.48
1:K:148:ARG:O	1:K:183:SER:OG	2.26	0.47
1:B:111:ILE:CD1	1:B:142:GLY:HA2	2.44	0.47
1:L:105:CYS:HA	4:M:401:SF4:S4	2.55	0.46
1:C:112:THR:O	1:C:116:MET:HG3	2.15	0.46
1:G:70:LEU:O	1:G:74:GLY:HA2	2.16	0.46
1:L:100:GLU:O	1:L:103:VAL:HG22	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:42:VAL:HG22	1:C:129:ASN:HB2	1.96	0.46
1:M:18:LYS:HD2	1:M:164:MET:HB3	1.97	0.46
1:K:239:ASP:OD1	1:K:241:GLU:HG2	2.16	0.46
1:M:117:MET:HB3	1:M:123:TYR:CE2	2.51	0.46
1:K:107:GLY:O	1:K:142:GLY:HA3	2.16	0.46
1:C:274:GLU:O	1:C:278:LYS:HG2	2.16	0.45
1:F:251:LEU:O	1:F:255:ILE:HG12	2.17	0.45
1:D:80:LEU:O	1:D:84:ARG:HB3	2.16	0.45
1:L:107:GLY:O	1:L:142:GLY:HA3	2.16	0.45
1:C:18:LYS:HG2	1:C:19:GLY:N	2.31	0.45
1:C:187:LEU:HD12	1:C:213:THR:OG1	2.17	0.45
1:M:23:LYS:HG3	2:M:402:ADP:O2B	2.16	0.45
1:M:78:VAL:HG11	1:M:116:MET:SD	2.57	0.45
1:L:18:LYS:HD2	1:L:164:MET:HB3	1.99	0.44
1:A:105:CYS:HA	4:B:401:SF4:S4	2.58	0.44
1:B:23:LYS:HB2	1:B:23:LYS:HE2	1.78	0.44
1:J:122:GLY:O	1:J:124:PRO:HD3	2.18	0.44
1:J:214:LYS:HD3	1:J:260:GLU:OE1	2.17	0.44
1:L:145:MET:HB3	1:L:146:PRO:HD3	1.99	0.44
1:G:18:LYS:HD2	1:G:164:MET:HG3	1.99	0.44
1:H:12:LYS:HD2	1:H:151:LEU:O	2.17	0.44
1:H:23:LYS:HB2	1:H:23:LYS:HE2	1.71	0.44
1:J:13:VAL:HG22	1:J:154:GLU:HB2	2.00	0.44
1:K:99:PRO:HG2	1:K:105:CYS:O	2.18	0.44
1:D:217:HIS:ND1	1:D:251:LEU:HB2	2.33	0.44
1:E:13:VAL:HG22	1:E:154:GLU:HB2	1.99	0.44
1:M:100:GLU:O	1:M:103:VAL:HG12	2.17	0.43
1:K:16:TYR:HB3	1:K:172:ILE:HD13	2.00	0.43
1:B:13:VAL:HG22	1:B:154:GLU:HB2	2.00	0.43
1:C:50:LYS:HA	1:D:167:TYR:OH	2.18	0.43
1:H:13:VAL:HG22	1:H:154:GLU:HB2	2.00	0.43
1:M:214:LYS:HD3	1:M:260:GLU:OE1	2.18	0.43
1:A:23:LYS:HB2	1:A:23:LYS:HE2	1.82	0.43
1:G:13:VAL:HG22	1:G:154:GLU:HB2	2.00	0.43
1:M:112:THR:HG22	1:M:116:MET:CE	2.49	0.43
1:B:75:GLU:O	1:B:78:VAL:HG12	2.19	0.43
1:D:13:VAL:HG22	1:D:154:GLU:HB2	2.00	0.43
1:G:211:LEU:HB3	1:G:213:THR:HG22	2.01	0.43
1:C:16:TYR:HB3	1:C:172:ILE:HD13	2.01	0.43
1:C:221:ARG:HA	2:C:301:ADP:N1	2.34	0.43
1:D:67:MET:O	1:D:71:ARG:HB2	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:262:VAL:HG22	1:F:263:LYS:N	2.34	0.43
1:H:262:VAL:HG22	1:H:263:LYS:N	2.34	0.43
1:K:70:LEU:HD12	1:K:78:VAL:HG21	1.99	0.43
1:L:60:GLY:O	1:L:62:PRO:HD3	2.19	0.43
1:D:155:ILE:HG21	1:D:176:ILE:HD11	2.00	0.43
1:M:273:GLU:O	1:M:276:VAL:HG12	2.19	0.43
1:J:23:LYS:HE2	1:J:23:LYS:HB2	1.66	0.42
1:D:211:LEU:HD23	1:D:211:LEU:HA	1.88	0.42
1:E:211:LEU:HB3	1:E:213:THR:HG22	2.01	0.42
1:F:122:GLY:O	1:F:124:PRO:HD3	2.19	0.42
1:K:113:ALA:O	1:K:117:MET:HB2	2.20	0.42
1:L:183:SER:OG	1:L:185:VAL:HG23	2.19	0.42
1:A:13:VAL:HG22	1:A:154:GLU:HB2	2.00	0.42
1:B:114:VAL:HG11	1:B:151:LEU:HD21	2.01	0.42
1:D:262:VAL:HG22	1:D:263:LYS:N	2.35	0.42
1:M:13:VAL:HG22	1:M:154:GLU:HB2	2.00	0.42
1:A:273:GLU:OE1	1:B:55:ARG:NH2	2.51	0.42
1:H:122:GLY:O	1:H:124:PRO:HD3	2.19	0.42
1:M:127:LEU:HD23	1:M:127:LEU:HA	1.91	0.42
1:A:222:ASP:HB2	1:A:244:GLN:OE1	2.19	0.42
1:D:232:LYS:O	1:D:233:MET:HG3	2.20	0.42
1:C:262:VAL:HG22	1:C:263:LYS:N	2.34	0.42
1:M:107:GLY:O	1:M:142:GLY:HA3	2.20	0.42
1:C:191:ILE:HG12	1:C:216:ILE:CG2	2.50	0.41
1:G:29:ASN:OD1	1:G:235:VAL:HB	2.20	0.41
1:A:122:GLY:O	1:A:124:PRO:HD3	2.20	0.41
1:D:3:PHE:CZ	1:D:149:ASP:HB3	2.56	0.41
1:A:17:GLY:CA	1:A:23:LYS:HD3	2.51	0.41
1:A:80:LEU:O	1:A:84:ARG:HB3	2.20	0.41
1:B:122:GLY:O	1:B:124:PRO:HD3	2.20	0.41
1:D:122:GLY:O	1:D:124:PRO:HD3	2.20	0.41
1:E:192:CYS:SG	1:E:204:MET:HG3	2.60	0.41
1:L:122:GLY:O	1:L:124:PRO:HD3	2.21	0.41
1:K:122:GLY:O	1:K:124:PRO:HD3	2.20	0.41
1:B:107:GLY:O	1:B:142:GLY:HA3	2.20	0.41
1:D:84:ARG:HD3	1:D:92:LEU:HD22	2.01	0.41
1:C:31:ALA:HB1	1:C:42:VAL:HG11	2.03	0.41
1:C:187:LEU:HD13	1:C:189:GLY:N	2.36	0.41
1:J:105:CYS:HA	4:J:303:SF4:S4	2.61	0.41
1:J:108:ARG:NH2	1:M:108:ARG:HH22	2.19	0.41
1:L:155:ILE:HG21	1:L:176:ILE:HD11	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:262:VAL:HG22	1:L:263:LYS:N	2.36	0.41
1:M:198:ASP:O	1:M:198:ASP:OD1	2.38	0.41
1:D:59:HIS:NE2	1:D:237:GLU:OE2	2.54	0.41
1:H:107:GLY:O	1:H:142:GLY:HA3	2.21	0.41
1:A:274:GLU:O	1:A:278:LYS:HG3	2.21	0.40
1:E:206:GLU:O	1:E:210:LYS:HG2	2.21	0.40
1:K:187:LEU:HD12	1:K:213:THR:OG1	2.21	0.40
1:K:260:GLU:HA	1:K:260:GLU:OE1	2.20	0.40
1:L:114:VAL:O	1:L:118:ARG:HG3	2.21	0.40
1:C:113:ALA:O	1:C:117:MET:HB2	2.22	0.40
1:L:88:PHE:O	1:L:91:ILE:HD12	2.21	0.40
1:G:105:CYS:HA	4:G:303:SF4:S4	2.61	0.40
1:H:88:PHE:CZ	1:H:89:LYS:HG2	2.56	0.40
1:L:12:LYS:HD2	1:L:151:LEU:O	2.20	0.40
1:B:112:THR:O	1:B:116:MET:HB2	2.21	0.40
1:F:107:GLY:O	1:F:142:GLY:HA3	2.21	0.40
1:K:148:ARG:NH2	1:M:73:GLU:O	2.54	0.40
1:K:185:VAL:O	1:K:186:ARG:HD2	2.22	0.40
1:A:35:ALA:HB1	1:A:89:LYS:HG3	2.02	0.40
1:A:211:LEU:HB3	1:A:213:THR:HG22	2.03	0.40
1:B:192:CYS:SG	1:B:204:MET:HG3	2.61	0.40
1:C:23:LYS:HE2	1:C:23:LYS:HB2	1.60	0.40
1:E:260:GLU:O	1:E:260:GLU:HG2	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	274/284 (96%)	266 (97%)	8 (3%)	0	100 100
1	B	277/284 (98%)	269 (97%)	7 (2%)	1 (0%)	34 55

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	277/284 (98%)	273 (99%)	4 (1%)	0	100	100
1	D	271/284 (95%)	266 (98%)	5 (2%)	0	100	100
1	E	276/284 (97%)	267 (97%)	9 (3%)	0	100	100
1	F	275/284 (97%)	267 (97%)	8 (3%)	0	100	100
1	G	277/284 (98%)	270 (98%)	6 (2%)	1 (0%)	34	55
1	H	277/284 (98%)	272 (98%)	5 (2%)	0	100	100
1	J	274/284 (96%)	269 (98%)	5 (2%)	0	100	100
1	K	273/284 (96%)	265 (97%)	8 (3%)	0	100	100
1	L	274/284 (96%)	266 (97%)	8 (3%)	0	100	100
1	M	273/284 (96%)	264 (97%)	9 (3%)	0	100	100
All	All	3298/3408 (97%)	3214 (98%)	82 (2%)	2 (0%)	51	75

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	59	HIS
1	G	59	HIS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	228/235 (97%)	228 (100%)	0	100	100
1	B	230/235 (98%)	230 (100%)	0	100	100
1	C	230/235 (98%)	230 (100%)	0	100	100
1	D	227/235 (97%)	227 (100%)	0	100	100
1	E	230/235 (98%)	230 (100%)	0	100	100
1	F	228/235 (97%)	228 (100%)	0	100	100
1	G	230/235 (98%)	230 (100%)	0	100	100
1	H	230/235 (98%)	229 (100%)	1 (0%)	91	94

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	J	228/235 (97%)	228 (100%)	0	100	100
1	K	226/235 (96%)	226 (100%)	0	100	100
1	L	227/235 (97%)	227 (100%)	0	100	100
1	M	226/235 (96%)	226 (100%)	0	100	100
All	All	2740/2820 (97%)	2739 (100%)	1 (0%)	100	100

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	253	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	196	ASN
1	F	129	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 53 ligands modelled in this entry, 22 are monoatomic - leaving 31 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	GOL	E	304	-	5,5,5	0.09	0	5,5,5	0.30	0
7	EDO	J	306	-	3,3,3	0.06	0	2,2,2	0.20	0
5	GOL	J	305	-	5,5,5	0.06	0	5,5,5	0.23	0
2	ADP	C	301	3	24,29,29	0.95	1 (4%)	29,45,45	1.34	4 (13%)
2	ADP	F	302	3	24,29,29	0.95	1 (4%)	29,45,45	1.30	3 (10%)
2	ADP	M	402	3	24,29,29	0.96	1 (4%)	29,45,45	1.27	3 (10%)
7	EDO	E	306	-	3,3,3	0.07	0	2,2,2	0.20	0
2	ADP	E	301	3	24,29,29	0.95	1 (4%)	29,45,45	1.33	4 (13%)
2	ADP	B	402	3	24,29,29	0.96	1 (4%)	29,45,45	1.31	4 (13%)
2	ADP	A	301	3	24,29,29	0.95	1 (4%)	29,45,45	1.30	3 (10%)
4	SF4	J	303	1	0,12,12	-	-	-	-	-
2	ADP	J	301	3	24,29,29	0.91	1 (4%)	29,45,45	1.29	5 (17%)
4	SF4	M	401	1	0,12,12	-	-	-	-	-
4	SF4	B	401	1	0,12,12	-	-	-	-	-
7	EDO	J	307	-	3,3,3	0.07	0	2,2,2	0.21	0
2	ADP	G	301	3	24,29,29	0.95	1 (4%)	29,45,45	1.29	4 (13%)
5	GOL	D	303	-	5,5,5	0.09	0	5,5,5	0.33	0
2	ADP	H	301	3	24,29,29	0.96	1 (4%)	29,45,45	1.26	4 (13%)
2	ADP	L	301	3	24,29,29	0.97	1 (4%)	29,45,45	1.27	4 (13%)
2	ADP	K	301	3	24,29,29	0.91	1 (4%)	29,45,45	1.32	4 (13%)
4	SF4	E	303	1	0,12,12	-	-	-	-	-
5	GOL	B	404	-	5,5,5	0.07	0	5,5,5	0.24	0
5	GOL	F	301	-	5,5,5	0.06	0	5,5,5	0.22	0
7	EDO	E	307	-	3,3,3	0.05	0	2,2,2	0.18	0
4	SF4	C	303	1	0,12,12	-	-	-	-	-
7	EDO	J	308	-	3,3,3	0.06	0	2,2,2	0.12	0
5	GOL	E	305	-	5,5,5	0.06	0	5,5,5	0.22	0
5	GOL	M	404	-	5,5,5	0.10	0	5,5,5	0.29	0
4	SF4	G	303	1	0,12,12	-	-	-	-	-
2	ADP	D	301	3	24,29,29	0.96	1 (4%)	29,45,45	1.29	4 (13%)
5	GOL	J	304	-	5,5,5	0.04	0	5,5,5	0.21	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GOL	E	304	-	-	4/4/4/4	-
7	EDO	J	306	-	-	0/1/1/1	-
5	GOL	J	305	-	-	2/4/4/4	-
2	ADP	C	301	3	-	0/12/32/32	0/3/3/3
2	ADP	F	302	3	-	2/12/32/32	0/3/3/3
2	ADP	M	402	3	-	2/12/32/32	0/3/3/3
7	EDO	E	306	-	-	1/1/1/1	-
2	ADP	E	301	3	-	2/12/32/32	0/3/3/3
2	ADP	B	402	3	-	1/12/32/32	0/3/3/3
2	ADP	A	301	3	-	4/12/32/32	0/3/3/3
4	SF4	J	303	1	-	-	0/6/5/5
2	ADP	J	301	3	-	1/12/32/32	0/3/3/3
4	SF4	M	401	1	-	-	0/6/5/5
7	EDO	J	307	-	-	1/1/1/1	-
4	SF4	B	401	1	-	-	0/6/5/5
2	ADP	G	301	3	-	2/12/32/32	0/3/3/3
5	GOL	D	303	-	-	0/4/4/4	-
2	ADP	H	301	3	-	1/12/32/32	0/3/3/3
2	ADP	L	301	3	-	1/12/32/32	0/3/3/3
2	ADP	K	301	3	-	2/12/32/32	0/3/3/3
4	SF4	E	303	1	-	-	0/6/5/5
5	GOL	B	404	-	-	2/4/4/4	-
5	GOL	F	301	-	-	0/4/4/4	-
7	EDO	E	307	-	-	1/1/1/1	-
4	SF4	C	303	1	-	-	0/6/5/5
7	EDO	J	308	-	-	1/1/1/1	-
5	GOL	E	305	-	-	2/4/4/4	-
5	GOL	M	404	-	-	2/4/4/4	-
4	SF4	G	303	1	-	-	0/6/5/5
2	ADP	D	301	3	-	2/12/32/32	0/3/3/3
5	GOL	J	304	-	-	0/4/4/4	-

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	301	ADP	C5-C4	2.52	1.47	1.40
2	G	301	ADP	C5-C4	2.48	1.47	1.40
2	L	301	ADP	C5-C4	2.48	1.47	1.40
2	B	402	ADP	C5-C4	2.48	1.47	1.40
2	C	301	ADP	C5-C4	2.47	1.47	1.40
2	E	301	ADP	C5-C4	2.46	1.47	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	H	301	ADP	C5-C4	2.45	1.47	1.40
2	F	302	ADP	C5-C4	2.42	1.47	1.40
2	A	301	ADP	C5-C4	2.42	1.47	1.40
2	K	301	ADP	C5-C4	2.38	1.47	1.40
2	M	402	ADP	C5-C4	2.36	1.47	1.40
2	J	301	ADP	C5-C4	2.28	1.47	1.40

All (46) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	J	301	ADP	N3-C2-N1	-3.78	122.77	128.68
2	B	402	ADP	N3-C2-N1	-3.76	122.81	128.68
2	E	301	ADP	N3-C2-N1	-3.75	122.82	128.68
2	H	301	ADP	N3-C2-N1	-3.74	122.83	128.68
2	K	301	ADP	N3-C2-N1	-3.73	122.85	128.68
2	L	301	ADP	N3-C2-N1	-3.73	122.85	128.68
2	A	301	ADP	N3-C2-N1	-3.71	122.88	128.68
2	C	301	ADP	N3-C2-N1	-3.66	122.95	128.68
2	F	302	ADP	N3-C2-N1	-3.65	122.97	128.68
2	G	301	ADP	N3-C2-N1	-3.64	122.99	128.68
2	D	301	ADP	N3-C2-N1	-3.62	123.01	128.68
2	M	402	ADP	N3-C2-N1	-3.58	123.08	128.68
2	C	301	ADP	PA-O3A-PB	-3.12	122.12	132.83
2	L	301	ADP	PA-O3A-PB	-3.02	122.45	132.83
2	E	301	ADP	PA-O3A-PB	-3.02	122.47	132.83
2	K	301	ADP	PA-O3A-PB	-2.95	122.71	132.83
2	M	402	ADP	PA-O3A-PB	-2.91	122.83	132.83
2	B	402	ADP	PA-O3A-PB	-2.91	122.83	132.83
2	G	301	ADP	PA-O3A-PB	-2.88	122.95	132.83
2	G	301	ADP	C4-C5-N7	-2.83	106.45	109.40
2	A	301	ADP	C4-C5-N7	-2.80	106.48	109.40
2	C	301	ADP	C4-C5-N7	-2.78	106.50	109.40
2	D	301	ADP	PA-O3A-PB	-2.77	123.33	132.83
2	F	302	ADP	C4-C5-N7	-2.77	106.52	109.40
2	H	301	ADP	PA-O3A-PB	-2.75	123.38	132.83
2	J	301	ADP	PA-O3A-PB	-2.73	123.45	132.83
2	F	302	ADP	PA-O3A-PB	-2.72	123.48	132.83
2	A	301	ADP	PA-O3A-PB	-2.72	123.48	132.83
2	B	402	ADP	C4-C5-N7	-2.64	106.65	109.40
2	E	301	ADP	C4-C5-N7	-2.64	106.65	109.40
2	D	301	ADP	C4-C5-N7	-2.64	106.65	109.40
2	K	301	ADP	C4-C5-N7	-2.60	106.69	109.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	J	301	ADP	C4-C5-N7	-2.59	106.70	109.40
2	H	301	ADP	C4-C5-N7	-2.51	106.78	109.40
2	L	301	ADP	C4-C5-N7	-2.47	106.82	109.40
2	M	402	ADP	C4-C5-N7	-2.44	106.86	109.40
2	B	402	ADP	C2-N1-C6	2.24	122.59	118.75
2	E	301	ADP	C2-N1-C6	2.19	122.50	118.75
2	D	301	ADP	C2-N1-C6	2.16	122.44	118.75
2	K	301	ADP	C2-N1-C6	2.13	122.39	118.75
2	J	301	ADP	C2-N1-C6	2.11	122.37	118.75
2	C	301	ADP	C3'-C2'-C1'	2.10	104.14	100.98
2	H	301	ADP	C2-N1-C6	2.08	122.31	118.75
2	J	301	ADP	C3'-C2'-C1'	2.05	104.06	100.98
2	L	301	ADP	C2-N1-C6	2.03	122.23	118.75
2	G	301	ADP	C2-N1-C6	2.01	122.20	118.75

There are no chirality outliers.

All (36) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	301	ADP	PA-O3A-PB-O2B
2	A	301	ADP	PA-O3A-PB-O3B
2	B	402	ADP	PA-O3A-PB-O2B
2	D	301	ADP	PA-O3A-PB-O2B
2	D	301	ADP	PA-O3A-PB-O3B
2	E	301	ADP	PA-O3A-PB-O2B
2	E	301	ADP	PA-O3A-PB-O3B
2	F	302	ADP	PA-O3A-PB-O3B
2	G	301	ADP	PA-O3A-PB-O2B
2	G	301	ADP	PA-O3A-PB-O3B
2	H	301	ADP	PA-O3A-PB-O2B
2	K	301	ADP	PA-O3A-PB-O3B
2	L	301	ADP	PA-O3A-PB-O2B
2	M	402	ADP	PA-O3A-PB-O2B
2	M	402	ADP	PA-O3A-PB-O3B
5	B	404	GOL	C1-C2-C3-O3
5	E	304	GOL	O1-C1-C2-C3
5	E	304	GOL	C1-C2-C3-O3
5	E	304	GOL	O1-C1-C2-O2
5	E	305	GOL	O1-C1-C2-C3
5	J	305	GOL	C1-C2-C3-O3
5	B	404	GOL	O2-C2-C3-O3
5	E	304	GOL	O2-C2-C3-O3

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
7	J	308	EDO	O1-C1-C2-O2
2	K	301	ADP	PA-O3A-PB-O1B
5	M	404	GOL	O1-C1-C2-C3
5	J	305	GOL	O2-C2-C3-O3
5	M	404	GOL	O2-C2-C3-O3
2	F	302	ADP	PA-O3A-PB-O1B
2	J	301	ADP	PA-O3A-PB-O2B
7	E	307	EDO	O1-C1-C2-O2
5	E	305	GOL	O1-C1-C2-O2
7	J	307	EDO	O1-C1-C2-O2
2	A	301	ADP	C5'-O5'-PA-O1A
7	E	306	EDO	O1-C1-C2-O2
2	A	301	ADP	PA-O3A-PB-O1B


There are no ring outliers.


6 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	301	ADP	1	0
2	M	402	ADP	1	0
4	J	303	SF4	2	0
4	M	401	SF4	2	0
4	B	401	SF4	1	0
4	G	303	SF4	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


















































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	276/284 (97%)	0.06	6 (2%) 62 69	31, 70, 99, 124	0
1	B	279/284 (98%)	-0.32	3 (1%) 80 85	19, 37, 75, 109	0
1	C	279/284 (98%)	0.18	9 (3%) 47 54	38, 74, 106, 146	0
1	D	275/284 (96%)	0.35	16 (5%) 23 26	50, 81, 110, 135	0
1	E	278/284 (97%)	-0.37	1 (0%) 92 95	14, 30, 69, 134	0
1	F	277/284 (97%)	-0.07	4 (1%) 75 80	27, 63, 95, 133	0
1	G	279/284 (98%)	-0.21	2 (0%) 87 90	27, 52, 84, 103	0
1	H	279/284 (98%)	0.09	8 (2%) 51 58	40, 70, 94, 130	0
1	J	276/284 (97%)	-0.29	1 (0%) 92 95	19, 41, 74, 108	0
1	K	275/284 (96%)	-0.10	5 (1%) 68 74	28, 61, 94, 124	0
1	L	276/284 (97%)	0.04	6 (2%) 62 69	34, 67, 94, 118	0
1	M	275/284 (96%)	-0.11	7 (2%) 57 64	27, 55, 92, 132	0
All	All	3324/3408 (97%)	-0.06	68 (2%) 65 72	14, 60, 98, 146	0

All (68) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	3	PHE	5.6
1	D	83	VAL	4.6
1	L	196	ASN	4.5
1	D	277	VAL	4.3
1	A	230	PHE	4.2
1	D	273	GLU	4.1
1	C	238	PHE	4.0
1	D	27	THR	3.9
1	F	42	VAL	3.6
1	K	126	ASP	3.5
1	C	230	PHE	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	6	ILE	3.4
1	M	144	ALA	3.2
1	A	195	ARG	3.2
1	D	280	GLY	3.2
1	D	269	MET	3.1
1	M	139	VAL	3.0
1	D	33	ALA	3.0
1	B	230	PHE	3.0
1	H	41	LYS	2.9
1	M	76	GLU	2.9
1	F	241	GLU	2.9
1	G	230	PHE	2.9
1	D	161	GLY	2.8
1	C	3	PHE	2.8
1	C	241	GLU	2.7
1	L	147	LEU	2.7
1	H	2	SER	2.7
1	D	260	GLU	2.6
1	B	2	SER	2.6
1	M	198	ASP	2.6
1	B	3	PHE	2.6
1	M	75	GLU	2.6
1	G	159	THR	2.5
1	J	196	ASN	2.5
1	A	37	PHE	2.4
1	A	216	ILE	2.4
1	K	151	LEU	2.4
1	L	92	LEU	2.4
1	A	6	ILE	2.4
1	F	37	PHE	2.4
1	F	131	PHE	2.4
1	C	31	ALA	2.4
1	L	76	GLU	2.4
1	M	151	LEU	2.4
1	H	79	THR	2.3
1	H	184	GLY	2.3
1	H	255	ILE	2.3
1	M	147	LEU	2.2
1	H	269	MET	2.2
1	C	236	ILE	2.2
1	D	157	ILE	2.2
1	A	36	TYR	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	279	TYR	2.2
1	C	277	VAL	2.2
1	D	238	PHE	2.2
1	D	195	ARG	2.2
1	L	39	ASP	2.2
1	C	231	ASN	2.1
1	D	196	ASN	2.1
1	D	166	LEU	2.1
1	K	148	ARG	2.1
1	K	44	ILE	2.1
1	H	9	ASP	2.1
1	C	255	ILE	2.1
1	D	159	THR	2.1
1	K	149	ASP	2.0
1	L	7	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q < 0.9
5	GOL	B	404	6/6	0.78	0.27	43,50,61,68	0
7	EDO	J	308	4/4	0.82	0.41	44,52,52,56	0
7	EDO	J	307	4/4	0.83	0.21	30,32,36,49	0
5	GOL	E	304	6/6	0.85	0.31	40,43,45,52	0
5	GOL	M	404	6/6	0.85	0.23	41,49,56,58	0
7	EDO	J	306	4/4	0.88	0.17	40,42,43,59	0
4	SF4	G	303	8/8	0.88	0.19	45,47,59,241	0
7	EDO	E	307	4/4	0.88	0.17	47,56,60,61	0

Continued on next page...

Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	GOL	F	301	6/6	0.89	0.14	35,45,57,61	0
3	MG	J	311	1/1	0.91	0.27	23,23,23,23	0
2	ADP	D	301	27/27	0.91	0.17	55,75,91,94	0
5	GOL	J	305	6/6	0.92	0.26	31,42,48,54	0
5	GOL	D	303	6/6	0.93	0.11	37,51,56,58	0
7	EDO	E	306	4/4	0.93	0.26	33,44,51,52	0
3	MG	M	403	1/1	0.93	0.22	28,28,28,28	0
5	GOL	E	305	6/6	0.94	0.15	37,48,51,55	0
2	ADP	J	301	27/27	0.94	0.17	15,21,29,84	0
6	CL	F	304	1/1	0.94	0.08	65,65,65,65	0
5	GOL	J	304	6/6	0.94	0.32	30,41,55,57	0
6	CL	M	406	1/1	0.95	0.12	66,66,66,66	0
2	ADP	H	301	27/27	0.95	0.16	36,52,67,76	0
2	ADP	C	301	27/27	0.95	0.14	56,71,97,97	0
3	MG	J	302	1/1	0.95	0.31	39,39,39,39	0
6	CL	C	304	1/1	0.95	0.09	105,105,105,105	0
3	MG	J	309	1/1	0.95	0.26	37,37,37,37	0
3	MG	H	302	1/1	0.96	0.19	30,30,30,30	0
2	ADP	A	301	27/27	0.96	0.17	42,57,73,75	0
4	SF4	E	303	8/8	0.97	0.18	26,43,49,76	0
2	ADP	B	402	27/27	0.97	0.14	19,30,43,45	0
2	ADP	G	301	27/27	0.97	0.13	39,51,58,60	0
2	ADP	L	301	27/27	0.97	0.12	27,46,55,58	0
3	MG	B	403	1/1	0.97	0.10	25,25,25,25	0
3	MG	K	302	1/1	0.97	0.20	33,33,33,33	0
3	MG	K	303	1/1	0.97	0.08	24,24,24,24	0
3	MG	L	302	1/1	0.97	0.14	32,32,32,32	0
3	MG	G	304	1/1	0.97	0.07	37,37,37,37	0
6	CL	E	308	1/1	0.98	0.05	52,52,52,52	0
3	MG	A	302	1/1	0.98	0.24	34,34,34,34	0
3	MG	M	405	1/1	0.98	0.17	31,31,31,31	0
4	SF4	C	303	8/8	0.98	0.16	36,41,50,53	0
2	ADP	E	301	27/27	0.98	0.14	14,23,31,35	0
2	ADP	K	301	27/27	0.98	0.12	36,42,52,55	0
2	ADP	F	302	27/27	0.98	0.13	37,48,60,65	0
2	ADP	M	402	27/27	0.98	0.14	17,27,32,37	0
4	SF4	M	401	8/8	0.99	0.11	62,68,93,104	0
3	MG	E	302	1/1	0.99	0.12	19,19,19,19	0
3	MG	F	303	1/1	0.99	0.31	35,35,35,35	0
3	MG	J	310	1/1	0.99	0.11	26,26,26,26	0
4	SF4	B	401	8/8	0.99	0.15	33,35,39,44	0
3	MG	G	302	1/1	0.99	0.20	23,23,23,23	0

Continued on next page...

Continued from previous page...



Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	MG	C	302	1/1	0.99	0.26	39,39,39,39	0
3	MG	D	302	1/1	0.99	0.28	51,51,51,51	0
4	SF4	J	303	8/8	0.99	0.11	46,57,69,74	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around MG J 311:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP D 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG M 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around ADP J 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around ADP H 301:**




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around MG J 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG J 309:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG H 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP A 301:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around SF4 E 303:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around ADP L 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG B 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG K 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG K 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG L 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG G 304:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG A 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG M 405:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around SF4 C 303:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around ADP K 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP F 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ADP M 402:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SF4 M 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG E 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG F 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG J 310:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SF4 B 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG G 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG C 302:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around MG D 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.