



wwPDB EM Validation Summary Report ⓘ

Aug 19, 2024 – 01:07 pm BST

PDB ID : 8Q7Z
EMDB ID : EMD-18168
Title : Structure of the G. gallus 80S non-rotated ribosome
Authors : Nurullina, L.; Jenner, L.; Yusupov, M.
Deposited on : 2023-08-17
Resolution : 2.50 Å (reported)
Based on initial model : 7O7Z

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev92
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B5	4441	
2	B8	157	
3	B7	119	
4	Az	25	
5	BA	257	
6	BB	403	
7	BC	421	
8	BD	297	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	BE	298	 75% 25%
10	BF	246	 95% 5%
11	BG	266	 6% 78% 21%
12	BH	192	 100%
13	BI	214	 96%
14	BJ	178	 7% 96%
15	BL	211	 5% 99%
16	BM	131	 99%
17	BN	204	 100%
18	BO	203	 99%
19	BP	184	 83% 16%
20	BQ	187	 100%
21	BR	196	 10% 92% 8%
22	BS	176	 100%
23	BT	160	 99%
24	BU	128	 10% 78% 22%
25	BV	140	 95%
26	BW	157	 43% 57%
27	BX	155	 76% 23%
28	BY	145	 92% 8%
29	BZ	136	 99%
30	Ba	148	 99%
31	Bb	71	 14% 99%
32	Bc	115	 83% 17%
33	Bd	176	 59% 40%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	Be	135	96%
35	Bf	110	100%
36	Bg	117	92%
37	Bh	123	98%
38	Bi	105	95%
39	Bj	97	89%
40	Bk	70	19% 97%
41	Bl	51	98%
42	Bm	128	41% 59%
43	Bo	105	100%
44	Bp	92	99%
45	Br	138	91%
46	A2	1823	8% 75% 17% 8%
47	Aa	264	81%
48	AA	84	15% 99%
49	AB	69	25% 91% 7%
50	Ab	264	83%
51	Ad	263	100%
52	AD	133	8% 43% 57%
53	AE	115	86%
54	Af	249	11% 91% 9%
55	Ag	194	42% 96%
56	Ah	207	11% 100%
57	Ai	194	91%
58	Ak	158	12% 95%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
59	Am	151	99%
60	An	151	7% 89% 10%
61	At	119	34% 82% 14%
62	Au	83	5% 99%
63	Av	130	99%
64	Aw	143	99%
65	Ax	131	5% 95% 5%
66	AZ	296	70% 30%
67	Ap	146	5% 96%
68	AC	156	47% 47% 53%
69	Ae	204	12% 94% 6%
70	AF	317	61% 98%
71	AG	171	32% 68%
72	Aj	165	18% 58% 42%
73	Al	132	89% 89% 11%
74	Ao	145	20% 87% 12%
75	Ar	152	17% 95% 5%
76	As	145	10% 97%
77	Ay	125	15% 56% 44%
78	Ac	243	25% 92% 7%
79	V	76	72% 66% 33%
80	Aq	135	36% 99%

2 Entry composition [i](#)

There are 83 unique types of molecules in this entry. The entry contains 216968 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 28S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
1	B5	3562	76444	34065	13971	24846	3562	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B5	3295	UY1	U	conflict	GB KT445934.2

- Molecule 2 is a RNA chain called 5.8S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
2	B8	157	3338	1490	588	1103	157	0	0

- Molecule 3 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
3	B7	119	2536	1130	449	838	119	0	0

- Molecule 4 is a protein called 60S ribosomal protein L41.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	Az	25	239	145	64	27	3	0	0

- Molecule 5 is a protein called 60S ribosomal protein L8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	BA	248	1898	1191	387	314	6	0	0

- Molecule 6 is a protein called Ribosomal protein uL3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	BB	398	3209	2042	603	550	14	0	0

- Molecule 7 is a protein called 60S ribosomal protein L4 C-terminal domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	BC	361	2888	1816	574	484	14	0	0

- Molecule 8 is a protein called Large ribosomal subunit protein uL18.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	BD	296	2388	1506	437	433	12	0	0

- Molecule 9 is a protein called 60S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	BE	224	1811	1161	353	295	2	0	0

- Molecule 10 is a protein called Large ribosomal subunit protein uL30.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	BF	234	1939	1245	377	309	8	0	0

- Molecule 11 is a protein called Large ribosomal subunit protein eL8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	BG	210	1704	1089	326	284	5	0	0

- Molecule 12 is a protein called 60S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	BH	192	1533	962	288	277	6	0	0

- Molecule 13 is a protein called Ribosomal protein uL16, Large ribosomal subunit protein uL16, Large ribosomal subunit protein uL16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	BI	205	1654	1050	322	268	14	0	0

- Molecule 14 is a protein called 60S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	BJ	170	1362	861	255	241	5	0	0

- Molecule 15 is a protein called Large ribosomal subunit protein eL13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	BL	210	1710	1072	354	279	5	0	0

- Molecule 16 is a protein called 60S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	BM	130	1077	688	209	172	8	0	0

- Molecule 17 is a protein called Ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	BN	203	1700	1071	359	266	4	0	0

- Molecule 18 is a protein called Ribosomal protein uL13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	BO	201	1643	1058	321	259	5	0	0

- Molecule 19 is a protein called 60S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	BP	155	1259	788	244	218	9	0	0

- Molecule 20 is a protein called Ribosomal protein eL18,Ribosomal protein L18,Ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	BQ	187	1503	939	314	245	5	0	0

- Molecule 21 is a protein called Ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	BR	180	1503	930	325	238	10	0	0

- Molecule 22 is a protein called Ribosomal protein eL20,60S ribosomal protein L18a,60S ribosomal protein L18a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	BS	176	1464	931	286	236	11	0	0

- Molecule 23 is a protein called 60S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	BT	159	1299	825	252	216	6	0	0

- Molecule 24 is a protein called Large ribosomal subunit protein eL22.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	BU	100	817	523	143	149	2	0	0

- Molecule 25 is a protein called 60S ribosomal protein L23,60S ribosomal protein L23,Ribosomal protei uL14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	BV	134	993	625	187	176	5	0	0

- Molecule 26 is a protein called Ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
26	BW	67	560	356	107	94	3	0	0

- Molecule 27 is a protein called Ribosomal protein uL23.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	BX	119	Total	C	N	O	S	0	0
			976	624	183	168	1		

- Molecule 28 is a protein called Ribosomal protein L26 like 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	BY	133	Total	C	N	O	S	0	0
			1106	694	224	185	3		

- Molecule 29 is a protein called Large ribosomal subunit protein eL27.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	BZ	135	Total	C	N	O	S	0	0
			1107	714	208	182	3		

- Molecule 30 is a protein called Ribosomal protein uL15.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	Ba	147	Total	C	N	O	S	0	0
			1179	748	240	187	4		

- Molecule 31 is a protein called 60S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	Bb	70	Total	C	N	O	S	0	0
			582	360	126	94	2		

- Molecule 32 is a protein called Large ribosomal subunit protein eL30.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	Bc	95	Total	C	N	O	S	0	0
			738	468	131	133	6		

- Molecule 33 is a protein called 60S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	Bd	105	Total	C	N	O	S	0	0
			867	549	168	148	2		

- Molecule 34 is a protein called Ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	Be	130	Total	C	N	O	S	0	0
			1074	681	219	169	5		

- Molecule 35 is a protein called 60S ribosomal protein L35a.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	Bf	110	Total	C	N	O	S	0	0
			886	559	178	144	5		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Bf	103	VAL	-	insertion	UNP A0A8V0YS49

- Molecule 36 is a protein called 60S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	Bg	108	Total	C	N	O	S	0	0
			860	540	178	137	5		

- Molecule 37 is a protein called Large ribosomal subunit protein uL29.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	Bh	122	Total	C	N	O	S	0	0
			1015	641	205	168	1		

- Molecule 38 is a protein called Large ribosomal subunit protein eL36.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	Bi	100	Total	C	N	O	S	0	0
			821	515	173	127	6		

- Molecule 39 is a protein called Ribosomal protein L37.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	Bj	86	Total	C	N	O	S	0	0
			704	432	155	112	5		

- Molecule 40 is a protein called 60S ribosomal protein L38.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	Bk	69	Total	C	N	O	S	0	0
			569	366	103	99	1		

- Molecule 41 is a protein called Large ribosomal subunit protein eL39.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	Bl	50	Total	C	N	O	S	0	0
			442	281	96	64	1		

- Molecule 42 is a protein called Ubiquitin-60S ribosomal protein L40.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	Bm	52	Total	C	N	O	S	0	0
			429	266	90	67	6		

- Molecule 43 is a protein called Ribosomal protein L36a like.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	Bo	105	Total	C	N	O	S	0	0
			861	540	177	138	6		

- Molecule 44 is a protein called Large ribosomal subunit protein eL43.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	Bp	91	Total	C	N	O	S	0	0
			706	445	134	120	7		

- Molecule 45 is a protein called 60S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	Br	126	Total	C	N	O	S	0	0
			1025	635	218	169	3		

- Molecule 46 is a RNA chain called 18S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	A2	1676	Total	C	N	O	P	0	0
			35806	16005	6419	11706	1676		

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A2	1206	B8N	U	conflict	GB KT445934.2
A2	1295	4AC	C	conflict	GB KT445934.2
A2	1796	4AC	C	conflict	GB KT445934.2

- Molecule 47 is a protein called 40S ribosomal protein S3a,40S ribosomal protein S3a,Ribosomal protein eS1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
47	Aa	213	1730	1098	309	309	14	0	0

- Molecule 48 is a protein called 40S ribosomal protein S27.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
48	AA	83	657	410	125	115	7	0	0

- Molecule 49 is a protein called 40S ribosomal protein S28.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
49	AB	64	506	308	102	94	2	0	0

- Molecule 50 is a protein called 40S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
50	Ab	219	1698	1099	291	299	9	0	0

- Molecule 51 is a protein called Small ribosomal subunit protein eS4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
51	Ad	262	2076	1324	387	357	8	0	0

- Molecule 52 is a protein called Ribosomal protein eS30.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
52	AD	57	452	279	99	73	1	0	0

- Molecule 53 is a protein called 40S ribosomal protein S26.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	AE	99	Total	C	N	O	S	0	0
			793	492	165	131	5		

- Molecule 54 is a protein called Small ribosomal subunit protein eS6.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	Af	227	Total	C	N	O	S	0	0
			1838	1144	367	320	7		

- Molecule 55 is a protein called 40S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	Ag	187	Total	C	N	O	S	0	0
			1500	956	276	267	1		

- Molecule 56 is a protein called 40S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	Ah	206	Total	C	N	O	S	0	0
			1685	1059	332	289	5		

- Molecule 57 is a protein called 40S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	Ai	179	Total	C	N	O	S	0	0
			1495	953	299	241	2		

- Molecule 58 is a protein called 40S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
58	Ak	152	Total	C	N	O	S	0	0
			1236	784	233	213	6		

- Molecule 59 is a protein called Small ribosomal subunit protein uS15.

Mol	Chain	Residues	Atoms					AltConf	Trace
59	Am	150	Total	C	N	O	S	0	0
			1208	773	229	205	1		

- Molecule 60 is a protein called Ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
60	An	136	1016	621	199	190	6	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
An	138	IAS	ASP	conflict	UNP Q5ZHW8

- Molecule 61 is a protein called 40S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
61	At	102	811	508	154	145	4	0	0

- Molecule 62 is a protein called 40S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
62	Au	83	640	394	118	124	4	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Au	82	ASN	TYR	conflict	UNP A0A8V0ZQ38
Au	83	PHE	VAL	conflict	UNP A0A8V0ZQ38

- Molecule 63 is a protein called 40S ribosomal protein S15a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
63	Av	129	1035	659	193	177	6	0	0

- Molecule 64 is a protein called 40S ribosomal protein S23,40S ribosomal protein S23,Ribosomal protein uS12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
64	Aw	142	1104	696	220	185	3	0	0

- Molecule 65 is a protein called 40S ribosomal protein S24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
65	Ax	125	1015	642	199	169	5	0	0

- Molecule 66 is a protein called Small ribosomal subunit protein uS2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
66	AZ	206	1626	1036	287	295	8	0	0

- Molecule 67 is a protein called Ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
67	Ap	141	1123	715	212	193	3	0	0

- Molecule 68 is a protein called Ubiquitin.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
68	AC	74	611	386	117	101	7	0	0

- Molecule 69 is a protein called Ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
69	Ae	191	1509	943	286	273	7	0	0

- Molecule 70 is a protein called Small ribosomal subunit protein RACK1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
70	AF	311	2420	1526	422	460	12	0	0

- Molecule 71 is a protein called 40S ribosomal protein S29.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
71	AG	55	459	286	94	74	5	0	0

- Molecule 72 is a protein called Ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
72	Aj	96	812	532	143	131	6	0	0

- Molecule 73 is a protein called Small ribosomal subunit protein eS12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
73	Al	118	916	574	162	172	8	0	0

- Molecule 74 is a protein called Small ribosomal subunit protein uS19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
74	Ao	127	1044	663	197	177	7	0	0

- Molecule 75 is a protein called 40S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
75	Ar	144	1191	748	241	201	1	0	0

- Molecule 76 is a protein called 40S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
76	As	143	1115	698	216	199	2	0	0

- Molecule 77 is a protein called 40S ribosomal protein S25.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
77	Ay	70	555	357	101	96	1	0	0

- Molecule 78 is a protein called DNA-(apurinic or apyrimidinic site) lyase.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
78	Ac	225	1752	1117	315	313	7	0	0

- Molecule 79 is a RNA chain called Phe tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
79	V	76	1628	727	302	524	75	0	0

- Molecule 80 is a protein called Small ribosomal subunit protein eS17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
80	Aq	134	1081	678	201	197	5	0	0

- Molecule 81 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
81	B5	346	Total 346	Mg 346	0
81	B8	9	Total 9	Mg 9	0
81	B7	11	Total 11	Mg 11	0
81	BA	3	Total 3	Mg 3	0
81	BH	1	Total 1	Mg 1	0
81	BI	2	Total 2	Mg 2	0
81	BN	2	Total 2	Mg 2	0
81	BP	2	Total 2	Mg 2	0
81	BV	1	Total 1	Mg 1	0
81	Ba	1	Total 1	Mg 1	0
81	Bb	2	Total 2	Mg 2	0
81	Be	1	Total 1	Mg 1	0
81	Bf	1	Total 1	Mg 1	0
81	Bg	1	Total 1	Mg 1	0
81	Bj	1	Total 1	Mg 1	0
81	Bo	1	Total 1	Mg 1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
81	A2	104	Total 104	Mg 104	0
81	Ak	1	Total 1	Mg 1	0
81	An	3	Total 3	Mg 3	0
81	As	1	Total 1	Mg 1	0

- Molecule 82 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
82	Bg	1	Total 1	Zn 1	0
82	Bj	1	Total 1	Zn 1	0
82	Bm	1	Total 1	Zn 1	0
82	Bo	1	Total 1	Zn 1	0
82	Bp	1	Total 1	Zn 1	0
82	AE	1	Total 1	Zn 1	0
82	AG	1	Total 1	Zn 1	0

- Molecule 83 is water.

Mol	Chain	Residues	Atoms		AltConf
83	B5	4198	Total 4198	O 4198	0
83	B8	72	Total 72	O 72	0
83	B7	30	Total 30	O 30	0
83	Az	5	Total 5	O 5	0
83	BA	28	Total 28	O 28	0
83	BB	49	Total 49	O 49	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
83	BC	45	Total 45	O 45	0
83	BD	22	Total 22	O 22	0
83	BE	11	Total 11	O 11	0
83	BF	24	Total 24	O 24	0
83	BG	15	Total 15	O 15	0
83	BH	15	Total 15	O 15	0
83	BI	13	Total 13	O 13	0
83	BJ	3	Total 3	O 3	0
83	BL	29	Total 29	O 29	0
83	BM	6	Total 6	O 6	0
83	BN	29	Total 29	O 29	0
83	BO	19	Total 19	O 19	0
83	BP	23	Total 23	O 23	0
83	BQ	24	Total 24	O 24	0
83	BR	9	Total 9	O 9	0
83	BS	21	Total 21	O 21	0
83	BT	21	Total 21	O 21	0
83	BU	2	Total 2	O 2	0
83	BV	17	Total 17	O 17	0
83	BW	4	Total 4	O 4	0
83	BX	5	Total 5	O 5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
83	BY	11	Total 11	O 11	0
83	BZ	5	Total 5	O 5	0
83	Ba	23	Total 23	O 23	0
83	Bb	11	Total 11	O 11	0
83	Bc	5	Total 5	O 5	0
83	Bd	9	Total 9	O 9	0
83	Be	17	Total 17	O 17	0
83	Bf	25	Total 25	O 25	0
83	Bg	9	Total 9	O 9	0
83	Bh	3	Total 3	O 3	0
83	Bi	8	Total 8	O 8	0
83	Bj	16	Total 16	O 16	0
83	Bl	5	Total 5	O 5	0
83	Bm	5	Total 5	O 5	0
83	Bo	15	Total 15	O 15	0
83	Bp	12	Total 12	O 12	0
83	Br	16	Total 16	O 16	0
83	A2	832	Total 832	O 832	0
83	Aa	10	Total 10	O 10	0
83	AA	8	Total 8	O 8	0
83	AB	1	Total 1	O 1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
83	Ab	11	Total 11	O 11	0
83	Ad	10	Total 10	O 10	0
83	AD	2	Total 2	O 2	0
83	AE	9	Total 9	O 9	0
83	Af	1	Total 1	O 1	0
83	Ah	7	Total 7	O 7	0
83	Ai	7	Total 7	O 7	0
83	Ak	10	Total 10	O 10	0
83	Am	4	Total 4	O 4	0
83	An	7	Total 7	O 7	0
83	At	3	Total 3	O 3	0
83	Au	2	Total 2	O 2	0
83	Av	10	Total 10	O 10	0
83	Aw	8	Total 8	O 8	0
83	Ax	4	Total 4	O 4	0
83	AZ	3	Total 3	O 3	0
83	Ap	1	Total 1	O 1	0
83	Ae	2	Total 2	O 2	0
83	AG	2	Total 2	O 2	0
83	Ar	1	Total 1	O 1	0
83	Ay	4	Total 4	O 4	0

Continued on next page...


Continued from previous page...


Mol	Chain	Residues	Atoms	AltConf
83	V	9	Total O 9 9	0
83	Aq	4	Total O 4 4	0

3 Residue-property plots



These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 28S rRNA





• Molecule 2: 5.8S rRNA



• Molecule 3: 5S rRNA



• Molecule 4: 60S ribosomal protein L41



There are no outlier residues recorded for this chain.

Chain BN:  100%






- Molecule 18: Ribosomal protein uL13

Chain BO:  99%



- Molecule 19: 60S ribosomal protein L17

Chain BP:  83%  16%





- Molecule 20: Ribosomal protein eL18,Ribosomal protein L18,Ribosomal protein L18

Chain BQ:  100%

There are no outlier residues recorded for this chain.


- Molecule 21: Ribosomal protein L19

Chain BR:  10%  92%  8%




- Molecule 22: Ribosomal protein eL20,60S ribosomal protein L18a,60S ribosomal protein L18a

Chain BS:  100%



- Molecule 23: 60S ribosomal protein L21


Chain BT:  99%





- Molecule 24: Large ribosomal subunit protein eL22




- Molecule 31: 60S ribosomal protein L29




- Molecule 32: Large ribosomal subunit protein eL30



- Molecule 33: 60S ribosomal protein L31




- Molecule 34: Ribosomal protein L32




- Molecule 35: 60S ribosomal protein L35a




- Molecule 36: 60S ribosomal protein L34





- Molecule 37: Large ribosomal subunit protein uL29




- Molecule 38: Large ribosomal subunit protein eL36



- Molecule 39: Ribosomal protein L37





- Molecule 40: 60S ribosomal protein L38



- Molecule 41: Large ribosomal subunit protein eL39




- Molecule 42: Ubiquitin-60S ribosomal protein L40





- Molecule 43: Ribosomal protein L36a like








• Molecule 47: 40S ribosomal protein S3a,40S ribosomal protein S3a,Ribosomal protein eS1





• Molecule 48: 40S ribosomal protein S27




• Molecule 49: 40S ribosomal protein S28




• Molecule 50: 40S ribosomal protein S2





• Molecule 51: Small ribosomal subunit protein eS4





• Molecule 52: Ribosomal protein eS30





• Molecule 53: 40S ribosomal protein S26



• Molecule 54: Small ribosomal subunit protein eS6




• Molecule 55: 40S ribosomal protein S7







• Molecule 56: 40S ribosomal protein S8



• Molecule 57: 40S ribosomal protein S9





• Molecule 58: 40S ribosomal protein S11





• Molecule 59: Small ribosomal subunit protein uS15




• Molecule 60: Ribosomal protein S14




• Molecule 61: 40S ribosomal protein S20






- Molecule 62: 40S ribosomal protein S21




- Molecule 63: 40S ribosomal protein S15a





- Molecule 64: 40S ribosomal protein S23,40S ribosomal protein S23,Ribosomal protein uS12




- Molecule 65: 40S ribosomal protein S24




- Molecule 66: Small ribosomal subunit protein uS2




- Molecule 67: Ribosomal protein S16











• Molecule 72: Ribosomal protein S10




• Molecule 73: Small ribosomal subunit protein eS12



• Molecule 74: Small ribosomal subunit protein uS19



• Molecule 75: 40S ribosomal protein S18



• Molecule 76: 40S ribosomal protein S19



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	122598	Depositor
Resolution determination method	FSC 3 SIGMA CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	40	Depositor
Minimum defocus (nm)	300	Depositor
Maximum defocus (nm)	1500	Depositor
Magnification	96000	Depositor
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	2.826	Depositor
Minimum map value	-0.288	Depositor
Average map value	0.021	Depositor
Map value standard deviation	0.063	Depositor
Recommended contour level	0.2	Depositor
Map size (Å)	465.74, 465.74, 465.74	wwPDB
Map dimensions	580, 580, 580	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.803, 0.803, 0.803	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: B8N, UY1, MG, A2M, 5MC, NMM, UR3, AME, OMC, PSU, MA6, SAC, ZN, OMG, 1MA, 6MZ, HIC, OMU, 4AC, MLZ, IAS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	B5	0.25	1/83215 (0.0%)	0.79	20/129832 (0.0%)
2	B8	0.29	1/3656 (0.0%)	0.74	0/5693
3	B7	0.24	0/2832	0.78	0/4413
4	Az	0.24	0/240	0.72	0/305
5	BA	0.27	0/1937	0.57	0/2597
6	BB	0.26	0/3264	0.52	0/4363
7	BC	0.25	0/2942	0.54	0/3950
8	BD	0.26	0/2431	0.50	0/3255
9	BE	0.25	0/1845	0.53	0/2466
10	BF	0.26	0/1975	0.54	0/2634
11	BG	0.25	0/1736	0.51	0/2342
12	BH	0.26	0/1552	0.54	0/2086
13	BI	0.26	0/1694	0.53	0/2264
14	BJ	0.26	0/1385	0.55	0/1852
15	BL	0.25	0/1742	0.56	0/2324
16	BM	0.26	0/1097	0.53	0/1460
17	BN	0.25	0/1745	0.57	0/2337
18	BO	0.26	0/1675	0.53	0/2239
19	BP	0.25	0/1285	0.53	0/1723
20	BQ	0.26	0/1527	0.60	0/2038
21	BR	0.26	0/1519	0.57	0/2007
22	BS	0.26	0/1503	0.56	0/2016
23	BT	0.26	0/1327	0.51	0/1771
24	BU	0.26	0/831	0.51	0/1115
25	BV	0.27	0/1007	0.53	0/1350
26	BW	0.26	0/573	0.53	0/763
27	BX	0.25	0/993	0.51	0/1334
28	BY	0.25	0/1123	0.57	0/1493
29	BZ	0.26	0/1130	0.51	0/1507
30	Ba	0.25	0/1209	0.53	0/1615
31	Bb	0.24	0/593	0.49	0/782

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
32	Bc	0.26	0/748	0.49	0/1004
33	Bd	0.25	0/882	0.56	0/1187
34	Be	0.24	0/1093	0.54	0/1457
35	Bf	0.27	0/905	0.57	0/1211
36	Bg	0.25	0/870	0.58	0/1159
37	Bh	0.28	0/1023	0.52	0/1351
38	Bi	0.25	0/832	0.56	0/1100
39	Bj	0.26	0/718	0.59	0/948
40	Bk	0.25	0/575	0.50	0/761
41	Bl	0.23	0/452	0.54	0/596
42	Bm	0.24	0/435	0.56	0/575
43	Bo	0.26	0/864	0.54	0/1139
44	Bp	0.25	0/716	0.53	0/950
45	Br	0.24	0/1042	0.59	0/1398
46	A2	0.22	1/39049 (0.0%)	0.78	4/60848 (0.0%)
47	Aa	0.25	0/1757	0.51	0/2352
48	AA	0.23	0/670	0.51	0/897
49	AB	0.24	0/508	0.61	0/680
50	Ab	0.25	0/1734	0.48	0/2342
51	Ad	0.25	0/2118	0.52	0/2848
52	AD	0.24	0/458	0.54	0/602
53	AE	0.25	0/806	0.56	0/1080
54	Af	0.25	0/1861	0.55	0/2481
55	Ag	0.24	0/1522	0.53	0/2039
56	Ah	0.25	0/1715	0.56	0/2289
57	Ai	0.25	0/1520	0.56	0/2030
58	Ak	0.26	0/1257	0.55	0/1680
59	Am	0.25	0/1232	0.50	0/1656
60	An	0.26	0/1020	0.57	0/1366
61	At	0.23	0/821	0.57	0/1103
62	Au	0.25	0/635	0.51	0/851
63	Av	0.25	0/1052	0.53	0/1408
64	Aw	0.29	0/1122	0.56	0/1498
65	Ax	0.26	0/1032	0.54	0/1371
66	AZ	0.25	0/1654	0.51	0/2249
67	Ap	0.25	0/1141	0.53	0/1527
68	AC	0.26	0/623	0.54	0/823
69	Ae	0.24	0/1531	0.54	0/2059
70	AF	0.24	0/2477	0.53	0/3372
71	AG	0.28	0/470	0.55	0/623
72	Aj	0.25	0/836	0.49	0/1128
73	Al	0.26	0/926	0.56	0/1244
74	Ao	0.25	0/1065	0.54	0/1424

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
75	Ar	0.25	0/1209	0.58	0/1620
76	As	0.27	0/1120	0.54	0/1499
77	Ay	0.30	0/561	0.56	0/755
78	Ac	0.26	0/1780	0.53	0/2396
79	V	0.21	0/1822	0.82	2/2841 (0.1%)
80	Aq	0.24	0/1095	0.53	0/1469
All	All	0.25	3/222937 (0.0%)	0.70	26/327212 (0.0%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
46	A2	1	U	OP3-P	-10.73	1.48	1.61
1	B5	1	C	OP3-P	-10.60	1.48	1.61
2	B8	1	C	OP3-P	-10.59	1.48	1.61

The worst 5 of 26 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B5	4398	C	C2-N1-C1'	6.90	126.39	118.80
1	B5	2158	U	C2-N1-C1'	6.63	125.66	117.70
1	B5	4398	C	N1-C2-O2	6.52	122.81	118.90
79	V	40	C	C2-N1-C1'	6.48	125.92	118.80
1	B5	1931	C	N1-C2-O2	6.03	122.52	118.90

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	Az	23/25 (92%)	23 (100%)	0	0	100	100
5	BA	246/257 (96%)	238 (97%)	8 (3%)	0	100	100
6	BB	395/403 (98%)	388 (98%)	7 (2%)	0	100	100
7	BC	359/421 (85%)	353 (98%)	6 (2%)	0	100	100
8	BD	294/297 (99%)	284 (97%)	10 (3%)	0	100	100
9	BE	218/298 (73%)	215 (99%)	3 (1%)	0	100	100
10	BF	232/246 (94%)	225 (97%)	7 (3%)	0	100	100
11	BG	206/266 (77%)	201 (98%)	5 (2%)	0	100	100
12	BH	190/192 (99%)	190 (100%)	0	0	100	100
13	BI	201/214 (94%)	197 (98%)	4 (2%)	0	100	100
14	BJ	168/178 (94%)	165 (98%)	3 (2%)	0	100	100
15	BL	208/211 (99%)	202 (97%)	5 (2%)	1 (0%)	29	48
16	BM	128/131 (98%)	126 (98%)	2 (2%)	0	100	100
17	BN	201/204 (98%)	196 (98%)	5 (2%)	0	100	100
18	BO	199/203 (98%)	196 (98%)	3 (2%)	0	100	100
19	BP	153/184 (83%)	151 (99%)	2 (1%)	0	100	100
20	BQ	185/187 (99%)	183 (99%)	2 (1%)	0	100	100
21	BR	178/196 (91%)	177 (99%)	1 (1%)	0	100	100
22	BS	174/176 (99%)	170 (98%)	4 (2%)	0	100	100
23	BT	157/160 (98%)	155 (99%)	2 (1%)	0	100	100
24	BU	98/128 (77%)	94 (96%)	4 (4%)	0	100	100
25	BV	132/140 (94%)	131 (99%)	1 (1%)	0	100	100
26	BW	65/157 (41%)	65 (100%)	0	0	100	100
27	BX	117/155 (76%)	113 (97%)	4 (3%)	0	100	100
28	BY	131/145 (90%)	129 (98%)	2 (2%)	0	100	100
29	BZ	133/136 (98%)	130 (98%)	3 (2%)	0	100	100
30	Ba	145/148 (98%)	142 (98%)	3 (2%)	0	100	100
31	Bb	68/71 (96%)	66 (97%)	2 (3%)	0	100	100
32	Bc	93/115 (81%)	93 (100%)	0	0	100	100
33	Bd	103/176 (58%)	101 (98%)	2 (2%)	0	100	100
34	Be	128/135 (95%)	126 (98%)	2 (2%)	0	100	100
35	Bf	108/110 (98%)	107 (99%)	1 (1%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
36	Bg	106/117 (91%)	105 (99%)	1 (1%)	0	100	100
37	Bh	120/123 (98%)	117 (98%)	3 (2%)	0	100	100
38	Bi	98/105 (93%)	96 (98%)	2 (2%)	0	100	100
39	Bj	84/97 (87%)	84 (100%)	0	0	100	100
40	Bk	67/70 (96%)	66 (98%)	1 (2%)	0	100	100
41	Bl	48/51 (94%)	47 (98%)	1 (2%)	0	100	100
42	Bm	50/128 (39%)	50 (100%)	0	0	100	100
43	Bo	102/105 (97%)	100 (98%)	2 (2%)	0	100	100
44	Bp	89/92 (97%)	85 (96%)	4 (4%)	0	100	100
45	Br	124/138 (90%)	121 (98%)	3 (2%)	0	100	100
47	Aa	211/264 (80%)	207 (98%)	4 (2%)	0	100	100
48	AA	81/84 (96%)	78 (96%)	3 (4%)	0	100	100
49	AB	62/69 (90%)	59 (95%)	3 (5%)	0	100	100
50	Ab	217/264 (82%)	215 (99%)	2 (1%)	0	100	100
51	Ad	260/263 (99%)	254 (98%)	6 (2%)	0	100	100
52	AD	55/133 (41%)	53 (96%)	2 (4%)	0	100	100
53	AE	97/115 (84%)	96 (99%)	1 (1%)	0	100	100
54	Af	225/249 (90%)	224 (100%)	1 (0%)	0	100	100
55	Ag	185/194 (95%)	175 (95%)	10 (5%)	0	100	100
56	Ah	204/207 (99%)	193 (95%)	11 (5%)	0	100	100
57	Ai	177/194 (91%)	173 (98%)	3 (2%)	1 (1%)	25	43
58	Ak	150/158 (95%)	147 (98%)	3 (2%)	0	100	100
59	Am	148/151 (98%)	148 (100%)	0	0	100	100
60	An	132/151 (87%)	122 (92%)	10 (8%)	0	100	100
61	At	100/119 (84%)	85 (85%)	13 (13%)	2 (2%)	7	12
62	Au	81/83 (98%)	80 (99%)	1 (1%)	0	100	100
63	Av	127/130 (98%)	124 (98%)	3 (2%)	0	100	100
64	Aw	140/143 (98%)	134 (96%)	6 (4%)	0	100	100
65	Ax	123/131 (94%)	123 (100%)	0	0	100	100
66	AZ	204/296 (69%)	197 (97%)	7 (3%)	0	100	100
67	Ap	139/146 (95%)	128 (92%)	11 (8%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
68	AC	72/156 (46%)	62 (86%)	10 (14%)	0	100	100
69	Ae	189/204 (93%)	179 (95%)	10 (5%)	0	100	100
70	AF	309/317 (98%)	288 (93%)	21 (7%)	0	100	100
71	AG	53/171 (31%)	52 (98%)	1 (2%)	0	100	100
72	Aj	94/165 (57%)	92 (98%)	2 (2%)	0	100	100
73	Al	116/132 (88%)	102 (88%)	14 (12%)	0	100	100
74	Ao	125/145 (86%)	118 (94%)	7 (6%)	0	100	100
75	Ar	142/152 (93%)	131 (92%)	11 (8%)	0	100	100
76	As	140/145 (97%)	136 (97%)	4 (3%)	0	100	100
77	Ay	68/125 (54%)	68 (100%)	0	0	100	100
78	Ac	223/243 (92%)	221 (99%)	2 (1%)	0	100	100
80	Aq	132/135 (98%)	122 (92%)	10 (8%)	0	100	100
All	All	11105/12725 (87%)	10789 (97%)	312 (3%)	4 (0%)	100	100

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
15	BL	64	VAL
57	Ai	139	LYS
61	At	95	SER
61	At	94	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	Az	24/24 (100%)	24 (100%)	0	100	100
5	BA	190/199 (96%)	190 (100%)	0	100	100
6	BB	346/349 (99%)	346 (100%)	0	100	100
7	BC	305/338 (90%)	303 (99%)	2 (1%)	84	94

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
8	BD	248/249 (100%)	248 (100%)	0	100	100
9	BE	195/256 (76%)	194 (100%)	1 (0%)	88	96
10	BF	201/211 (95%)	201 (100%)	0	100	100
11	BG	186/225 (83%)	184 (99%)	2 (1%)	73	89
12	BH	171/171 (100%)	171 (100%)	0	100	100
13	BI	173/178 (97%)	173 (100%)	0	100	100
14	BJ	142/148 (96%)	142 (100%)	0	100	100
15	BL	177/178 (99%)	177 (100%)	0	100	100
16	BM	112/113 (99%)	112 (100%)	0	100	100
17	BN	171/172 (99%)	171 (100%)	0	100	100
18	BO	172/173 (99%)	172 (100%)	0	100	100
19	BP	136/163 (83%)	134 (98%)	2 (2%)	65	85
20	BQ	159/159 (100%)	159 (100%)	0	100	100
21	BR	159/175 (91%)	159 (100%)	0	100	100
22	BS	157/157 (100%)	157 (100%)	0	100	100
23	BT	139/140 (99%)	139 (100%)	0	100	100
24	BU	90/113 (80%)	90 (100%)	0	100	100
25	BV	102/107 (95%)	101 (99%)	1 (1%)	76	90
26	BW	59/127 (46%)	59 (100%)	0	100	100
27	BX	107/134 (80%)	106 (99%)	1 (1%)	78	92
28	BY	123/135 (91%)	123 (100%)	0	100	100
29	BZ	117/118 (99%)	117 (100%)	0	100	100
30	Ba	121/122 (99%)	121 (100%)	0	100	100
31	Bb	61/62 (98%)	61 (100%)	0	100	100
32	Bc	80/98 (82%)	80 (100%)	0	100	100
33	Bd	95/148 (64%)	94 (99%)	1 (1%)	73	89
34	Be	118/123 (96%)	118 (100%)	0	100	100
35	Bf	89/89 (100%)	89 (100%)	0	100	100
36	Bg	93/101 (92%)	93 (100%)	0	100	100
37	Bh	109/110 (99%)	108 (99%)	1 (1%)	78	92
38	Bi	85/89 (96%)	85 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
39	Bj	73/80 (91%)	73 (100%)	0	100	100
40	Bk	64/65 (98%)	63 (98%)	1 (2%)	62	84
41	Bl	47/48 (98%)	47 (100%)	0	100	100
42	Bm	48/115 (42%)	48 (100%)	0	100	100
43	Bo	92/92 (100%)	92 (100%)	0	100	100
44	Bp	74/75 (99%)	74 (100%)	0	100	100
45	Br	111/118 (94%)	111 (100%)	0	100	100
47	Aa	194/228 (85%)	194 (100%)	0	100	100
48	AA	75/76 (99%)	75 (100%)	0	100	100
49	AB	57/62 (92%)	56 (98%)	1 (2%)	59	81
50	Ab	185/214 (86%)	185 (100%)	0	100	100
51	Ad	223/224 (100%)	223 (100%)	0	100	100
52	AD	46/108 (43%)	46 (100%)	0	100	100
53	AE	87/99 (88%)	87 (100%)	0	100	100
54	Af	199/219 (91%)	199 (100%)	0	100	100
55	Ag	167/174 (96%)	166 (99%)	1 (1%)	86	95
56	Ah	177/178 (99%)	177 (100%)	0	100	100
57	Ai	160/168 (95%)	158 (99%)	2 (1%)	69	87
58	Ak	135/140 (96%)	133 (98%)	2 (2%)	65	85
59	Am	130/131 (99%)	130 (100%)	0	100	100
60	An	105/118 (89%)	105 (100%)	0	100	100
61	At	94/106 (89%)	92 (98%)	2 (2%)	53	78
62	Au	68/68 (100%)	68 (100%)	0	100	100
63	Av	112/113 (99%)	112 (100%)	0	100	100
64	Aw	114/115 (99%)	113 (99%)	1 (1%)	78	92
65	Ax	107/113 (95%)	107 (100%)	0	100	100
66	AZ	171/245 (70%)	171 (100%)	0	100	100
67	Ap	116/119 (98%)	115 (99%)	1 (1%)	78	92
68	AC	67/140 (48%)	67 (100%)	0	100	100
69	Ae	161/170 (95%)	161 (100%)	0	100	100
70	AF	270/275 (98%)	270 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
71	AG	48/130 (37%)	48 (100%)	0	100	100
72	Aj	88/136 (65%)	88 (100%)	0	100	100
73	Al	100/109 (92%)	100 (100%)	0	100	100
74	Ao	113/130 (87%)	112 (99%)	1 (1%)	78	92
75	Ar	125/132 (95%)	125 (100%)	0	100	100
76	As	112/114 (98%)	111 (99%)	1 (1%)	78	92
77	Ay	61/102 (60%)	61 (100%)	0	100	100
78	Ac	189/202 (94%)	187 (99%)	2 (1%)	73	89
80	Aq	120/121 (99%)	120 (100%)	0	100	100
All	All	9697/10826 (90%)	9671 (100%)	26 (0%)	92	97

5 of 26 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
57	Ai	27	GLN
58	Ak	69	ARG
78	Ac	76	ARG
58	Ak	45	LYS
61	At	19	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 12 such sidechains are listed below:

Mol	Chain	Res	Type
28	BY	14	ASN
51	Ad	179	ASN
72	Aj	32	HIS
51	Ad	188	ASN
17	BN	182	HIS

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	B5	3552/4441 (79%)	559 (15%)	23 (0%)
2	B8	156/157 (99%)	16 (10%)	0
3	B7	118/119 (99%)	8 (6%)	0
46	A2	1664/1823 (91%)	296 (17%)	3 (0%)
79	V	75/76 (98%)	26 (34%)	1 (1%)

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
All	All	5565/6616 (84%)	905 (16%)	27 (0%)

5 of 905 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	B5	39	A
1	B5	42	A
1	B5	58	G
1	B5	59	A
1	B5	64	A

5 of 27 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	B5	2005	G
1	B5	3249	U
46	A2	1733	G
1	B5	3245	U
1	B5	4142	U

5.4 Non-standard residues in protein, DNA, RNA chains

144 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
46	4AC	A2	1796	4,46	21,24,25	0.30	0	29,34,37	0.30	0
1	OMG	B5	3942	1	18,26,27	0.92	2 (11%)	19,38,41	0.62	0
1	OMU	B5	3941	1	19,22,23	0.30	0	26,31,34	0.47	0
43	MLZ	Bo	53	43	8,9,10	0.73	0	4,9,11	0.64	0
46	OMG	A2	644	46	18,26,27	0.94	2 (11%)	19,38,41	0.60	0
1	PSU	B5	3796	1	18,21,22	0.47	0	22,30,33	0.58	0
1	5MC	B5	3259	81,1	18,22,23	0.29	0	26,32,35	0.43	0
46	OMU	A2	121	46	19,22,23	0.29	0	26,31,34	0.46	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	OMG	B5	4080	1	18,26,27	0.92	2 (11%)	19,38,41	0.61	0
1	5MC	B5	3890	1	18,22,23	0.34	0	26,32,35	0.63	0
1	OMG	B5	3221	1	18,26,27	0.91	1 (5%)	19,38,41	0.63	0
46	4AC	A2	1295	46	21,24,25	0.33	0	29,34,37	0.41	0
1	A2M	B5	3344	1	18,25,26	0.66	0	18,36,39	0.73	1 (5%)
46	A2M	A2	551	46	18,25,26	0.65	0	18,36,39	0.77	1 (5%)
46	B8N	A2	1206	46	24,29,30	0.58	0	29,42,45	0.64	0
2	OMG	B8	75	2	18,26,27	0.92	1 (5%)	19,38,41	0.62	0
1	A2M	B5	3262	81,1	18,25,26	0.64	0	18,36,39	0.84	1 (5%)
1	PSU	B5	3900	1	18,21,22	0.51	0	22,30,33	0.59	1 (4%)
1	PSU	B5	4116	1	18,21,22	0.48	0	22,30,33	0.59	0
76	NMM	As	67	76	9,11,12	1.59	1 (11%)	6,12,14	3.56	2 (33%)
46	OMU	A2	315	46	19,22,23	0.33	0	26,31,34	0.64	0
46	OMU	A2	171	46	19,22,23	0.25	0	26,31,34	0.55	0
1	OMG	B5	1445	1	18,26,27	0.93	2 (11%)	19,38,41	0.66	0
46	PSU	A2	774	46	18,21,22	0.47	0	22,30,33	0.60	0
1	OMG	B5	1241	1	18,26,27	0.98	3 (16%)	19,38,41	0.67	0
1	OMC	B5	3346	1	19,22,23	0.28	0	26,31,34	0.44	0
46	OMG	A2	470	46,81	18,26,27	0.93	2 (11%)	19,38,41	0.60	0
46	OMU	A2	1284	46	19,22,23	0.24	0	26,31,34	0.47	0
1	OMC	B5	2100	1	19,22,23	0.32	0	26,31,34	0.42	0
6	HIC	BB	245	6	8,11,12	1.64	1 (12%)	6,14,16	1.00	0
46	A2M	A2	445	46	18,25,26	0.64	0	18,36,39	0.72	1 (5%)
1	PSU	B5	3114	81,1	18,21,22	0.45	0	22,30,33	0.63	0
1	PSU	B5	3397	81,1	18,21,22	0.47	0	22,30,33	0.59	0
62	AME	Au	1	62	9,10,11	0.47	0	9,11,13	0.84	1 (11%)
46	OMU	A2	116	46	19,22,23	0.28	0	26,31,34	0.42	0
46	A2M	A2	27	46,81	18,25,26	0.65	0	18,36,39	0.75	1 (5%)
1	PSU	B5	3192	1	18,21,22	0.54	0	22,30,33	0.59	1 (4%)
1	A2M	B5	3307	1	18,25,26	0.65	0	18,36,39	0.81	1 (5%)
1	OMC	B5	2553	1	19,22,23	0.28	0	26,31,34	0.39	0
1	PSU	B5	3975	1	18,21,22	0.52	0	22,30,33	0.55	0
1	1MA	B5	1247	81,1	16,25,26	0.82	1 (6%)	18,37,40	0.61	0
1	PSU	B5	3995	1	18,21,22	0.48	0	22,30,33	0.60	0
46	PSU	A2	647	46	18,21,22	0.47	0	22,30,33	0.57	0
1	OMC	B5	1790	81,1	19,22,23	0.29	0	26,31,34	0.59	0
46	A2M	A2	989	46	18,25,26	0.64	0	18,36,39	0.80	1 (5%)
1	OMG	B5	3639	1	18,26,27	0.93	2 (11%)	19,38,41	0.60	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	OMG	B5	3937	1	18,26,27	0.94	2 (11%)	19,38,41	0.63	0
1	PSU	B5	1769	1	18,21,22	0.49	0	22,30,33	0.57	0
46	OMC	A2	173	46	19,22,23	0.29	0	26,31,34	0.45	0
1	PSU	B5	3804	1	18,21,22	0.46	0	22,30,33	0.58	0
46	PSU	A2	1039	46	18,21,22	0.60	1 (5%)	22,30,33	0.65	0
1	OMG	B5	3376	1	18,26,27	0.95	3 (16%)	19,38,41	0.69	0
1	OMC	B5	2171	81,1	19,22,23	0.29	0	26,31,34	0.40	0
1	OMC	B5	3899	1	19,22,23	0.29	0	26,31,34	0.37	0
46	OMG	A2	562	46	18,26,27	0.91	1 (5%)	19,38,41	0.60	0
1	OMU	B5	3749	1	19,22,23	0.30	0	26,31,34	0.45	0
1	OMC	B5	1265	1	19,22,23	0.28	0	26,31,34	0.42	0
1	A2M	B5	4033	1	18,25,26	0.66	0	18,36,39	0.75	1 (5%)
1	PSU	B5	3172	81,1	18,21,22	0.49	0	22,30,33	0.60	0
60	IAS	An	138	60	6,7,8	1.05	0	6,8,10	1.30	1 (16%)
1	A2M	B5	3302	1	18,25,26	0.66	0	18,36,39	0.74	1 (5%)
1	PSU	B5	1606	81,1	18,21,22	0.49	0	22,30,33	0.59	0
46	A2M	A2	99	46,81	18,25,26	0.65	0	18,36,39	0.77	1 (5%)
1	OMU	B5	3402	1	19,22,23	0.29	0	26,31,34	0.48	0
1	OMG	B5	3104	1	18,26,27	0.93	1 (5%)	19,38,41	0.69	0
1	PSU	B5	4343	1	18,21,22	0.48	0	22,30,33	0.59	0
46	A2M	A2	158	46	18,25,26	0.65	0	18,36,39	0.70	1 (5%)
1	OMG	B5	3269	1	18,26,27	0.91	2 (11%)	19,38,41	0.58	0
1	A2M	B5	2536	81,1	18,25,26	0.65	0	18,36,39	0.69	1 (5%)
46	PSU	A2	109	46,81	18,21,22	0.50	0	22,30,33	0.57	0
46	PSU	A2	1132	46,81	18,21,22	0.48	0	22,30,33	0.58	0
1	OMG	B5	3835	1	18,26,27	0.90	2 (11%)	19,38,41	0.59	0
1	UY1	B5	3295	81,1	19,22,23	0.50	0	22,31,34	0.54	0
1	OMC	B5	2610	1	19,22,23	0.28	0	26,31,34	0.34	0
1	PSU	B5	3964	81,1	18,21,22	0.51	0	22,30,33	0.59	0
1	A2M	B5	1457	81,1	18,25,26	0.64	0	18,36,39	0.81	1 (5%)
1	OMC	B5	3364	1	19,22,23	0.31	0	26,31,34	0.47	0
1	PSU	B5	3866	1	18,21,22	0.49	0	22,30,33	0.57	0
46	OMU	A2	389	46	19,22,23	0.32	0	26,31,34	0.50	0
1	PSU	B5	4071	1	18,21,22	0.51	0	22,30,33	0.57	0
1	PSU	B5	1700	1	18,21,22	0.52	0	22,30,33	0.56	0
1	PSU	B5	4132	1	18,21,22	0.47	0	22,30,33	0.61	0
1	PSU	B5	1771	1	18,21,22	0.47	0	22,30,33	0.61	0
1	OMG	B5	2625	1	18,26,27	0.92	2 (11%)	19,38,41	0.59	0
46	PSU	A2	782	46	18,21,22	0.60	1 (5%)	22,30,33	0.67	1 (4%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
46	6MZ	A2	1786	46,81	18,25,26	0.72	0	16,36,39	0.82	1 (6%)
1	PSU	B5	3739	1	18,21,22	0.47	0	22,30,33	0.62	0
46	MA6	A2	1805	46	18,26,27	0.74	0	19,38,41	0.73	0
1	PSU	B5	3846	1	18,21,22	0.49	0	22,30,33	0.58	0
1	OMU	B5	2586	1	19,22,23	0.32	0	26,31,34	0.55	0
1	A2M	B5	1251	1	18,25,26	0.65	0	18,36,39	0.72	1 (5%)
1	OMC	B5	3285	1	19,22,23	0.30	0	26,31,34	0.36	0
46	A2M	A2	1341	46	18,25,26	0.65	0	18,36,39	0.73	1 (5%)
1	A2M	B5	1447	1	18,25,26	0.65	0	18,36,39	0.76	1 (5%)
1	A2M	B5	4014	1	18,25,26	0.66	0	18,36,39	0.74	1 (5%)
46	PSU	A2	775	46	18,21,22	0.46	0	22,30,33	0.58	0
1	A2M	B5	401	1	18,25,26	0.66	0	18,36,39	0.71	1 (5%)
46	OMG	A2	605	46	18,26,27	0.91	1 (5%)	19,38,41	0.67	0
1	A2M	B5	2112	81,1	18,25,26	0.65	0	18,36,39	0.71	1 (5%)
46	A2M	A2	165	46	18,25,26	0.65	0	18,36,39	0.83	1 (5%)
1	PSU	B5	1652	1	18,21,22	0.48	0	22,30,33	0.57	0
1	PSU	B5	3755	1	18,21,22	0.48	0	22,30,33	0.58	0
1	PSU	B5	4372	81,1	18,21,22	0.50	0	22,30,33	0.58	0
1	OMC	B5	3318	1	19,22,23	0.28	0	26,31,34	0.41	0
46	A2M	A2	629	46,81	18,25,26	0.64	0	18,36,39	0.76	1 (5%)
1	A2M	B5	3195	1	18,25,26	0.66	0	18,36,39	0.73	1 (5%)
1	A2M	B5	3966	81,1	18,25,26	0.66	0	18,36,39	0.94	2 (11%)
46	OMG	A2	1445	46,81	18,26,27	0.89	1 (5%)	19,38,41	0.62	0
1	A2M	B5	2564	1	18,25,26	0.65	0	18,36,39	0.71	1 (5%)
1	OMC	B5	3178	81,1	19,22,23	0.26	0	26,31,34	0.47	0
1	OMU	B5	3670	1	19,22,23	0.31	0	26,31,34	0.47	0
1	PSU	B5	1690	1	18,21,22	0.47	0	22,30,33	0.59	0
1	OMC	B5	3979	1	19,22,23	0.32	0	26,31,34	0.47	0
1	PSU	B5	1600	1	18,21,22	0.66	1 (5%)	22,30,33	0.59	0
46	PSU	A2	258	46	18,21,22	0.48	0	22,30,33	0.57	0
1	OMG	B5	2113	1	18,26,27	0.91	2 (11%)	19,38,41	0.64	0
1	PSU	B5	3736	1	18,21,22	0.49	0	22,30,33	0.55	0
1	UR3	B5	3973	1	19,22,23	0.30	0	26,32,35	0.31	0
1	PSU	B5	3885	1	18,21,22	0.52	0	22,30,33	0.62	1 (4%)
2	PSU	B8	69	81,2	18,21,22	0.54	0	22,30,33	0.66	1 (4%)
46	PSU	A2	642	46	18,21,22	0.49	0	22,30,33	0.59	0
46	PSU	A2	610	46	18,21,22	0.46	0	22,30,33	0.61	0
2	PSU	B8	55	2	18,21,22	0.45	0	22,30,33	0.61	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	A2M	B5	3201	1	18,25,26	0.66	0	18,36,39	0.70	1 (5%)
1	PSU	B5	4022	1	18,21,22	0.49	0	22,30,33	0.57	0
66	SAC	AZ	2	66	7,8,9	1.01	0	8,9,11	0.77	0
1	A2M	B5	399	1	18,25,26	0.65	0	18,36,39	0.73	1 (5%)
1	OMG	B5	1548	81,1	18,26,27	0.98	2 (11%)	19,38,41	0.63	0
1	PSU	B5	3874	1	18,21,22	0.47	0	22,30,33	0.60	0
46	MA6	A2	1804	46	18,26,27	0.76	1 (5%)	19,38,41	0.66	0
1	OMG	B5	3671	1	18,26,27	0.92	1 (5%)	19,38,41	0.70	0
46	OMC	A2	1658	46	19,22,23	0.27	0	26,31,34	0.42	0
1	PSU	B5	4019	1	18,21,22	0.48	0	22,30,33	0.58	0
1	OMG	B5	2173	1	18,26,27	0.92	2 (11%)	19,38,41	0.57	0
1	A2M	B5	1780	81,1	18,25,26	0.66	0	18,36,39	0.90	1 (5%)
46	OMG	A2	1286	46	18,26,27	0.90	1 (5%)	19,38,41	0.62	0
1	PSU	B5	3116	1	18,21,22	0.50	0	22,30,33	0.58	0
1	OMG	B5	4061	1	18,26,27	0.90	1 (5%)	19,38,41	0.65	0
1	OMU	B5	4063	1	19,22,23	0.31	0	26,31,34	0.54	0
1	OMG	B5	3813	1	18,26,27	0.92	2 (11%)	19,38,41	0.61	0
1	6MZ	B5	3663	1	18,25,26	0.72	0	16,36,39	0.69	1 (6%)
1	PSU	B5	3742	1	18,21,22	0.50	0	22,30,33	0.56	0
46	PSU	A2	93	46	18,21,22	0.50	0	22,30,33	0.56	0
1	OMG	B5	4066	1	18,26,27	0.93	2 (11%)	19,38,41	0.68	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
46	4AC	A2	1796	4,46	-	0/11/29/30	0/2/2/2
1	OMG	B5	3942	1	-	0/5/27/28	0/3/3/3
1	OMU	B5	3941	1	-	0/9/27/28	0/2/2/2
43	MLZ	B ₀	53	43	-	3/7/8/10	-
46	OMG	A2	644	46	-	0/5/27/28	0/3/3/3
1	PSU	B5	3796	1	-	0/7/25/26	0/2/2/2
1	5MC	B5	3259	81,1	-	0/7/25/26	0/2/2/2
46	OMU	A2	121	46	-	0/9/27/28	0/2/2/2
1	OMG	B5	4080	1	-	0/5/27/28	0/3/3/3
1	5MC	B5	3890	1	-	3/7/25/26	0/2/2/2
1	OMG	B5	3221	1	-	0/5/27/28	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
46	4AC	A2	1295	46	-	2/11/29/30	0/2/2/2
1	A2M	B5	3344	1	-	1/5/27/28	0/3/3/3
46	A2M	A2	551	46	-	0/5/27/28	0/3/3/3
46	B8N	A2	1206	46	-	4/16/34/35	0/2/2/2
2	OMG	B8	75	2	-	0/5/27/28	0/3/3/3
1	A2M	B5	3262	81,1	-	2/5/27/28	0/3/3/3
1	PSU	B5	3900	1	-	0/7/25/26	0/2/2/2
1	PSU	B5	4116	1	-	0/7/25/26	0/2/2/2
76	NMM	As	67	76	-	5/9/11/13	-
46	OMU	A2	315	46	-	2/9/27/28	0/2/2/2
46	OMU	A2	171	46	-	0/9/27/28	0/2/2/2
1	OMG	B5	1445	1	-	0/5/27/28	0/3/3/3
46	PSU	A2	774	46	-	3/7/25/26	0/2/2/2
1	OMG	B5	1241	1	-	0/5/27/28	0/3/3/3
1	OMC	B5	3346	1	-	1/9/27/28	0/2/2/2
46	OMG	A2	470	46,81	-	0/5/27/28	0/3/3/3
46	OMU	A2	1284	46	-	0/9/27/28	0/2/2/2
1	OMC	B5	2100	1	-	3/9/27/28	0/2/2/2
6	HIC	BB	245	6	-	1/5/6/8	0/1/1/1
46	A2M	A2	445	46	-	0/5/27/28	0/3/3/3
1	PSU	B5	3114	81,1	-	0/7/25/26	0/2/2/2
1	PSU	B5	3397	81,1	-	0/7/25/26	0/2/2/2
62	AME	Au	1	62	-	2/9/10/12	-
46	OMU	A2	116	46	-	2/9/27/28	0/2/2/2
46	A2M	A2	27	46,81	-	0/5/27/28	0/3/3/3
1	PSU	B5	3192	1	-	0/7/25/26	0/2/2/2
1	A2M	B5	3307	1	-	0/5/27/28	0/3/3/3
1	OMC	B5	2553	1	-	0/9/27/28	0/2/2/2
1	PSU	B5	3975	1	-	0/7/25/26	0/2/2/2
1	1MA	B5	1247	81,1	-	0/3/25/26	0/3/3/3
1	PSU	B5	3995	1	-	0/7/25/26	0/2/2/2
46	PSU	A2	647	46	-	0/7/25/26	0/2/2/2
1	OMC	B5	1790	81,1	-	0/9/27/28	0/2/2/2
46	A2M	A2	989	46	-	0/5/27/28	0/3/3/3
1	OMG	B5	3639	1	-	1/5/27/28	0/3/3/3
1	OMG	B5	3937	1	-	1/5/27/28	0/3/3/3
1	PSU	B5	1769	1	-	0/7/25/26	0/2/2/2
46	OMC	A2	173	46	-	0/9/27/28	0/2/2/2
1	PSU	B5	3804	1	-	0/7/25/26	0/2/2/2
46	PSU	A2	1039	46	-	1/7/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	OMG	B5	3376	1	-	0/5/27/28	0/3/3/3
1	OMC	B5	2171	81,1	-	3/9/27/28	0/2/2/2
1	OMC	B5	3899	1	-	0/9/27/28	0/2/2/2
46	OMG	A2	562	46	-	1/5/27/28	0/3/3/3
1	OMU	B5	3749	1	-	0/9/27/28	0/2/2/2
1	OMC	B5	1265	1	-	0/9/27/28	0/2/2/2
1	A2M	B5	4033	1	-	1/5/27/28	0/3/3/3
1	PSU	B5	3172	81,1	-	0/7/25/26	0/2/2/2
60	IAS	An	138	60	-	3/7/7/8	-
1	A2M	B5	3302	1	-	0/5/27/28	0/3/3/3
1	PSU	B5	1606	81,1	-	0/7/25/26	0/2/2/2
46	A2M	A2	99	46,81	-	0/5/27/28	0/3/3/3
1	OMU	B5	3402	1	-	0/9/27/28	0/2/2/2
1	OMG	B5	3104	1	-	0/5/27/28	0/3/3/3
1	PSU	B5	4343	1	-	0/7/25/26	0/2/2/2
46	A2M	A2	158	46	-	0/5/27/28	0/3/3/3
1	OMG	B5	3269	1	-	0/5/27/28	0/3/3/3
1	A2M	B5	2536	81,1	-	0/5/27/28	0/3/3/3
46	PSU	A2	109	46,81	-	0/7/25/26	0/2/2/2
46	PSU	A2	1132	46,81	-	0/7/25/26	0/2/2/2
1	OMG	B5	3835	1	-	0/5/27/28	0/3/3/3
1	UY1	B5	3295	81,1	-	2/9/27/28	0/2/2/2
1	OMC	B5	2610	1	-	0/9/27/28	0/2/2/2
1	PSU	B5	3964	81,1	-	2/7/25/26	0/2/2/2
1	A2M	B5	1457	81,1	-	2/5/27/28	0/3/3/3
1	OMC	B5	3364	1	-	0/9/27/28	0/2/2/2
1	PSU	B5	3866	1	-	0/7/25/26	0/2/2/2
46	OMU	A2	389	46	-	7/9/27/28	0/2/2/2
1	PSU	B5	4071	1	-	0/7/25/26	0/2/2/2
1	PSU	B5	1700	1	-	0/7/25/26	0/2/2/2
1	PSU	B5	4132	1	-	0/7/25/26	0/2/2/2
1	PSU	B5	1771	1	-	0/7/25/26	0/2/2/2
1	OMG	B5	2625	1	-	0/5/27/28	0/3/3/3
46	PSU	A2	782	46	-	0/7/25/26	0/2/2/2
46	6MZ	A2	1786	46,81	-	0/5/27/28	0/3/3/3
1	PSU	B5	3739	1	-	0/7/25/26	0/2/2/2
46	MA6	A2	1805	46	-	1/7/29/30	0/3/3/3
1	PSU	B5	3846	1	-	0/7/25/26	0/2/2/2
1	OMU	B5	2586	1	-	0/9/27/28	0/2/2/2
1	A2M	B5	1251	1	-	1/5/27/28	0/3/3/3
1	OMC	B5	3285	1	-	0/9/27/28	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
46	A2M	A2	1341	46	-	1/5/27/28	0/3/3/3
1	A2M	B5	1447	1	-	0/5/27/28	0/3/3/3
1	A2M	B5	4014	1	-	0/5/27/28	0/3/3/3
46	PSU	A2	775	46	-	0/7/25/26	0/2/2/2
1	A2M	B5	401	1	-	0/5/27/28	0/3/3/3
46	OMG	A2	605	46	-	3/5/27/28	0/3/3/3
1	A2M	B5	2112	81,1	-	1/5/27/28	0/3/3/3
46	A2M	A2	165	46	-	0/5/27/28	0/3/3/3
1	PSU	B5	1652	1	-	0/7/25/26	0/2/2/2
1	PSU	B5	3755	1	-	0/7/25/26	0/2/2/2
1	PSU	B5	4372	81,1	-	0/7/25/26	0/2/2/2
1	OMC	B5	3318	1	-	0/9/27/28	0/2/2/2
46	A2M	A2	629	46,81	-	2/5/27/28	0/3/3/3
1	A2M	B5	3195	1	-	0/5/27/28	0/3/3/3
1	A2M	B5	3966	81,1	-	0/5/27/28	0/3/3/3
46	OMG	A2	1445	46,81	-	1/5/27/28	0/3/3/3
1	A2M	B5	2564	1	-	0/5/27/28	0/3/3/3
1	OMC	B5	3178	81,1	-	4/9/27/28	0/2/2/2
1	OMU	B5	3670	1	-	0/9/27/28	0/2/2/2
1	PSU	B5	1690	1	-	0/7/25/26	0/2/2/2
1	OMC	B5	3979	1	-	0/9/27/28	0/2/2/2
1	PSU	B5	1600	1	-	0/7/25/26	0/2/2/2
46	PSU	A2	258	46	-	0/7/25/26	0/2/2/2
1	OMG	B5	2113	1	-	2/5/27/28	0/3/3/3
1	PSU	B5	3736	1	-	0/7/25/26	0/2/2/2
1	UR3	B5	3973	1	-	0/7/25/26	0/2/2/2
1	PSU	B5	3885	1	-	0/7/25/26	0/2/2/2
2	PSU	B8	69	81,2	-	0/7/25/26	0/2/2/2
46	PSU	A2	642	46	-	0/7/25/26	0/2/2/2
46	PSU	A2	610	46	-	0/7/25/26	0/2/2/2
2	PSU	B8	55	2	-	0/7/25/26	0/2/2/2
1	A2M	B5	3201	1	-	1/5/27/28	0/3/3/3
1	PSU	B5	4022	1	-	0/7/25/26	0/2/2/2
66	SAC	AZ	2	66	-	2/7/8/10	-
1	A2M	B5	399	1	-	1/5/27/28	0/3/3/3
1	OMG	B5	1548	81,1	-	1/5/27/28	0/3/3/3
1	PSU	B5	3874	1	-	0/7/25/26	0/2/2/2
46	MA6	A2	1804	46	-	0/7/29/30	0/3/3/3
1	OMG	B5	3671	1	-	0/5/27/28	0/3/3/3
46	OMC	A2	1658	46	-	0/9/27/28	0/2/2/2
1	PSU	B5	4019	1	-	0/7/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	OMG	B5	2173	1	-	0/5/27/28	0/3/3/3
1	A2M	B5	1780	81,1	-	0/5/27/28	0/3/3/3
46	OMG	A2	1286	46	-	0/5/27/28	0/3/3/3
1	PSU	B5	3116	1	-	0/7/25/26	0/2/2/2
1	OMG	B5	4061	1	-	0/5/27/28	0/3/3/3
1	OMU	B5	4063	1	-	0/9/27/28	0/2/2/2
1	OMG	B5	3813	1	-	1/5/27/28	0/3/3/3
1	6MZ	B5	3663	1	-	0/5/27/28	0/3/3/3
1	PSU	B5	3742	1	-	0/7/25/26	0/2/2/2
46	PSU	A2	93	46	-	0/7/25/26	0/2/2/2
1	OMG	B5	4066	1	-	0/5/27/28	0/3/3/3

The worst 5 of 52 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
76	As	67	NMM	CZ-NH2	4.34	1.44	1.34
6	BB	245	HIC	CD2-CG	3.54	1.41	1.36
1	B5	1548	OMG	C5-C6	-2.44	1.42	1.47
1	B5	1241	OMG	C5-C6	-2.37	1.42	1.47
1	B5	1600	PSU	O4'-C1'	-2.35	1.40	1.43

The worst 5 of 39 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
76	As	67	NMM	NE-CZ-NH2	-7.62	112.49	119.48
76	As	67	NMM	NE-CZ-NH1	4.12	127.97	120.26
46	A2	1786	6MZ	C2-N1-C6	2.44	118.68	116.59
60	An	138	IAS	OD1-CG-CB	-2.40	118.43	125.43
1	B5	3966	A2M	C5-C6-N6	2.35	123.92	120.35

There are no chirality outliers.

5 of 80 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	B5	2171	OMC	C1'-C2'-O2'-CM2
1	B5	3178	OMC	C2'-C1'-N1-C2
1	B5	3178	OMC	C2'-C1'-N1-C6
1	B5	3201	A2M	C1'-C2'-O2'-CM'
1	B5	3639	OMG	C1'-C2'-O2'-CM2

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 501 ligands modelled in this entry, 501 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-18168. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map




The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 270



Y Index: 300




Z Index: 348


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.2. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1226 nm^3 ; this corresponds to an approximate mass of 1108 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.400\AA^{-1}


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-18168 and PDB model 8Q7Z. Per-residue inclusion information can be found in section [3](#) on page [24](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.2 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.2).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 84% of all backbone atoms, 84% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.2) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8420	 0.6160
A2	 0.8570	 0.5980
AA	 0.7270	 0.5760
AB	 0.5470	 0.5230
AC	 0.0390	 0.2340
AD	 0.6930	 0.5710
AE	 0.8700	 0.6600
AF	 0.3390	 0.4560
AG	 0.7830	 0.5950
AZ	 0.7970	 0.6150
Aa	 0.8260	 0.6260
Ab	 0.8670	 0.6510
Ac	 0.5510	 0.5170
Ad	 0.9170	 0.6570
Ae	 0.6880	 0.5580
Af	 0.7370	 0.5630
Ag	 0.4980	 0.5000
Ah	 0.8280	 0.6260
Ai	 0.9040	 0.6480
Aj	 0.5370	 0.4940
Ak	 0.8490	 0.6430
Al	 0.0370	 0.1750
Am	 0.8760	 0.6570
An	 0.8480	 0.6360
Ao	 0.6100	 0.5240
Ap	 0.7430	 0.5710
Aq	 0.5090	 0.4910
Ar	 0.6520	 0.5250
As	 0.7210	 0.5640
At	 0.5200	 0.4930
Au	 0.8230	 0.6340
Av	 0.9390	 0.6780
Aw	 0.8880	 0.6570
Ax	 0.8710	 0.6350
Ay	 0.5310	 0.4860











Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
Az	0.9080	0.6760
B5	0.8680	0.6130
B7	0.9750	0.6660
B8	0.9150	0.6420
BA	0.9740	0.7140
BB	0.9450	0.6970
BC	0.9460	0.6910
BD	0.8490	0.6340
BE	0.8670	0.6410
BF	0.9480	0.7040
BG	0.8200	0.6240
BH	0.9100	0.6640
BI	0.9190	0.6740
BJ	0.7960	0.6130
BL	0.8780	0.6500
BM	0.9390	0.6820
BN	0.9880	0.7210
BO	0.9470	0.6880
BP	0.9440	0.6960
BQ	0.9700	0.7140
BR	0.8300	0.6260
BS	0.9650	0.7020
BT	0.9000	0.6770
BU	0.6920	0.5570
BV	0.9460	0.7040
BW	0.8520	0.6440
BX	0.9070	0.6730
BY	0.9190	0.6660
BZ	0.8970	0.6590
Ba	0.9750	0.7190
Bb	0.8190	0.6220
Bc	0.9170	0.6690
Bd	0.8960	0.6670
Be	0.9630	0.7080
Bf	0.9610	0.7170
Bg	0.9240	0.6820
Bh	0.9020	0.6650
Bi	0.8940	0.6560
Bj	0.9780	0.7030
Bk	0.7090	0.5970
Bl	0.9080	0.6780
Bm	0.9300	0.6810

Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
Bo	 0.9070	 0.6850
Bp	 0.9270	 0.6870
Br	 0.9320	 0.6860
V	 0.3470	 0.3090