



wwPDB EM Validation Summary Report ⓘ

Mar 25, 2024 – 02:06 pm GMT

PDB ID : 8QCQ
EMDB ID : EMD-18332
Title : B. subtilis ApdA-stalled ribosomal complex
Authors : Morici, M.; Wilson, D.N.
Deposited on : 2023-08-28
Resolution : 2.30 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev92
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	59	
2	1	49	
3	2	44	
4	3	66	
5	4	37	
6	6	65	
7	A	2925	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	B	119	57% 75% 13% 6% 6%
9	C	277	14% 93% 5%
10	D	209	18% 93% 6%
11	E	207	38% 97%
12	F	179	99% 97%
13	G	179	94% 95%
14	J	145	9% 98%
15	K	122	13% 95% 5%
16	L	146	38% 97%
17	M	144	12% 90% 6%
18	N	120	12% 96%
19	O	120	86% 98%
20	P	115	30% 94% 6%
21	Q	119	14% 94% 5%
22	R	102	34% 97%
23	S	113	11% 96%
24	T	95	41% 92% 6%
25	U	103	52% 98%
26	W	94	9% 90% 10%
27	X	62	50% 89% 10%
28	Y	66	82% 98%
29	Z	59	19% 98%
30	a	1554	67% 76% 21%
31	e	166	89% 90% 5% 5%
32	k	131	86% 85% 12%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
33	l	138	93% 93%
34	o	89	87% 98%
35	q	87	98% 92% 6%
36	t	88	98% 97%
37	w	77	73% 81% 18%
37	y	77	74% 83% 17%
38	8	6	17% 83% 17%
39	c	206	93% 99%
40	g	156	97% 94%
41	i	130	97% 98%
42	j	102	91% 96%
43	m	121	95% 96%
44	n	61	93% 97%
45	s	92	90% 90% 10%
46	h	132	91% 80% 11% 8%
47	r	79	81% 81% 18%
48	f	95	97% 92%
49	7	9	22% 100%

2 Entry composition

There are 54 unique types of molecules in this entry. The entry contains 136664 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	0	55	433	267	87	72	7	0	0

- Molecule 2 is a protein called 50S ribosomal protein L33 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	1	48	403	245	81	74	3	0	0

- Molecule 3 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	2	44	368	222	89	55	2	0	0

- Molecule 4 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	3	65	522	327	109	84	2	0	0

- Molecule 5 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	4	37	297	186	60	46	5	0	0

- Molecule 6 is a protein called Large ribosomal subunit protein bL31-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	6	46	356	222	63	66	5	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
6	?	-	GLN	deletion	UNP Q03223

- Molecule 7 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
7	A	2745	58964	26308	10911	19002	2743	0	0

- Molecule 8 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
8	B	112	2392	1068	435	778	111	0	0

- Molecule 9 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	C	273	2094	1302	412	374	6	0	0

- Molecule 10 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	D	207	1575	988	290	292	5	0	0

- Molecule 11 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	E	206	1567	983	290	292	2	0	0

- Molecule 12 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	F	178	1405	893	245	260	7	0	0

- Molecule 13 is a protein called Large ribosomal subunit protein uL6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	G	175	1342	835	248	257	2	0	0

- Molecule 14 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	J	144	1142	720	211	206	5	0	0

- Molecule 15 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	K	122	921	571	173	173	4	0	0

- Molecule 16 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	L	146	1082	671	207	202	2	0	0

- Molecule 17 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	M	135	1076	690	205	176	5	0	0

- Molecule 18 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	N	119	954	583	186	181	4	0	0

- Molecule 19 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	O	120	913	564	176	172	1	0	0

- Molecule 20 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	P	115	945	600	185	159	1	0	0

- Molecule 21 is a protein called Large ribosomal subunit protein bL20.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	Q	118	950	597	191	158	4	0	0

- Molecule 22 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	R	102	795	506	140	148	1	0	0

- Molecule 23 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	S	110	850	530	165	151	4	0	0

- Molecule 24 is a protein called Large ribosomal subunit protein uL23.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	T	89	716	447	133	133	3	0	0

- Molecule 25 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	U	102	770	482	143	141	4	0	0

- Molecule 26 is a protein called Large ribosomal subunit protein bL27.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
26	W	85	650	401	127	122	0	0

- Molecule 27 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	X	61	Total	C	N	O	S	0	0
			468	289	98	79	2		

- Molecule 28 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	Y	65	Total	C	N	O	S	0	0
			532	329	103	99	1		

- Molecule 29 is a protein called Large ribosomal subunit protein uL30.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	Z	58	Total	C	N	O	S	0	0
			456	281	89	85	1		

- Molecule 30 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	a	1533	Total	C	N	O	P	0	0
			32891	14667	6034	10657	1533		

- Molecule 31 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	e	158	Total	C	N	O	S	0	0
			1170	737	215	216	2		

- Molecule 32 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	k	115	Total	C	N	O	S	0	0
			847	520	166	159	2		

- Molecule 33 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	l	135	Total	C	N	O	S	0	0
			1047	650	210	185	2		

- Molecule 34 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	o	87	Total	C	N	O	S	0	0
			730	448	149	132	1		

- Molecule 35 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	q	85	Total	C	N	O	S	0	0
			699	441	129	127	2		

- Molecule 36 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	t	86	Total	C	N	O	S	0	0
			658	402	134	121	1		

- Molecule 37 is a RNA chain called Pro-tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	y	77	Total	C	N	O	P	0	0
			1645	733	293	542	77		
37	w	77	Total	C	N	O	P	0	0
			1645	733	293	542	77		

- Molecule 38 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	8	6	Total	C	N	O	P	0	0
			120	54	16	44	6		

- Molecule 39 is a protein called Small ribosomal subunit protein uS3.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	c	204	Total	C	N	O	S	0	0
			1607	1003	302	299	3		

- Molecule 40 is a protein called Small ribosomal subunit protein uS7.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	g	151	Total	C	N	O	S	0	0
			1199	751	225	217	6		

- Molecule 41 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	i	128	Total	C	N	O	S	0	0
			994	615	198	180	1		

- Molecule 42 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	j	98	Total	C	N	O	S	0	0
			788	497	144	145	2		

- Molecule 43 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms				AltConf	Trace
43	m	118	Total	C	N	O	0	0
			942	578	194	170		

- Molecule 44 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	n	60	Total	C	N	O	S	0	0
			498	317	98	78	5		

- Molecule 45 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	s	83	Total	C	N	O	S	0	0
			668	429	122	115	2		

- Molecule 46 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	h	122	Total	C	N	O	S	0	0
			958	601	181	174	2		

- Molecule 47 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	r	65	Total	C	N	O	S	0	0
			522	334	97	89	2		

- Molecule 48 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	f	92	Total	C	N	O	S	0	0
			755	476	132	146	1		

- Molecule 49 is a protein called ApdA nascent chain.

Mol	Chain	Residues	Atoms				AltConf	Trace
49	7	9	Total	C	N	O	0	0
			67	41	15	11		

- Molecule 50 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
50	0	1	Total	Zn	0
			1	1	
50	1	1	Total	Zn	0
			1	1	
50	4	1	Total	Zn	0
			1	1	
50	6	1	Total	Zn	0
			1	1	
50	n	1	Total	Zn	0
			1	1	


- Molecule 51 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
51	A	155	Total	Mg	0
			155	155	
51	B	1	Total	Mg	0
			1	1	
51	C	1	Total	Mg	0
			1	1	
51	D	1	Total	Mg	0
			1	1	
51	a	40	Total	Mg	0
			40	40	
51	w	1	Total	Mg	0
			1	1	

- Molecule 52 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms	AltConf
52	A	40	Total K 40 40	0
52	C	2	Total K 2 2	0
52	U	1	Total K 1 1	0

- Molecule 53 is PROLINE (three-letter code: PRO) (formula: C₅H₉NO₂).



Mol	Chain	Residues	Atoms	AltConf
53	y	1	Total C N O 7 5 1 1	0

- Molecule 54 is water.

Mol	Chain	Residues	Atoms	AltConf
54	3	3	Total O 3 3	0
54	A	811	Total O 811 811	0
54	B	5	Total O 5 5	0
54	C	15	Total O 15 15	0
54	D	1	Total O 1 1	0
54	E	5	Total O 5 5	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
54	L	5	Total 5	O 5	0
54	N	3	Total 3	O 3	0
54	P	3	Total 3	O 3	0
54	Q	3	Total 3	O 3	0
54	T	1	Total 1	O 1	0
54	a	132	Total 132	O 132	0
54	k	1	Total 1	O 1	0
54	y	3	Total 3	O 3	0
54	w	21	Total 21	O 21	0
54	i	1	Total 1	O 1	0
54	j	1	Total 1	O 1	0
54	7	8	Total 8	O 8	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 50S ribosomal protein L32




- Molecule 2: 50S ribosomal protein L33 1




- Molecule 3: 50S ribosomal protein L34




- Molecule 4: 50S ribosomal protein L35




- Molecule 5: 50S ribosomal protein L36





• Molecule 6: Large ribosomal subunit protein bL31-A





• Molecule 7: 23S rRNA











• Molecule 8: 5S rRNA




• Molecule 9: 50S ribosomal protein L2




• Molecule 10: 50S ribosomal protein L3




• Molecule 11: 50S ribosomal protein L4






• Molecule 12: 50S ribosomal protein L5



• Molecule 13: Large ribosomal subunit protein uL6




• Molecule 14: 50S ribosomal protein L13




• Molecule 15: 50S ribosomal protein L14







- Molecule 16: 50S ribosomal protein L15





- Molecule 17: 50S ribosomal protein L16




- Molecule 18: 50S ribosomal protein L17





- Molecule 19: 50S ribosomal protein L18




- Molecule 20: 50S ribosomal protein L19




- Molecule 21: Large ribosomal subunit protein bL20





- Molecule 22: 50S ribosomal protein L21



- Molecule 23: 50S ribosomal protein L22





- Molecule 24: Large ribosomal subunit protein uL23





ALA


- Molecule 25: 50S ribosomal protein L24




- Molecule 26: Large ribosomal subunit protein bL27




• Molecule 27: 50S ribosomal protein L28




• Molecule 28: 50S ribosomal protein L29





• Molecule 29: Large ribosomal subunit protein uL30





• Molecule 30: 16S rRNA











• Molecule 31: 30S ribosomal protein S5




• Molecule 32: 30S ribosomal protein S11




• Molecule 33: 30S ribosomal protein S12








• Molecule 34: 30S ribosomal protein S15




• Molecule 35: 30S ribosomal protein S17




• Molecule 36: 30S ribosomal protein S20




• Molecule 37: Pro-tRNA




• Molecule 37: Pro-tRNA




• Molecule 38: mRNA




• Molecule 39: Small ribosomal subunit protein uS3




• Molecule 40: Small ribosomal subunit protein uS7




• Molecule 41: 30S ribosomal protein S9




• Molecule 42: 30S ribosomal protein S10





• Molecule 43: 30S ribosomal protein S13




• Molecule 44: 30S ribosomal protein S14





• Molecule 45: 30S ribosomal protein S19




• Molecule 46: 30S ribosomal protein S8



• Molecule 47: 30S ribosomal protein S18




• Molecule 48: 30S ribosomal protein S6



• Molecule 49: ApdA nascent chain





4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	142978	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	75.6	Depositor
Minimum defocus (nm)	600	Depositor
Maximum defocus (nm)	1800	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.342	Depositor
Minimum map value	-0.139	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.010	Depositor
Recommended contour level	0.052	Depositor
Map size (\AA)	344.4, 344.4, 344.4	wwPDB
Map dimensions	420, 420, 420	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	0.82, 0.82, 0.82	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: PSU, 2MA, ZN, K, MG, OMG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	0	0.42	0/440	0.84	0/584
2	1	0.30	0/408	0.65	0/541
3	2	0.44	0/371	0.79	0/483
4	3	0.47	0/529	0.74	0/691
5	4	0.38	0/300	0.75	0/393
6	6	0.33	0/363	0.67	0/485
7	A	0.60	1/65970 (0.0%)	1.29	312/102904 (0.3%)
8	B	0.50	0/2675	1.21	10/4170 (0.2%)
9	C	0.39	0/2131	0.73	0/2859
10	D	0.39	0/1597	0.72	0/2140
11	E	0.38	0/1586	0.66	0/2139
12	F	0.28	0/1424	0.62	0/1910
13	G	0.30	0/1360	0.65	0/1832
14	J	0.36	0/1165	0.67	0/1566
15	K	0.36	0/928	0.73	0/1245
16	L	0.37	0/1094	0.69	0/1457
17	M	0.38	0/1099	0.72	0/1468
18	N	0.35	0/961	0.67	0/1284
19	O	0.30	0/922	0.62	0/1236
20	P	0.33	0/958	0.75	0/1279
21	Q	0.41	0/962	0.73	0/1277
22	R	0.34	0/806	0.68	0/1080
23	S	0.39	0/859	0.73	0/1156
24	T	0.32	0/722	0.68	0/962
25	U	0.32	0/780	0.65	0/1043
26	W	0.40	0/658	0.71	0/873
27	X	0.42	0/472	0.68	0/627
28	Y	0.27	0/533	0.55	0/708
29	Z	0.32	0/458	0.65	0/613
30	a	0.55	0/36826	1.17	64/57450 (0.1%)
31	e	0.35	0/1181	0.74	0/1588
32	k	0.36	0/861	0.72	0/1164

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	l	0.31	0/1064	0.75	1/1428 (0.1%)
34	o	0.29	0/738	0.62	0/985
35	q	0.28	0/707	0.69	0/944
36	t	0.27	0/661	0.62	0/882
37	w	0.59	0/1838	1.14	3/2864 (0.1%)
37	y	0.57	0/1838	1.13	1/2864 (0.0%)
38	8	0.73	0/131	1.05	0/200
39	c	0.29	0/1629	0.61	0/2192
40	g	0.35	0/1215	0.62	0/1629
41	i	0.32	0/1007	0.66	0/1351
42	j	0.29	0/800	0.65	0/1077
43	m	0.31	0/948	0.67	0/1267
44	n	0.30	0/508	0.72	2/672 (0.3%)
45	s	0.32	0/685	0.61	0/920
46	h	0.33	0/966	0.80	2/1292 (0.2%)
47	r	0.28	0/530	0.66	0/710
48	f	0.27	0/766	0.65	0/1031
49	7	0.42	0/67	0.85	0/89
All	All	0.53	1/147497 (0.0%)	1.14	395/221604 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	0	0	2
3	2	0	1
4	3	0	1
7	A	0	5
9	C	0	10
10	D	0	3
11	E	0	2
16	L	0	1
19	O	0	1
20	P	0	2
21	Q	0	1
25	U	0	1
27	X	0	2
33	l	0	1
35	q	0	1
40	g	0	2

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
46	h	0	2
48	f	0	2
All	All	0	40

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	2090	G	C8-N7	6.26	1.34	1.30

The worst 5 of 395 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	619	A	O5'-P-OP1	-26.46	78.95	110.70
7	A	2090	G	O5'-P-OP2	-21.68	84.68	110.70
7	A	1199	C	O5'-P-OP2	-19.86	86.87	110.70
7	A	1681	U	O5'-P-OP2	-19.42	87.40	110.70
7	A	1315	G	O5'-P-OP2	-15.09	92.12	105.70

There are no chirality outliers.

5 of 40 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	0	41	ARG	Sidechain
1	0	6	ARG	Sidechain
3	2	36	ARG	Sidechain
4	3	13	ARG	Sidechain
7	A	510	G	Sidechain

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	0	433	0	450	0	0
2	1	403	0	411	0	0
3	2	368	0	410	0	0
4	3	522	0	577	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	4	297	0	339	0	0
6	6	356	0	346	3	0
7	A	58964	0	29662	59	0
8	B	2392	0	1213	1	0
9	C	2094	0	2181	2	0
10	D	1575	0	1642	5	0
11	E	1567	0	1652	2	0
12	F	1405	0	1467	4	0
13	G	1342	0	1388	1	0
14	J	1142	0	1182	1	0
15	K	921	0	977	4	0
16	L	1082	0	1132	2	0
17	M	1076	0	1145	3	0
18	N	954	0	983	3	0
19	O	913	0	947	1	0
20	P	945	0	1020	2	0
21	Q	950	0	1018	4	0
22	R	795	0	838	2	0
23	S	850	0	911	1	0
24	T	716	0	764	1	0
25	U	770	0	824	0	0
26	W	650	0	662	0	0
27	X	468	0	514	3	0
28	Y	532	0	569	0	0
29	Z	456	0	491	0	0
30	a	32891	0	16559	0	0
31	e	1170	0	1247	0	0
32	k	847	0	860	0	0
33	l	1047	0	1107	0	0
34	o	730	0	759	0	0
35	q	699	0	739	0	0
36	t	658	0	715	0	0
37	w	1645	0	829	0	0
37	y	1645	0	829	0	0
38	8	120	0	65	0	0
39	c	1607	0	1644	0	0
40	g	1199	0	1256	0	0
41	i	994	0	1035	0	0
42	j	788	0	832	0	0
43	m	942	0	1006	0	0
44	n	498	0	529	0	0
45	s	668	0	682	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
46	h	958	0	1020	0	0
47	r	522	0	558	0	0
48	f	755	0	746	0	0
49	7	67	0	71	0	0
50	0	1	0	0	0	0
50	1	1	0	0	0	0
50	4	1	0	0	0	0
50	6	1	0	0	0	0
50	n	1	0	0	0	0
51	A	155	0	0	0	0
51	B	1	0	0	0	0
51	C	1	0	0	0	0
51	D	1	0	0	0	0
51	a	40	0	0	0	0
51	w	1	0	0	0	0
52	A	40	0	0	0	0
52	C	2	0	0	0	0
52	U	1	0	0	0	0
53	y	7	0	7	0	0
54	3	3	0	0	0	0
54	7	8	0	0	0	0
54	A	811	0	0	0	0
54	B	5	0	0	0	0
54	C	15	0	0	0	0
54	D	1	0	0	0	0
54	E	5	0	0	0	0
54	L	5	0	0	0	0
54	N	3	0	0	0	0
54	P	3	0	0	0	0
54	Q	3	0	0	0	0
54	T	1	0	0	0	0
54	a	132	0	0	0	0
54	i	1	0	0	0	0
54	j	1	0	0	0	0
54	k	1	0	0	0	0
54	w	21	0	0	0	0
54	y	3	0	0	0	0
All	All	136664	0	88810	91	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

The worst 5 of 91 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:A:1808:U:H5	7:A:1813:A:N7	1.91	0.69
7:A:790:A:O2'	7:A:1704:U:OP1	2.13	0.63
7:A:1411:U:HO2'	7:A:2241:A:H8	1.46	0.63
11:E:32:VAL:HG21	11:E:108:LEU:HD23	1.82	0.61
7:A:761:U:H2'	7:A:763:A:H2	1.66	0.61

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	53/59 (90%)	50 (94%)	3 (6%)	0	100	100
2	1	46/49 (94%)	45 (98%)	1 (2%)	0	100	100
3	2	42/44 (96%)	41 (98%)	1 (2%)	0	100	100
4	3	63/66 (96%)	63 (100%)	0	0	100	100
5	4	35/37 (95%)	34 (97%)	1 (3%)	0	100	100
6	6	44/65 (68%)	39 (89%)	5 (11%)	0	100	100
9	C	271/277 (98%)	263 (97%)	8 (3%)	0	100	100
10	D	205/209 (98%)	200 (98%)	5 (2%)	0	100	100
11	E	204/207 (99%)	200 (98%)	4 (2%)	0	100	100
12	F	176/179 (98%)	167 (95%)	9 (5%)	0	100	100
13	G	173/179 (97%)	162 (94%)	10 (6%)	1 (1%)	25	31
14	J	142/145 (98%)	138 (97%)	4 (3%)	0	100	100
15	K	120/122 (98%)	113 (94%)	7 (6%)	0	100	100
16	L	144/146 (99%)	139 (96%)	4 (3%)	1 (1%)	22	26
17	M	133/144 (92%)	131 (98%)	2 (2%)	0	100	100
18	N	117/120 (98%)	113 (97%)	4 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
19	O	118/120 (98%)	112 (95%)	6 (5%)	0	100	100
20	P	113/115 (98%)	110 (97%)	3 (3%)	0	100	100
21	Q	116/119 (98%)	114 (98%)	2 (2%)	0	100	100
22	R	100/102 (98%)	99 (99%)	1 (1%)	0	100	100
23	S	108/113 (96%)	107 (99%)	1 (1%)	0	100	100
24	T	87/95 (92%)	86 (99%)	1 (1%)	0	100	100
25	U	100/103 (97%)	99 (99%)	1 (1%)	0	100	100
26	W	83/94 (88%)	80 (96%)	3 (4%)	0	100	100
27	X	59/62 (95%)	57 (97%)	2 (3%)	0	100	100
28	Y	63/66 (96%)	63 (100%)	0	0	100	100
29	Z	56/59 (95%)	55 (98%)	1 (2%)	0	100	100
31	e	156/166 (94%)	140 (90%)	14 (9%)	2 (1%)	12	12
32	k	113/131 (86%)	95 (84%)	16 (14%)	2 (2%)	8	7
33	l	133/138 (96%)	125 (94%)	8 (6%)	0	100	100
34	o	85/89 (96%)	78 (92%)	7 (8%)	0	100	100
35	q	83/87 (95%)	75 (90%)	8 (10%)	0	100	100
36	t	84/88 (96%)	80 (95%)	4 (5%)	0	100	100
39	c	202/206 (98%)	185 (92%)	17 (8%)	0	100	100
40	g	149/156 (96%)	140 (94%)	9 (6%)	0	100	100
41	i	126/130 (97%)	118 (94%)	8 (6%)	0	100	100
42	j	96/102 (94%)	91 (95%)	5 (5%)	0	100	100
43	m	116/121 (96%)	115 (99%)	1 (1%)	0	100	100
44	n	58/61 (95%)	58 (100%)	0	0	100	100
45	s	81/92 (88%)	77 (95%)	4 (5%)	0	100	100
46	h	120/132 (91%)	95 (79%)	20 (17%)	5 (4%)	3	1
47	r	63/79 (80%)	61 (97%)	2 (3%)	0	100	100
48	f	90/95 (95%)	85 (94%)	5 (6%)	0	100	100
49	7	7/9 (78%)	5 (71%)	2 (29%)	0	100	100
All	All	4733/4978 (95%)	4503 (95%)	219 (5%)	11 (0%)	50	58

5 of 11 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
31	e	131	ASN
32	k	34	VAL
46	h	113	LEU
46	h	122	GLN
46	h	44	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	49/53 (92%)	48 (98%)	1 (2%)	55	72
2	1	46/47 (98%)	46 (100%)	0	100	100
3	2	39/39 (100%)	38 (97%)	1 (3%)	46	63
4	3	55/56 (98%)	54 (98%)	1 (2%)	59	75
5	4	35/35 (100%)	35 (100%)	0	100	100
6	6	39/54 (72%)	37 (95%)	2 (5%)	24	33
9	C	221/225 (98%)	218 (99%)	3 (1%)	67	81
10	D	168/170 (99%)	168 (100%)	0	100	100
11	E	169/170 (99%)	169 (100%)	0	100	100
12	F	153/154 (99%)	153 (100%)	0	100	100
13	G	148/151 (98%)	146 (99%)	2 (1%)	67	81
14	J	122/123 (99%)	121 (99%)	1 (1%)	81	91
15	K	101/101 (100%)	101 (100%)	0	100	100
16	L	110/110 (100%)	110 (100%)	0	100	100
17	M	109/116 (94%)	108 (99%)	1 (1%)	78	89
18	N	99/100 (99%)	99 (100%)	0	100	100
19	O	93/93 (100%)	93 (100%)	0	100	100
20	P	100/100 (100%)	99 (99%)	1 (1%)	76	87
21	Q	97/98 (99%)	97 (100%)	0	100	100
22	R	84/84 (100%)	84 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
23	S	91/93 (98%)	91 (100%)	0	100	100
24	T	80/85 (94%)	80 (100%)	0	100	100
25	U	86/87 (99%)	86 (100%)	0	100	100
26	W	65/74 (88%)	65 (100%)	0	100	100
27	X	49/50 (98%)	49 (100%)	0	100	100
28	Y	56/57 (98%)	56 (100%)	0	100	100
29	Z	52/53 (98%)	52 (100%)	0	100	100
31	e	122/130 (94%)	115 (94%)	7 (6%)	20	28
32	k	87/100 (87%)	84 (97%)	3 (3%)	37	51
33	l	114/116 (98%)	108 (95%)	6 (5%)	22	31
34	o	82/83 (99%)	82 (100%)	0	100	100
35	q	78/80 (98%)	74 (95%)	4 (5%)	24	33
36	t	69/70 (99%)	68 (99%)	1 (1%)	67	81
39	c	167/168 (99%)	167 (100%)	0	100	100
40	g	127/132 (96%)	124 (98%)	3 (2%)	49	66
41	i	101/102 (99%)	101 (100%)	0	100	100
42	j	89/92 (97%)	89 (100%)	0	100	100
43	m	101/104 (97%)	99 (98%)	2 (2%)	55	72
44	n	53/54 (98%)	53 (100%)	0	100	100
45	s	72/81 (89%)	72 (100%)	0	100	100
46	h	102/112 (91%)	93 (91%)	9 (9%)	10	12
47	r	56/64 (88%)	55 (98%)	1 (2%)	59	75
48	f	81/84 (96%)	77 (95%)	4 (5%)	25	35
49	7	6/6 (100%)	6 (100%)	0	100	100
All	All	4023/4156 (97%)	3970 (99%)	53 (1%)	70	82

5 of 53 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
33	l	128	SER
40	g	43	LEU
48	f	11	ARG
35	q	8	LYS
35	q	59	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 31 such sidechains are listed below:

Mol	Chain	Res	Type
21	Q	37	GLN
43	m	118	ASN
27	X	17	ASN
47	r	21	ASN
39	c	133	GLN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
30	a	1532/1554 (98%)	306 (19%)	0
37	w	76/77 (98%)	13 (17%)	0
37	y	76/77 (98%)	12 (15%)	0
38	8	5/6 (83%)	1 (20%)	0
7	A	2736/2925 (93%)	341 (12%)	82 (2%)
8	B	111/119 (93%)	16 (14%)	5 (4%)
All	All	4536/4758 (95%)	689 (15%)	87 (1%)

5 of 689 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
7	A	12	A
7	A	13	A
7	A	34	U
7	A	45	G
7	A	46	C

5 of 87 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
7	A	1691	A
7	A	2349	A
7	A	1791	A
7	A	2064	G
7	A	2533	U

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

3 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	OMG	A	2280	37,52,7	18,26,27	0.94	1 (5%)	19,38,41	0.97	2 (10%)
7	2MA	A	2532	52,51,7	17,25,26	0.96	2 (11%)	17,37,40	0.96	1 (5%)
7	PSU	A	2718	7	18,21,22	0.93	1 (5%)	22,30,33	0.82	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	OMG	A	2280	37,52,7	-	1/5/27/28	0/3/3/3
7	2MA	A	2532	52,51,7	-	2/3/25/26	0/3/3/3
7	PSU	A	2718	7	-	1/7/25/26	0/2/2/2

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	2718	PSU	C6-C5	3.35	1.39	1.35
7	A	2280	OMG	C5-C6	-2.53	1.42	1.47
7	A	2532	2MA	C5-C4	-2.35	1.37	1.43
7	A	2532	2MA	C2-N3	2.18	1.35	1.31

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	2532	2MA	CM2-C2-N1	2.77	122.40	116.23
7	A	2280	OMG	O2'-C2'-C1'	2.20	113.45	109.09
7	A	2280	OMG	O6-C6-C5	2.14	128.56	124.37

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	A	2280	OMG	C1'-C2'-O2'-CM2
7	A	2718	PSU	O4'-C4'-C5'-O5'
7	A	2532	2MA	C4'-C5'-O5'-P
7	A	2532	2MA	O4'-C4'-C5'-O5'

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 248 ligands modelled in this entry, 247 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
53	PRO	y	101	37	5,7,8	0.67	0	7,8,10	0.87	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
53	PRO	y	101	37	-	0/0/9/11	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-18332. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 210




Y Index: 210




Z Index: 210


6.2.2 Raw map



X Index: 210



Y Index: 210




Z Index: 210


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 206




Y Index: 253




Z Index: 221


6.3.2 Raw map



X Index: 206



Y Index: 232




Z Index: 221


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.052. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 238 nm³; this corresponds to an approximate mass of 215 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.435 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.435 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.30	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	2.59	2.98	2.63

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 2.59 differs from the reported value 2.3 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-18332 and PDB model 8QCQ. Per-residue inclusion information can be found in section [3](#) on page [15](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.052 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.052).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 45% of all backbone atoms, 51% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

































The table lists the average atom inclusion at the recommended contour level (0.052) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.5110	 0.6100
0	 0.7220	 0.7030
1	 0.2310	 0.6110
2	 0.8900	 0.7690
3	 0.8190	 0.7380
4	 0.6400	 0.6880
6	 0.0140	 0.4150
7	 0.6980	 0.7540
8	 0.6670	 0.6950
A	 0.7460	 0.6950
B	 0.3720	 0.5930
C	 0.7190	 0.7150
D	 0.7220	 0.7280
E	 0.5750	 0.6870
F	 0.0490	 0.4810
G	 0.0850	 0.4670
J	 0.7340	 0.7280
K	 0.6980	 0.7100
L	 0.5780	 0.6730
M	 0.7080	 0.7100
N	 0.7540	 0.7170
O	 0.2020	 0.5660
P	 0.5950	 0.6710
Q	 0.7840	 0.7390
R	 0.5710	 0.6890
S	 0.7460	 0.7230
T	 0.4760	 0.6400
U	 0.3770	 0.6040
W	 0.7440	 0.7180
X	 0.4120	 0.6100
Y	 0.2130	 0.5540
Z	 0.6320	 0.6760
a	 0.2780	 0.5060
c	 0.0850	 0.4600
e	 0.1180	 0.4480



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
f	 0.0560	 0.4670
g	 0.0320	 0.4210
h	 0.0640	 0.3840
i	 0.0590	 0.4190
j	 0.0860	 0.4040
k	 0.0390	 0.3610
l	 0.1100	 0.5030
m	 0.0570	 0.4470
n	 0.1950	 0.6070
o	 0.1460	 0.4810
q	 0.0130	 0.3100
r	 0.0590	 0.4520
s	 0.0570	 0.4710
t	 0.0160	 0.2970
w	 0.2920	 0.5340
y	 0.3130	 0.5500