



wwPDB X-ray Structure Validation Summary Report ⓘ

Sep 4, 2024 – 01:30 pm BST

PDB ID : 8QDE
Title : Crystal structure of a truncated human L-Lactate Dehydrogenase B protein
in complex with NADH and oxamate
Authors : Van Gysel, M.; Wouters, J.
Deposited on : 2023-08-29
Resolution : 2.98 Å (reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.002 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.38.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.98 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	3360 (3.00-2.96)
Clashscore	180529	3751 (3.00-2.96)
Ramachandran outliers	177936	3628 (3.00-2.96)
Sidechain outliers	177891	3631 (3.00-2.96)
RSRZ outliers	164620	3372 (3.00-2.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	330	
1	B	330	
1	C	330	
1	D	330	

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 10189 atoms, of which 108 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called L-lactate dehydrogenase B chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	318	2461	1567	416	465	13	46	0	0
1	B	319	2471	1575	418	464	14	14	0	0
1	C	309	2384	1521	400	449	14	35	0	0
1	D	308	2375	1520	396	445	14	57	0	0

There are 64 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	19	MET	-	initiating methionine	UNP P07195
A	334	GLU	-	expression tag	UNP P07195
A	335	ASN	-	expression tag	UNP P07195
A	336	LEU	-	expression tag	UNP P07195
A	337	TYR	-	expression tag	UNP P07195
A	338	PHE	-	expression tag	UNP P07195
A	339	GLN	-	expression tag	UNP P07195
A	340	GLY	-	expression tag	UNP P07195
A	341	LEU	-	expression tag	UNP P07195
A	342	GLU	-	expression tag	UNP P07195
A	343	HIS	-	expression tag	UNP P07195
A	344	HIS	-	expression tag	UNP P07195
A	345	HIS	-	expression tag	UNP P07195
A	346	HIS	-	expression tag	UNP P07195
A	347	HIS	-	expression tag	UNP P07195
A	348	HIS	-	expression tag	UNP P07195
B	19	MET	-	initiating methionine	UNP P07195
B	334	GLU	-	expression tag	UNP P07195
B	335	ASN	-	expression tag	UNP P07195
B	336	LEU	-	expression tag	UNP P07195
B	337	TYR	-	expression tag	UNP P07195

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	338	PHE	-	expression tag	UNP P07195
B	339	GLN	-	expression tag	UNP P07195
B	340	GLY	-	expression tag	UNP P07195
B	341	LEU	-	expression tag	UNP P07195
B	342	GLU	-	expression tag	UNP P07195
B	343	HIS	-	expression tag	UNP P07195
B	344	HIS	-	expression tag	UNP P07195
B	345	HIS	-	expression tag	UNP P07195
B	346	HIS	-	expression tag	UNP P07195
B	347	HIS	-	expression tag	UNP P07195
B	348	HIS	-	expression tag	UNP P07195
C	19	MET	-	initiating methionine	UNP P07195
C	334	GLU	-	expression tag	UNP P07195
C	335	ASN	-	expression tag	UNP P07195
C	336	LEU	-	expression tag	UNP P07195
C	337	TYR	-	expression tag	UNP P07195
C	338	PHE	-	expression tag	UNP P07195
C	339	GLN	-	expression tag	UNP P07195
C	340	GLY	-	expression tag	UNP P07195
C	341	LEU	-	expression tag	UNP P07195
C	342	GLU	-	expression tag	UNP P07195
C	343	HIS	-	expression tag	UNP P07195
C	344	HIS	-	expression tag	UNP P07195
C	345	HIS	-	expression tag	UNP P07195
C	346	HIS	-	expression tag	UNP P07195
C	347	HIS	-	expression tag	UNP P07195
C	348	HIS	-	expression tag	UNP P07195
D	19	MET	-	initiating methionine	UNP P07195
D	334	GLU	-	expression tag	UNP P07195
D	335	ASN	-	expression tag	UNP P07195
D	336	LEU	-	expression tag	UNP P07195
D	337	TYR	-	expression tag	UNP P07195
D	338	PHE	-	expression tag	UNP P07195
D	339	GLN	-	expression tag	UNP P07195
D	340	GLY	-	expression tag	UNP P07195
D	341	LEU	-	expression tag	UNP P07195
D	342	GLU	-	expression tag	UNP P07195
D	343	HIS	-	expression tag	UNP P07195
D	344	HIS	-	expression tag	UNP P07195
D	345	HIS	-	expression tag	UNP P07195
D	346	HIS	-	expression tag	UNP P07195
D	347	HIS	-	expression tag	UNP P07195

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	348	HIS	-	expression tag	UNP P07195

- Molecule 2 is 1,4-DIHYDRONICOTINAMIDE ADENINE DINUCLEOTIDE (three-letter code: NAI) (formula: C₂₁H₂₉N₇O₁₄P₂) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	H	N	O			P
2	A	1	Total	C	H	N	O	P	0	0
			71	21	27	7	14	2		
2	B	1	Total	C	H	N	O	P	0	0
			71	21	27	7	14	2		
2	C	1	Total	C	H	N	O	P	0	0
			71	21	27	7	14	2		
2	D	1	Total	C	H	N	O	P	0	0
			71	21	27	7	14	2		

- Molecule 3 is OXAMIC ACID (three-letter code: OXM) (formula: C₂H₃NO₃) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
3	A	1	Total 6	C 2	N 1	O 3	0	0
3	B	1	Total 6	C 2	N 1	O 3	0	0
3	C	1	Total 6	C 2	N 1	O 3	0	0
3	D	1	Total 6	C 2	N 1	O 3	0	0

- Molecule 4 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula: $C_6H_{14}O_4$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			10	6	4		
4	B	1	Total	C	O	0	0
			10	6	4		
4	C	1	Total	C	O	0	0
			10	6	4		

- Molecule 5 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	S	0	0
			5	4	1		
5	A	1	Total	O	S	0	0
			5	4	1		
5	A	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		
5	C	1	Total	O	S	0	0
			5	4	1		
5	C	1	Total	O	S	0	0
			5	4	1		
5	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 6 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C₄H₁₀O₃).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	1	Total	C O	0	0
			7	4 3		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	28	Total	O	0	0
			28	28		
7	B	35	Total	O	0	0
			35	35		
7	C	32	Total	O	0	0
			32	32		
7	D	23	Total	O	0	0
			23	23		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: L-lactate dehydrogenase B chain




- Molecule 1: L-lactate dehydrogenase B chain




- Molecule 1: L-lactate dehydrogenase B chain





• Molecule 1: L-lactate dehydrogenase B chain



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	71.53Å 85.66Å 207.10Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	44.31 – 2.98 44.31 – 2.98	Depositor EDS
% Data completeness (in resolution range)	99.8 (44.31-2.98) 99.9 (44.31-2.98)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.33 (at 2.96Å)	Xtrriage
Refinement program	PHENIX 1.19.2_4158	Depositor
R, R_{free}	0.231 , 0.310 0.231 , 0.311	Depositor DCC
R_{free} test set	1341 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	63.8	Xtrriage
Anisotropy	0.126	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 62.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	10189	wwPDB-VP
Average B, all atoms (Å ²)	61.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 12.45% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, PGE, NAI, PEG, OXM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.23	0/2500	0.42	0/3385
1	B	0.24	0/2512	0.41	0/3402
1	C	0.23	0/2423	0.41	0/3283
1	D	0.24	0/2414	0.41	0/3269
All	All	0.24	0/9849	0.41	0/13339

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	339	GLN	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2461	0	2518	62	0
1	B	2471	0	2528	79	1
1	C	2384	0	2446	78	1
1	D	2375	0	2437	84	0
2	A	44	27	27	1	0
2	B	44	27	27	6	0
2	C	44	27	27	5	0
2	D	44	27	27	5	0
3	A	6	0	2	0	0
3	B	6	0	2	0	0
3	C	6	0	2	1	0
3	D	6	0	2	0	0
4	A	10	0	14	1	0
4	B	10	0	14	2	0
4	C	10	0	14	1	0
5	A	15	0	0	0	0
5	B	5	0	0	0	0
5	C	10	0	0	0	0
5	D	5	0	0	0	0
6	B	7	0	10	0	0
7	A	28	0	0	1	0
7	B	35	0	0	0	0
7	C	32	0	0	0	0
7	D	23	0	0	0	0
All	All	10081	108	10097	279	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

The worst 5 of 279 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:112:ARG:NH1	1:D:139:PRO:HD3	1.79	0.97
1:C:174:MET:HE2	1:C:185:CYS:HB2	1.57	0.87
1:A:223:ASP:OD2	1:A:228:LYS:HD3	1.75	0.86
1:C:174:MET:CE	1:C:185:CYS:HB2	2.05	0.86
1:B:146:VAL:HG13	1:B:333:LEU:HD11	1.59	0.82

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:337:TYR:OH	1:C:224:SER:OG[4_587]	2.17	0.03

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	314/330 (95%)	289 (92%)	25 (8%)	0	100	100
1	B	315/330 (96%)	289 (92%)	23 (7%)	3 (1%)	13	43
1	C	305/330 (92%)	286 (94%)	19 (6%)	0	100	100
1	D	302/330 (92%)	279 (92%)	23 (8%)	0	100	100
All	All	1236/1320 (94%)	1143 (92%)	90 (7%)	3 (0%)	44	74

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	341	LEU
1	B	226	ASN
1	B	342	GLU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	278/289 (96%)	275 (99%)	3 (1%)	70	86
1	B	279/289 (96%)	277 (99%)	2 (1%)	81	91

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	270/289 (93%)	266 (98%)	4 (2%)	60	82
1	D	268/289 (93%)	264 (98%)	4 (2%)	60	82
All	All	1095/1156 (95%)	1082 (99%)	13 (1%)	67	85

5 of 13 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	325	ASP
1	C	332	ASP
1	D	331	LYS
1	D	131	CYS
1	D	195	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 6 such sidechains are listed below:

Mol	Chain	Res	Type
1	B	315	GLN
1	C	66	GLN
1	D	123	GLN
1	B	30	GLN
1	A	327	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

19 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	OXM	B	402	-	5,5,5	2.61	2 (40%)	4,6,6	1.74	1 (25%)
3	OXM	A	402	-	5,5,5	2.62	2 (40%)	4,6,6	1.71	1 (25%)
5	SO4	A	404	-	4,4,4	0.14	0	6,6,6	0.05	0
4	PGE	C	403	-	9,9,9	0.52	0	8,8,8	0.49	0
4	PGE	A	403	-	9,9,9	0.52	0	8,8,8	0.47	0
5	SO4	C	404	-	4,4,4	0.14	0	6,6,6	0.04	0
5	SO4	C	405	-	4,4,4	0.14	0	6,6,6	0.05	0
3	OXM	C	402	-	5,5,5	2.62	2 (40%)	4,6,6	1.73	1 (25%)
5	SO4	A	405	-	4,4,4	0.14	0	6,6,6	0.05	0
6	PEG	B	403	-	6,6,6	0.49	0	5,5,5	0.41	0
3	OXM	D	402	-	5,5,5	2.60	2 (40%)	4,6,6	1.73	1 (25%)
5	SO4	A	406	-	4,4,4	0.14	0	6,6,6	0.08	0
2	NAI	A	401	-	42,48,48	1.91	9 (21%)	47,73,73	2.11	9 (19%)
2	NAI	B	401	-	42,48,48	1.88	7 (16%)	47,73,73	2.23	15 (31%)
4	PGE	B	404	-	9,9,9	0.52	0	8,8,8	0.46	0
2	NAI	C	401	-	42,48,48	1.89	8 (19%)	47,73,73	2.05	11 (23%)
5	SO4	B	405	-	4,4,4	0.14	0	6,6,6	0.05	0
5	SO4	D	403	-	4,4,4	0.14	0	6,6,6	0.05	0
2	NAI	D	401	-	42,48,48	1.88	8 (19%)	47,73,73	2.00	10 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAI	B	401	-	-	7/25/72/72	0/5/5/5
2	NAI	C	401	-	-	6/25/72/72	0/5/5/5
3	OXM	A	402	-	-	0/3/4/4	-
3	OXM	B	402	-	-	1/3/4/4	-
3	OXM	C	402	-	-	0/3/4/4	-
4	PGE	C	403	-	-	2/7/7/7	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	PGE	A	403	-	-	4/7/7/7	-
6	PEG	B	403	-	-	0/4/4/4	-
2	NAI	D	401	-	-	4/25/72/72	0/5/5/5
3	OXM	D	402	-	-	0/3/4/4	-
4	PGE	B	404	-	-	3/7/7/7	-
2	NAI	A	401	-	-	3/25/72/72	0/5/5/5

The worst 5 of 40 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401	NAI	PN-O2N	6.73	1.74	1.50
2	D	401	NAI	PN-O2N	6.32	1.73	1.50
2	C	401	NAI	PN-O2N	6.29	1.73	1.50
2	B	401	NAI	PN-O2N	6.27	1.73	1.50
2	B	401	NAI	PA-O5B	4.76	1.78	1.59

The worst 5 of 49 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	401	NAI	O4D-C1D-N1N	8.23	124.15	108.06
2	A	401	NAI	O4D-C1D-N1N	6.96	121.66	108.06
2	D	401	NAI	O4D-C1D-N1N	6.22	120.22	108.06
2	D	401	NAI	PN-O3-PA	-5.67	113.36	132.83
2	C	401	NAI	O4D-C1D-N1N	5.45	118.70	108.06

There are no chirality outliers.

5 of 30 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	401	NAI	O4D-C1D-N1N-C2N
2	C	401	NAI	PN-O3-PA-O5B
2	C	401	NAI	C2N-C3N-C7N-N7N
2	D	401	NAI	C2N-C3N-C7N-N7N
2	B	401	NAI	O4D-C4D-C5D-O5D

There are no ring outliers.

8 monomers are involved in 22 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	C	403	PGE	1	0


Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	403	PGE	1	0
3	C	402	OXM	1	0
2	A	401	NAI	1	0
2	B	401	NAI	6	0
4	B	404	PGE	2	0
2	C	401	NAI	5	0
2	D	401	NAI	5	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	317/330 (96%)	0.25	7 (2%) 62 45	28, 55, 82, 107	9 (2%)
1	B	319/330 (96%)	0.17	3 (0%) 81 67	31, 56, 76, 89	3 (0%)
1	C	309/330 (93%)	0.36	10 (3%) 50 34	21, 62, 84, 91	6 (1%)
1	D	308/330 (93%)	0.36	9 (2%) 54 37	10, 61, 86, 101	11 (3%)
All	All	1253/1320 (94%)	0.28	29 (2%) 61 44	10, 58, 82, 107	29 (2%)

The worst 5 of 29 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	84	SER	3.9
1	D	327	GLN	3.6
1	A	215	ASN	3.5
1	D	112	ARG	3.3
1	A	336	LEU	3.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	PGE	A	403	10/10	0.70	0.17	50,66,75,76	0
5	SO4	C	405	5/5	0.70	0.14	75,90,90,98	0
6	PEG	B	403	7/7	0.75	0.16	54,56,63,65	0
3	OXM	B	402	6/6	0.79	0.18	63,64,71,82	0
5	SO4	A	404	5/5	0.81	0.12	76,84,96,103	0
3	OXM	D	402	6/6	0.82	0.15	55,64,77,87	0
3	OXM	C	402	6/6	0.83	0.14	59,61,66,70	0
5	SO4	A	406	5/5	0.84	0.12	73,76,87,89	0
2	NAI	D	401	44/44	0.86	0.11	49,71,88,89	0
5	SO4	C	404	5/5	0.86	0.11	59,60,68,82	0
2	NAI	B	401	44/44	0.87	0.11	50,68,84,90	0
2	NAI	A	401	44/44	0.88	0.11	47,60,76,77	0
3	OXM	A	402	6/6	0.89	0.15	50,57,62,65	0
2	NAI	C	401	44/44	0.89	0.10	55,71,89,98	0
4	PGE	B	404	10/10	0.92	0.11	39,44,55,57	0
4	PGE	C	403	10/10	0.93	0.09	38,44,49,52	0
5	SO4	D	403	5/5	0.96	0.06	46,47,49,59	0
5	SO4	A	405	5/5	0.96	0.10	48,53,57,64	0
5	SO4	B	405	5/5	0.97	0.05	47,49,53,54	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around OXM B 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OXM D 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OXM C 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAI D 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAI B 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAI A 401:**


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around OXM A 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.