



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 18, 2022 – 10:17 am BST

PDB ID : 7QQO
Title : SpCas9 bound to AAVS1 off-target1 DNA substrate
Authors : Pacesa, M.; Jinek, M.
Deposited on : 2022-01-10
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtrriage (Phenix) : 1.13
EDS : 2.31.2
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0267
CCP4 : 7.1.010 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2092 (3.00-3.00)
Clashscore	141614	2416 (3.00-3.00)
Ramachandran outliers	138981	2333 (3.00-3.00)
Sidechain outliers	138945	2336 (3.00-3.00)
RSRZ outliers	127900	1990 (3.00-3.00)
RNA backbone	3102	1173 (3.30-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	84	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="width: 44%; height: 10px; background-color: green;"></div> <div style="width: 48%; height: 10px; background-color: yellow;"></div> <div style="width: 8%; height: 10px; background-color: orange;"></div> </div>
2	B	1368	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red;"></div> <div style="width: 80%; height: 10px; background-color: green;"></div> <div style="width: 16%; height: 10px; background-color: yellow;"></div> <div style="width: 2%; height: 10px; background-color: grey;"></div> </div>
3	C	28	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="width: 36%; height: 10px; background-color: green;"></div> <div style="width: 64%; height: 10px; background-color: yellow;"></div> </div>
4	D	13	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="width: 8%; height: 10px; background-color: red;"></div> <div style="width: 62%; height: 10px; background-color: green;"></div> <div style="width: 15%; height: 10px; background-color: yellow;"></div> <div style="width: 23%; height: 10px; background-color: grey;"></div> </div>

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 13502 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called AAVS1 sgRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
1	A	84	1772	790	331	568	83	0	0	1

- Molecule 2 is a protein called CRISPR-associated endonuclease Cas9/Csn1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	1328	10854	6917	1884	2031	22	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	10	ALA	ASP	engineered mutation	UNP Q99ZW2
B	840	ALA	HIS	engineered mutation	UNP Q99ZW2

- Molecule 3 is a DNA chain called AAVS1 off-target1 target strand.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
3	C	28	558	268	95	168	27	0	0	0

- Molecule 4 is a DNA chain called AAVS1 off-target1 non-target strand.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
4	D	10	207	100	38	60	9	0	0	0

- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	2	Total	Mg	0	0
			2	2		

- Molecule 6 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	5	Total K 5 5	0	0
6	B	7	Total K 7 7	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	36	Total O 36 36	0	0
7	B	52	Total O 52 52	0	0
7	C	6	Total O 6 6	0	0
7	D	3	Total O 3 3	0	0


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: AAVS1 sgRNA




- Molecule 2: CRISPR-associated endonuclease Cas9/Csn1






- Molecule 3: AAVS1 off-target1 target strand



- Molecule 4: AAVS1 off-target1 non-target strand



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	178.07Å 67.67Å 188.44Å 90.00° 111.42° 90.00°	Depositor
Resolution (Å)	47.95 – 3.00 47.95 – 3.00	Depositor EDS
% Data completeness (in resolution range)	98.9 (47.95-3.00) 98.9 (47.95-3.00)	Depositor EDS
R_{merge}	0.22	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.19 (at 3.01Å)	Xtriage
Refinement program	PHENIX 1.17.1_3660	Depositor
R, R_{free}	0.212 , 0.247 0.212 , 0.247	Depositor DCC
R_{free} test set	2087 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	83.6	Xtriage
Anisotropy	0.471	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	(Not available) , (Not available)	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	13502	wwPDB-VP
Average B, all atoms (Å ²)	100.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.73% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: K, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.33	0/1987	0.96	0/3100
2	B	0.26	0/11043	0.43	0/14835
3	C	0.69	0/622	1.08	1/955 (0.1%)
4	D	0.69	0/232	1.04	0/358
All	All	0.32	0/13884	0.61	1/19248 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	4	DC	O4'-C4'-C3'	-5.16	102.44	104.50

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1772	0	883	34	0
2	B	10854	0	11027	140	0
3	C	558	0	317	14	0
4	D	207	0	116	3	0
5	A	2	0	0	0	0
6	A	5	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	B	7	0	0	0	0
7	A	36	0	0	0	0
7	B	52	0	0	1	0
7	C	6	0	0	0	0
7	D	3	0	0	0	0
All	All	13502	0	12343	179	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (179) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:262:ALA:HB1	2:B:278:LEU:HD12	1.70	0.74
2:B:158:LEU:HD22	2:B:419:LEU:HD12	1.70	0.71
3:C:14:DT:H2'	3:C:15:DG:C8	2.27	0.69
2:B:780:ARG:NH1	2:B:806:LEU:O	2.26	0.69
2:B:168:PHE:HB2	2:B:447:ARG:HH11	1.59	0.68
2:B:1114:ARG:NH1	4:D:4:DA:OP1	2.27	0.68
2:B:967:ARG:NH1	2:B:986:ASP:OD1	2.28	0.67
2:B:80:CYS:SG	7:B:1542:HOH:O	2.53	0.66
1:A:46:A:H2'	1:A:47:A:C8	2.30	0.65
3:C:14:DT:H2'	3:C:15:DG:H8	1.61	0.65
2:B:1215:ALA:HB2	2:B:1221:GLN:HG3	1.79	0.65
1:A:9:U:H3	3:C:12:DG:H1	1.43	0.64
2:B:184:LEU:HD12	2:B:299:ALA:HB2	1.80	0.64
2:B:82:LEU:HD22	2:B:162:ILE:HD12	1.80	0.64
2:B:936:ASP:OD1	2:B:951:ARG:NH1	2.30	0.63
2:B:1212:ARG:NH2	2:B:1280:VAL:O	2.32	0.62
1:A:46:A:H2'	1:A:47:A:H8	1.63	0.62
2:B:704:PHE:O	2:B:708:ILE:HG12	1.99	0.62
2:B:279:LEU:O	2:B:283:GLY:N	2.34	0.61
2:B:489:GLN:HG3	2:B:625:LEU:HD21	1.83	0.61
1:A:22:U:H2'	1:A:23:U:C6	2.36	0.61
2:B:256:PHE:HB2	2:B:258:LEU:HD13	1.84	0.59
1:A:27:G:N2	1:A:44:U:OP2	2.36	0.59
1:A:77:A:H2'	1:A:78:A:C8	2.38	0.59
2:B:168:PHE:HB2	2:B:447:ARG:NH1	2.19	0.58
2:B:668:ASN:OD1	2:B:678:THR:HG21	2.04	0.58
2:B:763:MET:HE1	2:B:931:VAL:HG21	1.86	0.58
2:B:557:ARG:NH2	2:B:596:ASP:OD1	2.36	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:213:SER:HB2	2:B:303:SER:HB2	1.87	0.57
2:B:195:LEU:HD11	2:B:286:TYR:HA	1.87	0.56
2:B:787:GLY:O	2:B:791:LEU:HB2	2.05	0.56
2:B:1002:PRO:HD3	2:B:1066:ASN:HD21	1.70	0.56
2:B:1281:ILE:HD11	2:B:1316:THR:HG22	1.87	0.56
2:B:787:GLY:HA3	2:B:891:LEU:HD21	1.88	0.56
2:B:119:PHE:HE2	2:B:128:TYR:HB2	1.69	0.56
2:B:822:MET:HG3	2:B:883:TRP:HE1	1.71	0.56
2:B:817:GLN:O	2:B:882:TYR:OH	2.23	0.56
2:B:400:ARG:NH2	2:B:406:ASP:OD2	2.38	0.55
1:A:3:G:H2'	1:A:4:G:H8	1.70	0.55
3:C:17:DT:H2'	3:C:18:DC:C6	2.41	0.55
1:A:70:C:H2'	1:A:71:U:C6	2.42	0.54
2:B:915:GLY:O	2:B:918:LYS:HG2	2.07	0.54
2:B:838:VAL:HG12	2:B:855:LYS:HE2	1.89	0.54
2:B:1216:SER:OG	2:B:1217:ALA:N	2.41	0.53
2:B:175:ASN:HD21	2:B:178:ASN:ND2	2.06	0.53
1:A:41:A:OP2	2:B:340:ARG:NH2	2.39	0.52
2:B:349:GLU:HG3	2:B:356:LYS:HG3	1.91	0.52
3:C:8:DC:H2'	3:C:9:DC:C6	2.45	0.52
3:C:13:DA:H2'	3:C:14:DT:C6	2.45	0.51
2:B:1151:LYS:HD2	2:B:1158:LYS:HD2	1.92	0.51
2:B:1208:ASN:O	2:B:1279:ARG:NH2	2.44	0.51
1:A:22:U:H2'	1:A:23:U:H6	1.76	0.51
1:A:37:U:H2'	1:A:38:A:C8	2.45	0.51
2:B:777:SER:HB2	2:B:803:ASN:HB2	1.93	0.51
2:B:306:LEU:HD21	2:B:414:ILE:HD13	1.92	0.50
3:C:-5:DA:H1'	3:C:-4:DT:H5'	1.94	0.50
1:A:70:C:H2'	1:A:71:U:H6	1.76	0.50
3:C:-6:DA:H8	3:C:-6:DA:OP2	1.95	0.50
1:A:8:C:H4'	2:B:894:GLN:HB2	1.94	0.49
2:B:284:ASP:N	2:B:284:ASP:OD1	2.43	0.49
3:C:8:DC:H2'	3:C:9:DC:H6	1.77	0.49
2:B:406:ASP:N	2:B:406:ASP:OD1	2.44	0.49
2:B:841:ILE:O	2:B:864:ARG:NH2	2.45	0.49
2:B:1122:ARG:HG2	2:B:1134:PHE:CE2	2.48	0.49
1:A:37:U:H2'	1:A:38:A:H8	1.77	0.49
2:B:148:LYS:HE3	2:B:430:TYR:CZ	2.47	0.49
2:B:276:ASP:HB3	2:B:599:LYS:NZ	2.27	0.49
1:A:3:G:H2'	1:A:4:G:C8	2.47	0.49
2:B:784:ILE:HD11	2:B:812:TYR:CD1	2.48	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:24:U:H2'	1:A:25:U:C6	2.48	0.49
2:B:898:ASP:O	2:B:905:ARG:NH2	2.46	0.49
2:B:1042:ILE:HG23	2:B:1043:MET:HG2	1.94	0.49
1:A:34:A:H8	1:A:34:A:P	2.36	0.48
2:B:730:SER:O	2:B:733:ILE:HG22	2.13	0.48
2:B:1147:ALA:HB2	2:B:1190:VAL:HG12	1.95	0.48
2:B:521:TYR:HB3	2:B:683:LEU:HB3	1.96	0.48
2:B:654:ARG:HD2	2:B:656:TYR:CE2	2.48	0.48
1:A:54:G:H2'	1:A:55:C:C6	2.49	0.48
2:B:1335:ARG:NH2	4:D:2:DG:O6	2.47	0.48
1:A:26:A:OP1	2:B:115:ARG:NH1	2.47	0.48
1:A:16:A:O3'	2:B:448:ILE:HB	2.13	0.47
2:B:1281:ILE:HD11	2:B:1316:THR:HA	1.96	0.47
1:A:17:G:N7	2:B:71:ARG:NH2	2.63	0.47
2:B:1357:GLU:OE1	2:B:1359:ARG:NH1	2.45	0.47
3:C:2:DT:H2'	3:C:3:DC:H6	1.80	0.47
2:B:810:LYS:HE2	2:B:838:VAL:HG23	1.97	0.47
2:B:240:ASN:ND2	2:B:255:ASN:OD1	2.31	0.47
2:B:288:ASP:OD1	2:B:289:LEU:N	2.48	0.47
1:A:32:A:H2'	1:A:33:G:O4'	2.14	0.47
2:B:880:LYS:HE3	2:B:897:PHE:HZ	1.81	0.47
2:B:901:THR:O	2:B:904:GLU:HG2	2.15	0.47
2:B:1308:ASN:HB3	2:B:1326:TYR:CD1	2.50	0.46
1:A:4:G:OP1	2:B:661:ARG:NE	2.49	0.46
2:B:830:ILE:O	2:B:833:LEU:HG	2.15	0.46
3:C:13:DA:H2'	3:C:14:DT:H6	1.80	0.46
1:A:61:C:OP2	2:B:70:ARG:HD3	2.16	0.46
2:B:1117:ASP:OD1	2:B:1117:ASP:N	2.46	0.46
1:A:34:A:H8	1:A:34:A:OP1	1.99	0.46
2:B:600:ILE:HG23	2:B:650:GLN:HB3	1.98	0.46
1:A:33:G:H5'	1:A:34:A:OP2	2.17	0.45
2:B:1047:LYS:O	2:B:1076:LYS:NZ	2.29	0.45
2:B:643:PHE:HB2	2:B:648:MET:HG2	1.99	0.45
2:B:1306:ALA:O	2:B:1310:ILE:HG12	2.16	0.45
2:B:846:PHE:O	2:B:916:PHE:HB3	2.16	0.45
2:B:1232:TYR:OH	2:B:1268:GLU:OE1	2.21	0.45
2:B:614:ASP:OD1	2:B:664:ARG:NH2	2.48	0.45
2:B:1136:SER:HA	4:D:2:DG:O3'	2.17	0.45
2:B:1163:LEU:HD23	2:B:1163:LEU:HA	1.84	0.45
2:B:1110:ILE:HG23	2:B:1122:ARG:HD2	1.99	0.44
2:B:195:LEU:HD12	2:B:289:LEU:HB2	1.98	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:756:PRO:HD2	2:B:939:MET:HE2	2.00	0.44
2:B:165:ARG:O	2:B:412:HIS:HA	2.18	0.44
2:B:185:PHE:HE1	2:B:225:LEU:HD21	1.83	0.44
2:B:314:LYS:HB3	2:B:314:LYS:HE2	1.79	0.44
2:B:473:ILE:HD13	2:B:482:VAL:HG22	1.98	0.44
2:B:654:ARG:HD3	2:B:655:ARG:N	2.32	0.44
2:B:265:GLN:HG2	2:B:267:SER:H	1.83	0.44
2:B:939:MET:HE2	2:B:953:VAL:HG21	1.99	0.44
2:B:465:MET:HE2	2:B:465:MET:HB3	1.86	0.44
2:B:468:LYS:N	2:B:481:VAL:O	2.49	0.44
2:B:821:ASP:OD1	2:B:822:MET:N	2.51	0.44
1:A:48:A:H2'	1:A:49:A:C8	2.53	0.43
2:B:892:ILE:HB	2:B:896:LYS:HD3	2.00	0.43
2:B:784:ILE:HD11	2:B:812:TYR:HD1	1.83	0.43
2:B:870:VAL:HG11	2:B:902:LYS:HB3	2.00	0.43
2:B:1229:PRO:HD2	2:B:1232:TYR:HD2	1.83	0.43
3:C:10:DC:H2'	3:C:11:DT:C6	2.52	0.43
1:A:30:C:H2'	1:A:31:U:C6	2.53	0.43
2:B:513:LEU:HD12	2:B:616:LEU:HB3	2.01	0.43
2:B:846:PHE:HB3	2:B:916:PHE:HD2	1.83	0.43
2:B:1284:ASP:N	2:B:1284:ASP:OD1	2.52	0.43
2:B:266:LEU:HD23	2:B:266:LEU:HA	1.78	0.43
2:B:478:PHE:CE1	2:B:482:VAL:HG21	2.54	0.43
2:B:870:VAL:HG13	2:B:871:PRO:HD2	1.99	0.43
2:B:107:VAL:HG13	2:B:1131:TYR:CE1	2.54	0.43
2:B:1044:ASN:HB3	2:B:1050:ILE:HG21	2.02	0.42
2:B:439:LYS:HG2	2:B:476:TRP:CD1	2.54	0.42
2:B:758:ASN:OD1	2:B:954:LYS:HE3	2.19	0.42
2:B:9:LEU:HD12	2:B:761:ILE:HG22	2.00	0.42
1:A:6:C:H2'	1:A:7:A:C8	2.55	0.42
1:A:71:U:H2'	1:A:72:U:C6	2.55	0.42
2:B:514:LEU:HD21	2:B:668:ASN:HB2	2.02	0.42
2:B:584:GLU:O	2:B:586:ARG:N	2.52	0.42
2:B:5:TYR:CZ	2:B:751:MET:HG3	2.54	0.42
2:B:250:PRO:HD2	2:B:264:LEU:O	2.18	0.42
2:B:756:PRO:O	2:B:953:VAL:HG22	2.20	0.42
2:B:48:ILE:HG12	2:B:984:ALA:HB1	2.02	0.42
2:B:271:TYR:HA	2:B:274:ASP:HB2	2.02	0.42
2:B:1114:ARG:HD2	2:B:1116:SER:HB2	2.01	0.42
2:B:1206:LEU:HD22	2:B:1210:ARG:NH1	2.35	0.42
1:A:4:G:C5	1:A:5:C:C5	3.08	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:68:A:N3	2:B:1349:HIS:HB3	2.35	0.42
2:B:1119:LEU:HD23	2:B:1119:LEU:HA	1.94	0.42
2:B:308:VAL:HG11	2:B:319:ALA:HB3	2.01	0.41
2:B:174:LEU:HD12	2:B:174:LEU:HA	1.94	0.41
2:B:956:ILE:HA	2:B:1008:PHE:O	2.21	0.41
2:B:976:ARG:HG2	2:B:982:HIS:NE2	2.35	0.41
2:B:342:GLN:HB2	2:B:383:MET:HE3	2.01	0.41
2:B:1183:GLU:HA	2:B:1187:TYR:O	2.21	0.41
2:B:292:ALA:HA	2:B:295:ASN:ND2	2.36	0.41
2:B:851:SER:O	2:B:855:LYS:HG3	2.21	0.41
2:B:1163:LEU:HD21	2:B:1198:LEU:HD12	2.02	0.41
2:B:195:LEU:HD13	2:B:286:TYR:CD1	2.56	0.41
2:B:5:TYR:CE2	2:B:756:PRO:HB3	2.56	0.41
1:A:34:A:H2'	1:A:35:A:C8	2.56	0.41
2:B:8:GLY:HA3	2:B:991:ALA:HB2	2.03	0.41
2:B:1000:LYS:HG3	2:B:1001:TYR:CE1	2.56	0.41
2:B:1002:PRO:CD	2:B:1066:ASN:HD21	2.31	0.41
2:B:305:ILE:HG22	2:B:306:LEU:HD23	2.03	0.40
2:B:312:ILE:HG13	2:B:313:THR:HG22	2.03	0.40
2:B:131:LYS:HG2	2:B:132:TYR:CE1	2.56	0.40
2:B:214:ALA:O	2:B:221:ARG:HD3	2.22	0.40
2:B:1219:GLU:OE2	2:B:1335:ARG:HD2	2.21	0.40
3:C:-7:DC:H2'	3:C:-6:DA:C8	2.56	0.40
1:A:34:A:OP1	1:A:34:A:C8	2.74	0.40
2:B:286:TYR:O	2:B:289:LEU:HB3	2.22	0.40
2:B:1304:GLU:HG2	2:B:1327:PHE:HE1	1.86	0.40
3:C:-4:DT:H2''	3:C:-3:DA:C8	2.57	0.40
2:B:99:HIS:O	2:B:103:GLU:HG2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
2	B	1314/1368 (96%)	1276 (97%)	38 (3%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
2	B	1191/1225 (97%)	1181 (99%)	10 (1%)	81 93

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	39	ASP
2	B	213	SER
2	B	261	ASP
2	B	424	ARG
2	B	465	MET
2	B	514	LEU
2	B	654	ARG
2	B	859	ARG
2	B	1109	SER
2	B	1115	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	14	ASN
2	B	178	ASN
2	B	285	GLN
2	B	295	ASN
2	B	412	HIS
2	B	497	ASN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A	81/84 (96%)	15 (18%)	1 (1%)

All (15) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A	11	G
1	A	17	G
1	A	20	U
1	A	28	A
1	A	29	G
1	A	32	A
1	A	51	A
1	A	56	U
1	A	59	U
1	A	68	A
1	A	72	U
1	A	73	G
1	A	76	A
1	A	77	A
1	A	78	A

All (1) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	A	31	U

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 14 ligands modelled in this entry, 14 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	84/84 (100%)	-0.31	0 100 100	54, 88, 188, 226	0
2	B	1328/1368 (97%)	-0.08	26 (1%) 65 36	51, 93, 158, 202	0
3	C	28/28 (100%)	-0.46	0 100 100	61, 92, 150, 160	0
4	D	10/13 (76%)	0.02	1 (10%) 7 2	74, 99, 150, 169	0
All	All	1450/1493 (97%)	-0.10	27 (1%) 66 37	51, 93, 159, 226	0

All (27) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	188	LEU	3.9
2	B	852	ILE	3.9
2	B	775	LYS	3.6
2	B	802	GLU	3.6
2	B	804	THR	3.5
2	B	1058	ARG	3.4
4	D	-2	DA	3.2
2	B	801	VAL	3.2
2	B	803	ASN	3.0
2	B	287	ALA	2.9
2	B	847	LEU	2.8
2	B	192	TYR	2.8
2	B	818	ASN	2.7
2	B	871	PRO	2.6
2	B	842	VAL	2.5
2	B	778	ARG	2.4
2	B	286	TYR	2.3
2	B	278	LEU	2.3
2	B	1052	LEU	2.3
2	B	290	PHE	2.2
2	B	958	LEU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	784	ILE	2.2
2	B	890	LYS	2.2
2	B	1043	MET	2.1
2	B	868	ASP	2.1
2	B	1032	ALA	2.1
2	B	177	ASP	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	K	B	1407	1/1	0.67	0.09	114,114,114,114	0
6	K	B	1402	1/1	0.69	0.25	121,121,121,121	0
6	K	B	1406	1/1	0.72	0.09	129,129,129,129	0
6	K	B	1403	1/1	0.90	0.24	104,104,104,104	0
6	K	A	103	1/1	0.91	0.13	96,96,96,96	0
6	K	B	1405	1/1	0.91	0.05	151,151,151,151	0
6	K	B	1401	1/1	0.94	0.12	112,112,112,112	0
6	K	A	105	1/1	0.94	0.25	91,91,91,91	0
6	K	A	106	1/1	0.95	0.25	86,86,86,86	0
6	K	A	104	1/1	0.96	0.15	81,81,81,81	0
6	K	A	107	1/1	0.96	0.18	104,104,104,104	0
6	K	B	1404	1/1	0.97	0.17	120,120,120,120	0
5	MG	A	101	1/1	0.98	0.14	78,78,78,78	0
5	MG	A	102	1/1	0.98	0.14	70,70,70,70	0

6.5 Other polymers [i](#)

There are no such residues in this entry.