



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 18, 2022 – 10:21 am BST

PDB ID : 7QQP
Title : SpCas9 bound to AAVS1 off-target3 DNA substrate
Authors : Pacesa, M.; Jinek, M.
Deposited on : 2022-01-10
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.31.2
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0267
CCP4 : 7.1.010 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)
RNA backbone	3102	1040 (2.90-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	84	
2	B	1368	
3	C	28	
4	D	12	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	EDO	A	106	-	-	-	X

2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 13730 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called AAVS1 sgRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
1	A	84	1788	799	334	572	83	0	0	1

- Molecule 2 is a protein called CRISPR-associated endonuclease Cas9/Csn1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	1334	10908	6949	1893	2044	22	0	1	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	10	ALA	ASP	engineered mutation	UNP Q99ZW2
B	840	ALA	HIS	engineered mutation	UNP Q99ZW2

- Molecule 3 is a DNA chain called AAVS1 off-target3 target strand.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
3	C	28	552	266	91	168	27	0	0	0

- Molecule 4 is a DNA chain called AAVS1 off-target3 non-target strand.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
4	D	11	210	100	38	62	10	0	0	1


- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	2	Total	Mg	0	0
			2	2		

- Molecule 6 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	3	Total K 3 3	0	0
6	B	7	Total K 7 7	0	0

- Molecule 7 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total C O 4 2 2	0	0
7	A	1	Total C O 4 2 2	0	0
7	A	1	Total C O 4 2 2	0	0
7	C	1	Total C O 4 2 2	0	0

- Molecule 8 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	93	Total O 93 93	0	0
8	B	138	Total O 138 138	0	0
8	C	6	Total O 6 6	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	D	7	Total	O	0	0
			7	7		


3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: AAVS1 sgRNA



- Molecule 2: CRISPR-associated endonuclease Cas9/Csn1





- Molecule 3: AAVS1 off-target3 target strand

Chain C:  61% 36%



- Molecule 4: AAVS1 off-target3 non-target strand

Chain D:  8% 50% 42% 8%



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	177.61Å 67.73Å 188.09Å 90.00° 111.27° 90.00°	Depositor
Resolution (Å)	47.96 – 2.60 47.96 – 2.60	Depositor EDS
% Data completeness (in resolution range)	99.4 (47.96-2.60) 99.4 (47.96-2.60)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.28 (at 2.61Å)	Xtriage
Refinement program	PHENIX 1.17.1_3660	Depositor
R, R_{free}	0.194 , 0.225 0.194 , 0.225	Depositor DCC
R_{free} test set	3220 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	66.6	Xtriage
Anisotropy	0.263	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	(Not available) , (Not available)	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	13730	wwPDB-VP
Average B, all atoms (Å ²)	84.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.50% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, K, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.25	0/2005	0.83	0/3127
2	B	0.25	0/11102	0.41	0/14915
3	C	0.59	0/614	1.01	1/941 (0.1%)
4	D	0.55	0/235	0.94	0/363
All	All	0.28	0/13956	0.56	1/19346 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	8	DC	O4'-C4'-C3'	-5.37	102.35	104.50

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1788	0	895	27	0
2	B	10908	0	11082	102	0
3	C	552	0	317	9	0
4	D	210	0	115	4	0
5	A	2	0	0	0	0
6	A	3	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	B	7	0	0	0	0
7	A	12	0	18	3	0
7	C	4	0	6	0	0
8	A	93	0	0	0	0
8	B	138	0	0	2	0
8	C	6	0	0	0	0
8	D	7	0	0	0	0
All	All	13730	0	12433	130	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (130) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:184:LEU:HD12	2:B:299:ALA:HB2	1.69	0.74
2:B:557:ARG:NH2	2:B:596:ASP:OD1	2.27	0.68
2:B:870:VAL:HG11	2:B:902:LYS:HB2	1.75	0.68
3:C:14:DT:H2'	3:C:15:DG:H8	1.60	0.67
2:B:919:ARG:NH1	3:C:15:DG:OP1	2.29	0.66
2:B:902:LYS:HG2	2:B:905:ARG:HH12	1.61	0.65
1:A:46:A:H2'	1:A:47:A:C8	2.32	0.64
1:A:46:A:H2'	1:A:47:A:H8	1.64	0.63
1:A:59:U:OP1	2:B:467:ARG:NH2	2.31	0.63
1:A:41:A:OP2	2:B:340:ARG:NH2	2.31	0.63
3:C:8:DC:H2'	3:C:9:DC:C6	2.34	0.63
2:B:1215:ALA:HB2	2:B:1221:GLN:HG3	1.81	0.63
2:B:168:PHE:CG	2:B:447:ARG:HD2	2.34	0.62
2:B:899:ASN:HA	2:B:902:LYS:HG3	1.82	0.61
2:B:1335:ARG:NH2	4:D:2:DG:O6	2.33	0.60
2:B:158:LEU:HD22	2:B:419:LEU:HD12	1.82	0.59
1:A:22:U:H2'	1:A:23:U:C6	2.37	0.59
3:C:-1:DC:H2'	3:C:0:DT:C6	2.37	0.59
2:B:1042:ILE:HG23	2:B:1043:MET:HG2	1.86	0.58
2:B:780:ARG:NH1	2:B:806:LEU:O	2.36	0.58
2:B:1114:ARG:NH1	4:D:4:DA:OP1	2.37	0.57
3:C:8:DC:H2'	3:C:9:DC:H6	1.69	0.57
2:B:258:LEU:HD21	2:B:282:ILE:HD11	1.86	0.57
2:B:265:GLN:HG2	2:B:267:SER:H	1.70	0.57
2:B:841:ILE:O	2:B:864:ARG:NH2	2.39	0.56
2:B:1110:ILE:HG23	2:B:1122:ARG:HD2	1.88	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:1212:ARG:NH1	8:B:1504:HOH:O	2.37	0.55
3:C:13:DC:H2'	3:C:14:DT:C6	2.41	0.55
2:B:936:ASP:OD1	2:B:951:ARG:NH1	2.39	0.54
2:B:439:LYS:HG2	2:B:476:TRP:CD1	2.42	0.54
2:B:817:GLN:O	2:B:882:TYR:OH	2.26	0.54
2:B:1151:LYS:HD2	2:B:1158:LYS:HD2	1.90	0.53
1:A:54:G:H2'	1:A:55:C:C6	2.44	0.53
2:B:967:ARG:NH1	2:B:986:ASP:OD1	2.42	0.53
3:C:-4:DT:H2''	3:C:-3:DA:C8	2.44	0.53
2:B:1004:LEU:HD11	2:B:1042:ILE:HD11	1.90	0.53
2:B:271:TYR:HA	2:B:274:ASP:HB2	1.90	0.53
3:C:14:DT:H2'	3:C:15:DG:C8	2.43	0.53
1:A:27:G:N2	1:A:44:U:OP2	2.42	0.52
2:B:880:LYS:HE3	2:B:897:PHE:HZ	1.73	0.52
2:B:838:VAL:HG12	2:B:855:LYS:HE2	1.92	0.52
2:B:956:ILE:HD11	2:B:998:ILE:HD13	1.92	0.52
2:B:787:GLY:O	2:B:791:LEU:HB2	2.10	0.52
2:B:260:GLU:HB2	2:B:281:GLN:HE22	1.74	0.51
2:B:874:GLU:HG2	2:B:878:LYS:HE3	1.92	0.51
1:A:3:G:H2'	1:A:4:G:C8	2.46	0.51
7:A:107:EDO:O1	2:B:461:ARG:NH2	2.43	0.51
1:A:37:U:H2'	1:A:38:A:C8	2.46	0.51
1:A:3:G:H2'	1:A:4:G:H8	1.76	0.50
1:A:20:U:OP2	2:B:403:ARG:NH1	2.45	0.50
2:B:180:ASP:OD2	2:B:183:LYS:NZ	2.33	0.50
2:B:287:ALA:O	2:B:291:LEU:HG	2.13	0.49
1:A:49:A:N3	2:B:1122:ARG:NH2	2.58	0.49
1:A:69:A:H2'	1:A:70:C:H6	1.77	0.49
2:B:870:VAL:HG21	2:B:902:LYS:HD3	1.95	0.49
2:B:266:LEU:HD13	2:B:294:LYS:HD2	1.94	0.49
2:B:450:TYR:OH	2:B:627:GLU:HB3	2.12	0.49
2:B:456:ALA:O	2:B:467:ARG:NH1	2.46	0.48
2:B:790:GLU:HG2	2:B:889:ALA:HA	1.95	0.48
2:B:704:PHE:O	2:B:708:ILE:HG12	2.13	0.48
2:B:564:LEU:HD23	2:B:580:ILE:HD13	1.95	0.48
2:B:1216:SER:OG	2:B:1217:ALA:N	2.46	0.48
4:D:-2:DA:H2''	4:D:-1:DT:H5''	1.95	0.48
1:A:57:A:OP1	2:B:457:ARG:NH2	2.45	0.48
1:A:70:C:H2'	1:A:71:U:H6	1.79	0.48
2:B:1212:ARG:NH2	2:B:1280:VAL:O	2.46	0.47
1:A:52:A:OP1	2:B:1123:LYS:NZ	2.46	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:851:SER:O	2:B:855:LYS:HG3	2.15	0.47
2:B:48:ILE:HG12	2:B:984:ALA:HB1	1.96	0.47
2:B:306:LEU:HD21	2:B:414:ILE:HD13	1.97	0.47
2:B:528:LYS:HE3	2:B:539:PHE:CE1	2.50	0.47
2:B:712:GLN:NE2	8:B:1511:HOH:O	2.46	0.46
2:B:39:ASP:OD2	2:B:39:ASP:N	2.49	0.46
2:B:245:SER:HA	2:B:297:SER:HB2	1.98	0.46
2:B:468:LYS:HG3	2:B:483:ASP:HB2	1.98	0.46
2:B:1306:ALA:O	2:B:1310:ILE:HG12	2.15	0.46
2:B:404:THR:H	2:B:407:ASN:ND2	2.13	0.46
1:A:71:U:H2'	1:A:72:U:C6	2.51	0.45
1:A:70:C:H2'	1:A:71:U:C6	2.51	0.45
2:B:977:GLU:OE2	2:B:977:GLU:N	2.45	0.45
2:B:675:SER:HB2	2:B:677:LYS:HD3	1.99	0.45
1:A:68:A:C4	1:A:69:A:C8	3.04	0.45
1:A:33:G:OP2	1:A:33:G:H8	2.00	0.45
2:B:623:LEU:HD13	2:B:654:ARG:HG3	1.99	0.44
2:B:312:ILE:HG13	2:B:313:THR:HG22	1.98	0.44
2:B:342:GLN:HB2	2:B:383:MET:HE3	1.99	0.44
2:B:302:LEU:HD13	2:B:302:LEU:HA	1.87	0.44
2:B:614:ASP:OD1	2:B:664:ARG:NH2	2.48	0.44
2:B:1147:ALA:HB2	2:B:1190:VAL:HA	1.99	0.44
2:B:1231:LYS:HE3	2:B:1232:TYR:CZ	2.53	0.44
2:B:212:LEU:HD21	2:B:225:LEU:HD22	2.00	0.44
2:B:956:ILE:HA	2:B:1008:PHE:O	2.18	0.43
2:B:1308:ASN:HB3	2:B:1326:TYR:CD1	2.53	0.43
2:B:956:ILE:HG23	2:B:1008:PHE:HB3	1.99	0.43
2:B:103:GLU:O	2:B:111:LYS:NZ	2.51	0.43
2:B:183:LYS:HA	2:B:186:ILE:HG22	2.00	0.43
2:B:817:GLN:HE22	2:B:857:LEU:HB3	1.83	0.43
2:B:400:ARG:NH2	2:B:406:ASP:OD2	2.51	0.43
1:A:69:A:H2'	1:A:70:C:C6	2.52	0.43
2:B:1210:ARG:NH2	2:B:1341:GLU:OE2	2.52	0.43
2:B:597:LEU:O	2:B:601:ILE:HG12	2.19	0.43
7:A:108:EDO:H21	2:B:522:ASN:HD21	1.84	0.42
4:D:3:DT:H2''	4:D:4:DA:C8	2.53	0.42
1:A:82:C:H41	2:B:31:LYS:H	1.67	0.42
2:B:103:GLU:HB2	2:B:106:LEU:HD12	2.01	0.42
2:B:186:ILE:HG12	2:B:190:GLN:HE21	1.83	0.42
2:B:468:LYS:N	2:B:481:VAL:O	2.45	0.42
2:B:817:GLN:NE2	2:B:857:LEU:HB3	2.34	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:-1:G:O3'	2:B:918:LYS:NZ	2.53	0.42
2:B:973:TYR:HB3	2:B:1237:TYR:CD2	2.55	0.42
3:C:2:DT:H2'	3:C:3:DC:H6	1.85	0.42
1:A:48:A:H2'	1:A:49:A:C8	2.55	0.42
1:A:61:C:OP2	2:B:70:ARG:HD3	2.20	0.42
2:B:264:LEU:HD23	2:B:271:TYR:HE1	1.85	0.42
2:B:285[B]:GLN:HG2	2:B:286:TYR:CD2	2.55	0.41
1:A:32:A:H2'	1:A:33:G:O4'	2.20	0.41
7:A:108:EDO:H22	2:B:692:ASN:ND2	2.36	0.41
2:B:822:MET:HB3	2:B:822:MET:HE3	1.87	0.41
1:A:77:A:H2'	1:A:78:A:C8	2.56	0.41
2:B:175:ASN:N	2:B:176:PRO:HD3	2.35	0.41
2:B:518:PHE:CD1	2:B:667:ILE:HD12	2.55	0.41
2:B:784:ILE:HD11	2:B:812:TYR:CD1	2.56	0.41
2:B:1224:ASN:HB2	2:B:1280:VAL:HG11	2.02	0.41
2:B:654:ARG:HD3	2:B:655:ARG:N	2.36	0.41
2:B:758:ASN:OD1	2:B:954:LYS:HE3	2.20	0.41
2:B:1163:LEU:HD23	2:B:1163:LEU:HA	1.90	0.41
2:B:1163:LEU:HG	2:B:1343:LEU:HD21	2.02	0.41
2:B:1284:ASP:OD1	2:B:1284:ASP:N	2.54	0.40
2:B:839:ASP:OD2	2:B:864:ARG:NE	2.49	0.40
2:B:168:PHE:CD2	2:B:447:ARG:HD2	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
2	B	1325/1368 (97%)	1287 (97%)	38 (3%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
2	B	1197/1225 (98%)	1194 (100%)	3 (0%)	92 98

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	174	LEU
2	B	175	ASN
2	B	514	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	190	GLN
2	B	281	GLN
2	B	309	ASN
2	B	497	ASN
2	B	826	GLN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A	82/84 (97%)	17 (20%)	0

All (17) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A	8	C
1	A	11	G
1	A	20	U
1	A	28	A
1	A	29	G
1	A	35	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	36	A
1	A	37	U
1	A	51	A
1	A	56	U
1	A	59	U
1	A	63	U
1	A	68	A
1	A	72	U
1	A	74	A
1	A	78	A
1	A	82	C

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 16 ligands modelled in this entry, 12 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	EDO	A	107	-	3,3,3	0.48	0	2,2,2	0.17	0
7	EDO	A	106	-	3,3,3	0.47	0	2,2,2	0.25	0
7	EDO	C	101	-	3,3,3	0.46	0	2,2,2	0.32	0
7	EDO	A	108	-	3,3,3	0.57	0	2,2,2	0.35	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	EDO	A	107	-	-	0/1/1/1	-
7	EDO	A	106	-	-	0/1/1/1	-
7	EDO	C	101	-	-	0/1/1/1	-
7	EDO	A	108	-	-	1/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	A	108	EDO	O1-C1-C2-O2

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	A	107	EDO	1	0
7	A	108	EDO	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	84/84 (100%)	-0.45	2 (2%) 59 53	44, 66, 158, 213	0
2	B	1334/1368 (97%)	0.16	72 (5%) 25 20	39, 78, 142, 191	0
3	C	28/28 (100%)	-0.45	0 100 100	52, 74, 136, 164	0
4	D	11/12 (91%)	0.07	1 (9%) 9 6	57, 82, 139, 144	0
All	All	1457/1492 (97%)	0.11	75 (5%) 28 22	39, 77, 144, 213	0

All (75) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	802	GLU	10.5
2	B	775	LYS	8.4
2	B	804	THR	6.8
2	B	803	ASN	5.7
2	B	784	ILE	5.5
2	B	806	LEU	5.3
2	B	278	LEU	5.0
2	B	846	PHE	4.6
2	B	852	ILE	4.5
2	B	290	PHE	4.4
2	B	801	VAL	4.2
2	B	1036	TYR	4.0
2	B	286	TYR	3.9
2	B	246	LEU	3.8
2	B	1243	GLU	3.7
2	B	818	ASN	3.7
2	B	715	GLY	3.7
2	B	293	ALA	3.6
2	B	910	GLU	3.5
2	B	199	ASN	3.5
2	B	847	LEU	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	1058	ARG	3.5
4	D	-3	DG	3.3
2	B	188	LEU	3.3
2	B	871	PRO	3.2
2	B	777	SER	3.2
2	B	1032	ALA	3.1
2	B	781	MET	3.1
2	B	1052	LEU	3.1
2	B	778	ARG	3.0
2	B	284	ASP	2.9
2	B	885	GLN	2.9
2	B	178	ASN	2.9
2	B	891	LEU	2.9
2	B	717	GLY	2.9
2	B	1043	MET	2.7
2	B	808	ASN	2.7
2	B	855	LYS	2.7
2	B	830	ILE	2.7
2	B	268	LYS	2.7
2	B	815	TYR	2.7
2	B	890	LYS	2.7
2	B	780	ARG	2.7
2	B	291	LEU	2.6
2	B	297	SER	2.6
2	B	816	LEU	2.5
2	B	1302	ILE	2.5
1	A	-1	G	2.5
2	B	850	ASP	2.5
2	B	269	ASP	2.4
2	B	311	GLU	2.4
2	B	908	LEU	2.4
2	B	1033	THR	2.4
2	B	1264	HIS	2.4
2	B	527	VAL	2.3
2	B	788	ILE	2.3
2	B	195	LEU	2.3
2	B	1249	PRO	2.3
2	B	1039	TYR	2.3
2	B	796	LEU	2.3
2	B	783	ARG	2.3
2	B	795	ILE	2.2
2	B	831	ASN	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	710	LYS	2.2
1	A	74	A	2.2
2	B	1242	TYR	2.2
2	B	786	GLU	2.2
2	B	867	SER	2.1
2	B	1035	LYS	2.1
2	B	1051	THR	2.1
2	B	911	LEU	2.1
2	B	347	TYR	2.1
2	B	175	ASN	2.0
2	B	907	GLY	2.0
2	B	196	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	EDO	A	106	4/4	0.67	0.47	88,89,90,94	0
6	K	B	1401	1/1	0.74	0.29	125,125,125,125	0
7	EDO	A	107	4/4	0.77	0.31	70,72,77,78	0
7	EDO	A	108	4/4	0.83	0.48	88,89,89,90	0
7	EDO	C	101	4/4	0.87	0.14	86,90,94,94	0
6	K	B	1402	1/1	0.91	0.12	72,72,72,72	0
6	K	B	1406	1/1	0.91	0.11	106,106,106,106	0
6	K	B	1404	1/1	0.93	0.08	117,117,117,117	0
6	K	A	103	1/1	0.93	0.08	73,73,73,73	0
6	K	B	1403	1/1	0.94	0.15	85,85,85,85	0
6	K	B	1405	1/1	0.97	0.07	95,95,95,95	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	MG	A	102	1/1	0.97	0.14	49,49,49,49	0
6	K	A	105	1/1	0.97	0.12	67,67,67,67	0
5	MG	A	101	1/1	0.98	0.15	81,81,81,81	0
6	K	A	104	1/1	0.99	0.17	70,70,70,70	0
6	K	B	1407	1/1	0.99	0.11	90,90,90,90	0

6.5 Other polymers [i](#)

There are no such residues in this entry.