



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 18, 2024 – 03:33 AM EDT

PDB ID : 5QR8  
Title : PanDDA analysis group deposition – Crystal Structure of human ALAS2A in complex with Z57258487  
Authors : Bezerra, G.A.; Foster, W.; Bailey, H.; Shrestha, L.; Krojer, T.; Talon, R.; Brandao-Neto, J.; Douangamath, A.; Nicola, B.B.; von Delft, F.; Arrowsmith, C.H.; Edwards, A.; Bountra, C.; Brennan, P.E.; Yue, W.W.  
Deposited on : 2019-05-22  
Resolution : 1.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtrriage (Phenix) : 1.13  
EDS : 2.37.1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.37.1


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2469 (1.86-1.86)
Clashscore	141614	2625 (1.86-1.86)
Ramachandran outliers	138981	2592 (1.86-1.86)
Sidechain outliers	138945	2592 (1.86-1.86)
RSRZ outliers	127900	2436 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	469	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 77%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 13%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 9%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 30px;">3%      77%      13%      • 9%</p>
1	B	469	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 78%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 13%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 9%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 30px;">3%      78%      13%      9%</p>

## 2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 6920 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 5-aminolevulinate synthase, erythroid-specific, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	B	428	3302	2102	577	601	22	0	1	0
1	A	429	3322	2114	587	599	22	0	1	0

There are 68 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	119	MET	-	initiating methionine	UNP P22557
B	120	GLY	-	expression tag	UNP P22557
B	121	HIS	-	expression tag	UNP P22557
B	122	HIS	-	expression tag	UNP P22557
B	123	HIS	-	expression tag	UNP P22557
B	124	HIS	-	expression tag	UNP P22557
B	125	HIS	-	expression tag	UNP P22557
B	126	HIS	-	expression tag	UNP P22557
B	127	SER	-	expression tag	UNP P22557
B	128	SER	-	expression tag	UNP P22557
B	129	GLY	-	expression tag	UNP P22557
B	130	VAL	-	expression tag	UNP P22557
B	131	ASP	-	expression tag	UNP P22557
B	132	LEU	-	expression tag	UNP P22557
B	133	GLY	-	expression tag	UNP P22557
B	134	THR	-	expression tag	UNP P22557
B	135	GLU	-	expression tag	UNP P22557
B	136	ASN	-	expression tag	UNP P22557
B	137	LEU	-	expression tag	UNP P22557
B	138	TYR	-	expression tag	UNP P22557
B	139	PHE	-	expression tag	UNP P22557
B	140	GLN	-	expression tag	UNP P22557
B	141	SER	-	expression tag	UNP P22557
B	142	MET	-	expression tag	UNP P22557
B	221	VAL	ALA	conflict	UNP P22557

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
B	579	GLY	-	expression tag	UNP P22557
B	580	PRO	-	expression tag	UNP P22557
B	581	GLN	-	expression tag	UNP P22557
B	582	TYR	-	expression tag	UNP P22557
B	583	VAL	-	expression tag	UNP P22557
B	584	THR	-	expression tag	UNP P22557
B	585	THR	-	expression tag	UNP P22557
B	586	TYR	-	expression tag	UNP P22557
B	587	ALA	-	expression tag	UNP P22557
A	119	MET	-	initiating methionine	UNP P22557
A	120	GLY	-	expression tag	UNP P22557
A	121	HIS	-	expression tag	UNP P22557
A	122	HIS	-	expression tag	UNP P22557
A	123	HIS	-	expression tag	UNP P22557
A	124	HIS	-	expression tag	UNP P22557
A	125	HIS	-	expression tag	UNP P22557
A	126	HIS	-	expression tag	UNP P22557
A	127	SER	-	expression tag	UNP P22557
A	128	SER	-	expression tag	UNP P22557
A	129	GLY	-	expression tag	UNP P22557
A	130	VAL	-	expression tag	UNP P22557
A	131	ASP	-	expression tag	UNP P22557
A	132	LEU	-	expression tag	UNP P22557
A	133	GLY	-	expression tag	UNP P22557
A	134	THR	-	expression tag	UNP P22557
A	135	GLU	-	expression tag	UNP P22557
A	136	ASN	-	expression tag	UNP P22557
A	137	LEU	-	expression tag	UNP P22557
A	138	TYR	-	expression tag	UNP P22557
A	139	PHE	-	expression tag	UNP P22557
A	140	GLN	-	expression tag	UNP P22557
A	141	SER	-	expression tag	UNP P22557
A	142	MET	-	expression tag	UNP P22557
A	221	VAL	ALA	conflict	UNP P22557
A	579	GLY	-	expression tag	UNP P22557
A	580	PRO	-	expression tag	UNP P22557
A	581	GLN	-	expression tag	UNP P22557
A	582	TYR	-	expression tag	UNP P22557
A	583	VAL	-	expression tag	UNP P22557
A	584	THR	-	expression tag	UNP P22557
A	585	THR	-	expression tag	UNP P22557
A	586	TYR	-	expression tag	UNP P22557

*Continued on next page...*

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	587	ALA	-	expression tag	UNP P22557

- Molecule 2 is PYRIDOXAL-5'-PHOSPHATE (three-letter code: PLP) (formula: C<sub>8</sub>H<sub>10</sub>NO<sub>6</sub>P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	B	1	16	8	1	6	1	0	0
2	A	1	16	8	1	6	1	0	0

- Molecule 3 is N-[4-(dimethylamino)phenyl]methyl}-4H-1,2,4-triazol-4-amine (three-letter code: NVD) (formula: C<sub>11</sub>H<sub>15</sub>N<sub>5</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	C N	0	0
			16	11 5		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	132	Total	O	0	0
			132	132		
4	A	116	Total	O	0	0
			116	116		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 5-aminolevulinate synthase, erythroid-specific, mitochondrial



- Molecule 1: 5-aminolevulinate synthase, erythroid-specific, mitochondrial





## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	125.33Å 108.28Å 75.64Å 90.00° 109.11° 90.00°	Depositor
Resolution (Å)	59.28 – 1.85 59.21 – 1.85	Depositor EDS
% Data completeness (in resolution range)	99.5 (59.28-1.85) 99.6 (59.21-1.85)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.47 (at 1.86Å)	Xtrriage
Refinement program	REFMAC 5.8.0238	Depositor
R, $R_{free}$	0.209 , 0.241 0.221 , 0.248	Depositor DCC
$R_{free}$ test set	3945 reflections (4.88%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	28.8	Xtrriage
Anisotropy	0.131	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 33.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	6920	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	34.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.07% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PLP, NVD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.70	0/3403	0.86	2/4608 (0.0%)
1	B	0.70	0/3381	0.84	2/4580 (0.0%)
All	All	0.70	0/6784	0.85	4/9188 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	170	ARG	NE-CZ-NH2	-6.88	116.86	120.30
1	A	368	ARG	NE-CZ-NH2	6.67	123.63	120.30
1	A	368	ARG	NE-CZ-NH1	-5.90	117.35	120.30
1	B	170	ARG	NE-CZ-NH1	5.56	123.08	120.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3322	0	3215	50	0
1	B	3302	0	3192	42	1
2	A	16	0	7	1	0
2	B	16	0	7	2	0
3	B	16	0	0	5	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	116	0	0	2	0
4	B	132	0	0	5	0
All	All	6920	0	6421	89	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (89) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:242:GLU:OE2	4:B:701:HOH:O	1.95	0.85
1:B:175:TYR:HB2	1:B:204:ARG:HD2	1.69	0.73
1:A:147:GLN:OE1	1:A:150:ARG:NH1	2.21	0.73
1:A:497:HIS:ND1	1:A:535:LYS:HE2	2.05	0.72
1:A:504:ILE:CD1	1:A:517:ARG:HB2	2.22	0.70
1:B:142:MET:HE2	3:B:602:NVD:C8	2.21	0.70
1:B:171:TRP:CZ2	1:B:179:GLN:HG3	2.27	0.69
1:A:461:LEU:HD21	1:A:478:ILE:HD11	1.74	0.69
1:A:146:ASP:O	1:A:150:ARG:HG2	1.95	0.67
1:B:349:GLN:OE1	4:B:702:HOH:O	2.11	0.67
1:B:460:LEU:O	1:B:464:ARG:HG2	1.94	0.66
1:A:332:SER:HB3	2:A:601:PLP:H2A1	1.76	0.66
1:B:142:MET:SD	3:B:602:NVD:C11	2.84	0.66
1:B:217:GLN:NE2	1:A:213:GLN:OE1	2.25	0.65
1:A:461:LEU:HD12	1:A:533:VAL:CG1	2.27	0.64
1:B:319:PRO:O	1:A:142:MET:HB3	2.00	0.62
1:B:175:TYR:CB	1:B:204:ARG:HD2	2.30	0.61
1:B:464:ARG:HB3	1:B:537:LEU:HD11	1.82	0.61
1:B:456:HIS:HE1	4:B:745:HOH:O	1.84	0.60
1:A:247:HIS:HA	1:A:379:MET:CE	2.31	0.60
1:A:169:ASN:HD21	1:A:181:PHE:HE2	1.48	0.60
1:A:504:ILE:CD1	1:A:517:ARG:CB	2.79	0.60
1:A:504:ILE:HD12	1:A:517:ARG:HB2	1.83	0.60
1:B:303:ARG:NH1	4:B:704:HOH:O	2.36	0.58
1:A:194:TRP:HB2	1:A:501:VAL:CG1	2.35	0.56
1:B:194:TRP:HB2	1:B:501:VAL:CG1	2.34	0.56
1:A:451:GLN:O	1:A:454:VAL:HG12	2.07	0.54
1:B:194:TRP:HB2	1:B:501:VAL:HG12	1.91	0.53
1:A:518:LEU:HD21	1:A:532:PHE:CZ	2.43	0.53
1:B:335:GLY:CA	4:B:748:HOH:O	2.57	0.52
1:B:166:LYS:HE3	1:B:490:CYS:SG	2.50	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:137:LEU:HD12	1:B:137:LEU:N	2.25	0.51
1:B:277:GLU:OE1	1:B:323:LYS:HE3	2.10	0.51
1:B:221:VAL:O	1:B:424:PRO:HB3	2.11	0.51
1:A:442:GLU:O	1:A:446:LEU:HD23	2.11	0.50
1:B:171:TRP:CZ2	1:B:179:GLN:CG	2.94	0.50
1:B:459:GLN:NE2	1:B:463:ASP:OD1	2.44	0.50
1:A:154:MET:CG	1:A:158:GLN:NE2	2.74	0.50
1:B:534:GLU:O	1:B:538:LEU:HD23	2.11	0.49
1:B:258:CYS:HB3	2:B:601:PLP:O4P	2.11	0.49
1:B:332:SER:HB3	2:B:601:PLP:H2A1	1.94	0.49
1:B:331:HIS:HB3	1:B:334:ASP:OD1	2.13	0.49
1:B:199:TYR:CD2	1:B:364:LEU:HD11	2.48	0.48
1:B:504:ILE:HD12	1:B:517:ARG:HB2	1.96	0.48
1:A:380[B]:HIS:HE1	4:A:729:HOH:O	1.95	0.47
1:B:142:MET:HB2	3:B:602:NVD:C1	2.44	0.47
1:A:171:TRP:CZ2	1:A:179:GLN:HB2	2.49	0.47
1:A:194:TRP:HB2	1:A:501:VAL:HG12	1.96	0.46
1:B:475:ILE:O	1:B:477:PRO:HD3	2.16	0.46
1:B:277:GLU:O	1:B:323:LYS:HA	2.15	0.46
1:A:191:VAL:HG21	1:A:494:LEU:CD1	2.46	0.46
1:A:279:TYR:HA	1:A:300:PHE:O	2.16	0.46
1:B:142:MET:CE	3:B:602:NVD:C10	2.93	0.45
1:A:277:GLU:O	1:A:323:LYS:HA	2.16	0.45
1:B:280:SER:O	1:B:301:VAL:HA	2.16	0.45
1:A:451:GLN:HA	1:A:454:VAL:HG12	1.97	0.45
1:A:504:ILE:HD11	1:A:517:ARG:HB3	1.98	0.45
1:B:142:MET:HE2	3:B:602:NVD:N4	2.31	0.45
1:A:269:LEU:HB3	1:A:324:ILE:HD11	1.99	0.44
1:A:470:PRO:O	1:A:471:CYS:SG	2.73	0.44
1:B:385:ILE:CG2	1:B:401:ALA:HB3	2.47	0.44
1:A:461:LEU:HD12	1:A:533:VAL:HG12	1.99	0.44
1:A:194:TRP:HB2	1:A:501:VAL:HG13	1.98	0.44
1:A:191:VAL:HG21	1:A:494:LEU:HD12	1.99	0.44
1:B:269:LEU:HD23	1:B:409:MET:HE1	1.99	0.44
1:A:175:TYR:HB2	1:A:204:ARG:HD2	2.00	0.43
1:A:272:ILE:HG21	1:A:409:MET:SD	2.58	0.43
1:B:171:TRP:CE2	1:B:179:GLN:HG3	2.52	0.43
1:A:454:VAL:HG21	1:A:474:HIS:HA	2.00	0.43
1:A:530:GLU:O	1:A:533:VAL:HG23	2.18	0.43
1:A:246:LEU:O	1:A:368:ARG:NH1	2.51	0.43
1:A:170:ARG:HD2	4:A:761:HOH:O	2.18	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:461:LEU:CD2	1:A:478:ILE:HD11	2.44	0.42
1:A:137:LEU:HD23	1:A:139:PHE:CE1	2.54	0.42
1:A:504:ILE:CD1	1:A:517:ARG:HB3	2.49	0.42
1:B:301:VAL:HG11	1:B:566:LEU:O	2.19	0.42
1:A:385:ILE:O	1:A:400:ILE:HA	2.19	0.42
1:B:456:HIS:ND1	1:B:529:MET:HE2	2.34	0.42
1:A:529:MET:O	1:A:533:VAL:HG22	2.20	0.42
1:A:506:TYR:CG	1:A:507:PRO:HA	2.55	0.42
1:B:221:VAL:HG12	1:A:395:CYS:HA	2.01	0.41
1:B:457:MET:N	1:B:529:MET:HE1	2.35	0.41
1:A:426:MET:HG3	1:A:427:VAL:N	2.34	0.41
1:B:476:ILE:HB	1:B:518:LEU:HB2	2.02	0.41
1:A:326:ALA:HA	1:A:355:PHE:O	2.21	0.41
1:A:388:THR:HG21	1:A:391:LYS:HG3	2.01	0.41
1:A:317:SER:OG	1:A:323:LYS:HE2	2.21	0.40
1:A:504:ILE:HD12	1:A:517:ARG:CB	2.48	0.40
1:A:449:ALA:HB3	1:A:522:PRO:HB3	2.03	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:137:LEU:CD1	1:B:151:ASP:OD2[2_656]	2.19	0.01

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	424/469 (90%)	411 (97%)	13 (3%)	0	100	100
1	B	423/469 (90%)	408 (96%)	15 (4%)	0	100	100
All	All	847/938 (90%)	819 (97%)	28 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	347/396 (88%)	339 (98%)	8 (2%)	50	34
1	B	345/396 (87%)	333 (96%)	12 (4%)	36	18
All	All	692/792 (87%)	672 (97%)	20 (3%)	42	26

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	138	TYR
1	B	146	ASP
1	B	159	ASP
1	B	176	PRO
1	B	191	VAL
1	B	234	LYS
1	B	251	SER
1	B	299	LYS
1	B	323	LYS
1	B	426	MET
1	B	457	MET
1	B	530	GLU
1	A	150	ARG
1	A	191	VAL
1	A	251	SER
1	A	272	ILE
1	A	323	LYS
1	A	448	ARG
1	A	468	VAL
1	A	533	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	180	HIS
1	B	459	GLN
1	A	158	GLN
1	A	217	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	PLP	B	601	-	16,16,16	0.77	0	20,23,23	1.38	5 (25%)
2	PLP	A	601	-	16,16,16	0.81	1 (6%)	20,23,23	1.17	2 (10%)
3	NVD	B	602	-	12,17,17	1.53	1 (8%)	14,22,22	2.28	3 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PLP	B	601	-	-	3/8/8/8	0/1/1/1
2	PLP	A	601	-	-	4/8/8/8	0/1/1/1
3	NVD	B	602	-	-	6/7/9/9	0/2/2/2

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	602	NVD	C4-C3	3.67	1.46	1.39
2	A	601	PLP	C3-C2	2.05	1.43	1.40

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	602	NVD	C7-N2-N3	6.84	121.37	111.41
3	B	602	NVD	C4-C3-N1	3.29	126.08	121.63
2	B	601	PLP	C3-C4-C4A	-3.12	115.48	119.90
3	B	602	NVD	C11-C3-N1	-2.91	117.69	121.63
2	A	601	PLP	C3-C4-C4A	-2.59	116.22	119.90
2	A	601	PLP	O4A-C4A-C4	2.48	130.32	124.91
2	B	601	PLP	O4A-C4A-C4	2.21	129.72	124.91
2	B	601	PLP	O3P-P-O2P	2.20	116.06	107.64
2	B	601	PLP	O4P-C5A-C5	2.17	113.48	109.35
2	B	601	PLP	O3P-P-O4P	-2.11	101.11	106.73

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	602	NVD	C4-C3-N1-C1
3	B	602	NVD	C11-C3-N1-C1
3	B	602	NVD	C11-C3-N1-C2
3	B	602	NVD	C4-C3-N1-C2
2	A	601	PLP	C3-C4-C4A-O4A
3	B	602	NVD	C5-C6-C7-N2
3	B	602	NVD	C10-C6-C7-N2
2	B	601	PLP	C5A-O4P-P-O1P
2	B	601	PLP	C3-C4-C4A-O4A
2	B	601	PLP	C4-C5-C5A-O4P
2	A	601	PLP	C4-C5-C5A-O4P
2	A	601	PLP	C5A-O4P-P-O2P
2	A	601	PLP	C5-C4-C4A-O4A




There are no ring outliers.

3 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	601	PLP	2	0
2	A	601	PLP	1	0
3	B	602	NVD	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	429/469 (91%)	-0.15	16 (3%) 41 39	20, 32, 54, 92	5 (1%)
1	B	428/469 (91%)	-0.26	12 (2%) 53 52	22, 32, 53, 74	6 (1%)
All	All	857/938 (91%)	-0.20	28 (3%) 46 44	20, 32, 54, 92	11 (1%)

All (28) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	399	TYR	9.8
1	A	380[A]	HIS	8.9
1	B	267	PHE	8.4
1	A	143	PHE	7.8
1	B	350	TYR	6.8
1	A	177	PHE	5.4
1	B	532	PHE	5.0
1	B	248[A]	GLN	4.1
1	A	181	PHE	4.0
1	A	547	LEU	3.9
1	B	365	TYR	3.7
1	B	137	LEU	3.0
1	B	558	CYS	2.7
1	A	546	PRO	2.5
1	A	557	PHE	2.4
1	A	544	GLY	2.4
1	A	578	MET	2.3
1	B	538	LEU	2.3
1	A	191	VAL	2.3
1	A	548	GLN	2.3
1	B	188	SER	2.2
1	B	138	TYR	2.2
1	A	188	SER	2.2
1	B	548	GLN	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	137	LEU	2.1
1	A	537	LEU	2.1
1	B	143	PHE	2.1
1	A	558	CYS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	NVD	B	602	16/16	0.72	0.36	94,107,117,120	16
2	PLP	B	601	16/16	0.92	0.14	31,38,44,49	0
2	PLP	A	601	16/16	0.95	0.11	32,38,47,52	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.5 Other polymers [i](#)

There are no such residues in this entry.